

**PERFORMANCE REPORTING INFORMATION SYSTEM
(PRISM)
STANDARD DATA DICTIONARY**

DATABASE LOGICAL VIEWS

Section Overview

This section contains the Logical View descriptions in the Performance Reporting Information System database. Each view description contains the following information about the view:

View Name The name by which the view is known by the database

Based on Tables The names of the table or tables from which the view is created

Selection Criteria The statement that defines the view

Purpose The original general purpose for the view. A view may have many purposes, not all of which are define here but the reason the view was originally created is described here.

Restrictions Defines access limits placed on the view.

View Name: AGENCY_RPT_ACCESS_CONTROL

Based on Tables: PRISM.AGENCY

Selection Criteria: All data from the PRISM.AGENCY table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to have access to PRISM aggregate report generators and at the same time prevent them from creating reports showing aggregations for agencies other than their own.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_AGENCY

Based on Tables: PRISM.AGENCY

Selection Criteria: All data from the PRISM.AGENCY table.

Purpose: This view allows partner agencies to have access to the PRISM Agency table.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_EPISODE

Based on Tables: PRISM.EPISODE

Selection Criteria: All data from the PRISM.EPISODE table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to have access to the PRISM Episode table without revealing either the system generated subject id's nor data from any partner agency but their own. All rows are delivered to them with the SSN's as they were originally submitted.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_EPISODE_COUNTS_RPT

Based on Tables: PRISM.EPISODE_COUNTS_RPT

Selection Criteria: All data from the PRISM.EPISODE_COUNTS_RPT table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to extract their individual submission counts from PRISM.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_EXITS

Based on Tables: PRISM.EXITS

Selection Criteria: All agency enterable data from the PRISM.EXITS table.

Purpose: This view is used by PRISM to validate incoming exit codes submitted by the partner agencies. The two exit codes that are excluded from the actual validation table are system generated codes that cannot be input by the agencies.

Restrictions: There are no restrictions placed on this view.

View Name: AGENCY_VIEW_FLDOFF

Based on Tables: PRISM.FLDOFF

Selection Criteria: All data from the PRISM.FLDOFF table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to maintain their Field Office codes in the Field Office Validation table while preventing them from changing any other agency's codes.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_GOALS

Based on Tables: PRISM.GOALS

Selection Criteria: All data from the PRISM.GOALS table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to have access to the PRISM Goals table without revealing either the system generated subject id's nor data from any partner agency but their own. All rows are delivered to them with the SSN's as they were originally submitted.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_GOALS_COLLECTION

Based on Tables: PRISM.GOALS_COLLECTION

Selection Criteria: All data from the PRISM.GOALS_COLLECTION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Goals Collection data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_GOALS_SUSPENSE

Based on Tables: PRISM.GOALS_SUSPENSE

Selection Criteria: All data from the PRISM.GOALS_SUSPENSE table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Goals Suspense data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_GOALS_SUSP_DEL

Based on Tables: PRISM.GOALS_SUSPENSE_DELETED

Selection Criteria: All data from the PRISM.GOALS_SUSPENSE_DELETED table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Goals Suspense Deleted data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_GOALS_VALIDATION

Based on Tables: PRISM.GOALS_VALIDATION

Selection Criteria: All data from the PRISM.GOALS_VALIDATION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Goals Validation data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_INTAKE_COLLECTION

Based on Tables: PRISM.INTAKE_COLLECTION

Selection Criteria: All data from the PRISM.INTAKE_COLLECTION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Intake Collection data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_INTAKE_SUSPENSE

Based on Tables: PRISM.INTAKE_SUSPENSE

Selection Criteria: All data from the PRISM.INTAKE_SUSPENSE table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Intake Suspense data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_INTAKE_SUSP_DEL

Based on Tables: PRISM.INTAKE_SUSPENSE_DELETED

Selection Criteria: All data from the PRISM.INTAKE_SUSPENSE_DELETED table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Intake Suspense Deleted data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_INTAKE_VALIDATION

Based on Tables: PRSIM.INTAKE_VALIDATION

Selection Criteria: All data from the PRISM.INTAKE_VALIDATION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Intake Validation data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_OUTCOME_COLLECTION

Based on Tables: PRISM.OUTCOMES_COLLECTION

Selection Criteria: All data from the PRISM.OUTCOMES_COLLECTION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Outcome Collection data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_OUTCOME_SUSPENSE

Based on Tables: PRISM.OUTCOMES_SUSPENSE

Selection Criteria: All data from the PRISM.OUTCOMES_SUSPENSE table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Outcome Suspense data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_OUTCOME_SUSP_DEL

Based on Tables: PRISM.OUTCOMES_SUSPENSE_DELETED

Selection Criteria: All data from the PRISM.OUTCOMES_SUSPENSE_DELETED table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Outcome Suspense Deleted data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_OUTCOME_VALIDATION

Based on Tables: PRISM.OUTCOMES_VALIDATION

Selection Criteria: All data from the PRISM.OUTCOMES_VALIDATION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Outcome Validation data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_PRE_POST_STD_CALC

Based on Tables: PRISM.PRE_POST_STANDARD_CALC

Selection Criteria: All data from the PRISM.PRE_POST_STANDARD_CALC table belonging to the partner agency that is logged in.

Purpose: This view allows the partner agencies to have access to the pre/post calculation records that correspond to their agency's episode records. All records are delivered to the agencies with the subject id's replaced with the originally submitted SSN's.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_PROGRAMS

Based on Tables: PRISM.PROGRAMS

Selection Criteria: All data from the PRISM.PROGRAMS table belonging to the partner agency that is logged in.

Purpose: This view allows validation of partner agency Program codes that are valid for their specific agency only.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SERVICES

Based on Tables: PRISM.SERVICES

Selection Criteria: All data from the PRISM.SERVICES table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to have access to the PRISM Services table without revealing either the system generated subject id's nor data from any partner agency but their own. All rows are delivered to them with the SSN's as they were originally submitted.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SERVICE_COLLECTION

Based on Tables: PRISM.SERVICE_COLLECTION

Selection Criteria: All data from the PRISM.SERVICE_COLLECTION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Service Collection data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SERVICE_SUSPENSE

Based on Tables: PRISM.SERVICES_SUSPENSE

Selection Criteria: All data from the PRISM.SERVICES_SUSPENSE table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Service Suspense data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SERVICE_SUSP_DEL

Based on Tables: PRISM.SERVICES_SUSPENSE_DELETED

Selection Criteria: All data from the PRISM.SERVICES_SUSPENSE_DELETED table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Services Suspense Deleted data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SERVICE_VALIDATION

Based on Tables: PRISM.SERVICES_VALIDATION

Selection Criteria: All data from the PRISM.SERVICE_VALIDATION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the Service Validation data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SSN_COLLECTION

Based on Tables: PRISM.SSN_COLLECTION

Selection Criteria: All data from the PRISM.SSN_COLLECTION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the SSN Collection data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SSN_SUSPENSE

Based on Tables: PRISM.SSN_SUSPENSE

Selection Criteria: All data from the PRISM.SSN_SUSPENSE table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the SSN Suspense data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SSN_SUSP_DEL

Based on Tables: PRISM.SSN_SUSPENSE_DELETED

Selection Criteria: All data from the PRISM.SSN_SUSPENSE_DELETED table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the SSN Suspense Deleted data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SSN_VALIDATION

Based on Tables: PRISM.SSN_VALIDATION

Selection Criteria: All data from the PRISM.SSN_VALIDATION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies access to the SSN Validation data that was submitted by their agency while at the same time protects their data from being altered or erased by another agency.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_SUBJECT

Based on Tables: PRISM.SUBJECT

Selection Criteria: All data from the PRISM.SUBJECT table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to have access to the PRISM Subject table without revealing either the system generated subject id's nor data from any partner agency but their own. All rows are delivered to them with the SSN's as they were originally submitted.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_TRANSMITTAL

Based on Tables: PRISM.TRANSMITTAL

Selection Criteria: All data from the PRISM.TRANSMITTAL table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to have access to the PRISM Transmittal table without data from any partner agency but their own.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AGENCY_VIEW_TRANSMITTAL_COLL

Based on Tables: PRISM.TRANSMITTAL_COLLECTION

Selection Criteria: All data from the PRISM.TRANSMITTAL_COLLECTION table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to have access to the PRISM Transmittal Collection table without data from any partner agency but their own.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AG_VIEW_POST_OUTCOME_PERF_RPTS

Based on Tables: PRISM.POST_OUTCOME_PERF_RPTS

Selection Criteria: All data from the PRISM.POST_OUTCOME_PERF_RPTS table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to have access to the PRISM Post Outcome Performance Reports table without data from any partner agency but their own.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AG_VIEW_POST_OTCM_PERF_RPTS_13

Based on Tables: PRISM.POST_OUTCOME_PERF_RPTS_13

Selection Criteria: All data from the PRISM.POST_OUTCOME_PERF_RPTS_13 table belonging to the partner agency that is logged in.

Purpose: This view allows partner agencies to have access to the PRISM Post Outcome Performance Reports table without data from any partner agency but their own.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: AG_VIEW_PRE_POST_STD_CALC_13

Based on Tables: PRISM.PRE_POST_STANDARD_CALC_13

Selection Criteria: All data from the PRISM.PRE_POST_STANDARD_CALC_13 table belonging to the partner agency that is logged in.

Purpose: This view allows the partner agencies to have access to the pre/post calculation records that correspond to their agency's episode records. All records are delivered to the agencies with the subject id's replaced with the originally submitted SSN's.

Restrictions: Only partner agencies and database administrators have access to this view.

View Name: SUBJECT_COUNT

Based on Tables: PRISM.EPISODE

Selection Criteria: A count of subject data from the Episode table.

Purpose: This view is used by PRISM to count the total number of subjects listed by agency.

Restrictions: Only database administrators have access to this view.