| ICD-10 code | ICD-10 description |
|---|---|
| B90.0 | Sequelae of central nervous system tuberculosis |
| B90.1 | Sequelae of genitourinary tuberculosis |
| B90.2 | Sequelae of tuberculosis of bones and joints |
| B90.8 | Sequelae of tuberculosis of other organs |
| B90.9 | Sequelae of respiratory and unspecified tuberculosis |
| B91 | Sequelae of poliomyelitis |
| B92 | Sequelae of leprosy |
| B94.0 | Sequelae of trachoma |
| B94.1 | Sequelae of viral encephalitis |
| B94.2 | Sequelae of viral hepatitis |
| B94.8 | Sequelae of other specified infectious and parasitic diseases |
| B94.9 | Sequelae of unspecified infectious and parasitic disease |
| E64.0 | Sequelae of protein-calorie malnutrition |
| E64.1 | Sequelae of vitamin A deficiency |
| E64.2 | Sequelae of vitamin C deficiency |
| E64.3 | Sequelae of rickets |
| E64.8 | Sequelae of other nutritional deficiencies |
| E64.9 | Sequelae of unspecified nutritional deficiency |
| I25.2 | Old myocardial infarction |
| I69.00 | Unspecified sequelae of nontraumatic subarachnoid hemorrhage |
| I69.01 | Cognitive deficits following nontraumatic subarachnoid hemorrhage |
| I69.020 | Aphasia following nontraumatic subarachnoid hemorrhage |
| I69.021 | Dysphasia following nontraumatic subarachnoid hemorrhage |
| I69.022 | Dysarthria following nontraumatic subarachnoid hemorrhage |
| I69.023 | Fluency disorder following nontraumatic subarachnoid hemorrhage |
| I69.028 | Other speech and language deficits following nontraumatic subarachnoid hemorrhage |
| I69.031 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.032 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.033 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.034 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.039 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side |

| ICD-10 code | ICD-10 description |
|---|---|
| I69.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.061 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.062 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.063 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.064 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.065 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, bilateral |
| I69.069 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.090 | Apraxia following nontraumatic subarachnoid hemorrhage |
| I69.091 | Dysphagia following nontraumatic subarachnoid hemorrhage |
| I69.092 | Facial weakness following nontraumatic subarachnoid hemorrhage |
| I69.093 | Ataxia following nontraumatic subarachnoid hemorrhage |
| I69.098 | Other sequelae following nontraumatic subarachnoid hemorrhage |
| I69.10 | Unspecified sequelae of nontraumatic intracerebral hemorrhage |
| I69.11 | Cognitive deficits following nontraumatic intracerebral hemorrhage |
| I69.120 | Aphasia following nontraumatic intracerebral hemorrhage |
| I69.121 | Dysphasia following nontraumatic intracerebral hemorrhage |
| I69.122 | Dysarthria following nontraumatic intracerebral hemorrhage |
| I69.123 | Fluency disorder following nontraumatic intracerebral hemorrhage |
| I69.128 | Other speech and language deficits following nontraumatic intracerebral hemorrhage |
| I69.131 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.132 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.133 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.134 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.139 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side |

| ICD-10 code | ICD-10 description |
|---|---|
| I69.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.161 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.162 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.163 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.164 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.165 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage, bilateral |
| I69.169 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting unspecified side |
| I69.190 | Apraxia following nontraumatic intracerebral hemorrhage |
| I69.191 | Dysphagia following nontraumatic intracerebral hemorrhage |
| I69.192 | Facial weakness following nontraumatic intracerebral hemorrhage |
| I69.193 | Ataxia following nontraumatic intracerebral hemorrhage |
| I69.198 | Other sequelae of nontraumatic intracerebral hemorrhage |
| I69.20 | Unspecified sequelae of other nontraumatic intracranial hemorrhage |
| I69.21 | Cognitive deficits following other nontraumatic intracranial hemorrhage |
| I69.220 | Aphasia following other nontraumatic intracranial hemorrhage |
| I69.221 | Dysphasia following other nontraumatic intracranial hemorrhage |
| I69.222 | Dysarthria following other nontraumatic intracranial hemorrhage |
| I69.223 | Fluency disorder following other nontraumatic intracranial hemorrhage |
| I69.228 | Other speech and language deficits following other nontraumatic intracranial hemorrhage |
| I69.231 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.232 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.233 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.234 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |

| ICD-10 code | ICD-10 description |
|---|---|
| I69.239 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.243 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.249 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.261 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.262 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.263 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.264 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.265 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage, bilateral |
| I69.269 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.290 | Apraxia following other nontraumatic intracranial hemorrhage |
| I69.291 | Dysphagia following other nontraumatic intracranial hemorrhage |
| I69.292 | Facial weakness following other nontraumatic intracranial hemorrhage |
| I69.293 | Ataxia following other nontraumatic intracranial hemorrhage |
| I69.298 | Other sequelae of other nontraumatic intracranial hemorrhage |
| I69.30 | Unspecified sequelae of cerebral infarction |
| I69.31 | Cognitive deficits following cerebral infarction |
| I69.320 | Aphasia following cerebral infarction |
| I69.321 | Dysphasia following cerebral infarction |
| I69.322 | Dysarthria following cerebral infarction |
| I69.323 | Fluency disorder following cerebral infarction |
| I69.328 | Other speech and language deficits following cerebral infarction |
| I69.331 | Monoplegia of upper limb following cerebral infarction affecting right dominant side |
| I69.332 | Monoplegia of upper limb following cerebral infarction affecting left dominant side |
| I69.333 | Monoplegia of upper limb following cerebral infarction affecting right non-dominant side |

| ICD-10 code | ICD-10 description |
|---|---|
| I69.334 | Monoplegia of upper limb following cerebral infarction affecting left non-dominant side |
| I69.339 | Monoplegia of upper limb following cerebral infarction affecting unspecified side |
| I69.341 | Monoplegia of lower limb following cerebral infarction affecting right dominant side |
| I69.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side |
| I69.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side |
| I69.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side |
| I69.349 | Monoplegia of lower limb following cerebral infarction affecting unspecified side |
| I69.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| I69.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |
| I69.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| I69.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| I69.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side |
| I69.361 | Other paralytic syndrome following cerebral infarction affecting right dominant side |
| I69.362 | Other paralytic syndrome following cerebral infarction affecting left dominant side |
| I69.363 | Other paralytic syndrome following cerebral infarction affecting right non-dominant side |
| I69.364 | Other paralytic syndrome following cerebral infarction affecting left non-dominant side |
| I69.365 | Other paralytic syndrome following cerebral infarction, bilateral |
| I69.369 | Other paralytic syndrome following cerebral infarction affecting unspecified side |
| I69.390 | Apraxia following cerebral infarction |
| I69.391 | Dysphagia following cerebral infarction |
| I69.392 | Facial weakness following cerebral infarction |
| I69.393 | Ataxia following cerebral infarction |
| I69.398 | Other sequelae of cerebral infarction |
| I69.80 | Unspecified sequelae of other cerebrovascular disease |
| I69.81 | Cognitive deficits following other cerebrovascular disease |
| I69.820 | Aphasia following other cerebrovascular disease |
| I69.821 | Dysphasia following other cerebrovascular disease |
| I69.822 | Dysarthria following other cerebrovascular disease |
| I69.823 | Fluency disorder following other cerebrovascular disease |
| I69.828 | Other speech and language deficits following other cerebrovascular disease |
| I69.831 | Monoplegia of upper limb following other cerebrovascular disease affecting right dominant side |
| I69.832 | Monoplegia of upper limb following other cerebrovascular disease affecting left dominant side |
| I69.833 | Monoplegia of upper limb following other cerebrovascular disease affecting right non-dominant side |
| I69.834 | Monoplegia of upper limb following other cerebrovascular disease affecting left non-dominant side |
| I69.839 | Monoplegia of upper limb following other cerebrovascular disease affecting unspecified side |
| I69.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side |
| I69.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side |
| I69.843 | Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side |

| ICD-10 code | ICD-10 description |
|---|---|
| I69.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side |
| I69.849 | Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side |
| I69.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| I69.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| I69.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| I69.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |
| I69.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side |
| I69.861 | Other paralytic syndrome following other cerebrovascular disease affecting right dominant side |
| I69.862 | Other paralytic syndrome following other cerebrovascular disease affecting left dominant side |
| I69.863 | Other paralytic syndrome following other cerebrovascular disease affecting right non-dominant side |
| I69.864 | Other paralytic syndrome following other cerebrovascular disease affecting left non-dominant side |
| I69.865 | Other paralytic syndrome following other cerebrovascular disease, bilateral |
| I69.869 | Other paralytic syndrome following other cerebrovascular disease affecting unspecified side |
| I69.890 | Apraxia following other cerebrovascular disease |
| I69.891 | Dysphagia following other cerebrovascular disease |
| I69.892 | Facial weakness following other cerebrovascular disease |
| I69.893 | Ataxia following other cerebrovascular disease |
| I69.898 | Other sequelae of other cerebrovascular disease |
| I69.90 | Unspecified sequelae of unspecified cerebrovascular disease |
| I69.91 | Cognitive deficits following unspecified cerebrovascular disease |
| I69.920 | Aphasia following unspecified cerebrovascular disease |
| I69.921 | Dysphasia following unspecified cerebrovascular disease |
| I69.922 | Dysarthria following unspecified cerebrovascular disease |
| I69.923 | Fluency disorder following unspecified cerebrovascular disease |
| I69.928 | Other speech and language deficits following unspecified cerebrovascular disease |
| I69.931 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting right dominant side |
| I69.932 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting left dominant side |
| I69.933 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.934 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.939 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting unspecified side |

| ICD-10 code | ICD-10 description |
|---|---|
| I69.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side |
| I69.942 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side |
| I69.943 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.944 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.949 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side |
| I69.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| I69.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| I69.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side |
| I69.961 | Other paralytic syndrome following unspecified cerebrovascular disease affecting right dominant side |
| I69.962 | Other paralytic syndrome following unspecified cerebrovascular disease affecting left dominant side |
| I69.963 | Other paralytic syndrome following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.964 | Other paralytic syndrome following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.965 | Other paralytic syndrome following unspecified cerebrovascular disease, bilateral |
| I69.969 | Other paralytic syndrome following unspecified cerebrovascular disease affecting unspecified side |
| I69.990 | Apraxia following unspecified cerebrovascular disease |
| I69.991 | Dysphagia following unspecified cerebrovascular disease |
| I69.992 | Facial weakness following unspecified cerebrovascular disease |
| I69.993 | Ataxia following unspecified cerebrovascular disease |
| I69.998 | Other sequelae following unspecified cerebrovascular disease |
| O09.00 | Supervision of pregnancy with history of infertility, unspecified trimester |
| O09.01 | Supervision of pregnancy with history of infertility, first trimester |
| O09.02 | Supervision of pregnancy with history of infertility, second trimester |
| O09.03 | Supervision of pregnancy with history of infertility, third trimester |
| O09.10 | Supervision of pregnancy with history of ectopic or molar pregnancy, unspecified trimester |
| O09.11 | Supervision of pregnancy with history of ectopic or molar pregnancy, first trimester |
| O09.12 | Supervision of pregnancy with history of ectopic or molar pregnancy, second trimester |
| O09.13 | Supervision of pregnancy with history of ectopic or molar pregnancy, third trimester |
| O09.211 | Supervision of pregnancy with history of pre-term labor, first trimester |
| O09.212 | Supervision of pregnancy with history of pre-term labor, second trimester |
| O09.213 | Supervision of pregnancy with history of pre-term labor, third trimester |

| ICD-10 code | ICD-10 description |
|---|---|
| O09.219 | Supervision of pregnancy with history of pre-term labor, unspecified trimester |
| O09.291 | Supervision of pregnancy with other poor reproductive or obstetric history, first trimester |
| O09.292 | Supervision of pregnancy with other poor reproductive or obstetric history, second trimester |
| O09.293 | Supervision of pregnancy with other poor reproductive or obstetric history, third trimester |
| O09.299 | Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester |
| O09.30 | Supervision of pregnancy with insufficient antenatal care, unspecified trimester |
| O09.31 | Supervision of pregnancy with insufficient antenatal care, first trimester |
| O09.32 | Supervision of pregnancy with insufficient antenatal care, second trimester |
| O09.33 | Supervision of pregnancy with insufficient antenatal care, third trimester |
| O09.40 | Supervision of pregnancy with grand multiparity, unspecified trimester |
| O09.41 | Supervision of pregnancy with grand multiparity, first trimester |
| O09.42 | Supervision of pregnancy with grand multiparity, second trimester |
| O09.43 | Supervision of pregnancy with grand multiparity, third trimester |
| O09.511 | Supervision of elderly primigravida, first trimester |
| O09.512 | Supervision of elderly primigravida, second trimester |
| O09.513 | Supervision of elderly primigravida, third trimester |
| O09.519 | Supervision of elderly primigravida, unspecified trimester |
| O09.521 | Supervision of elderly multigravida, first trimester |
| O09.522 | Supervision of elderly multigravida, second trimester |
| O09.523 | Supervision of elderly multigravida, third trimester |
| O09.529 | Supervision of elderly multigravida, unspecified trimester |
| O09.611 | Supervision of young primigravida, first trimester |
| O09.612 | Supervision of young primigravida, second trimester |
| O09.613 | Supervision of young primigravida, third trimester |
| O09.619 | Supervision of young primigravida, unspecified trimester |
| O09.621 | Supervision of young multigravida, first trimester |
| O09.622 | Supervision of young multigravida, second trimester |
| O09.623 | Supervision of young multigravida, third trimester |
| O09.629 | Supervision of young multigravida, unspecified trimester |
| O09.70 | Supervision of high risk pregnancy due to social problems, unspecified trimester |
| O09.71 | Supervision of high risk pregnancy due to social problems, first trimester |
| O09.72 | Supervision of high risk pregnancy due to social problems, second trimester |
| O09.73 | Supervision of high risk pregnancy due to social problems, third trimester |
| O09.811 | Supervision of pregnancy resulting from assisted reproductive technology, first trimester |
| O09.812 | Supervision of pregnancy resulting from assisted reproductive technology, second trimester |
| O09.813 | Supervision of pregnancy resulting from assisted reproductive technology, third trimester |
| O09.819 | Supervision of pregnancy resulting from assisted reproductive technology, unspecified trimester |
| O09.821 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, first trimester |
| O09.822 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, second trimester |
| O09.823 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, third trimester |

| ICD-10 code | ICD-10 description |
|---|---|
| O09.829 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, unspecified trimester |
| O09.891 | Supervision of other high risk pregnancies, first trimester |
| O09.892 | Supervision of other high risk pregnancies, second trimester |
| O09.893 | Supervision of other high risk pregnancies, third trimester |
| O09.899 | Supervision of other high risk pregnancies, unspecified trimester |
| O09.90 | Supervision of high risk pregnancy, unspecified, unspecified trimester |
| O09.91 | Supervision of high risk pregnancy, unspecified, first trimester |
| O09.92 | Supervision of high risk pregnancy, unspecified, second trimester |
| O09.93 | Supervision of high risk pregnancy, unspecified, third trimester |
| O66.5 | Attempted application of vacuum extractor and forceps |
| O80 | Encounter for full-term uncomplicated delivery |
| O94 | Sequelae of complication of pregnancy, childbirth, and the puerperium |
| P00.0 | Newborn (suspected to be) affected by maternal hypertensive disorders |
| P00.1 | Newborn (suspected to be) affected by maternal renal and urinary tract diseases |
| P00.2 | Newborn (suspected to be) affected by maternal infectious and parasitic diseases |
| P00.3 | Newborn (suspected to be) affected by other maternal circulatory and respiratory diseases |
| P00.4 | Newborn (suspected to be) affected by maternal nutritional disorders |
| P00.5 | Newborn (suspected to be) affected by maternal injury |
| P00.6 | Newborn (suspected to be) affected by surgical procedure on mother |
| P00.7 | Newborn (suspected to be) affected by other medical procedures on mother, not elsewhere classified |
| P00.81 | Newborn (suspected to be) affected by periodontal disease in mother |
| P00.89 | Newborn (suspected to be) affected by other maternal conditions |
| P00.9 | Newborn (suspected to be) affected by unspecified maternal condition |
| Q00.0 | Anencephaly |
| Q00.1 | Craniorachischisis |
| Q00.2 | Iniencephaly |
| Q01.0 | Frontal encephalocele |
| Q01.1 | Nasofrontal encephalocele |
| Q01.2 | Occipital encephalocele |
| Q01.8 | Encephalocele of other sites |
| Q01.9 | Encephalocele, unspecified |
| Q02 | Microcephaly |
| Q03.0 | Malformations of aqueduct of Sylvius |
| Q03.1 | Atresia of foramina of Magendie and Luschka |
| Q03.8 | Other congenital hydrocephalus |
| Q03.9 | Congenital hydrocephalus, unspecified |
| Q04.0 | Congenital malformations of corpus callosum |
| Q04.1 | Arhinencephaly |
| Q04.2 | Holoprosencephaly |
| Q04.3 | Other reduction deformities of brain |
| Q04.4 | Septo-optic dysplasia of brain |
| Q04.5 | Megalencephaly |
| Q04.6 | Congenital cerebral cysts |

| ICD-10 code | ICD-10 description |
|---|---|
| Q04.8 | Other specified congenital malformations of brain |
| Q04.9 | Congenital malformation of brain, unspecified |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.4 | Unspecified spina bifida with hydrocephalus |
| Q05.5 | Cervical spina bifida without hydrocephalus |
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |
| Q06.0 | Amyelia |
| Q06.1 | Hypoplasia and dysplasia of spinal cord |
| Q06.2 | Diastematomyelia |
| Q06.3 | Other congenital cauda equina malformations |
| Q06.4 | Hydromyelia |
| Q06.8 | Other specified congenital malformations of spinal cord |
| Q06.9 | Congenital malformation of spinal cord, unspecified |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q07.8 | Other specified congenital malformations of nervous system |
| Q07.9 | Congenital malformation of nervous system, unspecified |
| Q10.0 | Congenital ptosis |
| Q10.1 | Congenital ectropion |
| Q10.2 | Congenital entropion |
| Q10.3 | Other congenital malformations of eyelid |
| Q10.4 | Absence and agenesis of lacrimal apparatus |
| Q10.5 | Congenital stenosis and stricture of lacrimal duct |
| Q10.6 | Other congenital malformations of lacrimal apparatus |
| Q10.7 | Congenital malformation of orbit |
| Q11.0 | Cystic eyeball |
| Q11.1 | Other anophthalmos |
| Q11.2 | Microphthalmos |
| Q11.3 | Macrophthalmos |
| Q12.0 | Congenital cataract |
| Q12.1 | Congenital displaced lens |
| Q12.2 | Coloboma of lens |
| Q12.3 | Congenital aphakia |
| Q12.4 | Spherophakia |
| Q12.8 | Other congenital lens malformations |
| Q12.9 | Congenital lens malformation, unspecified |
| Q13.0 | Coloboma of iris |
| Q13.1 | Absence of iris |

| ICD-10 code | ICD-10 description |
|---|---|
| Q13.2 | Other congenital malformations of iris |
| Q13.3 | Congenital corneal opacity |
| Q13.4 | Other congenital corneal malformations |
| Q13.5 | Blue sclera |
| Q13.81 | Rieger's anomaly |
| Q13.89 | Other congenital malformations of anterior segment of eye |
| Q13.9 | Congenital malformation of anterior segment of eye, unspecified |
| Q14.0 | Congenital malformation of vitreous humor |
| Q14.1 | Congenital malformation of retina |
| Q14.2 | Congenital malformation of optic disc |
| Q14.3 | Congenital malformation of choroid |
| Q14.8 | Other congenital malformations of posterior segment of eye |
| Q14.9 | Congenital malformation of posterior segment of eye, unspecified |
| Q15.0 | Congenital glaucoma |
| Q15.8 | Other specified congenital malformations of eye |
| Q15.9 | Congenital malformation of eye, unspecified |
| Q16.0 | Congenital absence of (ear) auricle |
| Q16.1 | Congenital absence, atresia and stricture of auditory canal (external) |
| Q16.2 | Absence of eustachian tube |
| Q16.3 | Congenital malformation of ear ossicles |
| Q16.4 | Other congenital malformations of middle ear |
| Q16.5 | Congenital malformation of inner ear |
| Q16.9 | Congenital malformation of ear causing impairment of hearing, unspecified |
| Q17.0 | Accessory auricle |
| Q17.1 | Macrotia |
| Q17.2 | Microtia |
| Q17.3 | Other misshapen ear |
| Q17.4 | Misplaced ear |
| Q17.5 | Prominent ear |
| Q17.8 | Other specified congenital malformations of ear |
| Q17.9 | Congenital malformation of ear, unspecified |
| Q18.0 | Sinus, fistula and cyst of branchial cleft |
| Q18.1 | Preauricular sinus and cyst |
| Q18.2 | Other branchial cleft malformations |
| Q18.3 | Webbing of neck |
| Q18.4 | Macrostomia |
| Q18.5 | Microstomia |
| Q18.6 | Macrocheilia |
| Q18.7 | Microcheilia |
| Q18.8 | Other specified congenital malformations of face and neck |
| Q18.9 | Congenital malformation of face and neck, unspecified |
| Q20.0 | Common arterial trunk |
| Q20.1 | Double outlet right ventricle |
| Q20.2 | Double outlet left ventricle |
| Q20.3 | Discordant ventriculoarterial connection |
| Q20.4 | Double inlet ventricle |

| ICD-10 code | ICD-10 description |
|---|---|
| Q20.5 | Discordant atrioventricular connection |
| Q20.6 | Isomerism of atrial appendages |
| Q20.8 | Other congenital malformations of cardiac chambers and connections |
| Q20.9 | Congenital malformation of cardiac chambers and connections, unspecified |
| Q21.0 | Ventricular septal defect |
| Q21.1 | Atrial septal defect |
| Q21.2 | Atrioventricular septal defect |
| Q21.3 | Tetralogy of Fallot |
| Q21.4 | Aortopulmonary septal defect |
| Q21.8 | Other congenital malformations of cardiac septa |
| Q21.9 | Congenital malformation of cardiac septum, unspecified |
| Q22.0 | Pulmonary valve atresia |
| Q22.1 | Congenital pulmonary valve stenosis |
| Q22.2 | Congenital pulmonary valve insufficiency |
| Q22.3 | Other congenital malformations of pulmonary valve |
| Q22.4 | Congenital tricuspid stenosis |
| Q22.5 | Ebstein's anomaly |
| Q22.6 | Hypoplastic right heart syndrome |
| Q22.8 | Other congenital malformations of tricuspid valve |
| Q22.9 | Congenital malformation of tricuspid valve, unspecified |
| Q23.0 | Congenital stenosis of aortic valve |
| Q23.1 | Congenital insufficiency of aortic valve |
| Q23.2 | Congenital mitral stenosis |
| Q23.3 | Congenital mitral insufficiency |
| Q23.4 | Hypoplastic left heart syndrome |
| Q23.8 | Other congenital malformations of aortic and mitral valves |
| Q23.9 | Congenital malformation of aortic and mitral valves, unspecified |
| Q24.0 | Dextrocardia |
| Q24.1 | Levocardia |
| Q24.2 | Cor triatriatum |
| Q24.3 | Pulmonary infundibular stenosis |
| Q24.4 | Congenital subaortic stenosis |
| Q24.5 | Malformation of coronary vessels |
| Q24.6 | Congenital heart block |
| Q24.8 | Other specified congenital malformations of heart |
| Q24.9 | Congenital malformation of heart, unspecified |
| Q25.0 | Patent ductus arteriosus |
| Q25.1 | Coarctation of aorta |
| Q25.2 | Atresia of aorta |
| Q25.3 | Supravalvular aortic stenosis |
| Q25.4 | Other congenital malformations of aorta |
| Q25.5 | Atresia of pulmonary artery |
| Q25.6 | Stenosis of pulmonary artery |
| Q25.71 | Coarctation of pulmonary artery |
| Q25.72 | Congenital pulmonary arteriovenous malformation |
| Q25.79 | Other congenital malformations of pulmonary artery |

| ICD-10 code | ICD-10 description |
|---|---|
| Q25.8 | Other congenital malformations of other great arteries |
| Q25.9 | Congenital malformation of great arteries, unspecified |
| Q26.0 | Congenital stenosis of vena cava |
| Q26.1 | Persistent left superior vena cava |
| Q26.2 | Total anomalous pulmonary venous connection |
| Q26.3 | Partial anomalous pulmonary venous connection |
| Q26.4 | Anomalous pulmonary venous connection, unspecified |
| Q26.5 | Anomalous portal venous connection |
| Q26.6 | Portal vein-hepatic artery fistula |
| Q26.8 | Other congenital malformations of great veins |
| Q26.9 | Congenital malformation of great vein, unspecified |
| Q27.0 | Congenital absence and hypoplasia of umbilical artery |
| Q27.1 | Congenital renal artery stenosis |
| Q27.2 | Other congenital malformations of renal artery |
| Q27.30 | Arteriovenous malformation, site unspecified |
| Q27.31 | Arteriovenous malformation of vessel of upper limb |
| Q27.32 | Arteriovenous malformation of vessel of lower limb |
| Q27.33 | Arteriovenous malformation of digestive system vessel |
| Q27.34 | Arteriovenous malformation of renal vessel |
| Q27.39 | Arteriovenous malformation, other site |
| Q27.4 | Congenital phlebectasia |
| Q27.8 | Other specified congenital malformations of peripheral vascular system |
| Q27.9 | Congenital malformation of peripheral vascular system, unspecified |
| Q28.0 | Arteriovenous malformation of precerebral vessels |
| Q28.1 | Other malformations of precerebral vessels |
| Q28.2 | Arteriovenous malformation of cerebral vessels |
| Q28.3 | Other malformations of cerebral vessels |
| Q28.8 | Other specified congenital malformations of circulatory system |
| Q28.9 | Congenital malformation of circulatory system, unspecified |
| Q30.0 | Choanal atresia |
| Q30.1 | Agenesis and underdevelopment of nose |
| Q30.2 | Fissured, notched and cleft nose |
| Q30.3 | Congenital perforated nasal septum |
| Q30.8 | Other congenital malformations of nose |
| Q30.9 | Congenital malformation of nose, unspecified |
| Q31.0 | Web of larynx |
| Q31.1 | Congenital subglottic stenosis |
| Q31.2 | Laryngeal hypoplasia |
| Q31.3 | Laryngocele |
| Q31.5 | Congenital laryngomalacia |
| Q31.8 | Other congenital malformations of larynx |
| Q31.9 | Congenital malformation of larynx, unspecified |
| Q32.0 | Congenital tracheomalacia |
| Q32.1 | Other congenital malformations of trachea |
| Q32.2 | Congenital bronchomalacia |
| Q32.3 | Congenital stenosis of bronchus |

| ICD-10 code | ICD-10 description |
|---|---|
| Q32.4 | Other congenital malformations of bronchus |
| Q33.0 | Congenital cystic lung |
| Q33.1 | Accessory lobe of lung |
| Q33.2 | Sequestration of lung |
| Q33.3 | Agenesis of lung |
| Q33.4 | Congenital bronchiectasis |
| Q33.5 | Ectopic tissue in lung |
| Q33.6 | Congenital hypoplasia and dysplasia of lung |
| Q33.8 | Other congenital malformations of lung |
| Q33.9 | Congenital malformation of lung, unspecified |
| Q34.0 | Anomaly of pleura |
| Q34.1 | Congenital cyst of mediastinum |
| Q34.8 | Other specified congenital malformations of respiratory system |
| Q34.9 | Congenital malformation of respiratory system, unspecified |
| Q35.1 | Cleft hard palate |
| Q35.3 | Cleft soft palate |
| Q35.5 | Cleft hard palate with cleft soft palate |
| Q35.7 | Cleft uvula |
| Q35.9 | Cleft palate, unspecified |
| Q36.0 | Cleft lip, bilateral |
| Q36.1 | Cleft lip, median |
| Q36.9 | Cleft lip, unilateral |
| Q37.0 | Cleft hard palate with bilateral cleft lip |
| Q37.1 | Cleft hard palate with unilateral cleft lip |
| Q37.2 | Cleft soft palate with bilateral cleft lip |
| Q37.3 | Cleft soft palate with unilateral cleft lip |
| Q37.4 | Cleft hard and soft palate with bilateral cleft lip |
| Q37.5 | Cleft hard and soft palate with unilateral cleft lip |
| Q37.8 | Unspecified cleft palate with bilateral cleft lip |
| Q37.9 | Unspecified cleft palate with unilateral cleft lip |
| Q38.0 | Congenital malformations of lips, not elsewhere classified |
| Q38.1 | Ankyloglossia |
| Q38.2 | Macroglossia |
| Q38.3 | Other congenital malformations of tongue |
| Q38.4 | Congenital malformations of salivary glands and ducts |
| Q38.5 | Congenital malformations of palate, not elsewhere classified |
| Q38.6 | Other congenital malformations of mouth |
| Q38.7 | Congenital pharyngeal pouch |
| Q38.8 | Other congenital malformations of pharynx |
| Q39.0 | Atresia of esophagus without fistula |
| Q39.1 | Atresia of esophagus with tracheo-esophageal fistula |
| Q39.2 | Congenital tracheo-esophageal fistula without atresia |
| Q39.3 | Congenital stenosis and stricture of esophagus |
| Q39.4 | Esophageal web |
| Q39.5 | Congenital dilatation of esophagus |
| Q39.6 | Congenital diverticulum of esophagus |

| ICD-10 code | ICD-10 description |
|---|---|
| Q39.8 | Other congenital malformations of esophagus |
| Q39.9 | Congenital malformation of esophagus, unspecified |
| Q40.0 | Congenital hypertrophic pyloric stenosis |
| Q40.1 | Congenital hiatus hernia |
| Q40.2 | Other specified congenital malformations of stomach |
| Q40.3 | Congenital malformation of stomach, unspecified |
| Q40.8 | Other specified congenital malformations of upper alimentary tract |
| Q40.9 | Congenital malformation of upper alimentary tract, unspecified |
| Q41.0 | Congenital absence, atresia and stenosis of duodenum |
| Q41.1 | Congenital absence, atresia and stenosis of jejunum |
| Q41.2 | Congenital absence, atresia and stenosis of ileum |
| Q41.8 | Congenital absence, atresia and stenosis of other specified parts of small intestine |
| Q41.9 | Congenital absence, atresia and stenosis of small intestine, part unspecified |
| Q42.0 | Congenital absence, atresia and stenosis of rectum with fistula |
| Q42.1 | Congenital absence, atresia and stenosis of rectum without fistula |
| Q42.2 | Congenital absence, atresia and stenosis of anus with fistula |
| Q42.3 | Congenital absence, atresia and stenosis of anus without fistula |
| Q42.8 | Congenital absence, atresia and stenosis of other parts of large intestine |
| Q42.9 | Congenital absence, atresia and stenosis of large intestine, part unspecified |
| Q43.0 | Meckel's diverticulum (displaced) (hypertrophic) |
| Q43.1 | Hirschsprung's disease |
| Q43.2 | Other congenital functional disorders of colon |
| Q43.3 | Congenital malformations of intestinal fixation |
| Q43.4 | Duplication of intestine |
| Q43.5 | Ectopic anus |
| Q43.6 | Congenital fistula of rectum and anus |
| Q43.7 | Persistent cloaca |
| Q43.8 | Other specified congenital malformations of intestine |
| Q43.9 | Congenital malformation of intestine, unspecified |
| Q44.0 | Agenesis, aplasia and hypoplasia of gallbladder |
| Q44.1 | Other congenital malformations of gallbladder |
| Q44.2 | Atresia of bile ducts |
| Q44.3 | Congenital stenosis and stricture of bile ducts |
| Q44.4 | Choledochal cyst |
| Q44.5 | Other congenital malformations of bile ducts |
| Q44.6 | Cystic disease of liver |
| Q44.7 | Other congenital malformations of liver |
| Q45.0 | Agenesis, aplasia and hypoplasia of pancreas |
| Q45.1 | Annular pancreas |
| Q45.2 | Congenital pancreatic cyst |
| Q45.3 | Other congenital malformations of pancreas and pancreatic duct |
| Q45.8 | Other specified congenital malformations of digestive system |
| Q45.9 | Congenital malformation of digestive system, unspecified |
| Q50.01 | Congenital absence of ovary, unilateral |
| Q50.02 | Congenital absence of ovary, bilateral |
| Q50.1 | Developmental ovarian cyst |

| ICD-10 code | ICD-10 description |
|---|---|
| Q50.2 | Congenital torsion of ovary |
| Q50.31 | Accessory ovary |
| Q50.32 | Ovarian streak |
| Q50.39 | Other congenital malformation of ovary |
| Q50.4 | Embryonic cyst of fallopian tube |
| Q50.5 | Embryonic cyst of broad ligament |
| Q50.6 | Other congenital malformations of fallopian tube and broad ligament |
| Q51.0 | Agenesis and aplasia of uterus |
| Q51.10 | Doubling of uterus with doubling of cervix and vagina without obstruction |
| Q51.11 | Doubling of uterus with doubling of cervix and vagina with obstruction |
| Q51.2 | Other doubling of uterus |
| Q51.3 | Bicornate uterus |
| Q51.4 | Unicornate uterus |
| Q51.5 | Agenesis and aplasia of cervix |
| Q51.6 | Embryonic cyst of cervix |
| Q51.7 | Congenital fistulae between uterus and digestive and urinary tracts |
| Q51.810 | Arcuate uterus |
| Q51.811 | Hypoplasia of uterus |
| Q51.818 | Other congenital malformations of uterus |
| Q51.820 | Cervical duplication |
| Q51.821 | Hypoplasia of cervix |
| Q51.828 | Other congenital malformations of cervix |
| Q51.9 | Congenital malformation of uterus and cervix, unspecified |
| Q52.0 | Congenital absence of vagina |
| Q52.10 | Doubling of vagina, unspecified |
| Q52.11 | Transverse vaginal septum |
| Q52.12 | Longitudinal vaginal septum |
| Q52.2 | Congenital rectovaginal fistula |
| Q52.3 | Imperforate hymen |
| Q52.4 | Other congenital malformations of vagina |
| Q52.5 | Fusion of labia |
| Q52.6 | Congenital malformation of clitoris |
| Q52.70 | Unspecified congenital malformations of vulva |
| Q52.71 | Congenital absence of vulva |
| Q52.79 | Other congenital malformations of vulva |
| Q52.8 | Other specified congenital malformations of female genitalia |
| Q52.9 | Congenital malformation of female genitalia, unspecified |
| Q53.00 | Ectopic testis, unspecified |
| Q53.01 | Ectopic testis, unilateral |
| Q53.02 | Ectopic testes, bilateral |
| Q53.10 | Unspecified undescended testicle, unilateral |
| Q53.11 | Abdominal testis, unilateral |
| Q53.12 | Ectopic perineal testis, unilateral |
| Q53.20 | Undescended testicle, unspecified, bilateral |
| Q53.21 | Abdominal testis, bilateral |
| Q53.22 | Ectopic perineal testis, bilateral |

| ICD-10 code | ICD-10 description |
|---|---|
| Q53.9 | Undescended testicle, unspecified |
| Q54.0 | Hypospadias, balanic |
| Q54.1 | Hypospadias, penile |
| Q54.2 | Hypospadias, penoscrotal |
| Q54.3 | Hypospadias, perineal |
| Q54.4 | Congenital chordee |
| Q54.8 | Other hypospadias |
| Q54.9 | Hypospadias, unspecified |
| Q55.0 | Absence and aplasia of testis |
| Q55.1 | Hypoplasia of testis and scrotum |
| Q55.20 | Unspecified congenital malformations of testis and scrotum |
| Q55.21 | Polyorchism |
| Q55.22 | Retractile testis |
| Q55.23 | Scrotal transposition |
| Q55.29 | Other congenital malformations of testis and scrotum |
| Q55.3 | Atresia of vas deferens |
| Q55.4 | Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate |
| Q55.5 | Congenital absence and aplasia of penis |
| Q55.61 | Curvature of penis (lateral) |
| Q55.62 | Hypoplasia of penis |
| Q55.63 | Congenital torsion of penis |
| Q55.64 | Hidden penis |
| Q55.69 | Other congenital malformation of penis |
| Q55.7 | Congenital vasocutaneous fistula |
| Q55.8 | Other specified congenital malformations of male genital organs |
| Q55.9 | Congenital malformation of male genital organ, unspecified |
| Q56.0 | Hermaphroditism, not elsewhere classified |
| Q56.1 | Male pseudohermaphroditism, not elsewhere classified |
| Q56.2 | Female pseudohermaphroditism, not elsewhere classified |
| Q56.3 | Pseudohermaphroditism, unspecified |
| Q56.4 | Indeterminate sex, unspecified |
| Q60.0 | Renal agenesis, unilateral |
| Q60.1 | Renal agenesis, bilateral |
| Q60.2 | Renal agenesis, unspecified |
| Q60.3 | Renal hypoplasia, unilateral |
| Q60.4 | Renal hypoplasia, bilateral |
| Q60.5 | Renal hypoplasia, unspecified |
| Q60.6 | Potter's syndrome |
| Q61.00 | Congenital renal cyst, unspecified |
| Q61.01 | Congenital single renal cyst |
| Q61.02 | Congenital multiple renal cysts |
| Q61.11 | Cystic dilatation of collecting ducts |
| Q61.19 | Other polycystic kidney, infantile type |
| Q61.2 | Polycystic kidney, adult type |
| Q61.3 | Polycystic kidney, unspecified |

| ICD-10 code | ICD-10 description |
|---|---|
| Q61.4 | Renal dysplasia |
| Q61.5 | Medullary cystic kidney |
| Q61.8 | Other cystic kidney diseases |
| Q61.9 | Cystic kidney disease, unspecified |
| Q62.0 | Congenital hydronephrosis |
| Q62.10 | Congenital occlusion of ureter, unspecified |
| Q62.11 | Congenital occlusion of ureteropelvic junction |
| Q62.12 | Congenital occlusion of ureterovesical orifice |
| Q62.2 | Congenital megaureter |
| Q62.31 | Congenital ureterocele, orthotopic |
| Q62.32 | Cecoureterocele |
| Q62.39 | Other obstructive defects of renal pelvis and ureter |
| Q62.4 | Agenesis of ureter |
| Q62.5 | Duplication of ureter |
| Q62.60 | Malposition of ureter, unspecified |
| Q62.61 | Deviation of ureter |
| Q62.62 | Displacement of ureter |
| Q62.63 | Anomalous implantation of ureter |
| Q62.69 | Other malposition of ureter |
| Q62.7 | Congenital vesico-uretero-renal reflux |
| Q62.8 | Other congenital malformations of ureter |
| Q63.0 | Accessory kidney |
| Q63.1 | Lobulated, fused and horseshoe kidney |
| Q63.2 | Ectopic kidney |
| Q63.3 | Hyperplastic and giant kidney |
| Q63.8 | Other specified congenital malformations of kidney |
| Q63.9 | Congenital malformation of kidney, unspecified |
| Q64.0 | Epispadias |
| Q64.10 | Exstrophy of urinary bladder, unspecified |
| Q64.11 | Supravesical fissure of urinary bladder |
| Q64.12 | Cloacal extrophy of urinary bladder |
| Q64.19 | Other exstrophy of urinary bladder |
| Q64.2 | Congenital posterior urethral valves |
| Q64.31 | Congenital bladder neck obstruction |
| Q64.32 | Congenital stricture of urethra |
| Q64.33 | Congenital stricture of urinary meatus |
| Q64.39 | Other atresia and stenosis of urethra and bladder neck |
| Q64.4 | Malformation of urachus |
| Q64.5 | Congenital absence of bladder and urethra |
| Q64.6 | Congenital diverticulum of bladder |
| Q64.70 | Unspecified congenital malformation of bladder and urethra |
| Q64.71 | Congenital prolapse of urethra |
| Q64.72 | Congenital prolapse of urinary meatus |
| Q64.73 | Congenital urethrorectal fistula |
| Q64.74 | Double urethra |
| Q64.75 | Double urinary meatus |

| ICD-10 code | ICD-10 description |
|---|---|
| Q64.79 | Other congenital malformations of bladder and urethra |
| Q64.8 | Other specified congenital malformations of urinary system |
| Q64.9 | Congenital malformation of urinary system, unspecified |
| Q65.00 | Congenital dislocation of unspecified hip, unilateral |
| Q65.01 | Congenital dislocation of right hip, unilateral |
| Q65.02 | Congenital dislocation of left hip, unilateral |
| Q65.1 | Congenital dislocation of hip, bilateral |
| Q65.2 | Congenital dislocation of hip, unspecified |
| Q65.30 | Congenital partial dislocation of unspecified hip, unilateral |
| Q65.31 | Congenital partial dislocation of right hip, unilateral |
| Q65.32 | Congenital partial dislocation of left hip, unilateral |
| Q65.4 | Congenital partial dislocation of hip, bilateral |
| Q65.5 | Congenital partial dislocation of hip, unspecified |
| Q65.6 | Congenital unstable hip |
| Q65.81 | Congenital coxa valga |
| Q65.82 | Congenital coxa vara |
| Q65.89 | Other specified congenital deformities of hip |
| Q65.9 | Congenital deformity of hip, unspecified |
| Q66.0 | Congenital talipes equinovarus |
| Q66.1 | Congenital talipes calcaneovarus |
| Q66.2 | Congenital metatarsus (primus) varus |
| Q66.3 | Other congenital varus deformities of feet |
| Q66.4 | Congenital talipes calcaneovalgus |
| Q66.50 | Congenital pes planus, unspecified foot |
| Q66.51 | Congenital pes planus, right foot |
| Q66.52 | Congenital pes planus, left foot |
| Q66.6 | Other congenital valgus deformities of feet |
| Q66.7 | Congenital pes cavus |
| Q66.80 | Congenital vertical talus deformity, unspecified foot |
| Q66.81 | Congenital vertical talus deformity, right foot |
| Q66.82 | Congenital vertical talus deformity, left foot |
| Q66.89 | Other specified congenital deformities of feet |
| Q66.9 | Congenital deformity of feet, unspecified |
| Q67.0 | Congenital facial asymmetry |
| Q67.1 | Congenital compression facies |
| Q67.2 | Dolichocephaly |
| Q67.3 | Plagiocephaly |
| Q67.4 | Other congenital deformities of skull, face and jaw |
| Q67.5 | Congenital deformity of spine |
| Q67.6 | Pectus excavatum |
| Q67.7 | Pectus carinatum |
| Q67.8 | Other congenital deformities of chest |
| Q68.0 | Congenital deformity of sternocleidomastoid muscle |
| Q68.1 | Congenital deformity of finger(s) and hand |
| Q68.2 | Congenital deformity of knee |
| Q68.3 | Congenital bowing of femur |

| ICD-10 code | ICD-10 description |
|---|---|
| Q68.4 | Congenital bowing of tibia and fibula |
| Q68.5 | Congenital bowing of long bones of leg, unspecified |
| Q68.6 | Discoid meniscus |
| Q68.8 | Other specified congenital musculoskeletal deformities |
| Q69.0 | Accessory finger(s) |
| Q69.1 | Accessory thumb(s) |
| Q69.2 | Accessory toe(s) |
| Q69.9 | Polydactyly, unspecified |
| Q70.00 | Fused fingers, unspecified hand |
| Q70.01 | Fused fingers, right hand |
| Q70.02 | Fused fingers, left hand |
| Q70.03 | Fused fingers, bilateral |
| Q70.10 | Webbed fingers, unspecified hand |
| Q70.11 | Webbed fingers, right hand |
| Q70.12 | Webbed fingers, left hand |
| Q70.13 | Webbed fingers, bilateral |
| Q70.20 | Fused toes, unspecified foot |
| Q70.21 | Fused toes, right foot |
| Q70.22 | Fused toes, left foot |
| Q70.23 | Fused toes, bilateral |
| Q70.30 | Webbed toes, unspecified foot |
| Q70.31 | Webbed toes, right foot |
| Q70.32 | Webbed toes, left foot |
| Q70.33 | Webbed toes, bilateral |
| Q70.4 | Polysyndactyly, unspecified |
| Q70.9 | Syndactyly, unspecified |
| Q71.00 | Congenital complete absence of unspecified upper limb |
| Q71.01 | Congenital complete absence of right upper limb |
| Q71.02 | Congenital complete absence of left upper limb |
| Q71.03 | Congenital complete absence of upper limb, bilateral |
| Q71.10 | Congenital absence of unspecified upper arm and forearm with hand present |
| Q71.11 | Congenital absence of right upper arm and forearm with hand present |
| Q71.12 | Congenital absence of left upper arm and forearm with hand present |
| Q71.13 | Congenital absence of upper arm and forearm with hand present, bilateral |
| Q71.20 | Congenital absence of both forearm and hand, unspecified upper limb |
| Q71.21 | Congenital absence of both forearm and hand, right upper limb |
| Q71.22 | Congenital absence of both forearm and hand, left upper limb |
| Q71.23 | Congenital absence of both forearm and hand, bilateral |
| Q71.30 | Congenital absence of unspecified hand and finger |
| Q71.31 | Congenital absence of right hand and finger |
| Q71.32 | Congenital absence of left hand and finger |
| Q71.33 | Congenital absence of hand and finger, bilateral |
| Q71.40 | Longitudinal reduction defect of unspecified radius |
| Q71.41 | Longitudinal reduction defect of right radius |
| Q71.42 | Longitudinal reduction defect of left radius |
| Q71.43 | Longitudinal reduction defect of radius, bilateral |

| ICD-10 code | ICD-10 description |
|---|---|
| Q71.50 | Longitudinal reduction defect of unspecified ulna |
| Q71.51 | Longitudinal reduction defect of right ulna |
| Q71.52 | Longitudinal reduction defect of left ulna |
| Q71.53 | Longitudinal reduction defect of ulna, bilateral |
| Q71.60 | Lobster-claw hand, unspecified hand |
| Q71.61 | Lobster-claw right hand |
| Q71.62 | Lobster-claw left hand |
| Q71.63 | Lobster-claw hand, bilateral |
| Q71.811 | Congenital shortening of right upper limb |
| Q71.812 | Congenital shortening of left upper limb |
| Q71.813 | Congenital shortening of upper limb, bilateral |
| Q71.819 | Congenital shortening of unspecified upper limb |
| Q71.891 | Other reduction defects of right upper limb |
| Q71.892 | Other reduction defects of left upper limb |
| Q71.893 | Other reduction defects of upper limb, bilateral |
| Q71.899 | Other reduction defects of unspecified upper limb |
| Q71.90 | Unspecified reduction defect of unspecified upper limb |
| Q71.91 | Unspecified reduction defect of right upper limb |
| Q71.92 | Unspecified reduction defect of left upper limb |
| Q71.93 | Unspecified reduction defect of upper limb, bilateral |
| Q72.00 | Congenital complete absence of unspecified lower limb |
| Q72.01 | Congenital complete absence of right lower limb |
| Q72.02 | Congenital complete absence of left lower limb |
| Q72.03 | Congenital complete absence of lower limb, bilateral |
| Q72.10 | Congenital absence of unspecified thigh and lower leg with foot present |
| Q72.11 | Congenital absence of right thigh and lower leg with foot present |
| Q72.12 | Congenital absence of left thigh and lower leg with foot present |
| Q72.13 | Congenital absence of thigh and lower leg with foot present, bilateral |
| Q72.20 | Congenital absence of both lower leg and foot, unspecified lower limb |
| Q72.21 | Congenital absence of both lower leg and foot, right lower limb |
| Q72.22 | Congenital absence of both lower leg and foot, left lower limb |
| Q72.23 | Congenital absence of both lower leg and foot, bilateral |
| Q72.30 | Congenital absence of unspecified foot and toe(s) |
| Q72.31 | Congenital absence of right foot and toe(s) |
| Q72.32 | Congenital absence of left foot and toe(s) |
| Q72.33 | Congenital absence of foot and toe(s), bilateral |
| Q72.40 | Longitudinal reduction defect of unspecified femur |
| Q72.41 | Longitudinal reduction defect of right femur |
| Q72.42 | Longitudinal reduction defect of left femur |
| Q72.43 | Longitudinal reduction defect of femur, bilateral |
| Q72.50 | Longitudinal reduction defect of unspecified tibia |
| Q72.51 | Longitudinal reduction defect of right tibia |
| Q72.52 | Longitudinal reduction defect of left tibia |
| Q72.53 | Longitudinal reduction defect of tibia, bilateral |
| Q72.60 | Longitudinal reduction defect of unspecified fibula |
| Q72.61 | Longitudinal reduction defect of right fibula |

| ICD-10 code | ICD-10 description |
|---|---|
| Q72.62 | Longitudinal reduction defect of left fibula |
| Q72.63 | Longitudinal reduction defect of fibula, bilateral |
| Q72.70 | Split foot, unspecified lower limb |
| Q72.71 | Split foot, right lower limb |
| Q72.72 | Split foot, left lower limb |
| Q72.73 | Split foot, bilateral |
| Q72.811 | Congenital shortening of right lower limb |
| Q72.812 | Congenital shortening of left lower limb |
| Q72.813 | Congenital shortening of lower limb, bilateral |
| Q72.819 | Congenital shortening of unspecified lower limb |
| Q72.891 | Other reduction defects of right lower limb |
| Q72.892 | Other reduction defects of left lower limb |
| Q72.893 | Other reduction defects of lower limb, bilateral |
| Q72.899 | Other reduction defects of unspecified lower limb |
| Q72.90 | Unspecified reduction defect of unspecified lower limb |
| Q72.91 | Unspecified reduction defect of right lower limb |
| Q72.92 | Unspecified reduction defect of left lower limb |
| Q72.93 | Unspecified reduction defect of lower limb, bilateral |
| Q73.0 | Congenital absence of unspecified limb(s) |
| Q73.1 | Phocomelia, unspecified limb(s) |
| Q73.8 | Other reduction defects of unspecified limb(s) |
| Q74.0 | Other congenital malformations of upper limb(s), including shoulder girdle |
| Q74.1 | Congenital malformation of knee |
| Q74.2 | Other congenital malformations of lower limb(s), including pelvic girdle |
| Q74.3 | Arthrogryposis multiplex congenita |
| Q74.8 | Other specified congenital malformations of limb(s) |
| Q74.9 | Unspecified congenital malformation of limb(s) |
| Q75.0 | Craniosynostosis |
| Q75.1 | Craniofacial dysostosis |
| Q75.2 | Hypertelorism |
| Q75.3 | Macrocephaly |
| Q75.4 | Mandibulofacial dysostosis |
| Q75.5 | Oculomandibular dysostosis |
| Q75.8 | Other specified congenital malformations of skull and face bones |
| Q75.9 | Congenital malformation of skull and face bones, unspecified |
| Q76.0 | Spina bifida occulta |
| Q76.1 | Klippel-Feil syndrome |
| Q76.2 | Congenital spondylolisthesis |
| Q76.3 | Congenital scoliosis due to congenital bony malformation |
| Q76.411 | Congenital kyphosis, occipito-atlanto-axial region |
| Q76.412 | Congenital kyphosis, cervical region |
| Q76.413 | Congenital kyphosis, cervicothoracic region |
| Q76.414 | Congenital kyphosis, thoracic region |
| Q76.415 | Congenital kyphosis, thoracolumbar region |
| Q76.419 | Congenital kyphosis, unspecified region |
| Q76.425 | Congenital lordosis, thoracolumbar region |

| ICD-10 code | ICD-10 description |
|---|---|
| Q76.426 | Congenital lordosis, lumbar region |
| Q76.427 | Congenital lordosis, lumbosacral region |
| Q76.428 | Congenital lordosis, sacral and sacrococcygeal region |
| Q76.429 | Congenital lordosis, unspecified region |
| Q76.49 | Other congenital malformations of spine, not associated with scoliosis |
| Q76.5 | Cervical rib |
| Q76.6 | Other congenital malformations of ribs |
| Q76.7 | Congenital malformation of sternum |
| Q76.8 | Other congenital malformations of bony thorax |
| Q76.9 | Congenital malformation of bony thorax, unspecified |
| Q77.0 | Achondrogenesis |
| Q77.1 | Thanatophoric short stature |
| Q77.2 | Short rib syndrome |
| Q77.3 | Chondrodysplasia punctata |
| Q77.4 | Achondroplasia |
| Q77.5 | Diastrophic dysplasia |
| Q77.6 | Chondroectodermal dysplasia |
| Q77.7 | Spondyloepiphyseal dysplasia |
| Q77.8 | Other osteochondrodysplasia with defects of growth of tubular bones and spine |
| Q77.9 | Osteochondrodysplasia with defects of growth of tubular bones and spine, unspecified |
| Q78.0 | Osteogenesis imperfecta |
| Q78.1 | Polyostotic fibrous dysplasia |
| Q78.2 | Osteopetrosis |
| Q78.3 | Progressive diaphyseal dysplasia |
| Q78.4 | Enchondromatosis |
| Q78.5 | Metaphyseal dysplasia |
| Q78.6 | Multiple congenital exostoses |
| Q78.8 | Other specified osteochondrodysplasias |
| Q78.9 | Osteochondrodysplasia, unspecified |
| Q79.0 | Congenital diaphragmatic hernia |
| Q79.1 | Other congenital malformations of diaphragm |
| Q79.2 | Exomphalos |
| Q79.3 | Gastroschisis |
| Q79.4 | Prune belly syndrome |
| Q79.51 | Congenital hernia of bladder |
| Q79.59 | Other congenital malformations of abdominal wall |
| Q79.6 | Ehlers-Danlos syndrome |
| Q79.8 | Other congenital malformations of musculoskeletal system |
| Q79.9 | Congenital malformation of musculoskeletal system, unspecified |
| Q80.0 | Ichthyosis vulgaris |
| Q80.1 | X-linked ichthyosis |
| Q80.2 | Lamellar ichthyosis |
| Q80.3 | Congenital bullous ichthyosiform erythroderma |
| Q80.4 | Harlequin fetus |
| Q80.8 | Other congenital ichthyosis |
| Q80.9 | Congenital ichthyosis, unspecified |

| ICD-10 code | ICD-10 description |
|---|---|
| Q81.0 | Epidermolysis bullosa simplex |
| Q81.1 | Epidermolysis bullosa letalis |
| Q81.2 | Epidermolysis bullosa dystrophica |
| Q81.8 | Other epidermolysis bullosa |
| Q81.9 | Epidermolysis bullosa, unspecified |
| Q82.0 | Hereditary lymphedema |
| Q82.1 | Xeroderma pigmentosum |
| Q82.2 | Mastocytosis |
| Q82.3 | Incontinentia pigmenti |
| Q82.4 | Ectodermal dysplasia (anhidrotic) |
| Q82.5 | Congenital non-neoplastic nevus |
| Q82.8 | Other specified congenital malformations of skin |
| Q82.9 | Congenital malformation of skin, unspecified |
| Q83.0 | Congenital absence of breast with absent nipple |
| Q83.1 | Accessory breast |
| Q83.2 | Absent nipple |
| Q83.3 | Accessory nipple |
| Q83.8 | Other congenital malformations of breast |
| Q83.9 | Congenital malformation of breast, unspecified |
| Q84.0 | Congenital alopecia |
| Q84.1 | Congenital morphological disturbances of hair, not elsewhere classified |
| Q84.2 | Other congenital malformations of hair |
| Q84.3 | Anonychia |
| Q84.4 | Congenital leukonychia |
| Q84.5 | Enlarged and hypertrophic nails |
| Q84.6 | Other congenital malformations of nails |
| Q84.8 | Other specified congenital malformations of integument |
| Q84.9 | Congenital malformation of integument, unspecified |
| Q85.00 | Neurofibromatosis, unspecified |
| Q85.01 | Neurofibromatosis, type 1 |
| Q85.02 | Neurofibromatosis, type 2 |
| Q85.03 | Schwannomatosis |
| Q85.09 | Other neurofibromatosis |
| Q85.1 | Tuberous sclerosis |
| Q85.8 | Other phakomatoses, not elsewhere classified |
| Q85.9 | Phakomatosis, unspecified |
| Q86.0 | Fetal alcohol syndrome (dysmorphic) |
| Q86.1 | Fetal hydantoin syndrome |
| Q86.2 | Dysmorphism due to warfarin |
| Q86.8 | Other congenital malformation syndromes due to known exogenous causes |
| Q87.0 | Congenital malformation syndromes predominantly affecting facial appearance |
| Q87.1 | Congenital malformation syndromes predominantly associated with short stature |
| Q87.2 | Congenital malformation syndromes predominantly involving limbs |
| Q87.3 | Congenital malformation syndromes involving early overgrowth |
| Q87.40 | Marfan's syndrome, unspecified |
| Q87.410 | Marfan's syndrome with aortic dilation |

| ICD-10 code | ICD-10 description |
|---|---|
| Q87.418 | Marfan's syndrome with other cardiovascular manifestations |
| Q87.42 | Marfan's syndrome with ocular manifestations |
| Q87.43 | Marfan's syndrome with skeletal manifestation |
| Q87.5 | Other congenital malformation syndromes with other skeletal changes |
| Q87.81 | Alport syndrome |
| Q87.89 | Other specified congenital malformation syndromes, not elsewhere classified |
| Q89.01 | Asplenia (congenital) |
| Q89.09 | Congenital malformations of spleen |
| Q89.1 | Congenital malformations of adrenal gland |
| Q89.2 | Congenital malformations of other endocrine glands |
| Q89.3 | Situs inversus |
| Q89.4 | Conjoined twins |
| Q89.7 | Multiple congenital malformations, not elsewhere classified |
| Q89.8 | Other specified congenital malformations |
| Q89.9 | Congenital malformation, unspecified |
| Q90.0 | Trisomy 21, nonmosaicism (meiotic nondisjunction) |
| Q90.1 | Trisomy 21, mosaicism (mitotic nondisjunction) |
| Q90.2 | Trisomy 21, translocation |
| Q90.9 | Down syndrome, unspecified |
| Q91.0 | Trisomy 18, nonmosaicism (meiotic nondisjunction) |
| Q91.1 | Trisomy 18, mosaicism (mitotic nondisjunction) |
| Q91.2 | Trisomy 18, translocation |
| Q91.3 | Trisomy 18, unspecified |
| Q91.4 | Trisomy 13, nonmosaicism (meiotic nondisjunction) |
| Q91.5 | Trisomy 13, mosaicism (mitotic nondisjunction) |
| Q91.6 | Trisomy 13, translocation |
| Q91.7 | Trisomy 13, unspecified |
| Q92.0 | Whole chromosome trisomy, nonmosaicism (meiotic nondisjunction) |
| Q92.1 | Whole chromosome trisomy, mosaicism (mitotic nondisjunction) |
| Q92.2 | Partial trisomy |
| Q92.5 | Duplications with other complex rearrangements |
| Q92.61 | Marker chromosomes in normal individual |
| Q92.62 | Marker chromosomes in abnormal individual |
| Q92.7 | Triploidy and polyploidy |
| Q92.8 | Other specified trisomies and partial trisomies of autosomes |
| Q92.9 | Trisomy and partial trisomy of autosomes, unspecified |
| Q93.0 | Whole chromosome monosomy, nonmosaicism (meiotic nondisjunction) |
| Q93.1 | Whole chromosome monosomy, mosaicism (mitotic nondisjunction) |
| Q93.2 | Chromosome replaced with ring, dicentric or isochromosome |
| Q93.3 | Deletion of short arm of chromosome 4 |
| Q93.4 | Deletion of short arm of chromosome 5 |
| Q93.5 | Other deletions of part of a chromosome |
| Q93.7 | Deletions with other complex rearrangements |
| Q93.81 | Velo-cardio-facial syndrome |
| Q93.88 | Other microdeletions |
| Q93.89 | Other deletions from the autosomes |

| ICD-10 code | ICD-10 description |
|---|---|
| Q93.9 | Deletion from autosomes, unspecified |
| Q95.0 | Balanced translocation and insertion in normal individual |
| Q95.1 | Chromosome inversion in normal individual |
| Q95.2 | Balanced autosomal rearrangement in abnormal individual |
| Q95.3 | Balanced sex/autosomal rearrangement in abnormal individual |
| Q95.5 | Individual with autosomal fragile site |
| Q95.8 | Other balanced rearrangements and structural markers |
| Q95.9 | Balanced rearrangement and structural marker, unspecified |
| Q96.0 | Karyotype 45, X |
| Q96.1 | Karyotype 46, X iso (Xq) |
| Q96.2 | Karyotype 46, X with abnormal sex chromosome, except iso (Xq) |
| Q96.3 | Mosaicism, 45, X/46, XX or XY |
| Q96.4 | Mosaicism, 45, X/other cell line(s) with abnormal sex chromosome |
| Q96.8 | Other variants of Turner's syndrome |
| Q96.9 | Turner's syndrome, unspecified |
| Q97.0 | Karyotype 47, XXX |
| Q97.1 | Female with more than three X chromosomes |
| Q97.2 | Mosaicism, lines with various numbers of X chromosomes |
| Q97.3 | Female with 46, XY karyotype |
| Q97.8 | Other specified sex chromosome abnormalities, female phenotype |
| Q97.9 | Sex chromosome abnormality, female phenotype, unspecified |
| Q98.0 | Klinefelter syndrome karyotype 47, XXY |
| Q98.1 | Klinefelter syndrome, male with more than two X chromosomes |
| Q98.3 | Other male with 46, XX karyotype |
| Q98.4 | Klinefelter syndrome, unspecified |
| Q98.5 | Karyotype 47, XYY |
| Q98.6 | Male with structurally abnormal sex chromosome |
| Q98.7 | Male with sex chromosome mosaicism |
| Q98.8 | Other specified sex chromosome abnormalities, male phenotype |
| Q98.9 | Sex chromosome abnormality, male phenotype, unspecified |
| Q99.0 | Chimera 46, XX/46, XY |
| Q99.1 | 46, XX true hermaphrodite |
| Q99.2 | Fragile X chromosome |
| Q99.8 | Other specified chromosome abnormalities |
| Q99.9 | Chromosomal abnormality, unspecified |
| S00.00XD | Unspecified superficial injury of scalp, subsequent encounter |
| S00.00XS | Unspecified superficial injury of scalp, sequela |
| S00.01XD | Abrasion of scalp, subsequent encounter |
| S00.01XS | Abrasion of scalp, sequela |
| S00.02XD | Blister (nonthermal) of scalp, subsequent encounter |
| S00.02XS | Blister (nonthermal) of scalp, sequela |
| S00.03XD | Contusion of scalp, subsequent encounter |
| S00.03XS | Contusion of scalp, sequela |
| S00.04XD | External constriction of part of scalp, subsequent encounter |
| S00.04XS | External constriction of part of scalp, sequela |
| S00.05XD | Superficial foreign body of scalp, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S00.05XS | Superficial foreign body of scalp, sequela |
| S00.06XD | Insect bite (nonvenomous) of scalp, subsequent encounter |
| S00.06XS | Insect bite (nonvenomous) of scalp, sequela |
| S00.07XD | Other superficial bite of scalp, subsequent encounter |
| S00.07XS | Other superficial bite of scalp, sequela |
| S00.10XD | Contusion of unspecified eyelid and periocular area, subsequent encounter |
| S00.10XS | Contusion of unspecified eyelid and periocular area, sequela |
| S00.11XD | Contusion of right eyelid and periocular area, subsequent encounter |
| S00.11XS | Contusion of right eyelid and periocular area, sequela |
| S00.12XD | Contusion of left eyelid and periocular area, subsequent encounter |
| S00.12XS | Contusion of left eyelid and periocular area, sequela |
| S00.201D | Unspecified superficial injury of right eyelid and periocular area, subsequent encounter |
| S00.201S | Unspecified superficial injury of right eyelid and periocular area, sequela |
| S00.202D | Unspecified superficial injury of left eyelid and periocular area, subsequent encounter |
| S00.202S | Unspecified superficial injury of left eyelid and periocular area, sequela |
| S00.209D | Unspecified superficial injury of unspecified eyelid and periocular area, subsequent encounter |
| S00.209S | Unspecified superficial injury of unspecified eyelid and periocular area, sequela |
| S00.211D | Abrasion of right eyelid and periocular area, subsequent encounter |
| S00.211S | Abrasion of right eyelid and periocular area, sequela |
| S00.212D | Abrasion of left eyelid and periocular area, subsequent encounter |
| S00.212S | Abrasion of left eyelid and periocular area, sequela |
| S00.219D | Abrasion of unspecified eyelid and periocular area, subsequent encounter |
| S00.219S | Abrasion of unspecified eyelid and periocular area, sequela |
| S00.221D | Blister (nonthermal) of right eyelid and periocular area, subsequent encounter |
| S00.221S | Blister (nonthermal) of right eyelid and periocular area, sequela |
| S00.222D | Blister (nonthermal) of left eyelid and periocular area, subsequent encounter |
| S00.222S | Blister (nonthermal) of left eyelid and periocular area, sequela |
| S00.229D | Blister (nonthermal) of unspecified eyelid and periocular area, subsequent encounter |
| S00.229S | Blister (nonthermal) of unspecified eyelid and periocular area, sequela |
| S00.241D | External constriction of right eyelid and periocular area, subsequent encounter |
| S00.241S | External constriction of right eyelid and periocular area, sequela |
| S00.242D | External constriction of left eyelid and periocular area, subsequent encounter |
| S00.242S | External constriction of left eyelid and periocular area, sequela |
| S00.249D | External constriction of unspecified eyelid and periocular area, subsequent encounter |
| S00.249S | External constriction of unspecified eyelid and periocular area, sequela |
| S00.251D | Superficial foreign body of right eyelid and periocular area, subsequent encounter |
| S00.251S | Superficial foreign body of right eyelid and periocular area, sequela |
| S00.252D | Superficial foreign body of left eyelid and periocular area, subsequent encounter |
| S00.252S | Superficial foreign body of left eyelid and periocular area, sequela |
| S00.259D | Superficial foreign body of unspecified eyelid and periocular area, subsequent encounter |
| S00.259S | Superficial foreign body of unspecified eyelid and periocular area, sequela |
| S00.261D | Insect bite (nonvenomous) of right eyelid and periocular area, subsequent encounter |
| S00.261S | Insect bite (nonvenomous) of right eyelid and periocular area, sequela |
| S00.262D | Insect bite (nonvenomous) of left eyelid and periocular area, subsequent encounter |
| S00.262S | Insect bite (nonvenomous) of left eyelid and periocular area, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S00.269D | Insect bite (nonvenomous) of unspecified eyelid and periocular area, subsequent encounter |
| S00.269S | Insect bite (nonvenomous) of unspecified eyelid and periocular area, sequela |
| S00.271D | Other superficial bite of right eyelid and periocular area, subsequent encounter |
| S00.271S | Other superficial bite of right eyelid and periocular area, sequela |
| S00.272D | Other superficial bite of left eyelid and periocular area, subsequent encounter |
| S00.272S | Other superficial bite of left eyelid and periocular area, sequela |
| S00.279D | Other superficial bite of unspecified eyelid and periocular area, subsequent encounter |
| S00.279S | Other superficial bite of unspecified eyelid and periocular area, sequela |
| S00.30XD | Unspecified superficial injury of nose, subsequent encounter |
| S00.30XS | Unspecified superficial injury of nose, sequela |
| S00.31XD | Abrasion of nose, subsequent encounter |
| S00.31XS | Abrasion of nose, sequela |
| S00.32XD | Blister (nonthermal) of nose, subsequent encounter |
| S00.32XS | Blister (nonthermal) of nose, sequela |
| S00.33XD | Contusion of nose, subsequent encounter |
| S00.33XS | Contusion of nose, sequela |
| S00.34XD | External constriction of nose, subsequent encounter |
| S00.34XS | External constriction of nose, sequela |
| S00.35XD | Superficial foreign body of nose, subsequent encounter |
| S00.35XS | Superficial foreign body of nose, sequela |
| S00.36XD | Insect bite (nonvenomous) of nose, subsequent encounter |
| S00.36XS | Insect bite (nonvenomous) of nose, sequela |
| S00.37XD | Other superficial bite of nose, subsequent encounter |
| S00.37XS | Other superficial bite of nose, sequela |
| S00.401D | Unspecified superficial injury of right ear, subsequent encounter |
| S00.401S | Unspecified superficial injury of right ear, sequela |
| S00.402D | Unspecified superficial injury of left ear, subsequent encounter |
| S00.402S | Unspecified superficial injury of left ear, sequela |
| S00.409D | Unspecified superficial injury of unspecified ear, subsequent encounter |
| S00.409S | Unspecified superficial injury of unspecified ear, sequela |
| S00.411D | Abrasion of right ear, subsequent encounter |
| S00.411S | Abrasion of right ear, sequela |
| S00.412D | Abrasion of left ear, subsequent encounter |
| S00.412S | Abrasion of left ear, sequela |
| S00.419D | Abrasion of unspecified ear, subsequent encounter |
| S00.419S | Abrasion of unspecified ear, sequela |
| S00.421D | Blister (nonthermal) of right ear, subsequent encounter |
| S00.421S | Blister (nonthermal) of right ear, sequela |
| S00.422D | Blister (nonthermal) of left ear, subsequent encounter |
| S00.422S | Blister (nonthermal) of left ear, sequela |
| S00.429D | Blister (nonthermal) of unspecified ear, subsequent encounter |
| S00.429S | Blister (nonthermal) of unspecified ear, sequela |
| S00.431D | Contusion of right ear, subsequent encounter |
| S00.431S | Contusion of right ear, sequela |
| S00.432D | Contusion of left ear, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S00.432S | Contusion of left ear, sequela |
| S00.439D | Contusion of unspecified ear, subsequent encounter |
| S00.439S | Contusion of unspecified ear, sequela |
| S00.441D | External constriction of right ear, subsequent encounter |
| S00.441S | External constriction of right ear, sequela |
| S00.442D | External constriction of left ear, subsequent encounter |
| S00.442S | External constriction of left ear, sequela |
| S00.449D | External constriction of unspecified ear, subsequent encounter |
| S00.449S | External constriction of unspecified ear, sequela |
| S00.451D | Superficial foreign body of right ear, subsequent encounter |
| S00.451S | Superficial foreign body of right ear, sequela |
| S00.452D | Superficial foreign body of left ear, subsequent encounter |
| S00.452S | Superficial foreign body of left ear, sequela |
| S00.459D | Superficial foreign body of unspecified ear, subsequent encounter |
| S00.459S | Superficial foreign body of unspecified ear, sequela |
| S00.461D | Insect bite (nonvenomous) of right ear, subsequent encounter |
| S00.461S | Insect bite (nonvenomous) of right ear, sequela |
| S00.462D | Insect bite (nonvenomous) of left ear, subsequent encounter |
| S00.462S | Insect bite (nonvenomous) of left ear, sequela |
| S00.469D | Insect bite (nonvenomous) of unspecified ear, subsequent encounter |
| S00.469S | Insect bite (nonvenomous) of unspecified ear, sequela |
| S00.471D | Other superficial bite of right ear, subsequent encounter |
| S00.471S | Other superficial bite of right ear, sequela |
| S00.472D | Other superficial bite of left ear, subsequent encounter |
| S00.472S | Other superficial bite of left ear, sequela |
| S00.479D | Other superficial bite of unspecified ear, subsequent encounter |
| S00.479S | Other superficial bite of unspecified ear, sequela |
| S00.501D | Unspecified superficial injury of lip, subsequent encounter |
| S00.501S | Unspecified superficial injury of lip, sequela |
| S00.502D | Unspecified superficial injury of oral cavity, subsequent encounter |
| S00.502S | Unspecified superficial injury of oral cavity, sequela |
| S00.511D | Abrasion of lip, subsequent encounter |
| S00.511S | Abrasion of lip, sequela |
| S00.512D | Abrasion of oral cavity, subsequent encounter |
| S00.512S | Abrasion of oral cavity, sequela |
| S00.521D | Blister (nonthermal) of lip, subsequent encounter |
| S00.521S | Blister (nonthermal) of lip, sequela |
| S00.522D | Blister (nonthermal) of oral cavity, subsequent encounter |
| S00.522S | Blister (nonthermal) of oral cavity, sequela |
| S00.531D | Contusion of lip, subsequent encounter |
| S00.531S | Contusion of lip, sequela |
| S00.532D | Contusion of oral cavity, subsequent encounter |
| S00.532S | Contusion of oral cavity, sequela |
| S00.541D | External constriction of lip, subsequent encounter |
| S00.541S | External constriction of lip, sequela |
| S00.542D | External constriction of oral cavity, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S00.542S | External constriction of oral cavity, sequela |
| S00.551D | Superficial foreign body of lip, subsequent encounter |
| S00.551S | Superficial foreign body of lip, sequela |
| S00.552D | Superficial foreign body of oral cavity, subsequent encounter |
| S00.552S | Superficial foreign body of oral cavity, sequela |
| S00.561D | Insect bite (nonvenomous) of lip, subsequent encounter |
| S00.561S | Insect bite (nonvenomous) of lip, sequela |
| S00.562D | Insect bite (nonvenomous) of oral cavity, subsequent encounter |
| S00.562S | Insect bite (nonvenomous) of oral cavity, sequela |
| S00.571D | Other superficial bite of lip, subsequent encounter |
| S00.571S | Other superficial bite of lip, sequela |
| S00.572D | Other superficial bite of oral cavity, subsequent encounter |
| S00.572S | Other superficial bite of oral cavity, sequela |
| S00.80XD | Unspecified superficial injury of other part of head, subsequent encounter |
| S00.80XS | Unspecified superficial injury of other part of head, sequela |
| S00.81XD | Abrasion of other part of head, subsequent encounter |
| S00.81XS | Abrasion of other part of head, sequela |
| S00.82XD | Blister (nonthermal) of other part of head, subsequent encounter |
| S00.82XS | Blister (nonthermal) of other part of head, sequela |
| S00.83XD | Contusion of other part of head, subsequent encounter |
| S00.83XS | Contusion of other part of head, sequela |
| S00.84XD | External constriction of other part of head, subsequent encounter |
| S00.84XS | External constriction of other part of head, sequela |
| S00.85XD | Superficial foreign body of other part of head, subsequent encounter |
| S00.85XS | Superficial foreign body of other part of head, sequela |
| S00.86XD | Insect bite (nonvenomous) of other part of head, subsequent encounter |
| S00.86XS | Insect bite (nonvenomous) of other part of head, sequela |
| S00.87XD | Other superficial bite of other part of head, subsequent encounter |
| S00.87XS | Other superficial bite of other part of head, sequela |
| S00.90XD | Unspecified superficial injury of unspecified part of head, subsequent encounter |
| S00.90XS | Unspecified superficial injury of unspecified part of head, sequela |
| S00.91XD | Abrasion of unspecified part of head, subsequent encounter |
| S00.91XS | Abrasion of unspecified part of head, sequela |
| S00.92XD | Blister (nonthermal) of unspecified part of head, subsequent encounter |
| S00.92XS | Blister (nonthermal) of unspecified part of head, sequela |
| S00.93XD | Contusion of unspecified part of head, subsequent encounter |
| S00.93XS | Contusion of unspecified part of head, sequela |
| S00.94XD | External constriction of unspecified part of head, subsequent encounter |
| S00.94XS | External constriction of unspecified part of head, sequela |
| S00.95XD | Superficial foreign body of unspecified part of head, subsequent encounter |
| S00.95XS | Superficial foreign body of unspecified part of head, sequela |
| S00.96XD | Insect bite (nonvenomous) of unspecified part of head, subsequent encounter |
| S00.96XS | Insect bite (nonvenomous) of unspecified part of head, sequela |
| S00.97XD | Other superficial bite of unspecified part of head, subsequent encounter |
| S00.97XS | Other superficial bite of unspecified part of head, sequela |
| S01.00XD | Unspecified open wound of scalp, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S01.00XS | Unspecified open wound of scalp, sequela |
| S01.01XD | Laceration without foreign body of scalp, subsequent encounter |
| S01.01XS | Laceration without foreign body of scalp, sequela |
| S01.02XD | Laceration with foreign body of scalp, subsequent encounter |
| S01.02XS | Laceration with foreign body of scalp, sequela |
| S01.03XD | Puncture wound without foreign body of scalp, subsequent encounter |
| S01.03XS | Puncture wound without foreign body of scalp, sequela |
| S01.04XD | Puncture wound with foreign body of scalp, subsequent encounter |
| S01.04XS | Puncture wound with foreign body of scalp, sequela |
| S01.05XD | Open bite of scalp, subsequent encounter |
| S01.05XS | Open bite of scalp, sequela |
| S01.101D | Unspecified open wound of right eyelid and periocular area, subsequent encounter |
| S01.101S | Unspecified open wound of right eyelid and periocular area, sequela |
| S01.102D | Unspecified open wound of left eyelid and periocular area, subsequent encounter |
| S01.102S | Unspecified open wound of left eyelid and periocular area, sequela |
| S01.109D | Unspecified open wound of unspecified eyelid and periocular area, subsequent encounter |
| S01.109S | Unspecified open wound of unspecified eyelid and periocular area, sequela |
| S01.111D | Laceration without foreign body of right eyelid and periocular area, subsequent encounter |
| S01.111S | Laceration without foreign body of right eyelid and periocular area, sequela |
| S01.112D | Laceration without foreign body of left eyelid and periocular area, subsequent encounter |
| S01.112S | Laceration without foreign body of left eyelid and periocular area, sequela |
| S01.119D | Laceration without foreign body of unspecified eyelid and periocular area, subsequent encounter |
| S01.119S | Laceration without foreign body of unspecified eyelid and periocular area, sequela |
| S01.121D | Laceration with foreign body of right eyelid and periocular area, subsequent encounter |
| S01.121S | Laceration with foreign body of right eyelid and periocular area, sequela |
| S01.122D | Laceration with foreign body of left eyelid and periocular area, subsequent encounter |
| S01.122S | Laceration with foreign body of left eyelid and periocular area, sequela |
| S01.129D | Laceration with foreign body of unspecified eyelid and periocular area, subsequent encounter |
| S01.129S | Laceration with foreign body of unspecified eyelid and periocular area, sequela |
| S01.131D | Puncture wound without foreign body of right eyelid and periocular area, subsequent encounter |
| S01.131S | Puncture wound without foreign body of right eyelid and periocular area, sequela |
| S01.132D | Puncture wound without foreign body of left eyelid and periocular area, subsequent encounter |
| S01.132S | Puncture wound without foreign body of left eyelid and periocular area, sequela |
| S01.139D | Puncture wound without foreign body of unspecified eyelid and periocular area, subsequent encounter |
| S01.139S | Puncture wound without foreign body of unspecified eyelid and periocular area, sequela |
| S01.141D | Puncture wound with foreign body of right eyelid and periocular area, subsequent encounter |
| S01.141S | Puncture wound with foreign body of right eyelid and periocular area, sequela |
| S01.142D | Puncture wound with foreign body of left eyelid and periocular area, subsequent encounter |
| S01.142S | Puncture wound with foreign body of left eyelid and periocular area, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S01.149D | Puncture wound with foreign body of unspecified eyelid and periocular area, subsequent encounter |
| S01.149S | Puncture wound with foreign body of unspecified eyelid and periocular area, sequela |
| S01.151D | Open bite of right eyelid and periocular area, subsequent encounter |
| S01.151S | Open bite of right eyelid and periocular area, sequela |
| S01.152D | Open bite of left eyelid and periocular area, subsequent encounter |
| S01.152S | Open bite of left eyelid and periocular area, sequela |
| S01.159D | Open bite of unspecified eyelid and periocular area, subsequent encounter |
| S01.159S | Open bite of unspecified eyelid and periocular area, sequela |
| S01.20XD | Unspecified open wound of nose, subsequent encounter |
| S01.20XS | Unspecified open wound of nose, sequela |
| S01.21XD | Laceration without foreign body of nose, subsequent encounter |
| S01.21XS | Laceration without foreign body of nose, sequela |
| S01.22XD | Laceration with foreign body of nose, subsequent encounter |
| S01.22XS | Laceration with foreign body of nose, sequela |
| S01.23XD | Puncture wound without foreign body of nose, subsequent encounter |
| S01.23XS | Puncture wound without foreign body of nose, sequela |
| S01.24XD | Puncture wound with foreign body of nose, subsequent encounter |
| S01.24XS | Puncture wound with foreign body of nose, sequela |
| S01.25XD | Open bite of nose, subsequent encounter |
| S01.25XS | Open bite of nose, sequela |
| S01.301D | Unspecified open wound of right ear, subsequent encounter |
| S01.301S | Unspecified open wound of right ear, sequela |
| S01.302D | Unspecified open wound of left ear, subsequent encounter |
| S01.302S | Unspecified open wound of left ear, sequela |
| S01.309D | Unspecified open wound of unspecified ear, subsequent encounter |
| S01.309S | Unspecified open wound of unspecified ear, sequela |
| S01.311D | Laceration without foreign body of right ear, subsequent encounter |
| S01.311S | Laceration without foreign body of right ear, sequela |
| S01.312D | Laceration without foreign body of left ear, subsequent encounter |
| S01.312S | Laceration without foreign body of left ear, sequela |
| S01.319D | Laceration without foreign body of unspecified ear, subsequent encounter |
| S01.319S | Laceration without foreign body of unspecified ear, sequela |
| S01.321D | Laceration with foreign body of right ear, subsequent encounter |
| S01.321S | Laceration with foreign body of right ear, sequela |
| S01.322D | Laceration with foreign body of left ear, subsequent encounter |
| S01.322S | Laceration with foreign body of left ear, sequela |
| S01.329D | Laceration with foreign body of unspecified ear, subsequent encounter |
| S01.329S | Laceration with foreign body of unspecified ear, sequela |
| S01.331D | Puncture wound without foreign body of right ear, subsequent encounter |
| S01.331S | Puncture wound without foreign body of right ear, sequela |
| S01.332D | Puncture wound without foreign body of left ear, subsequent encounter |
| S01.332S | Puncture wound without foreign body of left ear, sequela |
| S01.339D | Puncture wound without foreign body of unspecified ear, subsequent encounter |
| S01.339S | Puncture wound without foreign body of unspecified ear, sequela |
| S01.341D | Puncture wound with foreign body of right ear, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S01.341S | Puncture wound with foreign body of right ear, sequela |
| S01.342D | Puncture wound with foreign body of left ear, subsequent encounter |
| S01.342S | Puncture wound with foreign body of left ear, sequela |
| S01.349D | Puncture wound with foreign body of unspecified ear, subsequent encounter |
| S01.349S | Puncture wound with foreign body of unspecified ear, sequela |
| S01.351D | Open bite of right ear, subsequent encounter |
| S01.351S | Open bite of right ear, sequela |
| S01.352D | Open bite of left ear, subsequent encounter |
| S01.352S | Open bite of left ear, sequela |
| S01.359D | Open bite of unspecified ear, subsequent encounter |
| S01.359S | Open bite of unspecified ear, sequela |
| S01.401D | Unspecified open wound of right cheek and temporomandibular area, subsequent encounter |
| S01.401S | Unspecified open wound of right cheek and temporomandibular area, sequela |
| S01.402D | Unspecified open wound of left cheek and temporomandibular area, subsequent encounter |
| S01.402S | Unspecified open wound of left cheek and temporomandibular area, sequela |
| S01.409D | Unspecified open wound of unspecified cheek and temporomandibular area, subsequent encounter |
| S01.409S | Unspecified open wound of unspecified cheek and temporomandibular area, sequela |
| S01.411D | Laceration without foreign body of right cheek and temporomandibular area, subsequent encounter |
| S01.411S | Laceration without foreign body of right cheek and temporomandibular area, sequela |
| S01.412D | Laceration without foreign body of left cheek and temporomandibular area, subsequent encounter |
| S01.412S | Laceration without foreign body of left cheek and temporomandibular area, sequela |
| S01.419D | Laceration without foreign body of unspecified cheek and temporomandibular area, subsequent encounter |
| S01.419S | Laceration without foreign body of unspecified cheek and temporomandibular area, sequela |
| S01.421D | Laceration with foreign body of right cheek and temporomandibular area, subsequent encounter |
| S01.421S | Laceration with foreign body of right cheek and temporomandibular area, sequela |
| S01.422D | Laceration with foreign body of left cheek and temporomandibular area, subsequent encounter |
| S01.422S | Laceration with foreign body of left cheek and temporomandibular area, sequela |
| S01.429D | Laceration with foreign body of unspecified cheek and temporomandibular area, subsequent encounter |
| S01.429S | Laceration with foreign body of unspecified cheek and temporomandibular area, sequela |
| S01.431D | Puncture wound without foreign body of right cheek and temporomandibular area, subsequent encounter |
| S01.431S | Puncture wound without foreign body of right cheek and temporomandibular area, sequela |
| S01.432D | Puncture wound without foreign body of left cheek and temporomandibular area, subsequent encounter |
| S01.432S | Puncture wound without foreign body of left cheek and temporomandibular area, sequela |
| S01.439D | Puncture wound without foreign body of unspecified cheek and temporomandibular area, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S01.439S | Puncture wound without foreign body of unspecified cheek and temporomandibular area, sequela |
| S01.441D | Puncture wound with foreign body of right cheek and temporomandibular area, subsequent encounter |
| S01.441S | Puncture wound with foreign body of right cheek and temporomandibular area, sequela |
| S01.442D | Puncture wound with foreign body of left cheek and temporomandibular area, subsequent encounter |
| S01.442S | Puncture wound with foreign body of left cheek and temporomandibular area, sequela |
| S01.449D | Puncture wound with foreign body of unspecified cheek and temporomandibular area, subsequent encounter |
| S01.449S | Puncture wound with foreign body of unspecified cheek and temporomandibular area, sequela |
| S01.451D | Open bite of right cheek and temporomandibular area, subsequent encounter |
| S01.451S | Open bite of right cheek and temporomandibular area, sequela |
| S01.452D | Open bite of left cheek and temporomandibular area, subsequent encounter |
| S01.452S | Open bite of left cheek and temporomandibular area, sequela |
| S01.459D | Open bite of unspecified cheek and temporomandibular area, subsequent encounter |
| S01.459S | Open bite of unspecified cheek and temporomandibular area, sequela |
| S01.501D | Unspecified open wound of lip, subsequent encounter |
| S01.501S | Unspecified open wound of lip, sequela |
| S01.502D | Unspecified open wound of oral cavity, subsequent encounter |
| S01.502S | Unspecified open wound of oral cavity, sequela |
| S01.511D | Laceration without foreign body of lip, subsequent encounter |
| S01.511S | Laceration without foreign body of lip, sequela |
| S01.512D | Laceration without foreign body of oral cavity, subsequent encounter |
| S01.512S | Laceration without foreign body of oral cavity, sequela |
| S01.521D | Laceration with foreign body of lip, subsequent encounter |
| S01.521S | Laceration with foreign body of lip, sequela |
| S01.522D | Laceration with foreign body of oral cavity, subsequent encounter |
| S01.522S | Laceration with foreign body of oral cavity, sequela |
| S01.531D | Puncture wound without foreign body of lip, subsequent encounter |
| S01.531S | Puncture wound without foreign body of lip, sequela |
| S01.532D | Puncture wound without foreign body of oral cavity, subsequent encounter |
| S01.532S | Puncture wound without foreign body of oral cavity, sequela |
| S01.541D | Puncture wound with foreign body of lip, subsequent encounter |
| S01.541S | Puncture wound with foreign body of lip, sequela |
| S01.542D | Puncture wound with foreign body of oral cavity, subsequent encounter |
| S01.542S | Puncture wound with foreign body of oral cavity, sequela |
| S01.551D | Open bite of lip, subsequent encounter |
| S01.551S | Open bite of lip, sequela |
| S01.552D | Open bite of oral cavity, subsequent encounter |
| S01.552S | Open bite of oral cavity, sequela |
| S01.80XD | Unspecified open wound of other part of head, subsequent encounter |
| S01.80XS | Unspecified open wound of other part of head, sequela |
| S01.81XD | Laceration without foreign body of other part of head, subsequent encounter |
| S01.81XS | Laceration without foreign body of other part of head, sequela |
| S01.82XD | Laceration with foreign body of other part of head, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S01.82XS | Laceration with foreign body of other part of head, sequela |
| S01.83XD | Puncture wound without foreign body of other part of head, subsequent encounter |
| S01.83XS | Puncture wound without foreign body of other part of head, sequela |
| S01.84XD | Puncture wound with foreign body of other part of head, subsequent encounter |
| S01.84XS | Puncture wound with foreign body of other part of head, sequela |
| S01.85XD | Open bite of other part of head, subsequent encounter |
| S01.85XS | Open bite of other part of head, sequela |
| S01.90XD | Unspecified open wound of unspecified part of head, subsequent encounter |
| S01.90XS | Unspecified open wound of unspecified part of head, sequela |
| S01.91XD | Laceration without foreign body of unspecified part of head, subsequent encounter |
| S01.91XS | Laceration without foreign body of unspecified part of head, sequela |
| S01.92XD | Laceration with foreign body of unspecified part of head, subsequent encounter |
| S01.92XS | Laceration with foreign body of unspecified part of head, sequela |
| S01.93XD | Puncture wound without foreign body of unspecified part of head, subsequent encounter |
| S01.93XS | Puncture wound without foreign body of unspecified part of head, sequela |
| S01.94XD | Puncture wound with foreign body of unspecified part of head, subsequent encounter |
| S01.94XS | Puncture wound with foreign body of unspecified part of head, sequela |
| S01.95XD | Open bite of unspecified part of head, subsequent encounter |
| S01.95XS | Open bite of unspecified part of head, sequela |
| S02.0XXD | Fracture of vault of skull, subsequent encounter for fracture with routine healing |
| S02.0XXG | Fracture of vault of skull, subsequent encounter for fracture with delayed healing |
| S02.0XXK | Fracture of vault of skull, subsequent encounter for fracture with nonunion |
| S02.0XXS | Fracture of vault of skull, sequela |
| S02.10XD | Unspecified fracture of base of skull, subsequent encounter for fracture with routine healing |
| S02.10XG | Unspecified fracture of base of skull, subsequent encounter for fracture with delayed healing |
| S02.10XK | Unspecified fracture of base of skull, subsequent encounter for fracture with nonunion |
| S02.10XS | Unspecified fracture of base of skull, sequela |
| S02.110D | Type I occipital condyle fracture, subsequent encounter for fracture with routine healing |
| S02.110G | Type I occipital condyle fracture, subsequent encounter for fracture with delayed healing |
| S02.110K | Type I occipital condyle fracture, subsequent encounter for fracture with nonunion |
| S02.110S | Type I occipital condyle fracture, sequela |
| S02.111D | Type II occipital condyle fracture, subsequent encounter for fracture with routine healing |
| S02.111G | Type II occipital condyle fracture, subsequent encounter for fracture with delayed healing |
| S02.111K | Type II occipital condyle fracture, subsequent encounter for fracture with nonunion |
| S02.111S | Type II occipital condyle fracture, sequela |
| S02.112D | Type III occipital condyle fracture, subsequent encounter for fracture with routine healing |
| S02.112G | Type III occipital condyle fracture, subsequent encounter for fracture with delayed healing |
| S02.112K | Type III occipital condyle fracture, subsequent encounter for fracture with nonunion |
| S02.112S | Type III occipital condyle fracture, sequela |
| S02.113D | Unspecified occipital condyle fracture, subsequent encounter for fracture with routine healing |
| S02.113G | Unspecified occipital condyle fracture, subsequent encounter for fracture with delayed healing |
| S02.113K | Unspecified occipital condyle fracture, subsequent encounter for fracture with nonunion |
| S02.113S | Unspecified occipital condyle fracture, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S02.118D | Other fracture of occiput, subsequent encounter for fracture with routine healing |
| S02.118G | Other fracture of occiput, subsequent encounter for fracture with delayed healing |
| S02.118K | Other fracture of occiput, subsequent encounter for fracture with nonunion |
| S02.118S | Other fracture of occiput, sequela |
| S02.119D | Unspecified fracture of occiput, subsequent encounter for fracture with routine healing |
| S02.119G | Unspecified fracture of occiput, subsequent encounter for fracture with delayed healing |
| S02.119K | Unspecified fracture of occiput, subsequent encounter for fracture with nonunion |
| S02.119S | Unspecified fracture of occiput, sequela |
| S02.19XD | Other fracture of base of skull, subsequent encounter for fracture with routine healing |
| S02.19XG | Other fracture of base of skull, subsequent encounter for fracture with delayed healing |
| S02.19XK | Other fracture of base of skull, subsequent encounter for fracture with nonunion |
| S02.19XS | Other fracture of base of skull, sequela |
| S02.2XXD | Fracture of nasal bones, subsequent encounter for fracture with routine healing |
| S02.2XXG | Fracture of nasal bones, subsequent encounter for fracture with delayed healing |
| S02.2XXK | Fracture of nasal bones, subsequent encounter for fracture with nonunion |
| S02.2XXS | Fracture of nasal bones, sequela |
| S02.3XXD | Fracture of orbital floor, subsequent encounter for fracture with routine healing |
| S02.3XXG | Fracture of orbital floor, subsequent encounter for fracture with delayed healing |
| S02.3XXK | Fracture of orbital floor, subsequent encounter for fracture with nonunion |
| S02.3XXS | Fracture of orbital floor, sequela |
| S02.400D | Malar fracture unspecified, subsequent encounter for fracture with routine healing |
| S02.400G | Malar fracture unspecified, subsequent encounter for fracture with delayed healing |
| S02.400K | Malar fracture unspecified, subsequent encounter for fracture with nonunion |
| S02.400S | Malar fracture unspecified, sequela |
| S02.401D | Maxillary fracture, unspecified, subsequent encounter for fracture with routine healing |
| S02.401G | Maxillary fracture, unspecified, subsequent encounter for fracture with delayed healing |
| S02.401K | Maxillary fracture, unspecified, subsequent encounter for fracture with nonunion |
| S02.401S | Maxillary fracture, unspecified, sequela |
| S02.402D | Zygomatic fracture, unspecified, subsequent encounter for fracture with routine healing |
| S02.402G | Zygomatic fracture, unspecified, subsequent encounter for fracture with delayed healing |
| S02.402K | Zygomatic fracture, unspecified, subsequent encounter for fracture with nonunion |
| S02.402S | Zygomatic fracture, unspecified, sequela |
| S02.411D | LeFort I fracture, subsequent encounter for fracture with routine healing |
| S02.411G | LeFort I fracture, subsequent encounter for fracture with delayed healing |
| S02.411K | LeFort I fracture, subsequent encounter for fracture with nonunion |
| S02.411S | LeFort I fracture, sequela |
| S02.412D | LeFort II fracture, subsequent encounter for fracture with routine healing |
| S02.412G | LeFort II fracture, subsequent encounter for fracture with delayed healing |
| S02.412K | LeFort II fracture, subsequent encounter for fracture with nonunion |
| S02.412S | LeFort II fracture, sequela |
| S02.413D | LeFort III fracture, subsequent encounter for fracture with routine healing |
| S02.413G | LeFort III fracture, subsequent encounter for fracture with delayed healing |
| S02.413K | LeFort III fracture, subsequent encounter for fracture with nonunion |
| S02.413S | LeFort III fracture, sequela |
| S02.42XD | Fracture of alveolus of maxilla, subsequent encounter for fracture with routine healing |
| S02.42XG | Fracture of alveolus of maxilla, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S02.42XK | Fracture of alveolus of maxilla, subsequent encounter for fracture with nonunion |
| S02.42XS | Fracture of alveolus of maxilla, sequela |
| S02.5XXD | Fracture of tooth (traumatic), subsequent encounter for fracture with routine healing |
| S02.5XXG | Fracture of tooth (traumatic), subsequent encounter for fracture with delayed healing |
| S02.5XXK | Fracture of tooth (traumatic), subsequent encounter for fracture with nonunion |
| S02.5XXS | Fracture of tooth (traumatic), sequela |
| S02.600D | Fracture of unspecified part of body of mandible, subsequent encounter for fracture with routine healing |
| S02.600G | Fracture of unspecified part of body of mandible, subsequent encounter for fracture with delayed healing |
| S02.600K | Fracture of unspecified part of body of mandible, subsequent encounter for fracture with nonunion |
| S02.600S | Fracture of unspecified part of body of mandible, sequela |
| S02.609D | Fracture of mandible, unspecified, subsequent encounter for fracture with routine healing |
| S02.609G | Fracture of mandible, unspecified, subsequent encounter for fracture with delayed healing |
| S02.609K | Fracture of mandible, unspecified, subsequent encounter for fracture with nonunion |
| S02.609S | Fracture of mandible, unspecified, sequela |
| S02.61XD | Fracture of condylar process of mandible, subsequent encounter for fracture with routine healing |
| S02.61XG | Fracture of condylar process of mandible, subsequent encounter for fracture with delayed healing |
| S02.61XK | Fracture of condylar process of mandible, subsequent encounter for fracture with nonunion |
| S02.61XS | Fracture of condylar process of mandible, sequela |
| S02.62XD | Fracture of subcondylar process of mandible, subsequent encounter for fracture with routine healing |
| S02.62XG | Fracture of subcondylar process of mandible, subsequent encounter for fracture with delayed healing |
| S02.62XK | Fracture of subcondylar process of mandible, subsequent encounter for fracture with nonunion |
| S02.62XS | Fracture of subcondylar process of mandible, sequela |
| S02.63XD | Fracture of coronoid process of mandible, subsequent encounter for fracture with routine healing |
| S02.63XG | Fracture of coronoid process of mandible, subsequent encounter for fracture with delayed healing |
| S02.63XK | Fracture of coronoid process of mandible, subsequent encounter for fracture with nonunion |
| S02.63XS | Fracture of coronoid process of mandible, sequela |
| S02.64XD | Fracture of ramus of mandible, subsequent encounter for fracture with routine healing |
| S02.64XG | Fracture of ramus of mandible, subsequent encounter for fracture with delayed healing |
| S02.64XK | Fracture of ramus of mandible, subsequent encounter for fracture with nonunion |
| S02.64XS | Fracture of ramus of mandible, sequela |
| S02.65XD | Fracture of angle of mandible, subsequent encounter for fracture with routine healing |
| S02.65XG | Fracture of angle of mandible, subsequent encounter for fracture with delayed healing |
| S02.65XK | Fracture of angle of mandible, subsequent encounter for fracture with nonunion |
| S02.65XS | Fracture of angle of mandible, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S02.66XD | Fracture of symphysis of mandible, subsequent encounter for fracture with routine healing |
| S02.66XG | Fracture of symphysis of mandible, subsequent encounter for fracture with delayed healing |
| S02.66XK | Fracture of symphysis of mandible, subsequent encounter for fracture with nonunion |
| S02.66XS | Fracture of symphysis of mandible, sequela |
| S02.67XD | Fracture of alveolus of mandible, subsequent encounter for fracture with routine healing |
| S02.67XG | Fracture of alveolus of mandible, subsequent encounter for fracture with delayed healing |
| S02.67XK | Fracture of alveolus of mandible, subsequent encounter for fracture with nonunion |
| S02.67XS | Fracture of alveolus of mandible, sequela |
| S02.69XD | Fracture of mandible of other specified site, subsequent encounter for fracture with routine healing |
| S02.69XG | Fracture of mandible of other specified site, subsequent encounter for fracture with delayed healing |
| S02.69XK | Fracture of mandible of other specified site, subsequent encounter for fracture with nonunion |
| S02.69XS | Fracture of mandible of other specified site, sequela |
| S02.8XXD | Fractures of other specified skull and facial bones, subsequent encounter for fracture with routine healing |
| S02.8XXG | Fractures of other specified skull and facial bones, subsequent encounter for fracture with delayed healing |
| S02.8XXK | Fractures of other specified skull and facial bones, subsequent encounter for fracture with nonunion |
| S02.8XXS | Fractures of other specified skull and facial bones, sequela |
| S02.91XD | Unspecified fracture of skull, subsequent encounter for fracture with routine healing |
| S02.91XG | Unspecified fracture of skull, subsequent encounter for fracture with delayed healing |
| S02.91XK | Unspecified fracture of skull, subsequent encounter for fracture with nonunion |
| S02.91XS | Unspecified fracture of skull, sequela |
| S02.92XD | Unspecified fracture of facial bones, subsequent encounter for fracture with routine healing |
| S02.92XG | Unspecified fracture of facial bones, subsequent encounter for fracture with delayed healing |
| S02.92XK | Unspecified fracture of facial bones, subsequent encounter for fracture with nonunion |
| S02.92XS | Unspecified fracture of facial bones, sequela |
| S03.0XXD | Dislocation of jaw, subsequent encounter |
| S03.0XXS | Dislocation of jaw, sequela |
| S03.1XXD | Dislocation of septal cartilage of nose, subsequent encounter |
| S03.1XXS | Dislocation of septal cartilage of nose, sequela |
| S03.2XXD | Dislocation of tooth, subsequent encounter |
| S03.2XXS | Dislocation of tooth, sequela |
| S03.4XXD | Sprain of jaw, subsequent encounter |
| S03.4XXS | Sprain of jaw, sequela |
| S03.8XXD | Sprain of joints and ligaments of other parts of head, subsequent encounter |
| S03.8XXS | Sprain of joints and ligaments of other parts of head, sequela |
| S03.9XXD | Sprain of joints and ligaments of unspecified parts of head, subsequent encounter |
| S03.9XXS | Sprain of joints and ligaments of unspecified parts of head, sequela |
| S04.011D | Injury of optic nerve, right eye, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S04.011S | Injury of optic nerve, right eye, sequela |
| S04.012D | Injury of optic nerve, left eye, subsequent encounter |
| S04.012S | Injury of optic nerve, left eye, sequela |
| S04.019D | Injury of optic nerve, unspecified eye, subsequent encounter |
| S04.019S | Injury of optic nerve, unspecified eye, sequela |
| S04.02XD | Injury of optic chiasm, subsequent encounter |
| S04.02XS | Injury of optic chiasm, sequela |
| S04.031D | Injury of optic tract and pathways, right eye, subsequent encounter |
| S04.031S | Injury of optic tract and pathways, right eye, sequela |
| S04.032D | Injury of optic tract and pathways, left eye, subsequent encounter |
| S04.032S | Injury of optic tract and pathways, left eye, sequela |
| S04.039D | Injury of optic tract and pathways, unspecified eye, subsequent encounter |
| S04.039S | Injury of optic tract and pathways, unspecified eye, sequela |
| S04.041D | Injury of visual cortex, right eye, subsequent encounter |
| S04.041S | Injury of visual cortex, right eye, sequela |
| S04.042D | Injury of visual cortex, left eye, subsequent encounter |
| S04.042S | Injury of visual cortex, left eye, sequela |
| S04.049D | Injury of visual cortex, unspecified eye, subsequent encounter |
| S04.049S | Injury of visual cortex, unspecified eye, sequela |
| S04.10XD | Injury of oculomotor nerve, unspecified side, subsequent encounter |
| S04.10XS | Injury of oculomotor nerve, unspecified side, sequela |
| S04.11XD | Injury of oculomotor nerve, right side, subsequent encounter |
| S04.11XS | Injury of oculomotor nerve, right side, sequela |
| S04.12XD | Injury of oculomotor nerve, left side, subsequent encounter |
| S04.12XS | Injury of oculomotor nerve, left side, sequela |
| S04.20XD | Injury of trochlear nerve, unspecified side, subsequent encounter |
| S04.20XS | Injury of trochlear nerve, unspecified side, sequela |
| S04.21XD | Injury of trochlear nerve, right side, subsequent encounter |
| S04.21XS | Injury of trochlear nerve, right side, sequela |
| S04.22XD | Injury of trochlear nerve, left side, subsequent encounter |
| S04.22XS | Injury of trochlear nerve, left side, sequela |
| S04.30XD | Injury of trigeminal nerve, unspecified side, subsequent encounter |
| S04.30XS | Injury of trigeminal nerve, unspecified side, sequela |
| S04.31XD | Injury of trigeminal nerve, right side, subsequent encounter |
| S04.31XS | Injury of trigeminal nerve, right side, sequela |
| S04.32XD | Injury of trigeminal nerve, left side, subsequent encounter |
| S04.32XS | Injury of trigeminal nerve, left side, sequela |
| S04.40XD | Injury of abducent nerve, unspecified side, subsequent encounter |
| S04.40XS | Injury of abducent nerve, unspecified side, sequela |
| S04.41XD | Injury of abducent nerve, right side, subsequent encounter |
| S04.41XS | Injury of abducent nerve, right side, sequela |
| S04.42XD | Injury of abducent nerve, left side, subsequent encounter |
| S04.42XS | Injury of abducent nerve, left side, sequela |
| S04.50XD | Injury of facial nerve, unspecified side, subsequent encounter |
| S04.50XS | Injury of facial nerve, unspecified side, sequela |
| S04.51XD | Injury of facial nerve, right side, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S04.51XS | Injury of facial nerve, right side, sequela |
| S04.52XD | Injury of facial nerve, left side, subsequent encounter |
| S04.52XS | Injury of facial nerve, left side, sequela |
| S04.60XD | Injury of acoustic nerve, unspecified side, subsequent encounter |
| S04.60XS | Injury of acoustic nerve, unspecified side, sequela |
| S04.61XD | Injury of acoustic nerve, right side, subsequent encounter |
| S04.61XS | Injury of acoustic nerve, right side, sequela |
| S04.62XD | Injury of acoustic nerve, left side, subsequent encounter |
| S04.62XS | Injury of acoustic nerve, left side, sequela |
| S04.70XD | Injury of accessory nerve, unspecified side, subsequent encounter |
| S04.70XS | Injury of accessory nerve, unspecified side, sequela |
| S04.71XD | Injury of accessory nerve, right side, subsequent encounter |
| S04.71XS | Injury of accessory nerve, right side, sequela |
| S04.72XD | Injury of accessory nerve, left side, subsequent encounter |
| S04.72XS | Injury of accessory nerve, left side, sequela |
| S04.811D | Injury of olfactory [1st ] nerve, right side, subsequent encounter |
| S04.811S | Injury of olfactory [1st ] nerve, right side, sequela |
| S04.812D | Injury of olfactory [1st ] nerve, left side, subsequent encounter |
| S04.812S | Injury of olfactory [1st ] nerve, left side, sequela |
| S04.819D | Injury of olfactory [1st ] nerve, unspecified side, subsequent encounter |
| S04.819S | Injury of olfactory [1st ] nerve, unspecified side, sequela |
| S04.891D | Injury of other cranial nerves, right side, subsequent encounter |
| S04.891S | Injury of other cranial nerves, right side, sequela |
| S04.892D | Injury of other cranial nerves, left side, subsequent encounter |
| S04.892S | Injury of other cranial nerves, left side, sequela |
| S04.899D | Injury of other cranial nerves, unspecified side, subsequent encounter |
| S04.899S | Injury of other cranial nerves, unspecified side, sequela |
| S04.9XXD | Injury of unspecified cranial nerve, subsequent encounter |
| S04.9XXS | Injury of unspecified cranial nerve, sequela |
| S05.00XD | Injury of conjunctiva and corneal abrasion without foreign body, unspecified eye, subsequent encounter |
| S05.00XS | Injury of conjunctiva and corneal abrasion without foreign body, unspecified eye, sequela |
| S05.01XD | Injury of conjunctiva and corneal abrasion without foreign body, right eye, subsequent encounter |
| S05.01XS | Injury of conjunctiva and corneal abrasion without foreign body, right eye, sequela |
| S05.02XD | Injury of conjunctiva and corneal abrasion without foreign body, left eye, subsequent encounter |
| S05.02XS | Injury of conjunctiva and corneal abrasion without foreign body, left eye, sequela |
| S05.10XD | Contusion of eyeball and orbital tissues, unspecified eye, subsequent encounter |
| S05.10XS | Contusion of eyeball and orbital tissues, unspecified eye, sequela |
| S05.11XD | Contusion of eyeball and orbital tissues, right eye, subsequent encounter |
| S05.11XS | Contusion of eyeball and orbital tissues, right eye, sequela |
| S05.12XD | Contusion of eyeball and orbital tissues, left eye, subsequent encounter |
| S05.12XS | Contusion of eyeball and orbital tissues, left eye, sequela |
| S05.20XD | Ocular laceration and rupture with prolapse or loss of intraocular tissue, unspecified eye, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S05.20XS | Ocular laceration and rupture with prolapse or loss of intraocular tissue, unspecified eye, sequela |
| S05.21XD | Ocular laceration and rupture with prolapse or loss of intraocular tissue, right eye, subsequent encounter |
| S05.21XS | Ocular laceration and rupture with prolapse or loss of intraocular tissue, right eye, sequela |
| S05.22XD | Ocular laceration and rupture with prolapse or loss of intraocular tissue, left eye, subsequent encounter |
| S05.22XS | Ocular laceration and rupture with prolapse or loss of intraocular tissue, left eye, sequela |
| S05.30XD | Ocular laceration without prolapse or loss of intraocular tissue, unspecified eye, subsequent encounter |
| S05.30XS | Ocular laceration without prolapse or loss of intraocular tissue, unspecified eye, sequela |
| S05.31XD | Ocular laceration without prolapse or loss of intraocular tissue, right eye, subsequent encounter |
| S05.31XS | Ocular laceration without prolapse or loss of intraocular tissue, right eye, sequela |
| S05.32XD | Ocular laceration without prolapse or loss of intraocular tissue, left eye, subsequent encounter |
| S05.32XS | Ocular laceration without prolapse or loss of intraocular tissue, left eye, sequela |
| S05.40XD | Penetrating wound of orbit with or without foreign body, unspecified eye, subsequent encounter |
| S05.40XS | Penetrating wound of orbit with or without foreign body, unspecified eye, sequela |
| S05.41XD | Penetrating wound of orbit with or without foreign body, right eye, subsequent encounter |
| S05.41XS | Penetrating wound of orbit with or without foreign body, right eye, sequela |
| S05.42XD | Penetrating wound of orbit with or without foreign body, left eye, subsequent encounter |
| S05.42XS | Penetrating wound of orbit with or without foreign body, left eye, sequela |
| S05.50XD | Penetrating wound with foreign body of unspecified eyeball, subsequent encounter |
| S05.50XS | Penetrating wound with foreign body of unspecified eyeball, sequela |
| S05.51XD | Penetrating wound with foreign body of right eyeball, subsequent encounter |
| S05.51XS | Penetrating wound with foreign body of right eyeball, sequela |
| S05.52XD | Penetrating wound with foreign body of left eyeball, subsequent encounter |
| S05.52XS | Penetrating wound with foreign body of left eyeball, sequela |
| S05.60XD | Penetrating wound without foreign body of unspecified eyeball, subsequent encounter |
| S05.60XS | Penetrating wound without foreign body of unspecified eyeball, sequela |
| S05.61XD | Penetrating wound without foreign body of right eyeball, subsequent encounter |
| S05.61XS | Penetrating wound without foreign body of right eyeball, sequela |
| S05.62XD | Penetrating wound without foreign body of left eyeball, subsequent encounter |
| S05.62XS | Penetrating wound without foreign body of left eyeball, sequela |
| S05.70XD | Avulsion of unspecified eye, subsequent encounter |
| S05.70XS | Avulsion of unspecified eye, sequela |
| S05.71XD | Avulsion of right eye, subsequent encounter |
| S05.71XS | Avulsion of right eye, sequela |
| S05.72XD | Avulsion of left eye, subsequent encounter |
| S05.72XS | Avulsion of left eye, sequela |
| S05.8X1D | Other injuries of right eye and orbit, subsequent encounter |
| S05.8X1S | Other injuries of right eye and orbit, sequela |
| S05.8X2D | Other injuries of left eye and orbit, subsequent encounter |
| S05.8X2S | Other injuries of left eye and orbit, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S05.8X9D | Other injuries of unspecified eye and orbit, subsequent encounter |
| S05.8X9S | Other injuries of unspecified eye and orbit, sequela |
| S05.90XD | Unspecified injury of unspecified eye and orbit, subsequent encounter |
| S05.90XS | Unspecified injury of unspecified eye and orbit, sequela |
| S05.91XD | Unspecified injury of right eye and orbit, subsequent encounter |
| S05.91XS | Unspecified injury of right eye and orbit, sequela |
| S05.92XD | Unspecified injury of left eye and orbit, subsequent encounter |
| S05.92XS | Unspecified injury of left eye and orbit, sequela |
| S06.0X0D | Concussion without loss of consciousness, subsequent encounter |
| S06.0X0S | Concussion without loss of consciousness, sequela |
| S06.0X1D | Concussion with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.0X1S | Concussion with loss of consciousness of 30 minutes or less, sequela |
| S06.0X2D | Concussion with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.0X2S | Concussion with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.0X3D | Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.0X3S | Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.0X4D | Concussion with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.0X4S | Concussion with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.0X5D | Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.0X5S | Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.0X6D | Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.0X6S | Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.0X7D | Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.0X7S | Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.0X8D | Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.0X8S | Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.0X9D | Concussion with loss of consciousness of unspecified duration, subsequent encounter |
| S06.0X9S | Concussion with loss of consciousness of unspecified duration, sequela |
| S06.1X0D | Traumatic cerebral edema without loss of consciousness, subsequent encounter |
| S06.1X0S | Traumatic cerebral edema without loss of consciousness, sequela |
| S06.1X1D | Traumatic cerebral edema with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.1X1S | Traumatic cerebral edema with loss of consciousness of 30 minutes or less, sequela |
| S06.1X2D | Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.1X2S | Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.1X3D | Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.1X3S | Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.1X4D | Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.1X4S | Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.1X5D | Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.1X5S | Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.1X6D | Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.1X6S | Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.1X7D | Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.1X7S | Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.1X8D | Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.1X8S | Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.1X9D | Traumatic cerebral edema with loss of consciousness of unspecified duration, subsequent encounter |
| S06.1X9S | Traumatic cerebral edema with loss of consciousness of unspecified duration, sequela |
| S06.2X0D | Diffuse traumatic brain injury without loss of consciousness, subsequent encounter |
| S06.2X0S | Diffuse traumatic brain injury without loss of consciousness, sequela |
| S06.2X1D | Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.2X1S | Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less, sequela |
| S06.2X2D | Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.2X2S | Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.2X3D | Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.2X3S | Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.2X4D | Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.2X4S | Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.2X5D | Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels, subsequent encounter |
| S06.2X5S | Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels, sequela |
| S06.2X6D | Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.2X6S | Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.2X7D | Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.2X7S | Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.2X8D | Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.2X8S | Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.2X9D | Diffuse traumatic brain injury with loss of consciousness of unspecified duration, subsequent encounter |
| S06.2X9S | Diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela |
| S06.300D | Unspecified focal traumatic brain injury without loss of consciousness, subsequent encounter |
| S06.300S | Unspecified focal traumatic brain injury without loss of consciousness, sequela |
| S06.301D | Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.301S | Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less, sequela |
| S06.302D | Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.302S | Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.303D | Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.303S | Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.304D | Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.304S | Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.305D | Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.305S | Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.306D | Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.306S | Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.307D | Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.307S | Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.308D | Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.308S | Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.309D | Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration, subsequent encounter |
| S06.309S | Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration, sequela |
| S06.310D | Contusion and laceration of right cerebrum without loss of consciousness, subsequent encounter |
| S06.310S | Contusion and laceration of right cerebrum without loss of consciousness, sequela |
| S06.311D | Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.311S | Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, sequela |
| S06.312D | Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.312S | Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.313D | Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.313S | Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.314D | Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.314S | Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.315D | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.315S | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.316D | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.316S | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.317D | Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.317S | Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.318D | Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.318S | Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.319D | Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, subsequent encounter |
| S06.319S | Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, sequela |
| S06.320D | Contusion and laceration of left cerebrum without loss of consciousness, subsequent encounter |
| S06.320S | Contusion and laceration of left cerebrum without loss of consciousness, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.321D | Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.321S | Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, sequela |
| S06.322D | Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.322S | Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.323D | Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.323S | Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.324D | Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.324S | Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.325D | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.325S | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.326D | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.326S | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.327D | Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.327S | Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.328D | Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.328S | Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.329D | Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, subsequent encounter |
| S06.329S | Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, sequela |
| S06.330D | Contusion and laceration of cerebrum, unspecified, without loss of consciousness, subsequent encounter |
| S06.330S | Contusion and laceration of cerebrum, unspecified, without loss of consciousness, sequela |
| S06.331D | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.331S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela |
| S06.332D | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.332S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.333D | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.333S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.334D | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.334S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.335D | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.335S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.336D | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.336S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.337D | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.337S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.338D | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.338S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.339D | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, subsequent encounter |
| S06.339S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela |
| S06.340D | Traumatic hemorrhage of right cerebrum without loss of consciousness, subsequent encounter |
| S06.340S | Traumatic hemorrhage of right cerebrum without loss of consciousness, sequela |
| S06.341D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.341S | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, sequela |
| S06.342D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.342S | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.343D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter |
| S06.343S | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela |
| S06.344D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.344S | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.345D | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.345S | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.346D | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.346S | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.347D | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.347S | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.348D | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.348S | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.349D | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, subsequent encounter |
| S06.349S | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, sequela |
| S06.350D | Traumatic hemorrhage of left cerebrum without loss of consciousness, subsequent encounter |
| S06.350S | Traumatic hemorrhage of left cerebrum without loss of consciousness, sequela |
| S06.351D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.351S | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, sequela |
| S06.352D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.352S | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.353D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter |
| S06.353S | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela |
| S06.354D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.354S | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.355D | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.355S | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.356D | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.356S | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.357D | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.357S | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.358D | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.358S | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.359D | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, subsequent encounter |
| S06.359S | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, sequela |
| S06.360D | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, subsequent encounter |
| S06.360S | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, sequela |
| S06.361D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.361S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela |
| S06.362D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.362S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.363D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter |
| S06.363S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela |
| S06.364D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.364S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.365D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.365S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.366D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.366S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.367D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.367S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.368D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.368S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.369D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, subsequent encounter |
| S06.369S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela |
| S06.370D | Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, subsequent encounter |
| S06.370S | Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, sequela |
| S06.371D | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.371S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, sequela |
| S06.372D | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.372S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.373D | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.373S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.374D | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.374S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.375D | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.375S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.376D | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.376S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.377D | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.377S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.378D | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.378S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.379D | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, subsequent encounter |
| S06.379S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, sequela |
| S06.380D | Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, subsequent encounter |
| S06.380S | Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, sequela |
| S06.381D | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.381S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, sequela |
| S06.382D | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.382S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.383D | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.383S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.384D | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.384S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.385D | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.385S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.386D | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.386S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.387D | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.387S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.388D | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.388S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.389D | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, subsequent encounter |
| S06.389S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, sequela |
| S06.4X0D | Epidural hemorrhage without loss of consciousness, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.4X0S | Epidural hemorrhage without loss of consciousness, sequela |
| S06.4X1D | Epidural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.4X1S | Epidural hemorrhage with loss of consciousness of 30 minutes or less, sequela |
| S06.4X2D | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.4X2S | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.4X3D | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.4X3S | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.4X4D | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.4X4S | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.4X5D | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.4X5S | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.4X6D | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.4X6S | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.4X7D | Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.4X7S | Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.4X8D | Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, subsequent encounter |
| S06.4X8S | Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, sequela |
| S06.4X9D | Epidural hemorrhage with loss of consciousness of unspecified duration, subsequent encounter |
| S06.4X9S | Epidural hemorrhage with loss of consciousness of unspecified duration, sequela |
| S06.5X0D | Traumatic subdural hemorrhage without loss of consciousness, subsequent encounter |
| S06.5X0S | Traumatic subdural hemorrhage without loss of consciousness, sequela |
| S06.5X1D | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.5X1S | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, sequela |
| S06.5X2D | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.5X2S | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.5X3D | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.5X3S | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.5X4D | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.5X4S | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.5X5D | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.5X5S | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.5X6D | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.5X6S | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.5X7D | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, subsequent encounter |
| S06.5X7S | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, sequela |
| S06.5X8D | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, subsequent encounter |
| S06.5X8S | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, sequela |
| S06.5X9D | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, subsequent encounter |
| S06.5X9S | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, sequela |
| S06.6X0D | Traumatic subarachnoid hemorrhage without loss of consciousness, subsequent encounter |
| S06.6X0S | Traumatic subarachnoid hemorrhage without loss of consciousness, sequela |
| S06.6X1D | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.6X1S | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, sequela |
| S06.6X2D | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.6X2S | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.6X3D | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.6X3S | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.6X4D | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.6X4S | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.6X5D | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.6X5S | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.6X6D | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.6X6S | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.6X7D | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.6X7S | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.6X8D | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.6X8S | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.6X9D | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, subsequent encounter |
| S06.6X9S | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, sequela |
| S06.810D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, subsequent encounter |
| S06.810S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela |
| S06.811D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.811S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela |
| S06.812D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.812S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.813D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.813S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.814D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.814S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.815D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.815S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.816D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.816S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.817D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.817S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.818D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.818S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.819D | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, subsequent encounter |
| S06.819S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela |
| S06.820D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, subsequent encounter |
| S06.820S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela |
| S06.821D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.821S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela |
| S06.822D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.822S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.823D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.823S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.824D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.824S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.825D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.825S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.826D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.826S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.827D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.827S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.828D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.828S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.829D | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, subsequent encounter |
| S06.829S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela |
| S06.890D | Other specified intracranial injury without loss of consciousness, subsequent encounter |
| S06.890S | Other specified intracranial injury without loss of consciousness, sequela |
| S06.891D | Other specified intracranial injury with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.891S | Other specified intracranial injury with loss of consciousness of 30 minutes or less, sequela |
| S06.892D | Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.892S | Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.893D | Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.893S | Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.894D | Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.894S | Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.895D | Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.895S | Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.896D | Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.896S | Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.897D | Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.897S | Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.898D | Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S06.898S | Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.899D | Other specified intracranial injury with loss of consciousness of unspecified duration, subsequent encounter |
| S06.899S | Other specified intracranial injury with loss of consciousness of unspecified duration, sequela |
| S06.9X0D | Unspecified intracranial injury without loss of consciousness, subsequent encounter |
| S06.9X0S | Unspecified intracranial injury without loss of consciousness, sequela |
| S06.9X1D | Unspecified intracranial injury with loss of consciousness of 30 minutes or less, subsequent encounter |
| S06.9X1S | Unspecified intracranial injury with loss of consciousness of 30 minutes or less, sequela |
| S06.9X2D | Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter |
| S06.9X2S | Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela |
| S06.9X3D | Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter |
| S06.9X3S | Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela |
| S06.9X4D | Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, subsequent encounter |
| S06.9X4S | Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela |
| S06.9X5D | Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.9X5S | Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela |
| S06.9X6D | Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.9X6S | Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.9X7D | Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter |
| S06.9X7S | Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela |
| S06.9X8D | Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter |
| S06.9X8S | Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela |
| S06.9X9D | Unspecified intracranial injury with loss of consciousness of unspecified duration, subsequent encounter |
| S06.9X9S | Unspecified intracranial injury with loss of consciousness of unspecified duration, sequela |
| S07.0XXD | Crushing injury of face, subsequent encounter |
| S07.0XXS | Crushing injury of face, sequela |
| S07.1XXD | Crushing injury of skull, subsequent encounter |
| S07.1XXS | Crushing injury of skull, sequela |
| S07.8XXD | Crushing injury of other parts of head, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S07.8XXS | Crushing injury of other parts of head, sequela |
| S07.9XXD | Crushing injury of head, part unspecified, subsequent encounter |
| S07.9XXS | Crushing injury of head, part unspecified, sequela |
| S08.0XXD | Avulsion of scalp, subsequent encounter |
| S08.0XXS | Avulsion of scalp, sequela |
| S08.111D | Complete traumatic amputation of right ear, subsequent encounter |
| S08.111S | Complete traumatic amputation of right ear, sequela |
| S08.112D | Complete traumatic amputation of left ear, subsequent encounter |
| S08.112S | Complete traumatic amputation of left ear, sequela |
| S08.119D | Complete traumatic amputation of unspecified ear, subsequent encounter |
| S08.119S | Complete traumatic amputation of unspecified ear, sequela |
| S08.121D | Partial traumatic amputation of right ear, subsequent encounter |
| S08.121S | Partial traumatic amputation of right ear, sequela |
| S08.122D | Partial traumatic amputation of left ear, subsequent encounter |
| S08.122S | Partial traumatic amputation of left ear, sequela |
| S08.129D | Partial traumatic amputation of unspecified ear, subsequent encounter |
| S08.129S | Partial traumatic amputation of unspecified ear, sequela |
| S08.811D | Complete traumatic amputation of nose, subsequent encounter |
| S08.811S | Complete traumatic amputation of nose, sequela |
| S08.812D | Partial traumatic amputation of nose, subsequent encounter |
| S08.812S | Partial traumatic amputation of nose, sequela |
| S08.89XD | Traumatic amputation of other parts of head, subsequent encounter |
| S08.89XS | Traumatic amputation of other parts of head, sequela |
| S09.0XXD | Injury of blood vessels of head, not elsewhere classified, subsequent encounter |
| S09.0XXS | Injury of blood vessels of head, not elsewhere classified, sequela |
| S09.10XD | Unspecified injury of muscle and tendon of head, subsequent encounter |
| S09.10XS | Unspecified injury of muscle and tendon of head, sequela |
| S09.11XD | Strain of muscle and tendon of head, subsequent encounter |
| S09.11XS | Strain of muscle and tendon of head, sequela |
| S09.12XD | Laceration of muscle and tendon of head, subsequent encounter |
| S09.12XS | Laceration of muscle and tendon of head, sequela |
| S09.19XD | Other specified injury of muscle and tendon of head, subsequent encounter |
| S09.19XS | Other specified injury of muscle and tendon of head, sequela |
| S09.20XD | Traumatic rupture of unspecified ear drum, subsequent encounter |
| S09.20XS | Traumatic rupture of unspecified ear drum, sequela |
| S09.21XD | Traumatic rupture of right ear drum, subsequent encounter |
| S09.21XS | Traumatic rupture of right ear drum, sequela |
| S09.22XD | Traumatic rupture of left ear drum, subsequent encounter |
| S09.22XS | Traumatic rupture of left ear drum, sequela |
| S09.301D | Unspecified injury of right middle and inner ear, subsequent encounter |
| S09.301S | Unspecified injury of right middle and inner ear, sequela |
| S09.302D | Unspecified injury of left middle and inner ear, subsequent encounter |
| S09.302S | Unspecified injury of left middle and inner ear, sequela |
| S09.309D | Unspecified injury of unspecified middle and inner ear, subsequent encounter |
| S09.309S | Unspecified injury of unspecified middle and inner ear, sequela |
| S09.311D | Primary blast injury of right ear, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S09.311S | Primary blast injury of right ear, sequela |
| S09.312D | Primary blast injury of left ear, subsequent encounter |
| S09.312S | Primary blast injury of left ear, sequela |
| S09.313D | Primary blast injury of ear, bilateral, subsequent encounter |
| S09.313S | Primary blast injury of ear, bilateral, sequela |
| S09.319D | Primary blast injury of unspecified ear, subsequent encounter |
| S09.319S | Primary blast injury of unspecified ear, sequela |
| S09.391D | Other specified injury of right middle and inner ear, subsequent encounter |
| S09.391S | Other specified injury of right middle and inner ear, sequela |
| S09.392D | Other specified injury of left middle and inner ear, subsequent encounter |
| S09.392S | Other specified injury of left middle and inner ear, sequela |
| S09.399D | Other specified injury of unspecified middle and inner ear, subsequent encounter |
| S09.399S | Other specified injury of unspecified middle and inner ear, sequela |
| S09.8XXD | Other specified injuries of head, subsequent encounter |
| S09.8XXS | Other specified injuries of head, sequela |
| S09.90XD | Unspecified injury of head, subsequent encounter |
| S09.90XS | Unspecified injury of head, sequela |
| S09.91XD | Unspecified injury of ear, subsequent encounter |
| S09.91XS | Unspecified injury of ear, sequela |
| S09.92XD | Unspecified injury of nose, subsequent encounter |
| S09.92XS | Unspecified injury of nose, sequela |
| S09.93XD | Unspecified injury of face, subsequent encounter |
| S09.93XS | Unspecified injury of face, sequela |
| S10.0XXD | Contusion of throat, subsequent encounter |
| S10.0XXS | Contusion of throat, sequela |
| S10.10XD | Unspecified superficial injuries of throat, subsequent encounter |
| S10.10XS | Unspecified superficial injuries of throat, sequela |
| S10.11XD | Abrasion of throat, subsequent encounter |
| S10.11XS | Abrasion of throat, sequela |
| S10.12XD | Blister (nonthermal) of throat, subsequent encounter |
| S10.12XS | Blister (nonthermal) of throat, sequela |
| S10.14XD | External constriction of part of throat, subsequent encounter |
| S10.14XS | External constriction of part of throat, sequela |
| S10.15XD | Superficial foreign body of throat, subsequent encounter |
| S10.15XS | Superficial foreign body of throat, sequela |
| S10.16XD | Insect bite (nonvenomous) of throat, subsequent encounter |
| S10.16XS | Insect bite (nonvenomous) of throat, sequela |
| S10.17XD | Other superficial bite of throat, subsequent encounter |
| S10.17XS | Other superficial bite of throat, sequela |
| S10.80XD | Unspecified superficial injury of other specified part of neck, subsequent encounter |
| S10.80XS | Unspecified superficial injury of other specified part of neck, sequela |
| S10.81XD | Abrasion of other specified part of neck, subsequent encounter |
| S10.81XS | Abrasion of other specified part of neck, sequela |
| S10.82XD | Blister (nonthermal) of other specified part of neck, subsequent encounter |
| S10.82XS | Blister (nonthermal) of other specified part of neck, sequela |
| S10.83XD | Contusion of other specified part of neck, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S10.83XS | Contusion of other specified part of neck, sequela |
| S10.84XD | External constriction of other specified part of neck, subsequent encounter |
| S10.84XS | External constriction of other specified part of neck, sequela |
| S10.85XD | Superficial foreign body of other specified part of neck, subsequent encounter |
| S10.85XS | Superficial foreign body of other specified part of neck, sequela |
| S10.86XD | Insect bite of other specified part of neck, subsequent encounter |
| S10.86XS | Insect bite of other specified part of neck, sequela |
| S10.87XD | Other superficial bite of other specified part of neck, subsequent encounter |
| S10.87XS | Other superficial bite of other specified part of neck, sequela |
| S10.90XD | Unspecified superficial injury of unspecified part of neck, subsequent encounter |
| S10.90XS | Unspecified superficial injury of unspecified part of neck, sequela |
| S10.91XD | Abrasion of unspecified part of neck, subsequent encounter |
| S10.91XS | Abrasion of unspecified part of neck, sequela |
| S10.92XD | Blister (nonthermal) of unspecified part of neck, subsequent encounter |
| S10.92XS | Blister (nonthermal) of unspecified part of neck, sequela |
| S10.93XD | Contusion of unspecified part of neck, subsequent encounter |
| S10.93XS | Contusion of unspecified part of neck, sequela |
| S10.94XD | External constriction of unspecified part of neck, subsequent encounter |
| S10.94XS | External constriction of unspecified part of neck, sequela |
| S10.95XD | Superficial foreign body of unspecified part of neck, subsequent encounter |
| S10.95XS | Superficial foreign body of unspecified part of neck, sequela |
| S10.96XD | Insect bite of unspecified part of neck, subsequent encounter |
| S10.96XS | Insect bite of unspecified part of neck, sequela |
| S10.97XD | Other superficial bite of unspecified part of neck, subsequent encounter |
| S10.97XS | Other superficial bite of unspecified part of neck, sequela |
| S11.011D | Laceration without foreign body of larynx, subsequent encounter |
| S11.011S | Laceration without foreign body of larynx, sequela |
| S11.012D | Laceration with foreign body of larynx, subsequent encounter |
| S11.012S | Laceration with foreign body of larynx, sequela |
| S11.013D | Puncture wound without foreign body of larynx, subsequent encounter |
| S11.013S | Puncture wound without foreign body of larynx, sequela |
| S11.014D | Puncture wound with foreign body of larynx, subsequent encounter |
| S11.014S | Puncture wound with foreign body of larynx, sequela |
| S11.015D | Open bite of larynx, subsequent encounter |
| S11.015S | Open bite of larynx, sequela |
| S11.019D | Unspecified open wound of larynx, subsequent encounter |
| S11.019S | Unspecified open wound of larynx, sequela |
| S11.021D | Laceration without foreign body of trachea, subsequent encounter |
| S11.021S | Laceration without foreign body of trachea, sequela |
| S11.022D | Laceration with foreign body of trachea, subsequent encounter |
| S11.022S | Laceration with foreign body of trachea, sequela |
| S11.023D | Puncture wound without foreign body of trachea, subsequent encounter |
| S11.023S | Puncture wound without foreign body of trachea, sequela |
| S11.024D | Puncture wound with foreign body of trachea, subsequent encounter |
| S11.024S | Puncture wound with foreign body of trachea, sequela |
| S11.025D | Open bite of trachea, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S11.025S | Open bite of trachea, sequela |
| S11.029D | Unspecified open wound of trachea, subsequent encounter |
| S11.029S | Unspecified open wound of trachea, sequela |
| S11.031D | Laceration without foreign body of vocal cord, subsequent encounter |
| S11.031S | Laceration without foreign body of vocal cord, sequela |
| S11.032D | Laceration with foreign body of vocal cord, subsequent encounter |
| S11.032S | Laceration with foreign body of vocal cord, sequela |
| S11.033D | Puncture wound without foreign body of vocal cord, subsequent encounter |
| S11.033S | Puncture wound without foreign body of vocal cord, sequela |
| S11.034D | Puncture wound with foreign body of vocal cord, subsequent encounter |
| S11.034S | Puncture wound with foreign body of vocal cord, sequela |
| S11.035D | Open bite of vocal cord, subsequent encounter |
| S11.035S | Open bite of vocal cord, sequela |
| S11.039D | Unspecified open wound of vocal cord, subsequent encounter |
| S11.039S | Unspecified open wound of vocal cord, sequela |
| S11.10XD | Unspecified open wound of thyroid gland, subsequent encounter |
| S11.10XS | Unspecified open wound of thyroid gland, sequela |
| S11.11XD | Laceration without foreign body of thyroid gland, subsequent encounter |
| S11.11XS | Laceration without foreign body of thyroid gland, sequela |
| S11.12XD | Laceration with foreign body of thyroid gland, subsequent encounter |
| S11.12XS | Laceration with foreign body of thyroid gland, sequela |
| S11.13XD | Puncture wound without foreign body of thyroid gland, subsequent encounter |
| S11.13XS | Puncture wound without foreign body of thyroid gland, sequela |
| S11.14XD | Puncture wound with foreign body of thyroid gland, subsequent encounter |
| S11.14XS | Puncture wound with foreign body of thyroid gland, sequela |
| S11.15XD | Open bite of thyroid gland, subsequent encounter |
| S11.15XS | Open bite of thyroid gland, sequela |
| S11.20XD | Unspecified open wound of pharynx and cervical esophagus, subsequent encounter |
| S11.20XS | Unspecified open wound of pharynx and cervical esophagus, sequela |
| S11.21XD | Laceration without foreign body of pharynx and cervical esophagus, subsequent encounter |
| S11.21XS | Laceration without foreign body of pharynx and cervical esophagus, sequela |
| S11.22XD | Laceration with foreign body of pharynx and cervical esophagus, subsequent encounter |
| S11.22XS | Laceration with foreign body of pharynx and cervical esophagus, sequela |
| S11.23XD | Puncture wound without foreign body of pharynx and cervical esophagus, subsequent encounter |
| S11.23XS | Puncture wound without foreign body of pharynx and cervical esophagus, sequela |
| S11.24XD | Puncture wound with foreign body of pharynx and cervical esophagus, subsequent encounter |
| S11.24XS | Puncture wound with foreign body of pharynx and cervical esophagus, sequela |
| S11.25XD | Open bite of pharynx and cervical esophagus, subsequent encounter |
| S11.25XS | Open bite of pharynx and cervical esophagus, sequela |
| S11.80XD | Unspecified open wound of other specified part of neck, subsequent encounter |
| S11.80XS | Unspecified open wound of other specified part of neck, sequela |
| S11.81XD | Laceration without foreign body of other specified part of neck, subsequent encounter |
| S11.81XS | Laceration without foreign body of other specified part of neck, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S11.82XD | Laceration with foreign body of other specified part of neck, subsequent encounter |
| S11.82XS | Laceration with foreign body of other specified part of neck, sequela |
| S11.83XD | Puncture wound without foreign body of other specified part of neck, subsequent encounter |
| S11.83XS | Puncture wound without foreign body of other specified part of neck, sequela |
| S11.84XD | Puncture wound with foreign body of other specified part of neck, subsequent encounter |
| S11.84XS | Puncture wound with foreign body of other specified part of neck, sequela |
| S11.85XD | Open bite of other specified part of neck, subsequent encounter |
| S11.85XS | Open bite of other specified part of neck, sequela |
| S11.89XD | Other open wound of other specified part of neck, subsequent encounter |
| S11.89XS | Other open wound of other specified part of neck, sequela |
| S11.90XD | Unspecified open wound of unspecified part of neck, subsequent encounter |
| S11.90XS | Unspecified open wound of unspecified part of neck, sequela |
| S11.91XD | Laceration without foreign body of unspecified part of neck, subsequent encounter |
| S11.91XS | Laceration without foreign body of unspecified part of neck, sequela |
| S11.92XD | Laceration with foreign body of unspecified part of neck, subsequent encounter |
| S11.92XS | Laceration with foreign body of unspecified part of neck, sequela |
| S11.93XD | Puncture wound without foreign body of unspecified part of neck, subsequent encounter |
| S11.93XS | Puncture wound without foreign body of unspecified part of neck, sequela |
| S11.94XD | Puncture wound with foreign body of unspecified part of neck, subsequent encounter |
| S11.94XS | Puncture wound with foreign body of unspecified part of neck, sequela |
| S11.95XD | Open bite of unspecified part of neck, subsequent encounter |
| S11.95XS | Open bite of unspecified part of neck, sequela |
| S12.000D | Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.000G | Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.000K | Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.000S | Unspecified displaced fracture of first cervical vertebra, sequela |
| S12.001D | Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.001G | Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.001K | Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.001S | Unspecified nondisplaced fracture of first cervical vertebra, sequela |
| S12.01XD | Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.01XG | Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.01XK | Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.01XS | Stable burst fracture of first cervical vertebra, sequela |
| S12.02XD | Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.02XG | Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.02XK | Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.02XS | Unstable burst fracture of first cervical vertebra, sequela |
| S12.030D | Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.030G | Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.030K | Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.030S | Displaced posterior arch fracture of first cervical vertebra, sequela |
| S12.031D | Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.031G | Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.031K | Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.031S | Nondisplaced posterior arch fracture of first cervical vertebra, sequela |
| S12.040D | Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.040G | Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.040K | Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.040S | Displaced lateral mass fracture of first cervical vertebra, sequela |
| S12.041D | Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.041G | Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.041K | Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.041S | Nondisplaced lateral mass fracture of first cervical vertebra, sequela |
| S12.090D | Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.090G | Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.090K | Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.090S | Other displaced fracture of first cervical vertebra, sequela |
| S12.091D | Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.091G | Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.091K | Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.091S | Other nondisplaced fracture of first cervical vertebra, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.100D | Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.100G | Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.100K | Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.100S | Unspecified displaced fracture of second cervical vertebra, sequela |
| S12.101D | Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.101G | Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.101K | Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.101S | Unspecified nondisplaced fracture of second cervical vertebra, sequela |
| S12.110D | Anterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing |
| S12.110G | Anterior displaced Type II dens fracture, subsequent encounter for fracture with delayed healing |
| S12.110K | Anterior displaced Type II dens fracture, subsequent encounter for fracture with nonunion |
| S12.110S | Anterior displaced Type II dens fracture, sequela |
| S12.111D | Posterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing |
| S12.111G | Posterior displaced Type II dens fracture, subsequent encounter for fracture with delayed healing |
| S12.111K | Posterior displaced Type II dens fracture, subsequent encounter for fracture with nonunion |
| S12.111S | Posterior displaced Type II dens fracture, sequela |
| S12.112D | Nondisplaced Type II dens fracture, subsequent encounter for fracture with routine healing |
| S12.112G | Nondisplaced Type II dens fracture, subsequent encounter for fracture with delayed healing |
| S12.112K | Nondisplaced Type II dens fracture, subsequent encounter for fracture with nonunion |
| S12.112S | Nondisplaced Type II dens fracture, sequela |
| S12.120D | Other displaced dens fracture, subsequent encounter for fracture with routine healing |
| S12.120G | Other displaced dens fracture, subsequent encounter for fracture with delayed healing |
| S12.120K | Other displaced dens fracture, subsequent encounter for fracture with nonunion |
| S12.120S | Other displaced dens fracture, sequela |
| S12.121D | Other nondisplaced dens fracture, subsequent encounter for fracture with routine healing |
| S12.121G | Other nondisplaced dens fracture, subsequent encounter for fracture with delayed healing |
| S12.121K | Other nondisplaced dens fracture, subsequent encounter for fracture with nonunion |
| S12.121S | Other nondisplaced dens fracture, sequela |
| S12.130D | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.130G | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.130K | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.130S | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, sequela |
| S12.131D | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.131G | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.131K | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.131S | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, sequela |
| S12.14XD | Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.14XG | Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.14XK | Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.14XS | Type III traumatic spondylolisthesis of second cervical vertebra, sequela |
| S12.150D | Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.150G | Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.150K | Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.150S | Other traumatic displaced spondylolisthesis of second cervical vertebra, sequela |
| S12.151D | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.151G | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.151K | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.151S | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, sequela |
| S12.190D | Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.190G | Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.190K | Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.190S | Other displaced fracture of second cervical vertebra, sequela |
| S12.191D | Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.191G | Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.191K | Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.191S | Other nondisplaced fracture of second cervical vertebra, sequela |
| S12.200D | Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.200G | Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.200K | Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.200S | Unspecified displaced fracture of third cervical vertebra, sequela |
| S12.201D | Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.201G | Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.201K | Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.201S | Unspecified nondisplaced fracture of third cervical vertebra, sequela |
| S12.230D | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.230G | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.230K | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.230S | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, sequela |
| S12.231D | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.231G | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.231K | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.231S | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, sequela |
| S12.24XD | Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.24XG | Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.24XK | Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.24XS | Type III traumatic spondylolisthesis of third cervical vertebra, sequela |
| S12.250D | Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.250G | Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.250K | Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.250S | Other traumatic displaced spondylolisthesis of third cervical vertebra, sequela |
| S12.251D | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.251G | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.251K | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.251S | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.290D | Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.290G | Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.290K | Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.290S | Other displaced fracture of third cervical vertebra, sequela |
| S12.291D | Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.291G | Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.291K | Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.291S | Other nondisplaced fracture of third cervical vertebra, sequela |
| S12.300D | Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.300G | Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.300K | Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.300S | Unspecified displaced fracture of fourth cervical vertebra, sequela |
| S12.301D | Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.301G | Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.301K | Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.301S | Unspecified nondisplaced fracture of fourth cervical vertebra, sequela |
| S12.330D | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.330G | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.330K | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.330S | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, sequela |
| S12.331D | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.331G | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.331K | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.331S | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, sequela |
| S12.34XD | Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.34XG | Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.34XK | Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.34XS | Type III traumatic spondylolisthesis of fourth cervical vertebra, sequela |
| S12.350D | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.350G | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.350K | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.350S | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, sequela |
| S12.351D | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.351G | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.351K | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.351S | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, sequela |
| S12.390D | Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.390G | Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.390K | Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.390S | Other displaced fracture of fourth cervical vertebra, sequela |
| S12.391D | Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.391G | Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.391K | Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.391S | Other nondisplaced fracture of fourth cervical vertebra, sequela |
| S12.400D | Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.400G | Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.400K | Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.400S | Unspecified displaced fracture of fifth cervical vertebra, sequela |
| S12.401D | Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.401G | Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.401K | Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.401S | Unspecified nondisplaced fracture of fifth cervical vertebra, sequela |
| S12.430D | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.430G | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.430K | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.430S | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, sequela |
| S12.431D | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.431G | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.431K | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.431S | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, sequela |
| S12.44XD | Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.44XG | Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.44XK | Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.44XS | Type III traumatic spondylolisthesis of fifth cervical vertebra, sequela |
| S12.450D | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.450G | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.450K | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.450S | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, sequela |
| S12.451D | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.451G | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.451K | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.451S | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, sequela |
| S12.490D | Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.490G | Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.490K | Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.490S | Other displaced fracture of fifth cervical vertebra, sequela |
| S12.491D | Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.491G | Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.491K | Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.491S | Other nondisplaced fracture of fifth cervical vertebra, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.500D | Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.500G | Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.500K | Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.500S | Unspecified displaced fracture of sixth cervical vertebra, sequela |
| S12.501D | Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.501G | Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.501K | Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.501S | Unspecified nondisplaced fracture of sixth cervical vertebra, sequela |
| S12.530D | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.530G | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.530K | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.530S | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, sequela |
| S12.531D | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.531G | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.531K | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.531S | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, sequela |
| S12.54XD | Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.54XG | Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.54XK | Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.54XS | Type III traumatic spondylolisthesis of sixth cervical vertebra, sequela |
| S12.550D | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.550G | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.550K | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.550S | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, sequela |
| S12.551D | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.551G | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.551K | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.551S | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, sequela |
| S12.590D | Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.590G | Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.590K | Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.590S | Other displaced fracture of sixth cervical vertebra, sequela |
| S12.591D | Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.591G | Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.591K | Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.591S | Other nondisplaced fracture of sixth cervical vertebra, sequela |
| S12.600D | Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.600G | Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.600K | Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.600S | Unspecified displaced fracture of seventh cervical vertebra, sequela |
| S12.601D | Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.601G | Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.601K | Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.601S | Unspecified nondisplaced fracture of seventh cervical vertebra, sequela |
| S12.630D | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.630G | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.630K | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.630S | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, sequela |
| S12.631D | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.631G | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.631K | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.631S | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, sequela |
| S12.64XD | Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.64XG | Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S12.64XK | Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.64XS | Type III traumatic spondylolisthesis of seventh cervical vertebra, sequela |
| S12.650D | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.650G | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.650K | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.650S | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, sequela |
| S12.651D | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.651G | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.651K | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.651S | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, sequela |
| S12.690D | Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.690G | Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.690K | Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.690S | Other displaced fracture of seventh cervical vertebra, sequela |
| S12.691D | Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.691G | Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.691K | Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion |
| S12.691S | Other nondisplaced fracture of seventh cervical vertebra, sequela |
| S12.8XXD | Fracture of other parts of neck, subsequent encounter |
| S12.8XXS | Fracture of other parts of neck, sequela |
| S12.9XXD | Fracture of neck, unspecified, subsequent encounter |
| S12.9XXS | Fracture of neck, unspecified, sequela |
| S13.0XXD | Traumatic rupture of cervical intervertebral disc, subsequent encounter |
| S13.0XXS | Traumatic rupture of cervical intervertebral disc, sequela |
| S13.100D | Subluxation of unspecified cervical vertebrae, subsequent encounter |
| S13.100S | Subluxation of unspecified cervical vertebrae, sequela |
| S13.101D | Dislocation of unspecified cervical vertebrae, subsequent encounter |
| S13.101S | Dislocation of unspecified cervical vertebrae, sequela |
| S13.110D | Subluxation of C0/C1 cervical vertebrae, subsequent encounter |
| S13.110S | Subluxation of C0/C1 cervical vertebrae, sequela |
| S13.111D | Dislocation of C0/C1 cervical vertebrae, subsequent encounter |
| S13.111S | Dislocation of C0/C1 cervical vertebrae, sequela |
| S13.120D | Subluxation of C1/C2 cervical vertebrae, subsequent encounter |
| S13.120S | Subluxation of C1/C2 cervical vertebrae, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S13.121D | Dislocation of C1/C2 cervical vertebrae, subsequent encounter |
| S13.121S | Dislocation of C1/C2 cervical vertebrae, sequela |
| S13.130D | Subluxation of C2/C3 cervical vertebrae, subsequent encounter |
| S13.130S | Subluxation of C2/C3 cervical vertebrae, sequela |
| S13.131D | Dislocation of C2/C3 cervical vertebrae, subsequent encounter |
| S13.131S | Dislocation of C2/C3 cervical vertebrae, sequela |
| S13.140D | Subluxation of C3/C4 cervical vertebrae, subsequent encounter |
| S13.140S | Subluxation of C3/C4 cervical vertebrae, sequela |
| S13.141D | Dislocation of C3/C4 cervical vertebrae, subsequent encounter |
| S13.141S | Dislocation of C3/C4 cervical vertebrae, sequela |
| S13.150D | Subluxation of C4/C5 cervical vertebrae, subsequent encounter |
| S13.150S | Subluxation of C4/C5 cervical vertebrae, sequela |
| S13.151D | Dislocation of C4/C5 cervical vertebrae, subsequent encounter |
| S13.151S | Dislocation of C4/C5 cervical vertebrae, sequela |
| S13.160D | Subluxation of C5/C6 cervical vertebrae, subsequent encounter |
| S13.160S | Subluxation of C5/C6 cervical vertebrae, sequela |
| S13.161D | Dislocation of C5/C6 cervical vertebrae, subsequent encounter |
| S13.161S | Dislocation of C5/C6 cervical vertebrae, sequela |
| S13.170D | Subluxation of C6/C7 cervical vertebrae, subsequent encounter |
| S13.170S | Subluxation of C6/C7 cervical vertebrae, sequela |
| S13.171D | Dislocation of C6/C7 cervical vertebrae, subsequent encounter |
| S13.171S | Dislocation of C6/C7 cervical vertebrae, sequela |
| S13.180D | Subluxation of C7/T1 cervical vertebrae, subsequent encounter |
| S13.180S | Subluxation of C7/T1 cervical vertebrae, sequela |
| S13.181D | Dislocation of C7/T1 cervical vertebrae, subsequent encounter |
| S13.181S | Dislocation of C7/T1 cervical vertebrae, sequela |
| S13.20XD | Dislocation of unspecified parts of neck, subsequent encounter |
| S13.20XS | Dislocation of unspecified parts of neck, sequela |
| S13.29XD | Dislocation of other parts of neck, subsequent encounter |
| S13.29XS | Dislocation of other parts of neck, sequela |
| S13.4XXD | Sprain of ligaments of cervical spine, subsequent encounter |
| S13.4XXS | Sprain of ligaments of cervical spine, sequela |
| S13.5XXD | Sprain of thyroid region, subsequent encounter |
| S13.5XXS | Sprain of thyroid region, sequela |
| S13.8XXD | Sprain of joints and ligaments of other parts of neck, subsequent encounter |
| S13.8XXS | Sprain of joints and ligaments of other parts of neck, sequela |
| S13.9XXD | Sprain of joints and ligaments of unspecified parts of neck, subsequent encounter |
| S13.9XXS | Sprain of joints and ligaments of unspecified parts of neck, sequela |
| S14.0XXD | Concussion and edema of cervical spinal cord, subsequent encounter |
| S14.0XXS | Concussion and edema of cervical spinal cord, sequela |
| S14.101D | Unspecified injury at C1 level of cervical spinal cord, subsequent encounter |
| S14.101S | Unspecified injury at C1 level of cervical spinal cord, sequela |
| S14.102D | Unspecified injury at C2 level of cervical spinal cord, subsequent encounter |
| S14.102S | Unspecified injury at C2 level of cervical spinal cord, sequela |
| S14.103D | Unspecified injury at C3 level of cervical spinal cord, subsequent encounter |
| S14.103S | Unspecified injury at C3 level of cervical spinal cord, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S14.104D | Unspecified injury at C4 level of cervical spinal cord, subsequent encounter |
| S14.104S | Unspecified injury at C4 level of cervical spinal cord, sequela |
| S14.105D | Unspecified injury at C5 level of cervical spinal cord, subsequent encounter |
| S14.105S | Unspecified injury at C5 level of cervical spinal cord, sequela |
| S14.106D | Unspecified injury at C6 level of cervical spinal cord, subsequent encounter |
| S14.106S | Unspecified injury at C6 level of cervical spinal cord, sequela |
| S14.107D | Unspecified injury at C7 level of cervical spinal cord, subsequent encounter |
| S14.107S | Unspecified injury at C7 level of cervical spinal cord, sequela |
| S14.108D | Unspecified injury at C8 level of cervical spinal cord, subsequent encounter |
| S14.108S | Unspecified injury at C8 level of cervical spinal cord, sequela |
| S14.109D | Unspecified injury at unspecified level of cervical spinal cord, subsequent encounter |
| S14.109S | Unspecified injury at unspecified level of cervical spinal cord, sequela |
| S14.111D | Complete lesion at C1 level of cervical spinal cord, subsequent encounter |
| S14.111S | Complete lesion at C1 level of cervical spinal cord, sequela |
| S14.112D | Complete lesion at C2 level of cervical spinal cord, subsequent encounter |
| S14.112S | Complete lesion at C2 level of cervical spinal cord, sequela |
| S14.113D | Complete lesion at C3 level of cervical spinal cord, subsequent encounter |
| S14.113S | Complete lesion at C3 level of cervical spinal cord, sequela |
| S14.114D | Complete lesion at C4 level of cervical spinal cord, subsequent encounter |
| S14.114S | Complete lesion at C4 level of cervical spinal cord, sequela |
| S14.115D | Complete lesion at C5 level of cervical spinal cord, subsequent encounter |
| S14.115S | Complete lesion at C5 level of cervical spinal cord, sequela |
| S14.116D | Complete lesion at C6 level of cervical spinal cord, subsequent encounter |
| S14.116S | Complete lesion at C6 level of cervical spinal cord, sequela |
| S14.117D | Complete lesion at C7 level of cervical spinal cord, subsequent encounter |
| S14.117S | Complete lesion at C7 level of cervical spinal cord, sequela |
| S14.118D | Complete lesion at C8 level of cervical spinal cord, subsequent encounter |
| S14.118S | Complete lesion at C8 level of cervical spinal cord, sequela |
| S14.119D | Complete lesion at unspecified level of cervical spinal cord, subsequent encounter |
| S14.119S | Complete lesion at unspecified level of cervical spinal cord, sequela |
| S14.121D | Central cord syndrome at C1 level of cervical spinal cord, subsequent encounter |
| S14.121S | Central cord syndrome at C1 level of cervical spinal cord, sequela |
| S14.122D | Central cord syndrome at C2 level of cervical spinal cord, subsequent encounter |
| S14.122S | Central cord syndrome at C2 level of cervical spinal cord, sequela |
| S14.123D | Central cord syndrome at C3 level of cervical spinal cord, subsequent encounter |
| S14.123S | Central cord syndrome at C3 level of cervical spinal cord, sequela |
| S14.124D | Central cord syndrome at C4 level of cervical spinal cord, subsequent encounter |
| S14.124S | Central cord syndrome at C4 level of cervical spinal cord, sequela |
| S14.125D | Central cord syndrome at C5 level of cervical spinal cord, subsequent encounter |
| S14.125S | Central cord syndrome at C5 level of cervical spinal cord, sequela |
| S14.126D | Central cord syndrome at C6 level of cervical spinal cord, subsequent encounter |
| S14.126S | Central cord syndrome at C6 level of cervical spinal cord, sequela |
| S14.127D | Central cord syndrome at C7 level of cervical spinal cord, subsequent encounter |
| S14.127S | Central cord syndrome at C7 level of cervical spinal cord, sequela |
| S14.128D | Central cord syndrome at C8 level of cervical spinal cord, subsequent encounter |
| S14.128S | Central cord syndrome at C8 level of cervical spinal cord, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S14.129D | Central cord syndrome at unspecified level of cervical spinal cord, subsequent encounter |
| S14.129S | Central cord syndrome at unspecified level of cervical spinal cord, sequela |
| S14.131D | Anterior cord syndrome at C1 level of cervical spinal cord, subsequent encounter |
| S14.131S | Anterior cord syndrome at C1 level of cervical spinal cord, sequela |
| S14.132D | Anterior cord syndrome at C2 level of cervical spinal cord, subsequent encounter |
| S14.132S | Anterior cord syndrome at C2 level of cervical spinal cord, sequela |
| S14.133D | Anterior cord syndrome at C3 level of cervical spinal cord, subsequent encounter |
| S14.133S | Anterior cord syndrome at C3 level of cervical spinal cord, sequela |
| S14.134D | Anterior cord syndrome at C4 level of cervical spinal cord, subsequent encounter |
| S14.134S | Anterior cord syndrome at C4 level of cervical spinal cord, sequela |
| S14.135D | Anterior cord syndrome at C5 level of cervical spinal cord, subsequent encounter |
| S14.135S | Anterior cord syndrome at C5 level of cervical spinal cord, sequela |
| S14.136D | Anterior cord syndrome at C6 level of cervical spinal cord, subsequent encounter |
| S14.136S | Anterior cord syndrome at C6 level of cervical spinal cord, sequela |
| S14.137D | Anterior cord syndrome at C7 level of cervical spinal cord, subsequent encounter |
| S14.137S | Anterior cord syndrome at C7 level of cervical spinal cord, sequela |
| S14.138D | Anterior cord syndrome at C8 level of cervical spinal cord, subsequent encounter |
| S14.138S | Anterior cord syndrome at C8 level of cervical spinal cord, sequela |
| S14.139D | Anterior cord syndrome at unspecified level of cervical spinal cord, subsequent encounter |
| S14.139S | Anterior cord syndrome at unspecified level of cervical spinal cord, sequela |
| S14.141D | Brown-SÃ©quard syndrome at C1 level of cervical spinal cord, subsequent encounter |
| S14.141S | Brown-SÃ©quard syndrome at C1 level of cervical spinal cord, sequela |
| S14.142D | Brown-SÃ©quard syndrome at C2 level of cervical spinal cord, subsequent encounter |
| S14.142S | Brown-SÃ©quard syndrome at C2 level of cervical spinal cord, sequela |
| S14.143D | Brown-SÃ©quard syndrome at C3 level of cervical spinal cord, subsequent encounter |
| S14.143S | Brown-SÃ©quard syndrome at C3 level of cervical spinal cord, sequela |
| S14.144D | Brown-SÃ©quard syndrome at C4 level of cervical spinal cord, subsequent encounter |
| S14.144S | Brown-SÃ©quard syndrome at C4 level of cervical spinal cord, sequela |
| S14.145D | Brown-SÃ©quard syndrome at C5 level of cervical spinal cord, subsequent encounter |
| S14.145S | Brown-SÃ©quard syndrome at C5 level of cervical spinal cord, sequela |
| S14.146D | Brown-SÃ©quard syndrome at C6 level of cervical spinal cord, subsequent encounter |
| S14.146S | Brown-SÃ©quard syndrome at C6 level of cervical spinal cord, sequela |
| S14.147D | Brown-SÃ©quard syndrome at C7 level of cervical spinal cord, subsequent encounter |
| S14.147S | Brown-SÃ©quard syndrome at C7 level of cervical spinal cord, sequela |
| S14.148D | Brown-SÃ©quard syndrome at C8 level of cervical spinal cord, subsequent encounter |
| S14.148S | Brown-SÃ©quard syndrome at C8 level of cervical spinal cord, sequela |
| S14.149D | Brown-SÃ©quard syndrome at unspecified level of cervical spinal cord, subsequent encounter |
| S14.149S | Brown-SÃ©quard syndrome at unspecified level of cervical spinal cord, sequela |
| S14.151D | Other incomplete lesion at C1 level of cervical spinal cord, subsequent encounter |
| S14.151S | Other incomplete lesion at C1 level of cervical spinal cord, sequela |
| S14.152D | Other incomplete lesion at C2 level of cervical spinal cord, subsequent encounter |
| S14.152S | Other incomplete lesion at C2 level of cervical spinal cord, sequela |
| S14.153D | Other incomplete lesion at C3 level of cervical spinal cord, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S14.153S | Other incomplete lesion at C3 level of cervical spinal cord, sequela |
| S14.154D | Other incomplete lesion at C4 level of cervical spinal cord, subsequent encounter |
| S14.154S | Other incomplete lesion at C4 level of cervical spinal cord, sequela |
| S14.155D | Other incomplete lesion at C5 level of cervical spinal cord, subsequent encounter |
| S14.155S | Other incomplete lesion at C5 level of cervical spinal cord, sequela |
| S14.156D | Other incomplete lesion at C6 level of cervical spinal cord, subsequent encounter |
| S14.156S | Other incomplete lesion at C6 level of cervical spinal cord, sequela |
| S14.157D | Other incomplete lesion at C7 level of cervical spinal cord, subsequent encounter |
| S14.157S | Other incomplete lesion at C7 level of cervical spinal cord, sequela |
| S14.158D | Other incomplete lesion at C8 level of cervical spinal cord, subsequent encounter |
| S14.158S | Other incomplete lesion at C8 level of cervical spinal cord, sequela |
| S14.159D | Other incomplete lesion at unspecified level of cervical spinal cord, subsequent encounter |
| S14.159S | Other incomplete lesion at unspecified level of cervical spinal cord, sequela |
| S14.2XXD | Injury of nerve root of cervical spine, subsequent encounter |
| S14.2XXS | Injury of nerve root of cervical spine, sequela |
| S14.3XXD | Injury of brachial plexus, subsequent encounter |
| S14.3XXS | Injury of brachial plexus, sequela |
| S14.4XXD | Injury of peripheral nerves of neck, subsequent encounter |
| S14.4XXS | Injury of peripheral nerves of neck, sequela |
| S14.5XXD | Injury of cervical sympathetic nerves, subsequent encounter |
| S14.5XXS | Injury of cervical sympathetic nerves, sequela |
| S14.8XXD | Injury of other specified nerves of neck, subsequent encounter |
| S14.8XXS | Injury of other specified nerves of neck, sequela |
| S14.9XXD | Injury of unspecified nerves of neck, subsequent encounter |
| S14.9XXS | Injury of unspecified nerves of neck, sequela |
| S15.001D | Unspecified injury of right carotid artery, subsequent encounter |
| S15.001S | Unspecified injury of right carotid artery, sequela |
| S15.002D | Unspecified injury of left carotid artery, subsequent encounter |
| S15.002S | Unspecified injury of left carotid artery, sequela |
| S15.009D | Unspecified injury of unspecified carotid artery, subsequent encounter |
| S15.009S | Unspecified injury of unspecified carotid artery, sequela |
| S15.011D | Minor laceration of right carotid artery, subsequent encounter |
| S15.011S | Minor laceration of right carotid artery, sequela |
| S15.012D | Minor laceration of left carotid artery, subsequent encounter |
| S15.012S | Minor laceration of left carotid artery, sequela |
| S15.019D | Minor laceration of unspecified carotid artery, subsequent encounter |
| S15.019S | Minor laceration of unspecified carotid artery, sequela |
| S15.021D | Major laceration of right carotid artery, subsequent encounter |
| S15.021S | Major laceration of right carotid artery, sequela |
| S15.022D | Major laceration of left carotid artery, subsequent encounter |
| S15.022S | Major laceration of left carotid artery, sequela |
| S15.029D | Major laceration of unspecified carotid artery, subsequent encounter |
| S15.029S | Major laceration of unspecified carotid artery, sequela |
| S15.091D | Other specified injury of right carotid artery, subsequent encounter |
| S15.091S | Other specified injury of right carotid artery, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S15.092D | Other specified injury of left carotid artery, subsequent encounter |
| S15.092S | Other specified injury of left carotid artery, sequela |
| S15.099D | Other specified injury of unspecified carotid artery, subsequent encounter |
| S15.099S | Other specified injury of unspecified carotid artery, sequela |
| S15.101D | Unspecified injury of right vertebral artery, subsequent encounter |
| S15.101S | Unspecified injury of right vertebral artery, sequela |
| S15.102D | Unspecified injury of left vertebral artery, subsequent encounter |
| S15.102S | Unspecified injury of left vertebral artery, sequela |
| S15.109D | Unspecified injury of unspecified vertebral artery, subsequent encounter |
| S15.109S | Unspecified injury of unspecified vertebral artery, sequela |
| S15.111D | Minor laceration of right vertebral artery, subsequent encounter |
| S15.111S | Minor laceration of right vertebral artery, sequela |
| S15.112D | Minor laceration of left vertebral artery, subsequent encounter |
| S15.112S | Minor laceration of left vertebral artery, sequela |
| S15.119D | Minor laceration of unspecified vertebral artery, subsequent encounter |
| S15.119S | Minor laceration of unspecified vertebral artery, sequela |
| S15.121D | Major laceration of right vertebral artery, subsequent encounter |
| S15.121S | Major laceration of right vertebral artery, sequela |
| S15.122D | Major laceration of left vertebral artery, subsequent encounter |
| S15.122S | Major laceration of left vertebral artery, sequela |
| S15.129D | Major laceration of unspecified vertebral artery, subsequent encounter |
| S15.129S | Major laceration of unspecified vertebral artery, sequela |
| S15.191D | Other specified injury of right vertebral artery, subsequent encounter |
| S15.191S | Other specified injury of right vertebral artery, sequela |
| S15.192D | Other specified injury of left vertebral artery, subsequent encounter |
| S15.192S | Other specified injury of left vertebral artery, sequela |
| S15.199D | Other specified injury of unspecified vertebral artery, subsequent encounter |
| S15.199S | Other specified injury of unspecified vertebral artery, sequela |
| S15.201D | Unspecified injury of right external jugular vein, subsequent encounter |
| S15.201S | Unspecified injury of right external jugular vein, sequela |
| S15.202D | Unspecified injury of left external jugular vein, subsequent encounter |
| S15.202S | Unspecified injury of left external jugular vein, sequela |
| S15.209D | Unspecified injury of unspecified external jugular vein, subsequent encounter |
| S15.209S | Unspecified injury of unspecified external jugular vein, sequela |
| S15.211D | Minor laceration of right external jugular vein, subsequent encounter |
| S15.211S | Minor laceration of right external jugular vein, sequela |
| S15.212D | Minor laceration of left external jugular vein, subsequent encounter |
| S15.212S | Minor laceration of left external jugular vein, sequela |
| S15.219D | Minor laceration of unspecified external jugular vein, subsequent encounter |
| S15.219S | Minor laceration of unspecified external jugular vein, sequela |
| S15.221D | Major laceration of right external jugular vein, subsequent encounter |
| S15.221S | Major laceration of right external jugular vein, sequela |
| S15.222D | Major laceration of left external jugular vein, subsequent encounter |
| S15.222S | Major laceration of left external jugular vein, sequela |
| S15.229D | Major laceration of unspecified external jugular vein, subsequent encounter |
| S15.229S | Major laceration of unspecified external jugular vein, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S15.291D | Other specified injury of right external jugular vein, subsequent encounter |
| S15.291S | Other specified injury of right external jugular vein, sequela |
| S15.292D | Other specified injury of left external jugular vein, subsequent encounter |
| S15.292S | Other specified injury of left external jugular vein, sequela |
| S15.299D | Other specified injury of unspecified external jugular vein, subsequent encounter |
| S15.299S | Other specified injury of unspecified external jugular vein, sequela |
| S15.301D | Unspecified injury of right internal jugular vein, subsequent encounter |
| S15.301S | Unspecified injury of right internal jugular vein, sequela |
| S15.302D | Unspecified injury of left internal jugular vein, subsequent encounter |
| S15.302S | Unspecified injury of left internal jugular vein, sequela |
| S15.309D | Unspecified injury of unspecified internal jugular vein, subsequent encounter |
| S15.309S | Unspecified injury of unspecified internal jugular vein, sequela |
| S15.311D | Minor laceration of right internal jugular vein, subsequent encounter |
| S15.311S | Minor laceration of right internal jugular vein, sequela |
| S15.312D | Minor laceration of left internal jugular vein, subsequent encounter |
| S15.312S | Minor laceration of left internal jugular vein, sequela |
| S15.319D | Minor laceration of unspecified internal jugular vein, subsequent encounter |
| S15.319S | Minor laceration of unspecified internal jugular vein, sequela |
| S15.321D | Major laceration of right internal jugular vein, subsequent encounter |
| S15.321S | Major laceration of right internal jugular vein, sequela |
| S15.322D | Major laceration of left internal jugular vein, subsequent encounter |
| S15.322S | Major laceration of left internal jugular vein, sequela |
| S15.329D | Major laceration of unspecified internal jugular vein, subsequent encounter |
| S15.329S | Major laceration of unspecified internal jugular vein, sequela |
| S15.391D | Other specified injury of right internal jugular vein, subsequent encounter |
| S15.391S | Other specified injury of right internal jugular vein, sequela |
| S15.392D | Other specified injury of left internal jugular vein, subsequent encounter |
| S15.392S | Other specified injury of left internal jugular vein, sequela |
| S15.399D | Other specified injury of unspecified internal jugular vein, subsequent encounter |
| S15.399S | Other specified injury of unspecified internal jugular vein, sequela |
| S15.8XXD | Injury of other specified blood vessels at neck level, subsequent encounter |
| S15.8XXS | Injury of other specified blood vessels at neck level, sequela |
| S15.9XXD | Injury of unspecified blood vessel at neck level, subsequent encounter |
| S15.9XXS | Injury of unspecified blood vessel at neck level, sequela |
| S16.1XXD | Strain of muscle, fascia and tendon at neck level, subsequent encounter |
| S16.1XXS | Strain of muscle, fascia and tendon at neck level, sequela |
| S16.2XXD | Laceration of muscle, fascia and tendon at neck level, subsequent encounter |
| S16.2XXS | Laceration of muscle, fascia and tendon at neck level, sequela |
| S16.8XXD | Other specified injury of muscle, fascia and tendon at neck level, subsequent encounter |
| S16.8XXS | Other specified injury of muscle, fascia and tendon at neck level, sequela |
| S16.9XXD | Unspecified injury of muscle, fascia and tendon at neck level, subsequent encounter |
| S16.9XXS | Unspecified injury of muscle, fascia and tendon at neck level, sequela |
| S17.0XXD | Crushing injury of larynx and trachea, subsequent encounter |
| S17.0XXS | Crushing injury of larynx and trachea, sequela |
| S17.8XXD | Crushing injury of other specified parts of neck, subsequent encounter |
| S17.8XXS | Crushing injury of other specified parts of neck, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S17.9XXD | Crushing injury of neck, part unspecified, subsequent encounter |
| S17.9XXS | Crushing injury of neck, part unspecified, sequela |
| S19.80XD | Other specified injuries of unspecified part of neck, subsequent encounter |
| S19.80XS | Other specified injuries of unspecified part of neck, sequela |
| S19.81XD | Other specified injuries of larynx, subsequent encounter |
| S19.81XS | Other specified injuries of larynx, sequela |
| S19.82XD | Other specified injuries of cervical trachea, subsequent encounter |
| S19.82XS | Other specified injuries of cervical trachea, sequela |
| S19.83XD | Other specified injuries of vocal cord, subsequent encounter |
| S19.83XS | Other specified injuries of vocal cord, sequela |
| S19.84XD | Other specified injuries of thyroid gland, subsequent encounter |
| S19.84XS | Other specified injuries of thyroid gland, sequela |
| S19.85XD | Other specified injuries of pharynx and cervical esophagus, subsequent encounter |
| S19.85XS | Other specified injuries of pharynx and cervical esophagus, sequela |
| S19.89XD | Other specified injuries of other specified part of neck, subsequent encounter |
| S19.89XS | Other specified injuries of other specified part of neck, sequela |
| S19.9XXD | Unspecified injury of neck, subsequent encounter |
| S19.9XXS | Unspecified injury of neck, sequela |
| S20.00XD | Contusion of breast, unspecified breast, subsequent encounter |
| S20.00XS | Contusion of breast, unspecified breast, sequela |
| S20.01XD | Contusion of right breast, subsequent encounter |
| S20.01XS | Contusion of right breast, sequela |
| S20.02XD | Contusion of left breast, subsequent encounter |
| S20.02XS | Contusion of left breast, sequela |
| S20.101D | Unspecified superficial injuries of breast, right breast, subsequent encounter |
| S20.101S | Unspecified superficial injuries of breast, right breast, sequela |
| S20.102D | Unspecified superficial injuries of breast, left breast, subsequent encounter |
| S20.102S | Unspecified superficial injuries of breast, left breast, sequela |
| S20.109D | Unspecified superficial injuries of breast, unspecified breast, subsequent encounter |
| S20.109S | Unspecified superficial injuries of breast, unspecified breast, sequela |
| S20.111D | Abrasion of breast, right breast, subsequent encounter |
| S20.111S | Abrasion of breast, right breast, sequela |
| S20.112D | Abrasion of breast, left breast, subsequent encounter |
| S20.112S | Abrasion of breast, left breast, sequela |
| S20.119D | Abrasion of breast, unspecified breast, subsequent encounter |
| S20.119S | Abrasion of breast, unspecified breast, sequela |
| S20.121D | Blister (nonthermal) of breast, right breast, subsequent encounter |
| S20.121S | Blister (nonthermal) of breast, right breast, sequela |
| S20.122D | Blister (nonthermal) of breast, left breast, subsequent encounter |
| S20.122S | Blister (nonthermal) of breast, left breast, sequela |
| S20.129D | Blister (nonthermal) of breast, unspecified breast, subsequent encounter |
| S20.129S | Blister (nonthermal) of breast, unspecified breast, sequela |
| S20.141D | External constriction of part of breast, right breast, subsequent encounter |
| S20.141S | External constriction of part of breast, right breast, sequela |
| S20.142D | External constriction of part of breast, left breast, subsequent encounter |
| S20.142S | External constriction of part of breast, left breast, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S20.149D | External constriction of part of breast, unspecified breast, subsequent encounter |
| S20.149S | External constriction of part of breast, unspecified breast, sequela |
| S20.151D | Superficial foreign body of breast, right breast, subsequent encounter |
| S20.151S | Superficial foreign body of breast, right breast, sequela |
| S20.152D | Superficial foreign body of breast, left breast, subsequent encounter |
| S20.152S | Superficial foreign body of breast, left breast, sequela |
| S20.159D | Superficial foreign body of breast, unspecified breast, subsequent encounter |
| S20.159S | Superficial foreign body of breast, unspecified breast, sequela |
| S20.161D | Insect bite (nonvenomous) of breast, right breast, subsequent encounter |
| S20.161S | Insect bite (nonvenomous) of breast, right breast, sequela |
| S20.162D | Insect bite (nonvenomous) of breast, left breast, subsequent encounter |
| S20.162S | Insect bite (nonvenomous) of breast, left breast, sequela |
| S20.169D | Insect bite (nonvenomous) of breast, unspecified breast, subsequent encounter |
| S20.169S | Insect bite (nonvenomous) of breast, unspecified breast, sequela |
| S20.171D | Other superficial bite of breast, right breast, subsequent encounter |
| S20.171S | Other superficial bite of breast, right breast, sequela |
| S20.172D | Other superficial bite of breast, left breast, subsequent encounter |
| S20.172S | Other superficial bite of breast, left breast, sequela |
| S20.179D | Other superficial bite of breast, unspecified breast, subsequent encounter |
| S20.179S | Other superficial bite of breast, unspecified breast, sequela |
| S20.20XD | Contusion of thorax, unspecified, subsequent encounter |
| S20.20XS | Contusion of thorax, unspecified, sequela |
| S20.211D | Contusion of right front wall of thorax, subsequent encounter |
| S20.211S | Contusion of right front wall of thorax, sequela |
| S20.212D | Contusion of left front wall of thorax, subsequent encounter |
| S20.212S | Contusion of left front wall of thorax, sequela |
| S20.219D | Contusion of unspecified front wall of thorax, subsequent encounter |
| S20.219S | Contusion of unspecified front wall of thorax, sequela |
| S20.221D | Contusion of right back wall of thorax, subsequent encounter |
| S20.221S | Contusion of right back wall of thorax, sequela |
| S20.222D | Contusion of left back wall of thorax, subsequent encounter |
| S20.222S | Contusion of left back wall of thorax, sequela |
| S20.229D | Contusion of unspecified back wall of thorax, subsequent encounter |
| S20.229S | Contusion of unspecified back wall of thorax, sequela |
| S20.301D | Unspecified superficial injuries of right front wall of thorax, subsequent encounter |
| S20.301S | Unspecified superficial injuries of right front wall of thorax, sequela |
| S20.302D | Unspecified superficial injuries of left front wall of thorax, subsequent encounter |
| S20.302S | Unspecified superficial injuries of left front wall of thorax, sequela |
| S20.309D | Unspecified superficial injuries of unspecified front wall of thorax, subsequent encounter |
| S20.309S | Unspecified superficial injuries of unspecified front wall of thorax, sequela |
| S20.311D | Abrasion of right front wall of thorax, subsequent encounter |
| S20.311S | Abrasion of right front wall of thorax, sequela |
| S20.312D | Abrasion of left front wall of thorax, subsequent encounter |
| S20.312S | Abrasion of left front wall of thorax, sequela |
| S20.319D | Abrasion of unspecified front wall of thorax, subsequent encounter |
| S20.319S | Abrasion of unspecified front wall of thorax, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S20.321D | Blister (nonthermal) of right front wall of thorax, subsequent encounter |
| S20.321S | Blister (nonthermal) of right front wall of thorax, sequela |
| S20.322D | Blister (nonthermal) of left front wall of thorax, subsequent encounter |
| S20.322S | Blister (nonthermal) of left front wall of thorax, sequela |
| S20.329D | Blister (nonthermal) of unspecified front wall of thorax, subsequent encounter |
| S20.329S | Blister (nonthermal) of unspecified front wall of thorax, sequela |
| S20.341D | External constriction of right front wall of thorax, subsequent encounter |
| S20.341S | External constriction of right front wall of thorax, sequela |
| S20.342D | External constriction of left front wall of thorax, subsequent encounter |
| S20.342S | External constriction of left front wall of thorax, sequela |
| S20.349D | External constriction of unspecified front wall of thorax, subsequent encounter |
| S20.349S | External constriction of unspecified front wall of thorax, sequela |
| S20.351D | Superficial foreign body of right front wall of thorax, subsequent encounter |
| S20.351S | Superficial foreign body of right front wall of thorax, sequela |
| S20.352D | Superficial foreign body of left front wall of thorax, subsequent encounter |
| S20.352S | Superficial foreign body of left front wall of thorax, sequela |
| S20.359D | Superficial foreign body of unspecified front wall of thorax, subsequent encounter |
| S20.359S | Superficial foreign body of unspecified front wall of thorax, sequela |
| S20.361D | Insect bite (nonvenomous) of right front wall of thorax, subsequent encounter |
| S20.361S | Insect bite (nonvenomous) of right front wall of thorax, sequela |
| S20.362D | Insect bite (nonvenomous) of left front wall of thorax, subsequent encounter |
| S20.362S | Insect bite (nonvenomous) of left front wall of thorax, sequela |
| S20.369D | Insect bite (nonvenomous) of unspecified front wall of thorax, subsequent encounter |
| S20.369S | Insect bite (nonvenomous) of unspecified front wall of thorax, sequela |
| S20.371D | Other superficial bite of right front wall of thorax, subsequent encounter |
| S20.371S | Other superficial bite of right front wall of thorax, sequela |
| S20.372D | Other superficial bite of left front wall of thorax, subsequent encounter |
| S20.372S | Other superficial bite of left front wall of thorax, sequela |
| S20.379D | Other superficial bite of unspecified front wall of thorax, subsequent encounter |
| S20.379S | Other superficial bite of unspecified front wall of thorax, sequela |
| S20.401D | Unspecified superficial injuries of right back wall of thorax, subsequent encounter |
| S20.401S | Unspecified superficial injuries of right back wall of thorax, sequela |
| S20.402D | Unspecified superficial injuries of left back wall of thorax, subsequent encounter |
| S20.402S | Unspecified superficial injuries of left back wall of thorax, sequela |
| S20.409D | Unspecified superficial injuries of unspecified back wall of thorax, subsequent encounter |
| S20.409S | Unspecified superficial injuries of unspecified back wall of thorax, sequela |
| S20.411D | Abrasion of right back wall of thorax, subsequent encounter |
| S20.411S | Abrasion of right back wall of thorax, sequela |
| S20.412D | Abrasion of left back wall of thorax, subsequent encounter |
| S20.412S | Abrasion of left back wall of thorax, sequela |
| S20.419D | Abrasion of unspecified back wall of thorax, subsequent encounter |
| S20.419S | Abrasion of unspecified back wall of thorax, sequela |
| S20.421D | Blister (nonthermal) of right back wall of thorax, subsequent encounter |
| S20.421S | Blister (nonthermal) of right back wall of thorax, sequela |
| S20.422D | Blister (nonthermal) of left back wall of thorax, subsequent encounter |
| S20.422S | Blister (nonthermal) of left back wall of thorax, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S20.429D | Blister (nonthermal) of unspecified back wall of thorax, subsequent encounter |
| S20.429S | Blister (nonthermal) of unspecified back wall of thorax, sequela |
| S20.441D | External constriction of right back wall of thorax, subsequent encounter |
| S20.441S | External constriction of right back wall of thorax, sequela |
| S20.442D | External constriction of left back wall of thorax, subsequent encounter |
| S20.442S | External constriction of left back wall of thorax, sequela |
| S20.449D | External constriction of unspecified back wall of thorax, subsequent encounter |
| S20.449S | External constriction of unspecified back wall of thorax, sequela |
| S20.451D | Superficial foreign body of right back wall of thorax, subsequent encounter |
| S20.451S | Superficial foreign body of right back wall of thorax, sequela |
| S20.452D | Superficial foreign body of left back wall of thorax, subsequent encounter |
| S20.452S | Superficial foreign body of left back wall of thorax, sequela |
| S20.459D | Superficial foreign body of unspecified back wall of thorax, subsequent encounter |
| S20.459S | Superficial foreign body of unspecified back wall of thorax, sequela |
| S20.461D | Insect bite (nonvenomous) of right back wall of thorax, subsequent encounter |
| S20.461S | Insect bite (nonvenomous) of right back wall of thorax, sequela |
| S20.462D | Insect bite (nonvenomous) of left back wall of thorax, subsequent encounter |
| S20.462S | Insect bite (nonvenomous) of left back wall of thorax, sequela |
| S20.469D | Insect bite (nonvenomous) of unspecified back wall of thorax, subsequent encounter |
| S20.469S | Insect bite (nonvenomous) of unspecified back wall of thorax, sequela |
| S20.471D | Other superficial bite of right back wall of thorax, subsequent encounter |
| S20.471S | Other superficial bite of right back wall of thorax, sequela |
| S20.472D | Other superficial bite of left back wall of thorax, subsequent encounter |
| S20.472S | Other superficial bite of left back wall of thorax, sequela |
| S20.479D | Other superficial bite of unspecified back wall of thorax, subsequent encounter |
| S20.479S | Other superficial bite of unspecified back wall of thorax, sequela |
| S20.90XD | Unspecified superficial injury of unspecified parts of thorax, subsequent encounter |
| S20.90XS | Unspecified superficial injury of unspecified parts of thorax, sequela |
| S20.91XD | Abrasion of unspecified parts of thorax, subsequent encounter |
| S20.91XS | Abrasion of unspecified parts of thorax, sequela |
| S20.92XD | Blister (nonthermal) of unspecified parts of thorax, subsequent encounter |
| S20.92XS | Blister (nonthermal) of unspecified parts of thorax, sequela |
| S20.94XD | External constriction of unspecified parts of thorax, subsequent encounter |
| S20.94XS | External constriction of unspecified parts of thorax, sequela |
| S20.95XD | Superficial foreign body of unspecified parts of thorax, subsequent encounter |
| S20.95XS | Superficial foreign body of unspecified parts of thorax, sequela |
| S20.96XD | Insect bite (nonvenomous) of unspecified parts of thorax, subsequent encounter |
| S20.96XS | Insect bite (nonvenomous) of unspecified parts of thorax, sequela |
| S20.97XD | Other superficial bite of unspecified parts of thorax, subsequent encounter |
| S20.97XS | Other superficial bite of unspecified parts of thorax, sequela |
| S21.001D | Unspecified open wound of right breast, subsequent encounter |
| S21.001S | Unspecified open wound of right breast, sequela |
| S21.002D | Unspecified open wound of left breast, subsequent encounter |
| S21.002S | Unspecified open wound of left breast, sequela |
| S21.009D | Unspecified open wound of unspecified breast, subsequent encounter |
| S21.009S | Unspecified open wound of unspecified breast, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S21.011D | Laceration without foreign body of right breast, subsequent encounter |
| S21.011S | Laceration without foreign body of right breast, sequela |
| S21.012D | Laceration without foreign body of left breast, subsequent encounter |
| S21.012S | Laceration without foreign body of left breast, sequela |
| S21.019D | Laceration without foreign body of unspecified breast, subsequent encounter |
| S21.019S | Laceration without foreign body of unspecified breast, sequela |
| S21.021D | Laceration with foreign body of right breast, subsequent encounter |
| S21.021S | Laceration with foreign body of right breast, sequela |
| S21.022D | Laceration with foreign body of left breast, subsequent encounter |
| S21.022S | Laceration with foreign body of left breast, sequela |
| S21.029D | Laceration with foreign body of unspecified breast, subsequent encounter |
| S21.029S | Laceration with foreign body of unspecified breast, sequela |
| S21.031D | Puncture wound without foreign body of right breast, subsequent encounter |
| S21.031S | Puncture wound without foreign body of right breast, sequela |
| S21.032D | Puncture wound without foreign body of left breast, subsequent encounter |
| S21.032S | Puncture wound without foreign body of left breast, sequela |
| S21.039D | Puncture wound without foreign body of unspecified breast, subsequent encounter |
| S21.039S | Puncture wound without foreign body of unspecified breast, sequela |
| S21.041D | Puncture wound with foreign body of right breast, subsequent encounter |
| S21.041S | Puncture wound with foreign body of right breast, sequela |
| S21.042D | Puncture wound with foreign body of left breast, subsequent encounter |
| S21.042S | Puncture wound with foreign body of left breast, sequela |
| S21.049D | Puncture wound with foreign body of unspecified breast, subsequent encounter |
| S21.049S | Puncture wound with foreign body of unspecified breast, sequela |
| S21.051D | Open bite of right breast, subsequent encounter |
| S21.051S | Open bite of right breast, sequela |
| S21.052D | Open bite of left breast, subsequent encounter |
| S21.052S | Open bite of left breast, sequela |
| S21.059D | Open bite of unspecified breast, subsequent encounter |
| S21.059S | Open bite of unspecified breast, sequela |
| S21.101D | Unspecified open wound of right front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.101S | Unspecified open wound of right front wall of thorax without penetration into thoracic cavity, sequela |
| S21.102D | Unspecified open wound of left front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.102S | Unspecified open wound of left front wall of thorax without penetration into thoracic cavity, sequela |
| S21.109D | Unspecified open wound of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.109S | Unspecified open wound of unspecified front wall of thorax without penetration into thoracic cavity, sequela |
| S21.111D | Laceration without foreign body of right front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.111S | Laceration without foreign body of right front wall of thorax without penetration into thoracic cavity, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S21.112D | Laceration without foreign body of left front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.112S | Laceration without foreign body of left front wall of thorax without penetration into thoracic cavity, sequela |
| S21.119D | Laceration without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.119S | Laceration without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela |
| S21.121D | Laceration with foreign body of right front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.121S | Laceration with foreign body of right front wall of thorax without penetration into thoracic cavity, sequela |
| S21.122D | Laceration with foreign body of left front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.122S | Laceration with foreign body of left front wall of thorax without penetration into thoracic cavity, sequela |
| S21.129D | Laceration with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.129S | Laceration with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela |
| S21.131D | Puncture wound without foreign body of right front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.131S | Puncture wound without foreign body of right front wall of thorax without penetration into thoracic cavity, sequela |
| S21.132D | Puncture wound without foreign body of left front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.132S | Puncture wound without foreign body of left front wall of thorax without penetration into thoracic cavity, sequela |
| S21.139D | Puncture wound without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.139S | Puncture wound without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela |
| S21.141D | Puncture wound with foreign body of right front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.141S | Puncture wound with foreign body of right front wall of thorax without penetration into thoracic cavity, sequela |
| S21.142D | Puncture wound with foreign body of left front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.142S | Puncture wound with foreign body of left front wall of thorax without penetration into thoracic cavity, sequela |
| S21.149D | Puncture wound with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.149S | Puncture wound with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela |
| S21.151D | Open bite of right front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.151S | Open bite of right front wall of thorax without penetration into thoracic cavity, sequela |
| S21.152D | Open bite of left front wall of thorax without penetration into thoracic cavity, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S21.152S | Open bite of left front wall of thorax without penetration into thoracic cavity, sequela |
| S21.159D | Open bite of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.159S | Open bite of unspecified front wall of thorax without penetration into thoracic cavity, sequela |
| S21.201D | Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.201S | Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.202D | Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.202S | Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, sequela |
| S21.209D | Unspecified open wound of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.209S | Unspecified open wound of unspecified back wall of thorax without penetration into thoracic cavity, sequela |
| S21.211D | Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.211S | Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.212D | Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.212S | Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, sequela |
| S21.219D | Laceration without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.219S | Laceration without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela |
| S21.221D | Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.221S | Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.222D | Laceration with foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.222S | Laceration with foreign body of left back wall of thorax without penetration into thoracic cavity, sequela |
| S21.229D | Laceration with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.229S | Laceration with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela |
| S21.231D | Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.231S | Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.232D | Puncture wound without foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.232S | Puncture wound without foreign body of left back wall of thorax without penetration into thoracic cavity, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S21.239D | Puncture wound without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.239S | Puncture wound without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela |
| S21.241D | Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.241S | Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.242D | Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.242S | Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, sequela |
| S21.249D | Puncture wound with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.249S | Puncture wound with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela |
| S21.251D | Open bite of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.251S | Open bite of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.252D | Open bite of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.252S | Open bite of left back wall of thorax without penetration into thoracic cavity, sequela |
| S21.259D | Open bite of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.259S | Open bite of unspecified back wall of thorax without penetration into thoracic cavity, sequela |
| S21.301D | Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.301S | Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, sequela |
| S21.302D | Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.302S | Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, sequela |
| S21.309D | Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.309S | Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, sequela |
| S21.311D | Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.311S | Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, sequela |
| S21.312D | Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.312S | Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, sequela |
| S21.319D | Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S21.319S | Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela |
| S21.321D | Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.321S | Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, sequela |
| S21.322D | Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.322S | Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, sequela |
| S21.329D | Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.329S | Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela |
| S21.331D | Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.331S | Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, sequela |
| S21.332D | Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.332S | Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, sequela |
| S21.339D | Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.339S | Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela |
| S21.341D | Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.341S | Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, sequela |
| S21.342D | Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.342S | Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, sequela |
| S21.349D | Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.349S | Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela |
| S21.351D | Open bite of right front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.351S | Open bite of right front wall of thorax with penetration into thoracic cavity, sequela |
| S21.352D | Open bite of left front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.352S | Open bite of left front wall of thorax with penetration into thoracic cavity, sequela |
| S21.359D | Open bite of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.359S | Open bite of unspecified front wall of thorax with penetration into thoracic cavity, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S21.401D | Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.401S | Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, sequela |
| S21.402D | Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.402S | Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, sequela |
| S21.409D | Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.409S | Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, sequela |
| S21.411D | Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.411S | Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, sequela |
| S21.412D | Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.412S | Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, sequela |
| S21.419D | Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.419S | Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela |
| S21.421D | Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.421S | Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, sequela |
| S21.422D | Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.422S | Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, sequela |
| S21.429D | Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.429S | Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela |
| S21.431D | Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.431S | Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, sequela |
| S21.432D | Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.432S | Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, sequela |
| S21.439D | Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.439S | Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S21.441D | Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.441S | Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, sequela |
| S21.442D | Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.442S | Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, sequela |
| S21.449D | Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.449S | Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela |
| S21.451D | Open bite of right back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.451S | Open bite of right back wall of thorax with penetration into thoracic cavity, sequela |
| S21.452D | Open bite of left back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.452S | Open bite of left back wall of thorax with penetration into thoracic cavity, sequela |
| S21.459D | Open bite of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter |
| S21.459S | Open bite of unspecified back wall of thorax with penetration into thoracic cavity, sequela |
| S21.90XD | Unspecified open wound of unspecified part of thorax, subsequent encounter |
| S21.90XS | Unspecified open wound of unspecified part of thorax, sequela |
| S21.91XD | Laceration without foreign body of unspecified part of thorax, subsequent encounter |
| S21.91XS | Laceration without foreign body of unspecified part of thorax, sequela |
| S21.92XD | Laceration with foreign body of unspecified part of thorax, subsequent encounter |
| S21.92XS | Laceration with foreign body of unspecified part of thorax, sequela |
| S21.93XD | Puncture wound without foreign body of unspecified part of thorax, subsequent encounter |
| S21.93XS | Puncture wound without foreign body of unspecified part of thorax, sequela |
| S21.94XD | Puncture wound with foreign body of unspecified part of thorax, subsequent encounter |
| S21.94XS | Puncture wound with foreign body of unspecified part of thorax, sequela |
| S21.95XD | Open bite of unspecified part of thorax, subsequent encounter |
| S21.95XS | Open bite of unspecified part of thorax, sequela |
| S22.000D | Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.000G | Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.000K | Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.000S | Wedge compression fracture of unspecified thoracic vertebra, sequela |
| S22.001D | Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.001G | Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.001K | Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.001S | Stable burst fracture of unspecified thoracic vertebra, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S22.002D | Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.002G | Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.002K | Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.002S | Unstable burst fracture of unspecified thoracic vertebra, sequela |
| S22.008D | Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.008G | Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.008K | Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.008S | Other fracture of unspecified thoracic vertebra, sequela |
| S22.009D | Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.009G | Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.009K | Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.009S | Unspecified fracture of unspecified thoracic vertebra, sequela |
| S22.010D | Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.010G | Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.010K | Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.010S | Wedge compression fracture of first thoracic vertebra, sequela |
| S22.011D | Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.011G | Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.011K | Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.011S | Stable burst fracture of first thoracic vertebra, sequela |
| S22.012D | Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.012G | Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.012K | Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.012S | Unstable burst fracture of first thoracic vertebra, sequela |
| S22.018D | Other fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.018G | Other fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.018K | Other fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.018S | Other fracture of first thoracic vertebra, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S22.019D | Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.019G | Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.019K | Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.019S | Unspecified fracture of first thoracic vertebra, sequela |
| S22.020D | Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.020G | Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.020K | Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.020S | Wedge compression fracture of second thoracic vertebra, sequela |
| S22.021D | Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.021G | Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.021K | Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.021S | Stable burst fracture of second thoracic vertebra, sequela |
| S22.022D | Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.022G | Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.022K | Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.022S | Unstable burst fracture of second thoracic vertebra, sequela |
| S22.028D | Other fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.028G | Other fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.028K | Other fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.028S | Other fracture of second thoracic vertebra, sequela |
| S22.029D | Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.029G | Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.029K | Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.029S | Unspecified fracture of second thoracic vertebra, sequela |
| S22.030D | Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.030G | Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.030K | Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S22.030S | Wedge compression fracture of third thoracic vertebra, sequela |
| S22.031D | Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.031G | Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.031K | Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.031S | Stable burst fracture of third thoracic vertebra, sequela |
| S22.032D | Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.032G | Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.032K | Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.032S | Unstable burst fracture of third thoracic vertebra, sequela |
| S22.038D | Other fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.038G | Other fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.038K | Other fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.038S | Other fracture of third thoracic vertebra, sequela |
| S22.039D | Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.039G | Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.039K | Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.039S | Unspecified fracture of third thoracic vertebra, sequela |
| S22.040D | Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.040G | Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.040K | Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.040S | Wedge compression fracture of fourth thoracic vertebra, sequela |
| S22.041D | Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.041G | Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.041K | Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.041S | Stable burst fracture of fourth thoracic vertebra, sequela |
| S22.042D | Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.042G | Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S22.042K | Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.042S | Unstable burst fracture of fourth thoracic vertebra, sequela |
| S22.048D | Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.048G | Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.048K | Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.048S | Other fracture of fourth thoracic vertebra, sequela |
| S22.049D | Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.049G | Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.049K | Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.049S | Unspecified fracture of fourth thoracic vertebra, sequela |
| S22.050D | Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing |
| S22.050G | Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing |
| S22.050K | Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion |
| S22.050S | Wedge compression fracture of T5-T6 vertebra, sequela |
| S22.051D | Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing |
| S22.051G | Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing |
| S22.051K | Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion |
| S22.051S | Stable burst fracture of T5-T6 vertebra, sequela |
| S22.052D | Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing |
| S22.052G | Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing |
| S22.052K | Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion |
| S22.052S | Unstable burst fracture of T5-T6 vertebra, sequela |
| S22.058D | Other fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing |
| S22.058G | Other fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing |
| S22.058K | Other fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion |
| S22.058S | Other fracture of T5-T6 vertebra, sequela |
| S22.059D | Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing |
| S22.059G | Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing |
| S22.059K | Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion |
| S22.059S | Unspecified fracture of T5-T6 vertebra, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S22.060D | Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing |
| S22.060G | Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing |
| S22.060K | Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion |
| S22.060S | Wedge compression fracture of T7-T8 vertebra, sequela |
| S22.061D | Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing |
| S22.061G | Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing |
| S22.061K | Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion |
| S22.061S | Stable burst fracture of T7-T8 vertebra, sequela |
| S22.062D | Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing |
| S22.062G | Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing |
| S22.062K | Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion |
| S22.062S | Unstable burst fracture of T7-T8 vertebra, sequela |
| S22.068D | Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.068G | Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.068K | Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with nonunion |
| S22.068S | Other fracture of T7-T8 thoracic vertebra, sequela |
| S22.069D | Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing |
| S22.069G | Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing |
| S22.069K | Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion |
| S22.069S | Unspecified fracture of T7-T8 vertebra, sequela |
| S22.070D | Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing |
| S22.070G | Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing |
| S22.070K | Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion |
| S22.070S | Wedge compression fracture of T9-T10 vertebra, sequela |
| S22.071D | Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing |
| S22.071G | Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing |
| S22.071K | Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion |
| S22.071S | Stable burst fracture of T9-T10 vertebra, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S22.072D | Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing |
| S22.072G | Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing |
| S22.072K | Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion |
| S22.072S | Unstable burst fracture of T9-T10 vertebra, sequela |
| S22.078D | Other fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing |
| S22.078G | Other fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing |
| S22.078K | Other fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion |
| S22.078S | Other fracture of T9-T10 vertebra, sequela |
| S22.079D | Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing |
| S22.079G | Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing |
| S22.079K | Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion |
| S22.079S | Unspecified fracture of T9-T10 vertebra, sequela |
| S22.080D | Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |
| S22.080G | Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing |
| S22.080K | Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion |
| S22.080S | Wedge compression fracture of T11-T12 vertebra, sequela |
| S22.081D | Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |
| S22.081G | Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing |
| S22.081K | Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion |
| S22.081S | Stable burst fracture of T11-T12 vertebra, sequela |
| S22.082D | Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |
| S22.082G | Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing |
| S22.082K | Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion |
| S22.082S | Unstable burst fracture of T11-T12 vertebra, sequela |
| S22.088D | Other fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |
| S22.088G | Other fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing |
| S22.088K | Other fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion |
| S22.088S | Other fracture of T11-T12 vertebra, sequela |
| S22.089D | Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S22.089G | Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing |
| S22.089K | Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion |
| S22.089S | Unspecified fracture of T11-T12 vertebra, sequela |
| S22.20XD | Unspecified fracture of sternum, subsequent encounter for fracture with routine healing |
| S22.20XG | Unspecified fracture of sternum, subsequent encounter for fracture with delayed healing |
| S22.20XK | Unspecified fracture of sternum, subsequent encounter for fracture with nonunion |
| S22.20XS | Unspecified fracture of sternum, sequela |
| S22.21XD | Fracture of manubrium, subsequent encounter for fracture with routine healing |
| S22.21XG | Fracture of manubrium, subsequent encounter for fracture with delayed healing |
| S22.21XK | Fracture of manubrium, subsequent encounter for fracture with nonunion |
| S22.21XS | Fracture of manubrium, sequela |
| S22.22XD | Fracture of body of sternum, subsequent encounter for fracture with routine healing |
| S22.22XG | Fracture of body of sternum, subsequent encounter for fracture with delayed healing |
| S22.22XK | Fracture of body of sternum, subsequent encounter for fracture with nonunion |
| S22.22XS | Fracture of body of sternum, sequela |
| S22.23XD | Sternal manubrial dissociation, subsequent encounter for fracture with routine healing |
| S22.23XG | Sternal manubrial dissociation, subsequent encounter for fracture with delayed healing |
| S22.23XK | Sternal manubrial dissociation, subsequent encounter for fracture with nonunion |
| S22.23XS | Sternal manubrial dissociation, sequela |
| S22.24XD | Fracture of xiphoid process, subsequent encounter for fracture with routine healing |
| S22.24XG | Fracture of xiphoid process, subsequent encounter for fracture with delayed healing |
| S22.24XK | Fracture of xiphoid process, subsequent encounter for fracture with nonunion |
| S22.24XS | Fracture of xiphoid process, sequela |
| S22.31XD | Fracture of one rib, right side, subsequent encounter for fracture with routine healing |
| S22.31XG | Fracture of one rib, right side, subsequent encounter for fracture with delayed healing |
| S22.31XK | Fracture of one rib, right side, subsequent encounter for fracture with nonunion |
| S22.31XS | Fracture of one rib, right side, sequela |
| S22.32XD | Fracture of one rib, left side, subsequent encounter for fracture with routine healing |
| S22.32XG | Fracture of one rib, left side, subsequent encounter for fracture with delayed healing |
| S22.32XK | Fracture of one rib, left side, subsequent encounter for fracture with nonunion |
| S22.32XS | Fracture of one rib, left side, sequela |
| S22.39XD | Fracture of one rib, unspecified side, subsequent encounter for fracture with routine healing |
| S22.39XG | Fracture of one rib, unspecified side, subsequent encounter for fracture with delayed healing |
| S22.39XK | Fracture of one rib, unspecified side, subsequent encounter for fracture with nonunion |
| S22.39XS | Fracture of one rib, unspecified side, sequela |
| S22.41XD | Multiple fractures of ribs, right side, subsequent encounter for fracture with routine healing |
| S22.41XG | Multiple fractures of ribs, right side, subsequent encounter for fracture with delayed healing |
| S22.41XK | Multiple fractures of ribs, right side, subsequent encounter for fracture with nonunion |
| S22.41XS | Multiple fractures of ribs, right side, sequela |
| S22.42XD | Multiple fractures of ribs, left side, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S22.42XG | Multiple fractures of ribs, left side, subsequent encounter for fracture with delayed healing |
| S22.42XK | Multiple fractures of ribs, left side, subsequent encounter for fracture with nonunion |
| S22.42XS | Multiple fractures of ribs, left side, sequela |
| S22.43XD | Multiple fractures of ribs, bilateral, subsequent encounter for fracture with routine healing |
| S22.43XG | Multiple fractures of ribs, bilateral, subsequent encounter for fracture with delayed healing |
| S22.43XK | Multiple fractures of ribs, bilateral, subsequent encounter for fracture with nonunion |
| S22.43XS | Multiple fractures of ribs, bilateral, sequela |
| S22.49XD | Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with routine healing |
| S22.49XG | Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with delayed healing |
| S22.49XK | Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with nonunion |
| S22.49XS | Multiple fractures of ribs, unspecified side, sequela |
| S22.5XXD | Flail chest, subsequent encounter for fracture with routine healing |
| S22.5XXG | Flail chest, subsequent encounter for fracture with delayed healing |
| S22.5XXK | Flail chest, subsequent encounter for fracture with nonunion |
| S22.5XXS | Flail chest, sequela |
| S22.9XXD | Fracture of bony thorax, part unspecified, subsequent encounter for fracture with routine healing |
| S22.9XXG | Fracture of bony thorax, part unspecified, subsequent encounter for fracture with delayed healing |
| S22.9XXK | Fracture of bony thorax, part unspecified, subsequent encounter for fracture with nonunion |
| S22.9XXS | Fracture of bony thorax, part unspecified, sequela |
| S23.0XXD | Traumatic rupture of thoracic intervertebral disc, subsequent encounter |
| S23.0XXS | Traumatic rupture of thoracic intervertebral disc, sequela |
| S23.100D | Subluxation of unspecified thoracic vertebra, subsequent encounter |
| S23.100S | Subluxation of unspecified thoracic vertebra, sequela |
| S23.101D | Dislocation of unspecified thoracic vertebra, subsequent encounter |
| S23.101S | Dislocation of unspecified thoracic vertebra, sequela |
| S23.110D | Subluxation of T1/T2 thoracic vertebra, subsequent encounter |
| S23.110S | Subluxation of T1/T2 thoracic vertebra, sequela |
| S23.111D | Dislocation of T1/T2 thoracic vertebra, subsequent encounter |
| S23.111S | Dislocation of T1/T2 thoracic vertebra, sequela |
| S23.120D | Subluxation of T2/T3 thoracic vertebra, subsequent encounter |
| S23.120S | Subluxation of T2/T3 thoracic vertebra, sequela |
| S23.121D | Dislocation of T2/T3 thoracic vertebra, subsequent encounter |
| S23.121S | Dislocation of T2/T3 thoracic vertebra, sequela |
| S23.122D | Subluxation of T3/T4 thoracic vertebra, subsequent encounter |
| S23.122S | Subluxation of T3/T4 thoracic vertebra, sequela |
| S23.123D | Dislocation of T3/T4 thoracic vertebra, subsequent encounter |
| S23.123S | Dislocation of T3/T4 thoracic vertebra, sequela |
| S23.130D | Subluxation of T4/T5 thoracic vertebra, subsequent encounter |
| S23.130S | Subluxation of T4/T5 thoracic vertebra, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S23.131D | Dislocation of T4/T5 thoracic vertebra, subsequent encounter |
| S23.131S | Dislocation of T4/T5 thoracic vertebra, sequela |
| S23.132D | Subluxation of T5/T6 thoracic vertebra, subsequent encounter |
| S23.132S | Subluxation of T5/T6 thoracic vertebra, sequela |
| S23.133D | Dislocation of T5/T6 thoracic vertebra, subsequent encounter |
| S23.133S | Dislocation of T5/T6 thoracic vertebra, sequela |
| S23.140D | Subluxation of T6/T7 thoracic vertebra, subsequent encounter |
| S23.140S | Subluxation of T6/T7 thoracic vertebra, sequela |
| S23.141D | Dislocation of T6/T7 thoracic vertebra, subsequent encounter |
| S23.141S | Dislocation of T6/T7 thoracic vertebra, sequela |
| S23.142D | Subluxation of T7/T8 thoracic vertebra, subsequent encounter |
| S23.142S | Subluxation of T7/T8 thoracic vertebra, sequela |
| S23.143D | Dislocation of T7/T8 thoracic vertebra, subsequent encounter |
| S23.143S | Dislocation of T7/T8 thoracic vertebra, sequela |
| S23.150D | Subluxation of T8/T9 thoracic vertebra, subsequent encounter |
| S23.150S | Subluxation of T8/T9 thoracic vertebra, sequela |
| S23.151D | Dislocation of T8/T9 thoracic vertebra, subsequent encounter |
| S23.151S | Dislocation of T8/T9 thoracic vertebra, sequela |
| S23.152D | Subluxation of T9/T10 thoracic vertebra, subsequent encounter |
| S23.152S | Subluxation of T9/T10 thoracic vertebra, sequela |
| S23.153D | Dislocation of T9/T10 thoracic vertebra, subsequent encounter |
| S23.153S | Dislocation of T9/T10 thoracic vertebra, sequela |
| S23.160D | Subluxation of T10/T11 thoracic vertebra, subsequent encounter |
| S23.160S | Subluxation of T10/T11 thoracic vertebra, sequela |
| S23.161D | Dislocation of T10/T11 thoracic vertebra, subsequent encounter |
| S23.161S | Dislocation of T10/T11 thoracic vertebra, sequela |
| S23.162D | Subluxation of T11/T12 thoracic vertebra, subsequent encounter |
| S23.162S | Subluxation of T11/T12 thoracic vertebra, sequela |
| S23.163D | Dislocation of T11/T12 thoracic vertebra, subsequent encounter |
| S23.163S | Dislocation of T11/T12 thoracic vertebra, sequela |
| S23.170D | Subluxation of T12/L1 thoracic vertebra, subsequent encounter |
| S23.170S | Subluxation of T12/L1 thoracic vertebra, sequela |
| S23.171D | Dislocation of T12/L1 thoracic vertebra, subsequent encounter |
| S23.171S | Dislocation of T12/L1 thoracic vertebra, sequela |
| S23.20XD | Dislocation of unspecified part of thorax, subsequent encounter |
| S23.20XS | Dislocation of unspecified part of thorax, sequela |
| S23.29XD | Dislocation of other parts of thorax, subsequent encounter |
| S23.29XS | Dislocation of other parts of thorax, sequela |
| S23.3XXD | Sprain of ligaments of thoracic spine, subsequent encounter |
| S23.3XXS | Sprain of ligaments of thoracic spine, sequela |
| S23.41XD | Sprain of ribs, subsequent encounter |
| S23.41XS | Sprain of ribs, sequela |
| S23.420D | Sprain of sternoclavicular (joint) (ligament), subsequent encounter |
| S23.420S | Sprain of sternoclavicular (joint) (ligament), sequela |
| S23.421D | Sprain of chondrosternal joint, subsequent encounter |
| S23.421S | Sprain of chondrosternal joint, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S23.428D | Other sprain of sternum, subsequent encounter |
| S23.428S | Other sprain of sternum, sequela |
| S23.429D | Unspecified sprain of sternum, subsequent encounter |
| S23.429S | Unspecified sprain of sternum, sequela |
| S23.8XXD | Sprain of other specified parts of thorax, subsequent encounter |
| S23.8XXS | Sprain of other specified parts of thorax, sequela |
| S23.9XXD | Sprain of unspecified parts of thorax, subsequent encounter |
| S23.9XXS | Sprain of unspecified parts of thorax, sequela |
| S24.0XXD | Concussion and edema of thoracic spinal cord, subsequent encounter |
| S24.0XXS | Concussion and edema of thoracic spinal cord, sequela |
| S24.101D | Unspecified injury at T1 level of thoracic spinal cord, subsequent encounter |
| S24.101S | Unspecified injury at T1 level of thoracic spinal cord, sequela |
| S24.102D | Unspecified injury at T2-T6 level of thoracic spinal cord, subsequent encounter |
| S24.102S | Unspecified injury at T2-T6 level of thoracic spinal cord, sequela |
| S24.103D | Unspecified injury at T7-T10 level of thoracic spinal cord, subsequent encounter |
| S24.103S | Unspecified injury at T7-T10 level of thoracic spinal cord, sequela |
| S24.104D | Unspecified injury at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.104S | Unspecified injury at T11-T12 level of thoracic spinal cord, sequela |
| S24.109D | Unspecified injury at unspecified level of thoracic spinal cord, subsequent encounter |
| S24.109S | Unspecified injury at unspecified level of thoracic spinal cord, sequela |
| S24.111D | Complete lesion at T1 level of thoracic spinal cord, subsequent encounter |
| S24.111S | Complete lesion at T1 level of thoracic spinal cord, sequela |
| S24.112D | Complete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter |
| S24.112S | Complete lesion at T2-T6 level of thoracic spinal cord, sequela |
| S24.113D | Complete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter |
| S24.113S | Complete lesion at T7-T10 level of thoracic spinal cord, sequela |
| S24.114D | Complete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.114S | Complete lesion at T11-T12 level of thoracic spinal cord, sequela |
| S24.119D | Complete lesion at unspecified level of thoracic spinal cord, subsequent encounter |
| S24.119S | Complete lesion at unspecified level of thoracic spinal cord, sequela |
| S24.131D | Anterior cord syndrome at T1 level of thoracic spinal cord, subsequent encounter |
| S24.131S | Anterior cord syndrome at T1 level of thoracic spinal cord, sequela |
| S24.132D | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter |
| S24.132S | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, sequela |
| S24.133D | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter |
| S24.133S | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, sequela |
| S24.134D | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.134S | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, sequela |
| S24.139D | Anterior cord syndrome at unspecified level of thoracic spinal cord, subsequent encounter |
| S24.139S | Anterior cord syndrome at unspecified level of thoracic spinal cord, sequela |
| S24.141D | Brown-SÃ©quard syndrome at T1 level of thoracic spinal cord, subsequent encounter |
| S24.141S | Brown-SÃ©quard syndrome at T1 level of thoracic spinal cord, sequela |
| S24.142D | Brown-SÃ©quard syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter |
| S24.142S | Brown-SÃ©quard syndrome at T2-T6 level of thoracic spinal cord, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S24.143D | Brown-SÃ©quard syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter |
| S24.143S | Brown-SÃ©quard syndrome at T7-T10 level of thoracic spinal cord, sequela |
| S24.144D | Brown-SÃ©quard syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.144S | Brown-SÃ©quard syndrome at T11-T12 level of thoracic spinal cord, sequela |
| S24.149D | Brown-SÃ©quard syndrome at unspecified level of thoracic spinal cord, subsequent encounter |
| S24.149S | Brown-SÃ©quard syndrome at unspecified level of thoracic spinal cord, sequela |
| S24.151D | Other incomplete lesion at T1 level of thoracic spinal cord, subsequent encounter |
| S24.151S | Other incomplete lesion at T1 level of thoracic spinal cord, sequela |
| S24.152D | Other incomplete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter |
| S24.152S | Other incomplete lesion at T2-T6 level of thoracic spinal cord, sequela |
| S24.153D | Other incomplete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter |
| S24.153S | Other incomplete lesion at T7-T10 level of thoracic spinal cord, sequela |
| S24.154D | Other incomplete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.154S | Other incomplete lesion at T11-T12 level of thoracic spinal cord, sequela |
| S24.159D | Other incomplete lesion at unspecified level of thoracic spinal cord, subsequent encounter |
| S24.159S | Other incomplete lesion at unspecified level of thoracic spinal cord, sequela |
| S24.2XXD | Injury of nerve root of thoracic spine, subsequent encounter |
| S24.2XXS | Injury of nerve root of thoracic spine, sequela |
| S24.3XXD | Injury of peripheral nerves of thorax, subsequent encounter |
| S24.3XXS | Injury of peripheral nerves of thorax, sequela |
| S24.4XXD | Injury of thoracic sympathetic nervous system, subsequent encounter |
| S24.4XXS | Injury of thoracic sympathetic nervous system, sequela |
| S24.8XXD | Injury of other specified nerves of thorax, subsequent encounter |
| S24.8XXS | Injury of other specified nerves of thorax, sequela |
| S24.9XXD | Injury of unspecified nerve of thorax, subsequent encounter |
| S24.9XXS | Injury of unspecified nerve of thorax, sequela |
| S25.00XD | Unspecified injury of thoracic aorta, subsequent encounter |
| S25.00XS | Unspecified injury of thoracic aorta, sequela |
| S25.01XD | Minor laceration of thoracic aorta, subsequent encounter |
| S25.01XS | Minor laceration of thoracic aorta, sequela |
| S25.02XD | Major laceration of thoracic aorta, subsequent encounter |
| S25.02XS | Major laceration of thoracic aorta, sequela |
| S25.09XD | Other specified injury of thoracic aorta, subsequent encounter |
| S25.09XS | Other specified injury of thoracic aorta, sequela |
| S25.101D | Unspecified injury of right innominate or subclavian artery, subsequent encounter |
| S25.101S | Unspecified injury of right innominate or subclavian artery, sequela |
| S25.102D | Unspecified injury of left innominate or subclavian artery, subsequent encounter |
| S25.102S | Unspecified injury of left innominate or subclavian artery, sequela |
| S25.109D | Unspecified injury of unspecified innominate or subclavian artery, subsequent encounter |
| S25.109S | Unspecified injury of unspecified innominate or subclavian artery, sequela |
| S25.111D | Minor laceration of right innominate or subclavian artery, subsequent encounter |
| S25.111S | Minor laceration of right innominate or subclavian artery, sequela |
| S25.112D | Minor laceration of left innominate or subclavian artery, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S25.112S | Minor laceration of left innominate or subclavian artery, sequela |
| S25.119D | Minor laceration of unspecified innominate or subclavian artery, subsequent encounter |
| S25.119S | Minor laceration of unspecified innominate or subclavian artery, sequela |
| S25.121D | Major laceration of right innominate or subclavian artery, subsequent encounter |
| S25.121S | Major laceration of right innominate or subclavian artery, sequela |
| S25.122D | Major laceration of left innominate or subclavian artery, subsequent encounter |
| S25.122S | Major laceration of left innominate or subclavian artery, sequela |
| S25.129D | Major laceration of unspecified innominate or subclavian artery, subsequent encounter |
| S25.129S | Major laceration of unspecified innominate or subclavian artery, sequela |
| S25.191D | Other specified injury of right innominate or subclavian artery, subsequent encounter |
| S25.191S | Other specified injury of right innominate or subclavian artery, sequela |
| S25.192D | Other specified injury of left innominate or subclavian artery, subsequent encounter |
| S25.192S | Other specified injury of left innominate or subclavian artery, sequela |
| S25.199D | Other specified injury of unspecified innominate or subclavian artery, subsequent encounter |
| S25.199S | Other specified injury of unspecified innominate or subclavian artery, sequela |
| S25.20XD | Unspecified injury of superior vena cava, subsequent encounter |
| S25.20XS | Unspecified injury of superior vena cava, sequela |
| S25.21XD | Minor laceration of superior vena cava, subsequent encounter |
| S25.21XS | Minor laceration of superior vena cava, sequela |
| S25.22XD | Major laceration of superior vena cava, subsequent encounter |
| S25.22XS | Major laceration of superior vena cava, sequela |
| S25.29XD | Other specified injury of superior vena cava, subsequent encounter |
| S25.29XS | Other specified injury of superior vena cava, sequela |
| S25.301D | Unspecified injury of right innominate or subclavian vein, subsequent encounter |
| S25.301S | Unspecified injury of right innominate or subclavian vein, sequela |
| S25.302D | Unspecified injury of left innominate or subclavian vein, subsequent encounter |
| S25.302S | Unspecified injury of left innominate or subclavian vein, sequela |
| S25.309D | Unspecified injury of unspecified innominate or subclavian vein, subsequent encounter |
| S25.309S | Unspecified injury of unspecified innominate or subclavian vein, sequela |
| S25.311D | Minor laceration of right innominate or subclavian vein, subsequent encounter |
| S25.311S | Minor laceration of right innominate or subclavian vein, sequela |
| S25.312D | Minor laceration of left innominate or subclavian vein, subsequent encounter |
| S25.312S | Minor laceration of left innominate or subclavian vein, sequela |
| S25.319D | Minor laceration of unspecified innominate or subclavian vein, subsequent encounter |
| S25.319S | Minor laceration of unspecified innominate or subclavian vein, sequela |
| S25.321D | Major laceration of right innominate or subclavian vein, subsequent encounter |
| S25.321S | Major laceration of right innominate or subclavian vein, sequela |
| S25.322D | Major laceration of left innominate or subclavian vein, subsequent encounter |
| S25.322S | Major laceration of left innominate or subclavian vein, sequela |
| S25.329D | Major laceration of unspecified innominate or subclavian vein, subsequent encounter |
| S25.329S | Major laceration of unspecified innominate or subclavian vein, sequela |
| S25.391D | Other specified injury of right innominate or subclavian vein, subsequent encounter |
| S25.391S | Other specified injury of right innominate or subclavian vein, sequela |
| S25.392D | Other specified injury of left innominate or subclavian vein, subsequent encounter |
| S25.392S | Other specified injury of left innominate or subclavian vein, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S25.399D | Other specified injury of unspecified innominate or subclavian vein, subsequent encounter |
| S25.399S | Other specified injury of unspecified innominate or subclavian vein, sequela |
| S25.401D | Unspecified injury of right pulmonary blood vessels, subsequent encounter |
| S25.401S | Unspecified injury of right pulmonary blood vessels, sequela |
| S25.402D | Unspecified injury of left pulmonary blood vessels, subsequent encounter |
| S25.402S | Unspecified injury of left pulmonary blood vessels, sequela |
| S25.409D | Unspecified injury of unspecified pulmonary blood vessels, subsequent encounter |
| S25.409S | Unspecified injury of unspecified pulmonary blood vessels, sequela |
| S25.411D | Minor laceration of right pulmonary blood vessels, subsequent encounter |
| S25.411S | Minor laceration of right pulmonary blood vessels, sequela |
| S25.412D | Minor laceration of left pulmonary blood vessels, subsequent encounter |
| S25.412S | Minor laceration of left pulmonary blood vessels, sequela |
| S25.419D | Minor laceration of unspecified pulmonary blood vessels, subsequent encounter |
| S25.419S | Minor laceration of unspecified pulmonary blood vessels, sequela |
| S25.421D | Major laceration of right pulmonary blood vessels, subsequent encounter |
| S25.421S | Major laceration of right pulmonary blood vessels, sequela |
| S25.422D | Major laceration of left pulmonary blood vessels, subsequent encounter |
| S25.422S | Major laceration of left pulmonary blood vessels, sequela |
| S25.429D | Major laceration of unspecified pulmonary blood vessels, subsequent encounter |
| S25.429S | Major laceration of unspecified pulmonary blood vessels, sequela |
| S25.491D | Other specified injury of right pulmonary blood vessels, subsequent encounter |
| S25.491S | Other specified injury of right pulmonary blood vessels, sequela |
| S25.492D | Other specified injury of left pulmonary blood vessels, subsequent encounter |
| S25.492S | Other specified injury of left pulmonary blood vessels, sequela |
| S25.499D | Other specified injury of unspecified pulmonary blood vessels, subsequent encounter |
| S25.499S | Other specified injury of unspecified pulmonary blood vessels, sequela |
| S25.501D | Unspecified injury of intercostal blood vessels, right side, subsequent encounter |
| S25.501S | Unspecified injury of intercostal blood vessels, right side, sequela |
| S25.502D | Unspecified injury of intercostal blood vessels, left side, subsequent encounter |
| S25.502S | Unspecified injury of intercostal blood vessels, left side, sequela |
| S25.509D | Unspecified injury of intercostal blood vessels, unspecified side, subsequent encounter |
| S25.509S | Unspecified injury of intercostal blood vessels, unspecified side, sequela |
| S25.511D | Laceration of intercostal blood vessels, right side, subsequent encounter |
| S25.511S | Laceration of intercostal blood vessels, right side, sequela |
| S25.512D | Laceration of intercostal blood vessels, left side, subsequent encounter |
| S25.512S | Laceration of intercostal blood vessels, left side, sequela |
| S25.519D | Laceration of intercostal blood vessels, unspecified side, subsequent encounter |
| S25.519S | Laceration of intercostal blood vessels, unspecified side, sequela |
| S25.591D | Other specified injury of intercostal blood vessels, right side, subsequent encounter |
| S25.591S | Other specified injury of intercostal blood vessels, right side, sequela |
| S25.592D | Other specified injury of intercostal blood vessels, left side, subsequent encounter |
| S25.592S | Other specified injury of intercostal blood vessels, left side, sequela |
| S25.599D | Other specified injury of intercostal blood vessels, unspecified side, subsequent encounter |
| S25.599S | Other specified injury of intercostal blood vessels, unspecified side, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S25.801D | Unspecified injury of other blood vessels of thorax, right side, subsequent encounter |
| S25.801S | Unspecified injury of other blood vessels of thorax, right side, sequela |
| S25.802D | Unspecified injury of other blood vessels of thorax, left side, subsequent encounter |
| S25.802S | Unspecified injury of other blood vessels of thorax, left side, sequela |
| S25.809D | Unspecified injury of other blood vessels of thorax, unspecified side, subsequent encounter |
| S25.809S | Unspecified injury of other blood vessels of thorax, unspecified side, sequela |
| S25.811D | Laceration of other blood vessels of thorax, right side, subsequent encounter |
| S25.811S | Laceration of other blood vessels of thorax, right side, sequela |
| S25.812D | Laceration of other blood vessels of thorax, left side, subsequent encounter |
| S25.812S | Laceration of other blood vessels of thorax, left side, sequela |
| S25.819D | Laceration of other blood vessels of thorax, unspecified side, subsequent encounter |
| S25.819S | Laceration of other blood vessels of thorax, unspecified side, sequela |
| S25.891D | Other specified injury of other blood vessels of thorax, right side, subsequent encounter |
| S25.891S | Other specified injury of other blood vessels of thorax, right side, sequela |
| S25.892D | Other specified injury of other blood vessels of thorax, left side, subsequent encounter |
| S25.892S | Other specified injury of other blood vessels of thorax, left side, sequela |
| S25.899D | Other specified injury of other blood vessels of thorax, unspecified side, subsequent encounter |
| S25.899S | Other specified injury of other blood vessels of thorax, unspecified side, sequela |
| S25.90XD | Unspecified injury of unspecified blood vessel of thorax, subsequent encounter |
| S25.90XS | Unspecified injury of unspecified blood vessel of thorax, sequela |
| S25.91XD | Laceration of unspecified blood vessel of thorax, subsequent encounter |
| S25.91XS | Laceration of unspecified blood vessel of thorax, sequela |
| S25.99XD | Other specified injury of unspecified blood vessel of thorax, subsequent encounter |
| S25.99XS | Other specified injury of unspecified blood vessel of thorax, sequela |
| S26.00XD | Unspecified injury of heart with hemopericardium, subsequent encounter |
| S26.00XS | Unspecified injury of heart with hemopericardium, sequela |
| S26.01XD | Contusion of heart with hemopericardium, subsequent encounter |
| S26.01XS | Contusion of heart with hemopericardium, sequela |
| S26.020D | Mild laceration of heart with hemopericardium, subsequent encounter |
| S26.020S | Mild laceration of heart with hemopericardium, sequela |
| S26.021D | Moderate laceration of heart with hemopericardium, subsequent encounter |
| S26.021S | Moderate laceration of heart with hemopericardium, sequela |
| S26.022D | Major laceration of heart with hemopericardium, subsequent encounter |
| S26.022S | Major laceration of heart with hemopericardium, sequela |
| S26.09XD | Other injury of heart with hemopericardium, subsequent encounter |
| S26.09XS | Other injury of heart with hemopericardium, sequela |
| S26.10XD | Unspecified injury of heart without hemopericardium, subsequent encounter |
| S26.10XS | Unspecified injury of heart without hemopericardium, sequela |
| S26.11XD | Contusion of heart without hemopericardium, subsequent encounter |
| S26.11XS | Contusion of heart without hemopericardium, sequela |
| S26.12XD | Laceration of heart without hemopericardium, subsequent encounter |
| S26.12XS | Laceration of heart without hemopericardium, sequela |
| S26.19XD | Other injury of heart without hemopericardium, subsequent encounter |
| S26.19XS | Other injury of heart without hemopericardium, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S26.90XD | Unspecified injury of heart, unspecified with or without hemopericardium, subsequent encounter |
| S26.90XS | Unspecified injury of heart, unspecified with or without hemopericardium, sequela |
| S26.91XD | Contusion of heart, unspecified with or without hemopericardium, subsequent encounter |
| S26.91XS | Contusion of heart, unspecified with or without hemopericardium, sequela |
| S26.92XD | Laceration of heart, unspecified with or without hemopericardium, subsequent encounter |
| S26.92XS | Laceration of heart, unspecified with or without hemopericardium, sequela |
| S26.99XD | Other injury of heart, unspecified with or without hemopericardium, subsequent encounter |
| S26.99XS | Other injury of heart, unspecified with or without hemopericardium, sequela |
| S27.0XXD | Traumatic pneumothorax, subsequent encounter |
| S27.0XXS | Traumatic pneumothorax, sequela |
| S27.1XXD | Traumatic hemothorax, subsequent encounter |
| S27.1XXS | Traumatic hemothorax, sequela |
| S27.2XXD | Traumatic hemopneumothorax, subsequent encounter |
| S27.2XXS | Traumatic hemopneumothorax, sequela |
| S27.301D | Unspecified injury of lung, unilateral, subsequent encounter |
| S27.301S | Unspecified injury of lung, unilateral, sequela |
| S27.302D | Unspecified injury of lung, bilateral, subsequent encounter |
| S27.302S | Unspecified injury of lung, bilateral, sequela |
| S27.309D | Unspecified injury of lung, unspecified, subsequent encounter |
| S27.309S | Unspecified injury of lung, unspecified, sequela |
| S27.311D | Primary blast injury of lung, unilateral, subsequent encounter |
| S27.311S | Primary blast injury of lung, unilateral, sequela |
| S27.312D | Primary blast injury of lung, bilateral, subsequent encounter |
| S27.312S | Primary blast injury of lung, bilateral, sequela |
| S27.319D | Primary blast injury of lung, unspecified, subsequent encounter |
| S27.319S | Primary blast injury of lung, unspecified, sequela |
| S27.321D | Contusion of lung, unilateral, subsequent encounter |
| S27.321S | Contusion of lung, unilateral, sequela |
| S27.322D | Contusion of lung, bilateral, subsequent encounter |
| S27.322S | Contusion of lung, bilateral, sequela |
| S27.329D | Contusion of lung, unspecified, subsequent encounter |
| S27.329S | Contusion of lung, unspecified, sequela |
| S27.331D | Laceration of lung, unilateral, subsequent encounter |
| S27.331S | Laceration of lung, unilateral, sequela |
| S27.332D | Laceration of lung, bilateral, subsequent encounter |
| S27.332S | Laceration of lung, bilateral, sequela |
| S27.339D | Laceration of lung, unspecified, subsequent encounter |
| S27.339S | Laceration of lung, unspecified, sequela |
| S27.391D | Other injuries of lung, unilateral, subsequent encounter |
| S27.391S | Other injuries of lung, unilateral, sequela |
| S27.392D | Other injuries of lung, bilateral, subsequent encounter |
| S27.392S | Other injuries of lung, bilateral, sequela |
| S27.399D | Other injuries of lung, unspecified, subsequent encounter |
| S27.399S | Other injuries of lung, unspecified, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S27.401D | Unspecified injury of bronchus, unilateral, subsequent encounter |
| S27.401S | Unspecified injury of bronchus, unilateral, sequela |
| S27.402D | Unspecified injury of bronchus, bilateral, subsequent encounter |
| S27.402S | Unspecified injury of bronchus, bilateral, sequela |
| S27.409D | Unspecified injury of bronchus, unspecified, subsequent encounter |
| S27.409S | Unspecified injury of bronchus, unspecified, sequela |
| S27.411D | Primary blast injury of bronchus, unilateral, subsequent encounter |
| S27.411S | Primary blast injury of bronchus, unilateral, sequela |
| S27.412D | Primary blast injury of bronchus, bilateral, subsequent encounter |
| S27.412S | Primary blast injury of bronchus, bilateral, sequela |
| S27.419D | Primary blast injury of bronchus, unspecified, subsequent encounter |
| S27.419S | Primary blast injury of bronchus, unspecified, sequela |
| S27.421D | Contusion of bronchus, unilateral, subsequent encounter |
| S27.421S | Contusion of bronchus, unilateral, sequela |
| S27.422D | Contusion of bronchus, bilateral, subsequent encounter |
| S27.422S | Contusion of bronchus, bilateral, sequela |
| S27.429D | Contusion of bronchus, unspecified, subsequent encounter |
| S27.429S | Contusion of bronchus, unspecified, sequela |
| S27.431D | Laceration of bronchus, unilateral, subsequent encounter |
| S27.431S | Laceration of bronchus, unilateral, sequela |
| S27.432D | Laceration of bronchus, bilateral, subsequent encounter |
| S27.432S | Laceration of bronchus, bilateral, sequela |
| S27.439D | Laceration of bronchus, unspecified, subsequent encounter |
| S27.439S | Laceration of bronchus, unspecified, sequela |
| S27.491D | Other injury of bronchus, unilateral, subsequent encounter |
| S27.491S | Other injury of bronchus, unilateral, sequela |
| S27.492D | Other injury of bronchus, bilateral, subsequent encounter |
| S27.492S | Other injury of bronchus, bilateral, sequela |
| S27.499D | Other injury of bronchus, unspecified, subsequent encounter |
| S27.499S | Other injury of bronchus, unspecified, sequela |
| S27.50XD | Unspecified injury of thoracic trachea, subsequent encounter |
| S27.50XS | Unspecified injury of thoracic trachea, sequela |
| S27.51XD | Primary blast injury of thoracic trachea, subsequent encounter |
| S27.51XS | Primary blast injury of thoracic trachea, sequela |
| S27.52XD | Contusion of thoracic trachea, subsequent encounter |
| S27.52XS | Contusion of thoracic trachea, sequela |
| S27.53XD | Laceration of thoracic trachea, subsequent encounter |
| S27.53XS | Laceration of thoracic trachea, sequela |
| S27.59XD | Other injury of thoracic trachea, subsequent encounter |
| S27.59XS | Other injury of thoracic trachea, sequela |
| S27.60XD | Unspecified injury of pleura, subsequent encounter |
| S27.60XS | Unspecified injury of pleura, sequela |
| S27.63XD | Laceration of pleura, subsequent encounter |
| S27.63XS | Laceration of pleura, sequela |
| S27.69XD | Other injury of pleura, subsequent encounter |
| S27.69XS | Other injury of pleura, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S27.802D | Contusion of diaphragm, subsequent encounter |
| S27.802S | Contusion of diaphragm, sequela |
| S27.803D | Laceration of diaphragm, subsequent encounter |
| S27.803S | Laceration of diaphragm, sequela |
| S27.808D | Other injury of diaphragm, subsequent encounter |
| S27.808S | Other injury of diaphragm, sequela |
| S27.809D | Unspecified injury of diaphragm, subsequent encounter |
| S27.809S | Unspecified injury of diaphragm, sequela |
| S27.812D | Contusion of esophagus (thoracic part), subsequent encounter |
| S27.812S | Contusion of esophagus (thoracic part), sequela |
| S27.813D | Laceration of esophagus (thoracic part), subsequent encounter |
| S27.813S | Laceration of esophagus (thoracic part), sequela |
| S27.818D | Other injury of esophagus (thoracic part), subsequent encounter |
| S27.818S | Other injury of esophagus (thoracic part), sequela |
| S27.819D | Unspecified injury of esophagus (thoracic part), subsequent encounter |
| S27.819S | Unspecified injury of esophagus (thoracic part), sequela |
| S27.892D | Contusion of other specified intrathoracic organs, subsequent encounter |
| S27.892S | Contusion of other specified intrathoracic organs, sequela |
| S27.893D | Laceration of other specified intrathoracic organs, subsequent encounter |
| S27.893S | Laceration of other specified intrathoracic organs, sequela |
| S27.898D | Other injury of other specified intrathoracic organs, subsequent encounter |
| S27.898S | Other injury of other specified intrathoracic organs, sequela |
| S27.899D | Unspecified injury of other specified intrathoracic organs, subsequent encounter |
| S27.899S | Unspecified injury of other specified intrathoracic organs, sequela |
| S27.9XXD | Injury of unspecified intrathoracic organ, subsequent encounter |
| S27.9XXS | Injury of unspecified intrathoracic organ, sequela |
| S28.0XXD | Crushed chest, subsequent encounter |
| S28.0XXS | Crushed chest, sequela |
| S28.1XXD | Traumatic amputation (partial) of part of thorax, except breast, subsequent encounter |
| S28.1XXS | Traumatic amputation (partial) of part of thorax, except breast, sequela |
| S28.211D | Complete traumatic amputation of right breast, subsequent encounter |
| S28.211S | Complete traumatic amputation of right breast, sequela |
| S28.212D | Complete traumatic amputation of left breast, subsequent encounter |
| S28.212S | Complete traumatic amputation of left breast, sequela |
| S28.219D | Complete traumatic amputation of unspecified breast, subsequent encounter |
| S28.219S | Complete traumatic amputation of unspecified breast, sequela |
| S28.221D | Partial traumatic amputation of right breast, subsequent encounter |
| S28.221S | Partial traumatic amputation of right breast, sequela |
| S28.222D | Partial traumatic amputation of left breast, subsequent encounter |
| S28.222S | Partial traumatic amputation of left breast, sequela |
| S28.229D | Partial traumatic amputation of unspecified breast, subsequent encounter |
| S28.229S | Partial traumatic amputation of unspecified breast, sequela |
| S29.001D | Unspecified injury of muscle and tendon of front wall of thorax, subsequent encounter |
| S29.001S | Unspecified injury of muscle and tendon of front wall of thorax, sequela |
| S29.002D | Unspecified injury of muscle and tendon of back wall of thorax, subsequent encounter |
| S29.002S | Unspecified injury of muscle and tendon of back wall of thorax, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S29.009D | Unspecified injury of muscle and tendon of unspecified wall of thorax, subsequent encounter |
| S29.009S | Unspecified injury of muscle and tendon of unspecified wall of thorax, sequela |
| S29.011D | Strain of muscle and tendon of front wall of thorax, subsequent encounter |
| S29.011S | Strain of muscle and tendon of front wall of thorax, sequela |
| S29.012D | Strain of muscle and tendon of back wall of thorax, subsequent encounter |
| S29.012S | Strain of muscle and tendon of back wall of thorax, sequela |
| S29.019D | Strain of muscle and tendon of unspecified wall of thorax, subsequent encounter |
| S29.019S | Strain of muscle and tendon of unspecified wall of thorax, sequela |
| S29.021D | Laceration of muscle and tendon of front wall of thorax, subsequent encounter |
| S29.021S | Laceration of muscle and tendon of front wall of thorax, sequela |
| S29.022D | Laceration of muscle and tendon of back wall of thorax, subsequent encounter |
| S29.022S | Laceration of muscle and tendon of back wall of thorax, sequela |
| S29.029D | Laceration of muscle and tendon of unspecified wall of thorax, subsequent encounter |
| S29.029S | Laceration of muscle and tendon of unspecified wall of thorax, sequela |
| S29.091D | Other injury of muscle and tendon of front wall of thorax, subsequent encounter |
| S29.091S | Other injury of muscle and tendon of front wall of thorax, sequela |
| S29.092D | Other injury of muscle and tendon of back wall of thorax, subsequent encounter |
| S29.092S | Other injury of muscle and tendon of back wall of thorax, sequela |
| S29.099D | Other injury of muscle and tendon of unspecified wall of thorax, subsequent encounter |
| S29.099S | Other injury of muscle and tendon of unspecified wall of thorax, sequela |
| S29.8XXD | Other specified injuries of thorax, subsequent encounter |
| S29.8XXS | Other specified injuries of thorax, sequela |
| S29.9XXD | Unspecified injury of thorax, subsequent encounter |
| S29.9XXS | Unspecified injury of thorax, sequela |
| S30.0XXD | Contusion of lower back and pelvis, subsequent encounter |
| S30.0XXS | Contusion of lower back and pelvis, sequela |
| S30.1XXD | Contusion of abdominal wall, subsequent encounter |
| S30.1XXS | Contusion of abdominal wall, sequela |
| S30.201D | Contusion of unspecified external genital organ, male, subsequent encounter |
| S30.201S | Contusion of unspecified external genital organ, male, sequela |
| S30.202D | Contusion of unspecified external genital organ, female, subsequent encounter |
| S30.202S | Contusion of unspecified external genital organ, female, sequela |
| S30.21XD | Contusion of penis, subsequent encounter |
| S30.21XS | Contusion of penis, sequela |
| S30.22XD | Contusion of scrotum and testes, subsequent encounter |
| S30.22XS | Contusion of scrotum and testes, sequela |
| S30.23XD | Contusion of vagina and vulva, subsequent encounter |
| S30.23XS | Contusion of vagina and vulva, sequela |
| S30.3XXD | Contusion of anus, subsequent encounter |
| S30.3XXS | Contusion of anus, sequela |
| S30.810D | Abrasion of lower back and pelvis, subsequent encounter |
| S30.810S | Abrasion of lower back and pelvis, sequela |
| S30.811D | Abrasion of abdominal wall, subsequent encounter |
| S30.811S | Abrasion of abdominal wall, sequela |
| S30.812D | Abrasion of penis, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S30.812S | Abrasion of penis, sequela |
| S30.813D | Abrasion of scrotum and testes, subsequent encounter |
| S30.813S | Abrasion of scrotum and testes, sequela |
| S30.814D | Abrasion of vagina and vulva, subsequent encounter |
| S30.814S | Abrasion of vagina and vulva, sequela |
| S30.815D | Abrasion of unspecified external genital organs, male, subsequent encounter |
| S30.815S | Abrasion of unspecified external genital organs, male, sequela |
| S30.816D | Abrasion of unspecified external genital organs, female, subsequent encounter |
| S30.816S | Abrasion of unspecified external genital organs, female, sequela |
| S30.817D | Abrasion of anus, subsequent encounter |
| S30.817S | Abrasion of anus, sequela |
| S30.820D | Blister (nonthermal) of lower back and pelvis, subsequent encounter |
| S30.820S | Blister (nonthermal) of lower back and pelvis, sequela |
| S30.821D | Blister (nonthermal) of abdominal wall, subsequent encounter |
| S30.821S | Blister (nonthermal) of abdominal wall, sequela |
| S30.822D | Blister (nonthermal) of penis, subsequent encounter |
| S30.822S | Blister (nonthermal) of penis, sequela |
| S30.823D | Blister (nonthermal) of scrotum and testes, subsequent encounter |
| S30.823S | Blister (nonthermal) of scrotum and testes, sequela |
| S30.824D | Blister (nonthermal) of vagina and vulva, subsequent encounter |
| S30.824S | Blister (nonthermal) of vagina and vulva, sequela |
| S30.825D | Blister (nonthermal) of unspecified external genital organs, male, subsequent encounter |
| S30.825S | Blister (nonthermal) of unspecified external genital organs, male, sequela |
| S30.826D | Blister (nonthermal) of unspecified external genital organs, female, subsequent encounter |
| S30.826S | Blister (nonthermal) of unspecified external genital organs, female, sequela |
| S30.827D | Blister (nonthermal) of anus, subsequent encounter |
| S30.827S | Blister (nonthermal) of anus, sequela |
| S30.840D | External constriction of lower back and pelvis, subsequent encounter |
| S30.840S | External constriction of lower back and pelvis, sequela |
| S30.841D | External constriction of abdominal wall, subsequent encounter |
| S30.841S | External constriction of abdominal wall, sequela |
| S30.842D | External constriction of penis, subsequent encounter |
| S30.842S | External constriction of penis, sequela |
| S30.843D | External constriction of scrotum and testes, subsequent encounter |
| S30.843S | External constriction of scrotum and testes, sequela |
| S30.844D | External constriction of vagina and vulva, subsequent encounter |
| S30.844S | External constriction of vagina and vulva, sequela |
| S30.845D | External constriction of unspecified external genital organs, male, subsequent encounter |
| S30.845S | External constriction of unspecified external genital organs, male, sequela |
| S30.846D | External constriction of unspecified external genital organs, female, subsequent encounter |
| S30.846S | External constriction of unspecified external genital organs, female, sequela |
| S30.850D | Superficial foreign body of lower back and pelvis, subsequent encounter |
| S30.850S | Superficial foreign body of lower back and pelvis, sequela |
| S30.851D | Superficial foreign body of abdominal wall, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S30.851S | Superficial foreign body of abdominal wall, sequela |
| S30.852D | Superficial foreign body of penis, subsequent encounter |
| S30.852S | Superficial foreign body of penis, sequela |
| S30.853D | Superficial foreign body of scrotum and testes, subsequent encounter |
| S30.853S | Superficial foreign body of scrotum and testes, sequela |
| S30.854D | Superficial foreign body of vagina and vulva, subsequent encounter |
| S30.854S | Superficial foreign body of vagina and vulva, sequela |
| S30.855D | Superficial foreign body of unspecified external genital organs, male, subsequent encounter |
| S30.855S | Superficial foreign body of unspecified external genital organs, male, sequela |
| S30.856D | Superficial foreign body of unspecified external genital organs, female, subsequent encounter |
| S30.856S | Superficial foreign body of unspecified external genital organs, female, sequela |
| S30.857D | Superficial foreign body of anus, subsequent encounter |
| S30.857S | Superficial foreign body of anus, sequela |
| S30.860D | Insect bite (nonvenomous) of lower back and pelvis, subsequent encounter |
| S30.860S | Insect bite (nonvenomous) of lower back and pelvis, sequela |
| S30.861D | Insect bite (nonvenomous) of abdominal wall, subsequent encounter |
| S30.861S | Insect bite (nonvenomous) of abdominal wall, sequela |
| S30.862D | Insect bite (nonvenomous) of penis, subsequent encounter |
| S30.862S | Insect bite (nonvenomous) of penis, sequela |
| S30.863D | Insect bite (nonvenomous) of scrotum and testes, subsequent encounter |
| S30.863S | Insect bite (nonvenomous) of scrotum and testes, sequela |
| S30.864D | Insect bite (nonvenomous) of vagina and vulva, subsequent encounter |
| S30.864S | Insect bite (nonvenomous) of vagina and vulva, sequela |
| S30.865D | Insect bite (nonvenomous) of unspecified external genital organs, male, subsequent encounter |
| S30.865S | Insect bite (nonvenomous) of unspecified external genital organs, male, sequela |
| S30.866D | Insect bite (nonvenomous) of unspecified external genital organs, female, subsequent encounter |
| S30.866S | Insect bite (nonvenomous) of unspecified external genital organs, female, sequela |
| S30.867D | Insect bite (nonvenomous) of anus, subsequent encounter |
| S30.867S | Insect bite (nonvenomous) of anus, sequela |
| S30.870D | Other superficial bite of lower back and pelvis, subsequent encounter |
| S30.870S | Other superficial bite of lower back and pelvis, sequela |
| S30.871D | Other superficial bite of abdominal wall, subsequent encounter |
| S30.871S | Other superficial bite of abdominal wall, sequela |
| S30.872D | Other superficial bite of penis, subsequent encounter |
| S30.872S | Other superficial bite of penis, sequela |
| S30.873D | Other superficial bite of scrotum and testes, subsequent encounter |
| S30.873S | Other superficial bite of scrotum and testes, sequela |
| S30.874D | Other superficial bite of vagina and vulva, subsequent encounter |
| S30.874S | Other superficial bite of vagina and vulva, sequela |
| S30.875D | Other superficial bite of unspecified external genital organs, male, subsequent encounter |
| S30.875S | Other superficial bite of unspecified external genital organs, male, sequela |
| S30.876D | Other superficial bite of unspecified external genital organs, female, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S30.876S | Other superficial bite of unspecified external genital organs, female, sequela |
| S30.877D | Other superficial bite of anus, subsequent encounter |
| S30.877S | Other superficial bite of anus, sequela |
| S30.91XD | Unspecified superficial injury of lower back and pelvis, subsequent encounter |
| S30.91XS | Unspecified superficial injury of lower back and pelvis, sequela |
| S30.92XD | Unspecified superficial injury of abdominal wall, subsequent encounter |
| S30.92XS | Unspecified superficial injury of abdominal wall, sequela |
| S30.93XD | Unspecified superficial injury of penis, subsequent encounter |
| S30.93XS | Unspecified superficial injury of penis, sequela |
| S30.94XD | Unspecified superficial injury of scrotum and testes, subsequent encounter |
| S30.94XS | Unspecified superficial injury of scrotum and testes, sequela |
| S30.95XD | Unspecified superficial injury of vagina and vulva, subsequent encounter |
| S30.95XS | Unspecified superficial injury of vagina and vulva, sequela |
| S30.96XD | Unspecified superficial injury of unspecified external genital organs, male, subsequent encounter |
| S30.96XS | Unspecified superficial injury of unspecified external genital organs, male, sequela |
| S30.97XD | Unspecified superficial injury of unspecified external genital organs, female, subsequent encounter |
| S30.97XS | Unspecified superficial injury of unspecified external genital organs, female, sequela |
| S30.98XD | Unspecified superficial injury of anus, subsequent encounter |
| S30.98XS | Unspecified superficial injury of anus, sequela |
| S31.000D | Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.000S | Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.001D | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.001S | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.010D | Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.010S | Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.011D | Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.011S | Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.020D | Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.020S | Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.021D | Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.021S | Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.030D | Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.030S | Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.031D | Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.031S | Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.040D | Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.040S | Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.041D | Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.041S | Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.050D | Open bite of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.050S | Open bite of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.051D | Open bite of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.051S | Open bite of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.100D | Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.100S | Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.101D | Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.101S | Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.102D | Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.102S | Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela |
| S31.103D | Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.103S | Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.104D | Unspecified open wound of abdominal wall, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.104S | Unspecified open wound of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela |
| S31.105D | Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.105S | Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.109D | Unspecified open wound of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.109S | Unspecified open wound of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.110D | Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.110S | Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.111D | Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.111S | Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.112D | Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.112S | Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela |
| S31.113D | Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.113S | Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.114D | Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.114S | Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela |
| S31.115D | Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.115S | Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.119D | Laceration without foreign body of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.119S | Laceration without foreign body of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, sequela |
| S31.120D | Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.120S | Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.121D | Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.121S | Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.122D | Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.122S | Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, sequela |
| S31.123D | Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.123S | Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.124D | Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.124S | Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.125D | Laceration of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.125S | Laceration of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.129D | Laceration of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.129S | Laceration of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, sequela |
| S31.130D | Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.130S | Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.131D | Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.131S | Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.132D | Puncture wound of abdominal wall without foreign body, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.132S | Puncture wound of abdominal wall without foreign body, epigastric region without penetration into peritoneal cavity, sequela |
| S31.133D | Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.133S | Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.134D | Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.134S | Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, sequela |
| S31.135D | Puncture wound of abdominal wall without foreign body, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.135S | Puncture wound of abdominal wall without foreign body, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.139D | Puncture wound of abdominal wall without foreign body, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.139S | Puncture wound of abdominal wall without foreign body, unspecified quadrant without penetration into peritoneal cavity, sequela |
| S31.140D | Puncture wound of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.140S | Puncture wound of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.141D | Puncture wound of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.141S | Puncture wound of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.142D | Puncture wound of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.142S | Puncture wound of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.143D | Puncture wound of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.143S | Puncture wound of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.144D | Puncture wound of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.144S | Puncture wound of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, sequela |
| S31.145D | Puncture wound of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.145S | Puncture wound of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.149D | Puncture wound of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.149S | Puncture wound of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, sequela |
| S31.150D | Open bite of abdominal wall, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.150S | Open bite of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.151D | Open bite of abdominal wall, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.151S | Open bite of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.152D | Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.152S | Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela |
| S31.153D | Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.153S | Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.154D | Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.154S | Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela |
| S31.155D | Open bite of abdominal wall, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.155S | Open bite of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.159D | Open bite of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.159S | Open bite of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, sequela |
| S31.20XD | Unspecified open wound of penis, subsequent encounter |
| S31.20XS | Unspecified open wound of penis, sequela |
| S31.21XD | Laceration without foreign body of penis, subsequent encounter |
| S31.21XS | Laceration without foreign body of penis, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.22XD | Laceration with foreign body of penis, subsequent encounter |
| S31.22XS | Laceration with foreign body of penis, sequela |
| S31.23XD | Puncture wound without foreign body of penis, subsequent encounter |
| S31.23XS | Puncture wound without foreign body of penis, sequela |
| S31.24XD | Puncture wound with foreign body of penis, subsequent encounter |
| S31.24XS | Puncture wound with foreign body of penis, sequela |
| S31.25XD | Open bite of penis, subsequent encounter |
| S31.25XS | Open bite of penis, sequela |
| S31.30XD | Unspecified open wound of scrotum and testes, subsequent encounter |
| S31.30XS | Unspecified open wound of scrotum and testes, sequela |
| S31.31XD | Laceration without foreign body of scrotum and testes, subsequent encounter |
| S31.31XS | Laceration without foreign body of scrotum and testes, sequela |
| S31.32XD | Laceration with foreign body of scrotum and testes, subsequent encounter |
| S31.32XS | Laceration with foreign body of scrotum and testes, sequela |
| S31.33XD | Puncture wound without foreign body of scrotum and testes, subsequent encounter |
| S31.33XS | Puncture wound without foreign body of scrotum and testes, sequela |
| S31.34XD | Puncture wound with foreign body of scrotum and testes, subsequent encounter |
| S31.34XS | Puncture wound with foreign body of scrotum and testes, sequela |
| S31.35XD | Open bite of scrotum and testes, subsequent encounter |
| S31.35XS | Open bite of scrotum and testes, sequela |
| S31.40XD | Unspecified open wound of vagina and vulva, subsequent encounter |
| S31.40XS | Unspecified open wound of vagina and vulva, sequela |
| S31.41XD | Laceration without foreign body of vagina and vulva, subsequent encounter |
| S31.41XS | Laceration without foreign body of vagina and vulva, sequela |
| S31.42XD | Laceration with foreign body of vagina and vulva, subsequent encounter |
| S31.42XS | Laceration with foreign body of vagina and vulva, sequela |
| S31.43XD | Puncture wound without foreign body of vagina and vulva, subsequent encounter |
| S31.43XS | Puncture wound without foreign body of vagina and vulva, sequela |
| S31.44XD | Puncture wound with foreign body of vagina and vulva, subsequent encounter |
| S31.44XS | Puncture wound with foreign body of vagina and vulva, sequela |
| S31.45XD | Open bite of vagina and vulva, subsequent encounter |
| S31.45XS | Open bite of vagina and vulva, sequela |
| S31.501D | Unspecified open wound of unspecified external genital organs, male, subsequent encounter |
| S31.501S | Unspecified open wound of unspecified external genital organs, male, sequela |
| S31.502D | Unspecified open wound of unspecified external genital organs, female, subsequent encounter |
| S31.502S | Unspecified open wound of unspecified external genital organs, female, sequela |
| S31.511D | Laceration without foreign body of unspecified external genital organs, male, subsequent encounter |
| S31.511S | Laceration without foreign body of unspecified external genital organs, male, sequela |
| S31.512D | Laceration without foreign body of unspecified external genital organs, female, subsequent encounter |
| S31.512S | Laceration without foreign body of unspecified external genital organs, female, sequela |
| S31.521D | Laceration with foreign body of unspecified external genital organs, male, subsequent encounter |
| S31.521S | Laceration with foreign body of unspecified external genital organs, male, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.522D | Laceration with foreign body of unspecified external genital organs, female, subsequent encounter |
| S31.522S | Laceration with foreign body of unspecified external genital organs, female, sequela |
| S31.531D | Puncture wound without foreign body of unspecified external genital organs, male, subsequent encounter |
| S31.531S | Puncture wound without foreign body of unspecified external genital organs, male, sequela |
| S31.532D | Puncture wound without foreign body of unspecified external genital organs, female, subsequent encounter |
| S31.532S | Puncture wound without foreign body of unspecified external genital organs, female, sequela |
| S31.541D | Puncture wound with foreign body of unspecified external genital organs, male, subsequent encounter |
| S31.541S | Puncture wound with foreign body of unspecified external genital organs, male, sequela |
| S31.542D | Puncture wound with foreign body of unspecified external genital organs, female, subsequent encounter |
| S31.542S | Puncture wound with foreign body of unspecified external genital organs, female, sequela |
| S31.551D | Open bite of unspecified external genital organs, male, subsequent encounter |
| S31.551S | Open bite of unspecified external genital organs, male, sequela |
| S31.552D | Open bite of unspecified external genital organs, female, subsequent encounter |
| S31.552S | Open bite of unspecified external genital organs, female, sequela |
| S31.600D | Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.600S | Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.601D | Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.601S | Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.602D | Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.602S | Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.603D | Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.603S | Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.604D | Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.604S | Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.605D | Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.605S | Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |
| S31.609D | Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.609S | Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela |
| S31.610D | Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.610S | Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.611D | Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.611S | Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.612D | Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.612S | Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.613D | Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.613S | Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.614D | Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.614S | Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.615D | Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.615S | Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |
| S31.619D | Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.619S | Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela |
| S31.620D | Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.620S | Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.621D | Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.621S | Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.622D | Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.622S | Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.623D | Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.623S | Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.624D | Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.624S | Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.625D | Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.625S | Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |
| S31.629D | Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.629S | Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela |
| S31.630D | Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.630S | Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.631D | Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.631S | Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.632D | Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.632S | Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.633D | Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.633S | Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.634D | Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.634S | Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.635D | Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.635S | Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |
| S31.639D | Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.639S | Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela |
| S31.640D | Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.640S | Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.641D | Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.641S | Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.642D | Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.642S | Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.643D | Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.643S | Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.644D | Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.644S | Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.645D | Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.645S | Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |
| S31.649D | Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.649S | Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela |
| S31.650D | Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.650S | Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.651D | Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.651S | Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.652D | Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.652S | Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.653D | Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.653S | Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.654D | Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.654S | Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.655D | Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.655S | Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |
| S31.659D | Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.659S | Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela |
| S31.801D | Laceration without foreign body of unspecified buttock, subsequent encounter |
| S31.801S | Laceration without foreign body of unspecified buttock, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S31.802D | Laceration with foreign body of unspecified buttock, subsequent encounter |
| S31.802S | Laceration with foreign body of unspecified buttock, sequela |
| S31.803D | Puncture wound without foreign body of unspecified buttock, subsequent encounter |
| S31.803S | Puncture wound without foreign body of unspecified buttock, sequela |
| S31.804D | Puncture wound with foreign body of unspecified buttock, subsequent encounter |
| S31.804S | Puncture wound with foreign body of unspecified buttock, sequela |
| S31.805D | Open bite of unspecified buttock, subsequent encounter |
| S31.805S | Open bite of unspecified buttock, sequela |
| S31.809D | Unspecified open wound of unspecified buttock, subsequent encounter |
| S31.809S | Unspecified open wound of unspecified buttock, sequela |
| S31.811D | Laceration without foreign body of right buttock, subsequent encounter |
| S31.811S | Laceration without foreign body of right buttock, sequela |
| S31.812D | Laceration with foreign body of right buttock, subsequent encounter |
| S31.812S | Laceration with foreign body of right buttock, sequela |
| S31.813D | Puncture wound without foreign body of right buttock, subsequent encounter |
| S31.813S | Puncture wound without foreign body of right buttock, sequela |
| S31.814D | Puncture wound with foreign body of right buttock, subsequent encounter |
| S31.814S | Puncture wound with foreign body of right buttock, sequela |
| S31.815D | Open bite of right buttock, subsequent encounter |
| S31.815S | Open bite of right buttock, sequela |
| S31.819D | Unspecified open wound of right buttock, subsequent encounter |
| S31.819S | Unspecified open wound of right buttock, sequela |
| S31.821D | Laceration without foreign body of left buttock, subsequent encounter |
| S31.821S | Laceration without foreign body of left buttock, sequela |
| S31.822D | Laceration with foreign body of left buttock, subsequent encounter |
| S31.822S | Laceration with foreign body of left buttock, sequela |
| S31.823D | Puncture wound without foreign body of left buttock, subsequent encounter |
| S31.823S | Puncture wound without foreign body of left buttock, sequela |
| S31.824D | Puncture wound with foreign body of left buttock, subsequent encounter |
| S31.824S | Puncture wound with foreign body of left buttock, sequela |
| S31.825D | Open bite of left buttock, subsequent encounter |
| S31.825S | Open bite of left buttock, sequela |
| S31.829D | Unspecified open wound of left buttock, subsequent encounter |
| S31.829S | Unspecified open wound of left buttock, sequela |
| S31.831D | Laceration without foreign body of anus, subsequent encounter |
| S31.831S | Laceration without foreign body of anus, sequela |
| S31.832D | Laceration with foreign body of anus, subsequent encounter |
| S31.832S | Laceration with foreign body of anus, sequela |
| S31.833D | Puncture wound without foreign body of anus, subsequent encounter |
| S31.833S | Puncture wound without foreign body of anus, sequela |
| S31.834D | Puncture wound with foreign body of anus, subsequent encounter |
| S31.834S | Puncture wound with foreign body of anus, sequela |
| S31.835D | Open bite of anus, subsequent encounter |
| S31.835S | Open bite of anus, sequela |
| S31.839D | Unspecified open wound of anus, subsequent encounter |
| S31.839S | Unspecified open wound of anus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.000D | Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.000G | Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.000K | Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.000S | Wedge compression fracture of unspecified lumbar vertebra, sequela |
| S32.001D | Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.001G | Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.001K | Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.001S | Stable burst fracture of unspecified lumbar vertebra, sequela |
| S32.002D | Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.002G | Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.002K | Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.002S | Unstable burst fracture of unspecified lumbar vertebra, sequela |
| S32.008D | Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.008G | Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.008K | Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.008S | Other fracture of unspecified lumbar vertebra, sequela |
| S32.009D | Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.009G | Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.009K | Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.009S | Unspecified fracture of unspecified lumbar vertebra, sequela |
| S32.010D | Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.010G | Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.010K | Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.010S | Wedge compression fracture of first lumbar vertebra, sequela |
| S32.011D | Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.011G | Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.011K | Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.011S | Stable burst fracture of first lumbar vertebra, sequela |
| S32.012D | Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.012G | Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.012K | Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.012S | Unstable burst fracture of first lumbar vertebra, sequela |
| S32.018D | Other fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.018G | Other fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.018K | Other fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.018S | Other fracture of first lumbar vertebra, sequela |
| S32.019D | Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.019G | Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.019K | Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.019S | Unspecified fracture of first lumbar vertebra, sequela |
| S32.020D | Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.020G | Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.020K | Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.020S | Wedge compression fracture of second lumbar vertebra, sequela |
| S32.021D | Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.021G | Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.021K | Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.021S | Stable burst fracture of second lumbar vertebra, sequela |
| S32.022D | Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.022G | Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.022K | Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.022S | Unstable burst fracture of second lumbar vertebra, sequela |
| S32.028D | Other fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.028G | Other fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.028K | Other fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.028S | Other fracture of second lumbar vertebra, sequela |
| S32.029D | Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.029G | Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.029K | Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.029S | Unspecified fracture of second lumbar vertebra, sequela |
| S32.030D | Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.030G | Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.030K | Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.030S | Wedge compression fracture of third lumbar vertebra, sequela |
| S32.031D | Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.031G | Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.031K | Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.031S | Stable burst fracture of third lumbar vertebra, sequela |
| S32.032D | Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.032G | Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.032K | Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.032S | Unstable burst fracture of third lumbar vertebra, sequela |
| S32.038D | Other fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.038G | Other fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.038K | Other fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.038S | Other fracture of third lumbar vertebra, sequela |
| S32.039D | Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.039G | Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.039K | Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.039S | Unspecified fracture of third lumbar vertebra, sequela |
| S32.040D | Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.040G | Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.040K | Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.040S | Wedge compression fracture of fourth lumbar vertebra, sequela |
| S32.041D | Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.041G | Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.041K | Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.041S | Stable burst fracture of fourth lumbar vertebra, sequela |
| S32.042D | Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.042G | Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.042K | Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.042S | Unstable burst fracture of fourth lumbar vertebra, sequela |
| S32.048D | Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.048G | Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.048K | Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.048S | Other fracture of fourth lumbar vertebra, sequela |
| S32.049D | Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.049G | Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.049K | Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.049S | Unspecified fracture of fourth lumbar vertebra, sequela |
| S32.050D | Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.050G | Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.050K | Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.050S | Wedge compression fracture of fifth lumbar vertebra, sequela |
| S32.051D | Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.051G | Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.051K | Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.051S | Stable burst fracture of fifth lumbar vertebra, sequela |
| S32.052D | Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.052G | Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.052K | Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.052S | Unstable burst fracture of fifth lumbar vertebra, sequela |
| S32.058D | Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.058G | Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.058K | Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.058S | Other fracture of fifth lumbar vertebra, sequela |
| S32.059D | Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.059G | Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.059K | Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.059S | Unspecified fracture of fifth lumbar vertebra, sequela |
| S32.10XD | Unspecified fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.10XG | Unspecified fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.10XK | Unspecified fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.10XS | Unspecified fracture of sacrum, sequela |
| S32.110D | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.110G | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.110K | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.110S | Nondisplaced Zone I fracture of sacrum, sequela |
| S32.111D | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.111G | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.111K | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.111S | Minimally displaced Zone I fracture of sacrum, sequela |
| S32.112D | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.112G | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.112K | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.112S | Severely displaced Zone I fracture of sacrum, sequela |
| S32.119D | Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.119G | Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.119K | Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.119S | Unspecified Zone I fracture of sacrum, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.120D | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.120G | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.120K | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.120S | Nondisplaced Zone II fracture of sacrum, sequela |
| S32.121D | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.121G | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.121K | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.121S | Minimally displaced Zone II fracture of sacrum, sequela |
| S32.122D | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.122G | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.122K | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.122S | Severely displaced Zone II fracture of sacrum, sequela |
| S32.129D | Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.129G | Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.129K | Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.129S | Unspecified Zone II fracture of sacrum, sequela |
| S32.130D | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.130G | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.130K | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.130S | Nondisplaced Zone III fracture of sacrum, sequela |
| S32.131D | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.131G | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.131K | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.131S | Minimally displaced Zone III fracture of sacrum, sequela |
| S32.132D | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.132G | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.132K | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.132S | Severely displaced Zone III fracture of sacrum, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.139D | Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.139G | Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.139K | Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.139S | Unspecified Zone III fracture of sacrum, sequela |
| S32.14XD | Type 1 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.14XG | Type 1 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.14XK | Type 1 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.14XS | Type 1 fracture of sacrum, sequela |
| S32.15XD | Type 2 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.15XG | Type 2 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.15XK | Type 2 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.15XS | Type 2 fracture of sacrum, sequela |
| S32.16XD | Type 3 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.16XG | Type 3 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.16XK | Type 3 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.16XS | Type 3 fracture of sacrum, sequela |
| S32.17XD | Type 4 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.17XG | Type 4 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.17XK | Type 4 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.17XS | Type 4 fracture of sacrum, sequela |
| S32.19XD | Other fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.19XG | Other fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.19XK | Other fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.19XS | Other fracture of sacrum, sequela |
| S32.2XXD | Fracture of coccyx, subsequent encounter for fracture with routine healing |
| S32.2XXG | Fracture of coccyx, subsequent encounter for fracture with delayed healing |
| S32.2XXK | Fracture of coccyx, subsequent encounter for fracture with nonunion |
| S32.2XXS | Fracture of coccyx, sequela |
| S32.301D | Unspecified fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.301G | Unspecified fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.301K | Unspecified fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.301S | Unspecified fracture of right ilium, sequela |
| S32.302D | Unspecified fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.302G | Unspecified fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.302K | Unspecified fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.302S | Unspecified fracture of left ilium, sequela |
| S32.309D | Unspecified fracture of unspecified ilium, subsequent encounter for fracture with routine healing |
| S32.309G | Unspecified fracture of unspecified ilium, subsequent encounter for fracture with delayed healing |
| S32.309K | Unspecified fracture of unspecified ilium, subsequent encounter for fracture with nonunion |
| S32.309S | Unspecified fracture of unspecified ilium, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.311D | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.311G | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.311K | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.311S | Displaced avulsion fracture of right ilium, sequela |
| S32.312D | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.312G | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.312K | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.312S | Displaced avulsion fracture of left ilium, sequela |
| S32.313D | Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing |
| S32.313G | Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing |
| S32.313K | Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with nonunion |
| S32.313S | Displaced avulsion fracture of unspecified ilium, sequela |
| S32.314D | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.314G | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.314K | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.314S | Nondisplaced avulsion fracture of right ilium, sequela |
| S32.315D | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.315G | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.315K | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.315S | Nondisplaced avulsion fracture of left ilium, sequela |
| S32.316D | Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing |
| S32.316G | Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing |
| S32.316K | Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with nonunion |
| S32.316S | Nondisplaced avulsion fracture of unspecified ilium, sequela |
| S32.391D | Other fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.391G | Other fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.391K | Other fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.391S | Other fracture of right ilium, sequela |
| S32.392D | Other fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.392G | Other fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.392K | Other fracture of left ilium, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.392S | Other fracture of left ilium, sequela |
| S32.399D | Other fracture of unspecified ilium, subsequent encounter for fracture with routine healing |
| S32.399G | Other fracture of unspecified ilium, subsequent encounter for fracture with delayed healing |
| S32.399K | Other fracture of unspecified ilium, subsequent encounter for fracture with nonunion |
| S32.399S | Other fracture of unspecified ilium, sequela |
| S32.401D | Unspecified fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.401G | Unspecified fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.401K | Unspecified fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.401S | Unspecified fracture of right acetabulum, sequela |
| S32.402D | Unspecified fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.402G | Unspecified fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.402K | Unspecified fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.402S | Unspecified fracture of left acetabulum, sequela |
| S32.409D | Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.409G | Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.409K | Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.409S | Unspecified fracture of unspecified acetabulum, sequela |
| S32.411D | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.411G | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.411K | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.411S | Displaced fracture of anterior wall of right acetabulum, sequela |
| S32.412D | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.412G | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.412K | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.412S | Displaced fracture of anterior wall of left acetabulum, sequela |
| S32.413D | Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.413G | Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.413K | Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.413S | Displaced fracture of anterior wall of unspecified acetabulum, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.414D | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.414G | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.414K | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.414S | Nondisplaced fracture of anterior wall of right acetabulum, sequela |
| S32.415D | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.415G | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.415K | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.415S | Nondisplaced fracture of anterior wall of left acetabulum, sequela |
| S32.416D | Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.416G | Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.416K | Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.416S | Nondisplaced fracture of anterior wall of unspecified acetabulum, sequela |
| S32.421D | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.421G | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.421K | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.421S | Displaced fracture of posterior wall of right acetabulum, sequela |
| S32.422D | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.422G | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.422K | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.422S | Displaced fracture of posterior wall of left acetabulum, sequela |
| S32.423D | Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.423G | Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.423K | Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.423S | Displaced fracture of posterior wall of unspecified acetabulum, sequela |
| S32.424D | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.424G | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.424K | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.424S | Nondisplaced fracture of posterior wall of right acetabulum, sequela |
| S32.425D | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.425G | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.425K | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.425S | Nondisplaced fracture of posterior wall of left acetabulum, sequela |
| S32.426D | Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.426G | Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.426K | Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.426S | Nondisplaced fracture of posterior wall of unspecified acetabulum, sequela |
| S32.431D | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.431G | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.431K | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.431S | Displaced fracture of anterior column [iliopubic] of right acetabulum, sequela |
| S32.432D | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.432G | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.432K | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.432S | Displaced fracture of anterior column [iliopubic] of left acetabulum, sequela |
| S32.433D | Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.433G | Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.433K | Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.433S | Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela |
| S32.434D | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.434G | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.434K | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.434S | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, sequela |
| S32.435D | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.435G | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.435K | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.435S | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, sequela |
| S32.436D | Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.436G | Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.436K | Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.436S | Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela |
| S32.441D | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.441G | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.441K | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.441S | Displaced fracture of posterior column [ilioischial] of right acetabulum, sequela |
| S32.442D | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.442G | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.442K | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.442S | Displaced fracture of posterior column [ilioischial] of left acetabulum, sequela |
| S32.443D | Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.443G | Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.443K | Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.443S | Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela |
| S32.444D | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.444G | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.444K | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.444S | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, sequela |
| S32.445D | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.445G | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.445K | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.445S | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, sequela |
| S32.446D | Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.446G | Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.446K | Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.446S | Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela |
| S32.451D | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.451G | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.451K | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.451S | Displaced transverse fracture of right acetabulum, sequela |
| S32.452D | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.452G | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.452K | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.452S | Displaced transverse fracture of left acetabulum, sequela |
| S32.453D | Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.453G | Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.453K | Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.453S | Displaced transverse fracture of unspecified acetabulum, sequela |
| S32.454D | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.454G | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.454K | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.454S | Nondisplaced transverse fracture of right acetabulum, sequela |
| S32.455D | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.455G | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.455K | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.455S | Nondisplaced transverse fracture of left acetabulum, sequela |
| S32.456D | Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.456G | Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.456K | Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.456S | Nondisplaced transverse fracture of unspecified acetabulum, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.461D | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.461G | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.461K | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.461S | Displaced associated transverse-posterior fracture of right acetabulum, sequela |
| S32.462D | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.462G | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.462K | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.462S | Displaced associated transverse-posterior fracture of left acetabulum, sequela |
| S32.463D | Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.463G | Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.463K | Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.463S | Displaced associated transverse-posterior fracture of unspecified acetabulum, sequela |
| S32.464D | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.464G | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.464K | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.464S | Nondisplaced associated transverse-posterior fracture of right acetabulum, sequela |
| S32.465D | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.465G | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.465K | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.465S | Nondisplaced associated transverse-posterior fracture of left acetabulum, sequela |
| S32.466D | Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.466G | Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.466K | Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.466S | Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, sequela |
| S32.471D | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.471G | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.471K | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.471S | Displaced fracture of medial wall of right acetabulum, sequela |
| S32.472D | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.472G | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.472K | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.472S | Displaced fracture of medial wall of left acetabulum, sequela |
| S32.473D | Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.473G | Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.473K | Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.473S | Displaced fracture of medial wall of unspecified acetabulum, sequela |
| S32.474D | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.474G | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.474K | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.474S | Nondisplaced fracture of medial wall of right acetabulum, sequela |
| S32.475D | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.475G | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.475K | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.475S | Nondisplaced fracture of medial wall of left acetabulum, sequela |
| S32.476D | Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.476G | Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.476K | Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.476S | Nondisplaced fracture of medial wall of unspecified acetabulum, sequela |
| S32.481D | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.481G | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.481K | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.481S | Displaced dome fracture of right acetabulum, sequela |
| S32.482D | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.482G | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.482K | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.482S | Displaced dome fracture of left acetabulum, sequela |
| S32.483D | Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.483G | Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.483K | Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.483S | Displaced dome fracture of unspecified acetabulum, sequela |
| S32.484D | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.484G | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.484K | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.484S | Nondisplaced dome fracture of right acetabulum, sequela |
| S32.485D | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.485G | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.485K | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.485S | Nondisplaced dome fracture of left acetabulum, sequela |
| S32.486D | Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.486G | Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.486K | Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.486S | Nondisplaced dome fracture of unspecified acetabulum, sequela |
| S32.491D | Other specified fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.491G | Other specified fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.491K | Other specified fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.491S | Other specified fracture of right acetabulum, sequela |
| S32.492D | Other specified fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.492G | Other specified fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.492K | Other specified fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.492S | Other specified fracture of left acetabulum, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.499D | Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.499G | Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.499K | Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion |
| S32.499S | Other specified fracture of unspecified acetabulum, sequela |
| S32.501D | Unspecified fracture of right pubis, subsequent encounter for fracture with routine healing |
| S32.501G | Unspecified fracture of right pubis, subsequent encounter for fracture with delayed healing |
| S32.501K | Unspecified fracture of right pubis, subsequent encounter for fracture with nonunion |
| S32.501S | Unspecified fracture of right pubis, sequela |
| S32.502D | Unspecified fracture of left pubis, subsequent encounter for fracture with routine healing |
| S32.502G | Unspecified fracture of left pubis, subsequent encounter for fracture with delayed healing |
| S32.502K | Unspecified fracture of left pubis, subsequent encounter for fracture with nonunion |
| S32.502S | Unspecified fracture of left pubis, sequela |
| S32.509D | Unspecified fracture of unspecified pubis, subsequent encounter for fracture with routine healing |
| S32.509G | Unspecified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing |
| S32.509K | Unspecified fracture of unspecified pubis, subsequent encounter for fracture with nonunion |
| S32.509S | Unspecified fracture of unspecified pubis, sequela |
| S32.511D | Fracture of superior rim of right pubis, subsequent encounter for fracture with routine healing |
| S32.511G | Fracture of superior rim of right pubis, subsequent encounter for fracture with delayed healing |
| S32.511K | Fracture of superior rim of right pubis, subsequent encounter for fracture with nonunion |
| S32.511S | Fracture of superior rim of right pubis, sequela |
| S32.512D | Fracture of superior rim of left pubis, subsequent encounter for fracture with routine healing |
| S32.512G | Fracture of superior rim of left pubis, subsequent encounter for fracture with delayed healing |
| S32.512K | Fracture of superior rim of left pubis, subsequent encounter for fracture with nonunion |
| S32.512S | Fracture of superior rim of left pubis, sequela |
| S32.519D | Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with routine healing |
| S32.519G | Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with delayed healing |
| S32.519K | Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with nonunion |
| S32.519S | Fracture of superior rim of unspecified pubis, sequela |
| S32.591D | Other specified fracture of right pubis, subsequent encounter for fracture with routine healing |
| S32.591G | Other specified fracture of right pubis, subsequent encounter for fracture with delayed healing |
| S32.591K | Other specified fracture of right pubis, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.591S | Other specified fracture of right pubis, sequela |
| S32.592D | Other specified fracture of left pubis, subsequent encounter for fracture with routine healing |
| S32.592G | Other specified fracture of left pubis, subsequent encounter for fracture with delayed healing |
| S32.592K | Other specified fracture of left pubis, subsequent encounter for fracture with nonunion |
| S32.592S | Other specified fracture of left pubis, sequela |
| S32.599D | Other specified fracture of unspecified pubis, subsequent encounter for fracture with routine healing |
| S32.599G | Other specified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing |
| S32.599K | Other specified fracture of unspecified pubis, subsequent encounter for fracture with nonunion |
| S32.599S | Other specified fracture of unspecified pubis, sequela |
| S32.601D | Unspecified fracture of right ischium, subsequent encounter for fracture with routine healing |
| S32.601G | Unspecified fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.601K | Unspecified fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.601S | Unspecified fracture of right ischium, sequela |
| S32.602D | Unspecified fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.602G | Unspecified fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.602K | Unspecified fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.602S | Unspecified fracture of left ischium, sequela |
| S32.609D | Unspecified fracture of unspecified ischium, subsequent encounter for fracture with routine healing |
| S32.609G | Unspecified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing |
| S32.609K | Unspecified fracture of unspecified ischium, subsequent encounter for fracture with nonunion |
| S32.609S | Unspecified fracture of unspecified ischium, sequela |
| S32.611D | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing |
| S32.611G | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.611K | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.611S | Displaced avulsion fracture of right ischium, sequela |
| S32.612D | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.612G | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.612K | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.612S | Displaced avulsion fracture of left ischium, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.613D | Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing |
| S32.613G | Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing |
| S32.613K | Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with nonunion |
| S32.613S | Displaced avulsion fracture of unspecified ischium, sequela |
| S32.614D | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing |
| S32.614G | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.614K | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.614S | Nondisplaced avulsion fracture of right ischium, sequela |
| S32.615D | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.615G | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.615K | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.615S | Nondisplaced avulsion fracture of left ischium, sequela |
| S32.616D | Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing |
| S32.616G | Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing |
| S32.616K | Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with nonunion |
| S32.616S | Nondisplaced avulsion fracture of unspecified ischium, sequela |
| S32.691D | Other specified fracture of right ischium, subsequent encounter for fracture with routine healing |
| S32.691G | Other specified fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.691K | Other specified fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.691S | Other specified fracture of right ischium, sequela |
| S32.692D | Other specified fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.692G | Other specified fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.692K | Other specified fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.692S | Other specified fracture of left ischium, sequela |
| S32.699D | Other specified fracture of unspecified ischium, subsequent encounter for fracture with routine healing |
| S32.699G | Other specified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing |
| S32.699K | Other specified fracture of unspecified ischium, subsequent encounter for fracture with nonunion |
| S32.699S | Other specified fracture of unspecified ischium, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S32.810D | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.810G | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.810K | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with nonunion |
| S32.810S | Multiple fractures of pelvis with stable disruption of pelvic ring, sequela |
| S32.811D | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.811G | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.811K | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with nonunion |
| S32.811S | Multiple fractures of pelvis with unstable disruption of pelvic ring, sequela |
| S32.82XD | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.82XG | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.82XK | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with nonunion |
| S32.82XS | Multiple fractures of pelvis without disruption of pelvic ring, sequela |
| S32.89XD | Fracture of other parts of pelvis, subsequent encounter for fracture with routine healing |
| S32.89XG | Fracture of other parts of pelvis, subsequent encounter for fracture with delayed healing |
| S32.89XK | Fracture of other parts of pelvis, subsequent encounter for fracture with nonunion |
| S32.89XS | Fracture of other parts of pelvis, sequela |
| S32.9XXD | Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with routine healing |
| S32.9XXG | Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with delayed healing |
| S32.9XXK | Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with nonunion |
| S32.9XXS | Fracture of unspecified parts of lumbosacral spine and pelvis, sequela |
| S33.0XXD | Traumatic rupture of lumbar intervertebral disc, subsequent encounter |
| S33.0XXS | Traumatic rupture of lumbar intervertebral disc, sequela |
| S33.100D | Subluxation of unspecified lumbar vertebra, subsequent encounter |
| S33.100S | Subluxation of unspecified lumbar vertebra, sequela |
| S33.101D | Dislocation of unspecified lumbar vertebra, subsequent encounter |
| S33.101S | Dislocation of unspecified lumbar vertebra, sequela |
| S33.110D | Subluxation of L1/L2 lumbar vertebra, subsequent encounter |
| S33.110S | Subluxation of L1/L2 lumbar vertebra, sequela |
| S33.111D | Dislocation of L1/L2 lumbar vertebra, subsequent encounter |
| S33.111S | Dislocation of L1/L2 lumbar vertebra, sequela |
| S33.120D | Subluxation of L2/L3 lumbar vertebra, subsequent encounter |
| S33.120S | Subluxation of L2/L3 lumbar vertebra, sequela |
| S33.121D | Dislocation of L2/L3 lumbar vertebra, subsequent encounter |
| S33.121S | Dislocation of L2/L3 lumbar vertebra, sequela |
| S33.130D | Subluxation of L3/L4 lumbar vertebra, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S33.130S | Subluxation of L3/L4 lumbar vertebra, sequela |
| S33.131D | Dislocation of L3/L4 lumbar vertebra, subsequent encounter |
| S33.131S | Dislocation of L3/L4 lumbar vertebra, sequela |
| S33.140D | Subluxation of L4/L5 lumbar vertebra, subsequent encounter |
| S33.140S | Subluxation of L4/L5 lumbar vertebra, sequela |
| S33.141D | Dislocation of L4/L5 lumbar vertebra, subsequent encounter |
| S33.141S | Dislocation of L4/L5 lumbar vertebra, sequela |
| S33.2XXD | Dislocation of sacroiliac and sacrococcygeal joint, subsequent encounter |
| S33.2XXS | Dislocation of sacroiliac and sacrococcygeal joint, sequela |
| S33.30XD | Dislocation of unspecified parts of lumbar spine and pelvis, subsequent encounter |
| S33.30XS | Dislocation of unspecified parts of lumbar spine and pelvis, sequela |
| S33.39XD | Dislocation of other parts of lumbar spine and pelvis, subsequent encounter |
| S33.39XS | Dislocation of other parts of lumbar spine and pelvis, sequela |
| S33.4XXD | Traumatic rupture of symphysis pubis, subsequent encounter |
| S33.4XXS | Traumatic rupture of symphysis pubis, sequela |
| S33.5XXD | Sprain of ligaments of lumbar spine, subsequent encounter |
| S33.5XXS | Sprain of ligaments of lumbar spine, sequela |
| S33.6XXD | Sprain of sacroiliac joint, subsequent encounter |
| S33.6XXS | Sprain of sacroiliac joint, sequela |
| S33.8XXD | Sprain of other parts of lumbar spine and pelvis, subsequent encounter |
| S33.8XXS | Sprain of other parts of lumbar spine and pelvis, sequela |
| S33.9XXD | Sprain of unspecified parts of lumbar spine and pelvis, subsequent encounter |
| S33.9XXS | Sprain of unspecified parts of lumbar spine and pelvis, sequela |
| S34.01XD | Concussion and edema of lumbar spinal cord, subsequent encounter |
| S34.01XS | Concussion and edema of lumbar spinal cord, sequela |
| S34.02XD | Concussion and edema of sacral spinal cord, subsequent encounter |
| S34.02XS | Concussion and edema of sacral spinal cord, sequela |
| S34.101D | Unspecified injury to L1 level of lumbar spinal cord, subsequent encounter |
| S34.101S | Unspecified injury to L1 level of lumbar spinal cord, sequela |
| S34.102D | Unspecified injury to L2 level of lumbar spinal cord, subsequent encounter |
| S34.102S | Unspecified injury to L2 level of lumbar spinal cord, sequela |
| S34.103D | Unspecified injury to L3 level of lumbar spinal cord, subsequent encounter |
| S34.103S | Unspecified injury to L3 level of lumbar spinal cord, sequela |
| S34.104D | Unspecified injury to L4 level of lumbar spinal cord, subsequent encounter |
| S34.104S | Unspecified injury to L4 level of lumbar spinal cord, sequela |
| S34.105D | Unspecified injury to L5 level of lumbar spinal cord, subsequent encounter |
| S34.105S | Unspecified injury to L5 level of lumbar spinal cord, sequela |
| S34.109D | Unspecified injury to unspecified level of lumbar spinal cord, subsequent encounter |
| S34.109S | Unspecified injury to unspecified level of lumbar spinal cord, sequela |
| S34.111D | Complete lesion of L1 level of lumbar spinal cord, subsequent encounter |
| S34.111S | Complete lesion of L1 level of lumbar spinal cord, sequela |
| S34.112D | Complete lesion of L2 level of lumbar spinal cord, subsequent encounter |
| S34.112S | Complete lesion of L2 level of lumbar spinal cord, sequela |
| S34.113D | Complete lesion of L3 level of lumbar spinal cord, subsequent encounter |
| S34.113S | Complete lesion of L3 level of lumbar spinal cord, sequela |
| S34.114D | Complete lesion of L4 level of lumbar spinal cord, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S34.114S | Complete lesion of L4 level of lumbar spinal cord, sequela |
| S34.115D | Complete lesion of L5 level of lumbar spinal cord, subsequent encounter |
| S34.115S | Complete lesion of L5 level of lumbar spinal cord, sequela |
| S34.119D | Complete lesion of unspecified level of lumbar spinal cord, subsequent encounter |
| S34.119S | Complete lesion of unspecified level of lumbar spinal cord, sequela |
| S34.121D | Incomplete lesion of L1 level of lumbar spinal cord, subsequent encounter |
| S34.121S | Incomplete lesion of L1 level of lumbar spinal cord, sequela |
| S34.122D | Incomplete lesion of L2 level of lumbar spinal cord, subsequent encounter |
| S34.122S | Incomplete lesion of L2 level of lumbar spinal cord, sequela |
| S34.123D | Incomplete lesion of L3 level of lumbar spinal cord, subsequent encounter |
| S34.123S | Incomplete lesion of L3 level of lumbar spinal cord, sequela |
| S34.124D | Incomplete lesion of L4 level of lumbar spinal cord, subsequent encounter |
| S34.124S | Incomplete lesion of L4 level of lumbar spinal cord, sequela |
| S34.125D | Incomplete lesion of L5 level of lumbar spinal cord, subsequent encounter |
| S34.125S | Incomplete lesion of L5 level of lumbar spinal cord, sequela |
| S34.129D | Incomplete lesion of unspecified level of lumbar spinal cord, subsequent encounter |
| S34.129S | Incomplete lesion of unspecified level of lumbar spinal cord, sequela |
| S34.131D | Complete lesion of sacral spinal cord, subsequent encounter |
| S34.131S | Complete lesion of sacral spinal cord, sequela |
| S34.132D | Incomplete lesion of sacral spinal cord, subsequent encounter |
| S34.132S | Incomplete lesion of sacral spinal cord, sequela |
| S34.139D | Unspecified injury to sacral spinal cord, subsequent encounter |
| S34.139S | Unspecified injury to sacral spinal cord, sequela |
| S34.21XD | Injury of nerve root of lumbar spine, subsequent encounter |
| S34.21XS | Injury of nerve root of lumbar spine, sequela |
| S34.22XD | Injury of nerve root of sacral spine, subsequent encounter |
| S34.22XS | Injury of nerve root of sacral spine, sequela |
| S34.3XXD | Injury of cauda equina, subsequent encounter |
| S34.3XXS | Injury of cauda equina, sequela |
| S34.4XXD | Injury of lumbosacral plexus, subsequent encounter |
| S34.4XXS | Injury of lumbosacral plexus, sequela |
| S34.5XXD | Injury of lumbar, sacral and pelvic sympathetic nerves, subsequent encounter |
| S34.5XXS | Injury of lumbar, sacral and pelvic sympathetic nerves, sequela |
| S34.6XXD | Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, subsequent encounter |
| S34.6XXS | Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, sequela |
| S34.8XXD | Injury of other nerves at abdomen, lower back and pelvis level, subsequent encounter |
| S34.8XXS | Injury of other nerves at abdomen, lower back and pelvis level, sequela |
| S34.9XXD | Injury of unspecified nerves at abdomen, lower back and pelvis level, subsequent encounter |
| S34.9XXS | Injury of unspecified nerves at abdomen, lower back and pelvis level, sequela |
| S35.00XD | Unspecified injury of abdominal aorta, subsequent encounter |
| S35.00XS | Unspecified injury of abdominal aorta, sequela |
| S35.01XD | Minor laceration of abdominal aorta, subsequent encounter |
| S35.01XS | Minor laceration of abdominal aorta, sequela |
| S35.02XD | Major laceration of abdominal aorta, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S35.02XS | Major laceration of abdominal aorta, sequela |
| S35.09XD | Other injury of abdominal aorta, subsequent encounter |
| S35.09XS | Other injury of abdominal aorta, sequela |
| S35.10XD | Unspecified injury of inferior vena cava, subsequent encounter |
| S35.10XS | Unspecified injury of inferior vena cava, sequela |
| S35.11XD | Minor laceration of inferior vena cava, subsequent encounter |
| S35.11XS | Minor laceration of inferior vena cava, sequela |
| S35.12XD | Major laceration of inferior vena cava, subsequent encounter |
| S35.12XS | Major laceration of inferior vena cava, sequela |
| S35.19XD | Other injury of inferior vena cava, subsequent encounter |
| S35.19XS | Other injury of inferior vena cava, sequela |
| S35.211D | Minor laceration of celiac artery, subsequent encounter |
| S35.211S | Minor laceration of celiac artery, sequela |
| S35.212D | Major laceration of celiac artery, subsequent encounter |
| S35.212S | Major laceration of celiac artery, sequela |
| S35.218D | Other injury of celiac artery, subsequent encounter |
| S35.218S | Other injury of celiac artery, sequela |
| S35.219D | Unspecified injury of celiac artery, subsequent encounter |
| S35.219S | Unspecified injury of celiac artery, sequela |
| S35.221D | Minor laceration of superior mesenteric artery, subsequent encounter |
| S35.221S | Minor laceration of superior mesenteric artery, sequela |
| S35.222D | Major laceration of superior mesenteric artery, subsequent encounter |
| S35.222S | Major laceration of superior mesenteric artery, sequela |
| S35.228D | Other injury of superior mesenteric artery, subsequent encounter |
| S35.228S | Other injury of superior mesenteric artery, sequela |
| S35.229D | Unspecified injury of superior mesenteric artery, subsequent encounter |
| S35.229S | Unspecified injury of superior mesenteric artery, sequela |
| S35.231D | Minor laceration of inferior mesenteric artery, subsequent encounter |
| S35.231S | Minor laceration of inferior mesenteric artery, sequela |
| S35.232D | Major laceration of inferior mesenteric artery, subsequent encounter |
| S35.232S | Major laceration of inferior mesenteric artery, sequela |
| S35.238D | Other injury of inferior mesenteric artery, subsequent encounter |
| S35.238S | Other injury of inferior mesenteric artery, sequela |
| S35.239D | Unspecified injury of inferior mesenteric artery, subsequent encounter |
| S35.239S | Unspecified injury of inferior mesenteric artery, sequela |
| S35.291D | Minor laceration of branches of celiac and mesenteric artery, subsequent encounter |
| S35.291S | Minor laceration of branches of celiac and mesenteric artery, sequela |
| S35.292D | Major laceration of branches of celiac and mesenteric artery, subsequent encounter |
| S35.292S | Major laceration of branches of celiac and mesenteric artery, sequela |
| S35.298D | Other injury of branches of celiac and mesenteric artery, subsequent encounter |
| S35.298S | Other injury of branches of celiac and mesenteric artery, sequela |
| S35.299D | Unspecified injury of branches of celiac and mesenteric artery, subsequent encounter |
| S35.299S | Unspecified injury of branches of celiac and mesenteric artery, sequela |
| S35.311D | Laceration of portal vein, subsequent encounter |
| S35.311S | Laceration of portal vein, sequela |
| S35.318D | Other specified injury of portal vein, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S35.318S | Other specified injury of portal vein, sequela |
| S35.319D | Unspecified injury of portal vein, subsequent encounter |
| S35.319S | Unspecified injury of portal vein, sequela |
| S35.321D | Laceration of splenic vein, subsequent encounter |
| S35.321S | Laceration of splenic vein, sequela |
| S35.328D | Other specified injury of splenic vein, subsequent encounter |
| S35.328S | Other specified injury of splenic vein, sequela |
| S35.329D | Unspecified injury of splenic vein, subsequent encounter |
| S35.329S | Unspecified injury of splenic vein, sequela |
| S35.331D | Laceration of superior mesenteric vein, subsequent encounter |
| S35.331S | Laceration of superior mesenteric vein, sequela |
| S35.338D | Other specified injury of superior mesenteric vein, subsequent encounter |
| S35.338S | Other specified injury of superior mesenteric vein, sequela |
| S35.339D | Unspecified injury of superior mesenteric vein, subsequent encounter |
| S35.339S | Unspecified injury of superior mesenteric vein, sequela |
| S35.341D | Laceration of inferior mesenteric vein, subsequent encounter |
| S35.341S | Laceration of inferior mesenteric vein, sequela |
| S35.348D | Other specified injury of inferior mesenteric vein, subsequent encounter |
| S35.348S | Other specified injury of inferior mesenteric vein, sequela |
| S35.349D | Unspecified injury of inferior mesenteric vein, subsequent encounter |
| S35.349S | Unspecified injury of inferior mesenteric vein, sequela |
| S35.401D | Unspecified injury of right renal artery, subsequent encounter |
| S35.401S | Unspecified injury of right renal artery, sequela |
| S35.402D | Unspecified injury of left renal artery, subsequent encounter |
| S35.402S | Unspecified injury of left renal artery, sequela |
| S35.403D | Unspecified injury of unspecified renal artery, subsequent encounter |
| S35.403S | Unspecified injury of unspecified renal artery, sequela |
| S35.404D | Unspecified injury of right renal vein, subsequent encounter |
| S35.404S | Unspecified injury of right renal vein, sequela |
| S35.405D | Unspecified injury of left renal vein, subsequent encounter |
| S35.405S | Unspecified injury of left renal vein, sequela |
| S35.406D | Unspecified injury of unspecified renal vein, subsequent encounter |
| S35.406S | Unspecified injury of unspecified renal vein, sequela |
| S35.411D | Laceration of right renal artery, subsequent encounter |
| S35.411S | Laceration of right renal artery, sequela |
| S35.412D | Laceration of left renal artery, subsequent encounter |
| S35.412S | Laceration of left renal artery, sequela |
| S35.413D | Laceration of unspecified renal artery, subsequent encounter |
| S35.413S | Laceration of unspecified renal artery, sequela |
| S35.414D | Laceration of right renal vein, subsequent encounter |
| S35.414S | Laceration of right renal vein, sequela |
| S35.415D | Laceration of left renal vein, subsequent encounter |
| S35.415S | Laceration of left renal vein, sequela |
| S35.416D | Laceration of unspecified renal vein, subsequent encounter |
| S35.416S | Laceration of unspecified renal vein, sequela |
| S35.491D | Other specified injury of right renal artery, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S35.491S | Other specified injury of right renal artery, sequela |
| S35.492D | Other specified injury of left renal artery, subsequent encounter |
| S35.492S | Other specified injury of left renal artery, sequela |
| S35.493D | Other specified injury of unspecified renal artery, subsequent encounter |
| S35.493S | Other specified injury of unspecified renal artery, sequela |
| S35.494D | Other specified injury of right renal vein, subsequent encounter |
| S35.494S | Other specified injury of right renal vein, sequela |
| S35.495D | Other specified injury of left renal vein, subsequent encounter |
| S35.495S | Other specified injury of left renal vein, sequela |
| S35.496D | Other specified injury of unspecified renal vein, subsequent encounter |
| S35.496S | Other specified injury of unspecified renal vein, sequela |
| S35.50XD | Injury of unspecified iliac blood vessel(s), subsequent encounter |
| S35.50XS | Injury of unspecified iliac blood vessel(s), sequela |
| S35.511D | Injury of right iliac artery, subsequent encounter |
| S35.511S | Injury of right iliac artery, sequela |
| S35.512D | Injury of left iliac artery, subsequent encounter |
| S35.512S | Injury of left iliac artery, sequela |
| S35.513D | Injury of unspecified iliac artery, subsequent encounter |
| S35.513S | Injury of unspecified iliac artery, sequela |
| S35.514D | Injury of right iliac vein, subsequent encounter |
| S35.514S | Injury of right iliac vein, sequela |
| S35.515D | Injury of left iliac vein, subsequent encounter |
| S35.515S | Injury of left iliac vein, sequela |
| S35.516D | Injury of unspecified iliac vein, subsequent encounter |
| S35.516S | Injury of unspecified iliac vein, sequela |
| S35.531D | Injury of right uterine artery, subsequent encounter |
| S35.531S | Injury of right uterine artery, sequela |
| S35.532D | Injury of left uterine artery, subsequent encounter |
| S35.532S | Injury of left uterine artery, sequela |
| S35.533D | Injury of unspecified uterine artery, subsequent encounter |
| S35.533S | Injury of unspecified uterine artery, sequela |
| S35.534D | Injury of right uterine vein, subsequent encounter |
| S35.534S | Injury of right uterine vein, sequela |
| S35.535D | Injury of left uterine vein, subsequent encounter |
| S35.535S | Injury of left uterine vein, sequela |
| S35.536D | Injury of unspecified uterine vein, subsequent encounter |
| S35.536S | Injury of unspecified uterine vein, sequela |
| S35.59XD | Injury of other iliac blood vessels, subsequent encounter |
| S35.59XS | Injury of other iliac blood vessels, sequela |
| S35.8X1D | Laceration of other blood vessels at abdomen, lower back and pelvis level, subsequent encounter |
| S35.8X1S | Laceration of other blood vessels at abdomen, lower back and pelvis level, sequela |
| S35.8X8D | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, subsequent encounter |
| S35.8X8S | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S35.8X9D | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, subsequent encounter |
| S35.8X9S | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, sequela |
| S35.90XD | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, subsequent encounter |
| S35.90XS | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, sequela |
| S35.91XD | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, subsequent encounter |
| S35.91XS | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, sequela |
| S35.99XD | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, subsequent encounter |
| S35.99XS | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, sequela |
| S36.00XD | Unspecified injury of spleen, subsequent encounter |
| S36.00XS | Unspecified injury of spleen, sequela |
| S36.020D | Minor contusion of spleen, subsequent encounter |
| S36.020S | Minor contusion of spleen, sequela |
| S36.021D | Major contusion of spleen, subsequent encounter |
| S36.021S | Major contusion of spleen, sequela |
| S36.029D | Unspecified contusion of spleen, subsequent encounter |
| S36.029S | Unspecified contusion of spleen, sequela |
| S36.030D | Superficial (capsular) laceration of spleen, subsequent encounter |
| S36.030S | Superficial (capsular) laceration of spleen, sequela |
| S36.031D | Moderate laceration of spleen, subsequent encounter |
| S36.031S | Moderate laceration of spleen, sequela |
| S36.032D | Major laceration of spleen, subsequent encounter |
| S36.032S | Major laceration of spleen, sequela |
| S36.039D | Unspecified laceration of spleen, subsequent encounter |
| S36.039S | Unspecified laceration of spleen, sequela |
| S36.09XD | Other injury of spleen, subsequent encounter |
| S36.09XS | Other injury of spleen, sequela |
| S36.112D | Contusion of liver, subsequent encounter |
| S36.112S | Contusion of liver, sequela |
| S36.113D | Laceration of liver, unspecified degree, subsequent encounter |
| S36.113S | Laceration of liver, unspecified degree, sequela |
| S36.114D | Minor laceration of liver, subsequent encounter |
| S36.114S | Minor laceration of liver, sequela |
| S36.115D | Moderate laceration of liver, subsequent encounter |
| S36.115S | Moderate laceration of liver, sequela |
| S36.116D | Major laceration of liver, subsequent encounter |
| S36.116S | Major laceration of liver, sequela |
| S36.118D | Other injury of liver, subsequent encounter |
| S36.118S | Other injury of liver, sequela |
| S36.119D | Unspecified injury of liver, subsequent encounter |
| S36.119S | Unspecified injury of liver, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S36.122D | Contusion of gallbladder, subsequent encounter |
| S36.122S | Contusion of gallbladder, sequela |
| S36.123D | Laceration of gallbladder, subsequent encounter |
| S36.123S | Laceration of gallbladder, sequela |
| S36.128D | Other injury of gallbladder, subsequent encounter |
| S36.128S | Other injury of gallbladder, sequela |
| S36.129D | Unspecified injury of gallbladder, subsequent encounter |
| S36.129S | Unspecified injury of gallbladder, sequela |
| S36.13XD | Injury of bile duct, subsequent encounter |
| S36.13XS | Injury of bile duct, sequela |
| S36.200D | Unspecified injury of head of pancreas, subsequent encounter |
| S36.200S | Unspecified injury of head of pancreas, sequela |
| S36.201D | Unspecified injury of body of pancreas, subsequent encounter |
| S36.201S | Unspecified injury of body of pancreas, sequela |
| S36.202D | Unspecified injury of tail of pancreas, subsequent encounter |
| S36.202S | Unspecified injury of tail of pancreas, sequela |
| S36.209D | Unspecified injury of unspecified part of pancreas, subsequent encounter |
| S36.209S | Unspecified injury of unspecified part of pancreas, sequela |
| S36.220D | Contusion of head of pancreas, subsequent encounter |
| S36.220S | Contusion of head of pancreas, sequela |
| S36.221D | Contusion of body of pancreas, subsequent encounter |
| S36.221S | Contusion of body of pancreas, sequela |
| S36.222D | Contusion of tail of pancreas, subsequent encounter |
| S36.222S | Contusion of tail of pancreas, sequela |
| S36.229D | Contusion of unspecified part of pancreas, subsequent encounter |
| S36.229S | Contusion of unspecified part of pancreas, sequela |
| S36.230D | Laceration of head of pancreas, unspecified degree, subsequent encounter |
| S36.230S | Laceration of head of pancreas, unspecified degree, sequela |
| S36.231D | Laceration of body of pancreas, unspecified degree, subsequent encounter |
| S36.231S | Laceration of body of pancreas, unspecified degree, sequela |
| S36.232D | Laceration of tail of pancreas, unspecified degree, subsequent encounter |
| S36.232S | Laceration of tail of pancreas, unspecified degree, sequela |
| S36.239D | Laceration of unspecified part of pancreas, unspecified degree, subsequent encounter |
| S36.239S | Laceration of unspecified part of pancreas, unspecified degree, sequela |
| S36.240D | Minor laceration of head of pancreas, subsequent encounter |
| S36.240S | Minor laceration of head of pancreas, sequela |
| S36.241D | Minor laceration of body of pancreas, subsequent encounter |
| S36.241S | Minor laceration of body of pancreas, sequela |
| S36.242D | Minor laceration of tail of pancreas, subsequent encounter |
| S36.242S | Minor laceration of tail of pancreas, sequela |
| S36.249D | Minor laceration of unspecified part of pancreas, subsequent encounter |
| S36.249S | Minor laceration of unspecified part of pancreas, sequela |
| S36.250D | Moderate laceration of head of pancreas, subsequent encounter |
| S36.250S | Moderate laceration of head of pancreas, sequela |
| S36.251D | Moderate laceration of body of pancreas, subsequent encounter |
| S36.251S | Moderate laceration of body of pancreas, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S36.252D | Moderate laceration of tail of pancreas, subsequent encounter |
| S36.252S | Moderate laceration of tail of pancreas, sequela |
| S36.259D | Moderate laceration of unspecified part of pancreas, subsequent encounter |
| S36.259S | Moderate laceration of unspecified part of pancreas, sequela |
| S36.260D | Major laceration of head of pancreas, subsequent encounter |
| S36.260S | Major laceration of head of pancreas, sequela |
| S36.261D | Major laceration of body of pancreas, subsequent encounter |
| S36.261S | Major laceration of body of pancreas, sequela |
| S36.262D | Major laceration of tail of pancreas, subsequent encounter |
| S36.262S | Major laceration of tail of pancreas, sequela |
| S36.269D | Major laceration of unspecified part of pancreas, subsequent encounter |
| S36.269S | Major laceration of unspecified part of pancreas, sequela |
| S36.290D | Other injury of head of pancreas, subsequent encounter |
| S36.290S | Other injury of head of pancreas, sequela |
| S36.291D | Other injury of body of pancreas, subsequent encounter |
| S36.291S | Other injury of body of pancreas, sequela |
| S36.292D | Other injury of tail of pancreas, subsequent encounter |
| S36.292S | Other injury of tail of pancreas, sequela |
| S36.299D | Other injury of unspecified part of pancreas, subsequent encounter |
| S36.299S | Other injury of unspecified part of pancreas, sequela |
| S36.30XD | Unspecified injury of stomach, subsequent encounter |
| S36.30XS | Unspecified injury of stomach, sequela |
| S36.32XD | Contusion of stomach, subsequent encounter |
| S36.32XS | Contusion of stomach, sequela |
| S36.33XD | Laceration of stomach, subsequent encounter |
| S36.33XS | Laceration of stomach, sequela |
| S36.39XD | Other injury of stomach, subsequent encounter |
| S36.39XS | Other injury of stomach, sequela |
| S36.400D | Unspecified injury of duodenum, subsequent encounter |
| S36.400S | Unspecified injury of duodenum, sequela |
| S36.408D | Unspecified injury of other part of small intestine, subsequent encounter |
| S36.408S | Unspecified injury of other part of small intestine, sequela |
| S36.409D | Unspecified injury of unspecified part of small intestine, subsequent encounter |
| S36.409S | Unspecified injury of unspecified part of small intestine, sequela |
| S36.410D | Primary blast injury of duodenum, subsequent encounter |
| S36.410S | Primary blast injury of duodenum, sequela |
| S36.418D | Primary blast injury of other part of small intestine, subsequent encounter |
| S36.418S | Primary blast injury of other part of small intestine, sequela |
| S36.419D | Primary blast injury of unspecified part of small intestine, subsequent encounter |
| S36.419S | Primary blast injury of unspecified part of small intestine, sequela |
| S36.420D | Contusion of duodenum, subsequent encounter |
| S36.420S | Contusion of duodenum, sequela |
| S36.428D | Contusion of other part of small intestine, subsequent encounter |
| S36.428S | Contusion of other part of small intestine, sequela |
| S36.429D | Contusion of unspecified part of small intestine, subsequent encounter |
| S36.429S | Contusion of unspecified part of small intestine, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S36.430D | Laceration of duodenum, subsequent encounter |
| S36.430S | Laceration of duodenum, sequela |
| S36.438D | Laceration of other part of small intestine, subsequent encounter |
| S36.438S | Laceration of other part of small intestine, sequela |
| S36.439D | Laceration of unspecified part of small intestine, subsequent encounter |
| S36.439S | Laceration of unspecified part of small intestine, sequela |
| S36.490D | Other injury of duodenum, subsequent encounter |
| S36.490S | Other injury of duodenum, sequela |
| S36.498D | Other injury of other part of small intestine, subsequent encounter |
| S36.498S | Other injury of other part of small intestine, sequela |
| S36.499D | Other injury of unspecified part of small intestine, subsequent encounter |
| S36.499S | Other injury of unspecified part of small intestine, sequela |
| S36.500D | Unspecified injury of ascending [right] colon, subsequent encounter |
| S36.500S | Unspecified injury of ascending [right] colon, sequela |
| S36.501D | Unspecified injury of transverse colon, subsequent encounter |
| S36.501S | Unspecified injury of transverse colon, sequela |
| S36.502D | Unspecified injury of descending [left] colon, subsequent encounter |
| S36.502S | Unspecified injury of descending [left] colon, sequela |
| S36.503D | Unspecified injury of sigmoid colon, subsequent encounter |
| S36.503S | Unspecified injury of sigmoid colon, sequela |
| S36.508D | Unspecified injury of other part of colon, subsequent encounter |
| S36.508S | Unspecified injury of other part of colon, sequela |
| S36.509D | Unspecified injury of unspecified part of colon, subsequent encounter |
| S36.509S | Unspecified injury of unspecified part of colon, sequela |
| S36.510D | Primary blast injury of ascending [right] colon, subsequent encounter |
| S36.510S | Primary blast injury of ascending [right] colon, sequela |
| S36.511D | Primary blast injury of transverse colon, subsequent encounter |
| S36.511S | Primary blast injury of transverse colon, sequela |
| S36.512D | Primary blast injury of descending [left] colon, subsequent encounter |
| S36.512S | Primary blast injury of descending [left] colon, sequela |
| S36.513D | Primary blast injury of sigmoid colon, subsequent encounter |
| S36.513S | Primary blast injury of sigmoid colon, sequela |
| S36.518D | Primary blast injury of other part of colon, subsequent encounter |
| S36.518S | Primary blast injury of other part of colon, sequela |
| S36.519D | Primary blast injury of unspecified part of colon, subsequent encounter |
| S36.519S | Primary blast injury of unspecified part of colon, sequela |
| S36.520D | Contusion of ascending [right] colon, subsequent encounter |
| S36.520S | Contusion of ascending [right] colon, sequela |
| S36.521D | Contusion of transverse colon, subsequent encounter |
| S36.521S | Contusion of transverse colon, sequela |
| S36.522D | Contusion of descending [left] colon, subsequent encounter |
| S36.522S | Contusion of descending [left] colon, sequela |
| S36.523D | Contusion of sigmoid colon, subsequent encounter |
| S36.523S | Contusion of sigmoid colon, sequela |
| S36.528D | Contusion of other part of colon, subsequent encounter |
| S36.528S | Contusion of other part of colon, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S36.529D | Contusion of unspecified part of colon, subsequent encounter |
| S36.529S | Contusion of unspecified part of colon, sequela |
| S36.530D | Laceration of ascending [right] colon, subsequent encounter |
| S36.530S | Laceration of ascending [right] colon, sequela |
| S36.531D | Laceration of transverse colon, subsequent encounter |
| S36.531S | Laceration of transverse colon, sequela |
| S36.532D | Laceration of descending [left] colon, subsequent encounter |
| S36.532S | Laceration of descending [left] colon, sequela |
| S36.533D | Laceration of sigmoid colon, subsequent encounter |
| S36.533S | Laceration of sigmoid colon, sequela |
| S36.538D | Laceration of other part of colon, subsequent encounter |
| S36.538S | Laceration of other part of colon, sequela |
| S36.539D | Laceration of unspecified part of colon, subsequent encounter |
| S36.539S | Laceration of unspecified part of colon, sequela |
| S36.590D | Other injury of ascending [right] colon, subsequent encounter |
| S36.590S | Other injury of ascending [right] colon, sequela |
| S36.591D | Other injury of transverse colon, subsequent encounter |
| S36.591S | Other injury of transverse colon, sequela |
| S36.592D | Other injury of descending [left] colon, subsequent encounter |
| S36.592S | Other injury of descending [left] colon, sequela |
| S36.593D | Other injury of sigmoid colon, subsequent encounter |
| S36.593S | Other injury of sigmoid colon, sequela |
| S36.598D | Other injury of other part of colon, subsequent encounter |
| S36.598S | Other injury of other part of colon, sequela |
| S36.599D | Other injury of unspecified part of colon, subsequent encounter |
| S36.599S | Other injury of unspecified part of colon, sequela |
| S36.60XD | Unspecified injury of rectum, subsequent encounter |
| S36.60XS | Unspecified injury of rectum, sequela |
| S36.61XD | Primary blast injury of rectum, subsequent encounter |
| S36.61XS | Primary blast injury of rectum, sequela |
| S36.62XD | Contusion of rectum, subsequent encounter |
| S36.62XS | Contusion of rectum, sequela |
| S36.63XD | Laceration of rectum, subsequent encounter |
| S36.63XS | Laceration of rectum, sequela |
| S36.69XD | Other injury of rectum, subsequent encounter |
| S36.69XS | Other injury of rectum, sequela |
| S36.81XD | Injury of peritoneum, subsequent encounter |
| S36.81XS | Injury of peritoneum, sequela |
| S36.892D | Contusion of other intra-abdominal organs, subsequent encounter |
| S36.892S | Contusion of other intra-abdominal organs, sequela |
| S36.893D | Laceration of other intra-abdominal organs, subsequent encounter |
| S36.893S | Laceration of other intra-abdominal organs, sequela |
| S36.898D | Other injury of other intra-abdominal organs, subsequent encounter |
| S36.898S | Other injury of other intra-abdominal organs, sequela |
| S36.899D | Unspecified injury of other intra-abdominal organs, subsequent encounter |
| S36.899S | Unspecified injury of other intra-abdominal organs, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S36.90XD | Unspecified injury of unspecified intra-abdominal organ, subsequent encounter |
| S36.90XS | Unspecified injury of unspecified intra-abdominal organ, sequela |
| S36.92XD | Contusion of unspecified intra-abdominal organ, subsequent encounter |
| S36.92XS | Contusion of unspecified intra-abdominal organ, sequela |
| S36.93XD | Laceration of unspecified intra-abdominal organ, subsequent encounter |
| S36.93XS | Laceration of unspecified intra-abdominal organ, sequela |
| S36.99XD | Other injury of unspecified intra-abdominal organ, subsequent encounter |
| S36.99XS | Other injury of unspecified intra-abdominal organ, sequela |
| S37.001D | Unspecified injury of right kidney, subsequent encounter |
| S37.001S | Unspecified injury of right kidney, sequela |
| S37.002D | Unspecified injury of left kidney, subsequent encounter |
| S37.002S | Unspecified injury of left kidney, sequela |
| S37.009D | Unspecified injury of unspecified kidney, subsequent encounter |
| S37.009S | Unspecified injury of unspecified kidney, sequela |
| S37.011D | Minor contusion of right kidney, subsequent encounter |
| S37.011S | Minor contusion of right kidney, sequela |
| S37.012D | Minor contusion of left kidney, subsequent encounter |
| S37.012S | Minor contusion of left kidney, sequela |
| S37.019D | Minor contusion of unspecified kidney, subsequent encounter |
| S37.019S | Minor contusion of unspecified kidney, sequela |
| S37.021D | Major contusion of right kidney, subsequent encounter |
| S37.021S | Major contusion of right kidney, sequela |
| S37.022D | Major contusion of left kidney, subsequent encounter |
| S37.022S | Major contusion of left kidney, sequela |
| S37.029D | Major contusion of unspecified kidney, subsequent encounter |
| S37.029S | Major contusion of unspecified kidney, sequela |
| S37.031D | Laceration of right kidney, unspecified degree, subsequent encounter |
| S37.031S | Laceration of right kidney, unspecified degree, sequela |
| S37.032D | Laceration of left kidney, unspecified degree, subsequent encounter |
| S37.032S | Laceration of left kidney, unspecified degree, sequela |
| S37.039D | Laceration of unspecified kidney, unspecified degree, subsequent encounter |
| S37.039S | Laceration of unspecified kidney, unspecified degree, sequela |
| S37.041D | Minor laceration of right kidney, subsequent encounter |
| S37.041S | Minor laceration of right kidney, sequela |
| S37.042D | Minor laceration of left kidney, subsequent encounter |
| S37.042S | Minor laceration of left kidney, sequela |
| S37.049D | Minor laceration of unspecified kidney, subsequent encounter |
| S37.049S | Minor laceration of unspecified kidney, sequela |
| S37.051D | Moderate laceration of right kidney, subsequent encounter |
| S37.051S | Moderate laceration of right kidney, sequela |
| S37.052D | Moderate laceration of left kidney, subsequent encounter |
| S37.052S | Moderate laceration of left kidney, sequela |
| S37.059D | Moderate laceration of unspecified kidney, subsequent encounter |
| S37.059S | Moderate laceration of unspecified kidney, sequela |
| S37.061D | Major laceration of right kidney, subsequent encounter |
| S37.061S | Major laceration of right kidney, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S37.062D | Major laceration of left kidney, subsequent encounter |
| S37.062S | Major laceration of left kidney, sequela |
| S37.069D | Major laceration of unspecified kidney, subsequent encounter |
| S37.069S | Major laceration of unspecified kidney, sequela |
| S37.091D | Other injury of right kidney, subsequent encounter |
| S37.091S | Other injury of right kidney, sequela |
| S37.092D | Other injury of left kidney, subsequent encounter |
| S37.092S | Other injury of left kidney, sequela |
| S37.099D | Other injury of unspecified kidney, subsequent encounter |
| S37.099S | Other injury of unspecified kidney, sequela |
| S37.10XD | Unspecified injury of ureter, subsequent encounter |
| S37.10XS | Unspecified injury of ureter, sequela |
| S37.12XD | Contusion of ureter, subsequent encounter |
| S37.12XS | Contusion of ureter, sequela |
| S37.13XD | Laceration of ureter, subsequent encounter |
| S37.13XS | Laceration of ureter, sequela |
| S37.19XD | Other injury of ureter, subsequent encounter |
| S37.19XS | Other injury of ureter, sequela |
| S37.20XD | Unspecified injury of bladder, subsequent encounter |
| S37.20XS | Unspecified injury of bladder, sequela |
| S37.22XD | Contusion of bladder, subsequent encounter |
| S37.22XS | Contusion of bladder, sequela |
| S37.23XD | Laceration of bladder, subsequent encounter |
| S37.23XS | Laceration of bladder, sequela |
| S37.29XD | Other injury of bladder, subsequent encounter |
| S37.29XS | Other injury of bladder, sequela |
| S37.30XD | Unspecified injury of urethra, subsequent encounter |
| S37.30XS | Unspecified injury of urethra, sequela |
| S37.32XD | Contusion of urethra, subsequent encounter |
| S37.32XS | Contusion of urethra, sequela |
| S37.33XD | Laceration of urethra, subsequent encounter |
| S37.33XS | Laceration of urethra, sequela |
| S37.39XD | Other injury of urethra, subsequent encounter |
| S37.39XS | Other injury of urethra, sequela |
| S37.401D | Unspecified injury of ovary, unilateral, subsequent encounter |
| S37.401S | Unspecified injury of ovary, unilateral, sequela |
| S37.402D | Unspecified injury of ovary, bilateral, subsequent encounter |
| S37.402S | Unspecified injury of ovary, bilateral, sequela |
| S37.409D | Unspecified injury of ovary, unspecified, subsequent encounter |
| S37.409S | Unspecified injury of ovary, unspecified, sequela |
| S37.421D | Contusion of ovary, unilateral, subsequent encounter |
| S37.421S | Contusion of ovary, unilateral, sequela |
| S37.422D | Contusion of ovary, bilateral, subsequent encounter |
| S37.422S | Contusion of ovary, bilateral, sequela |
| S37.429D | Contusion of ovary, unspecified, subsequent encounter |
| S37.429S | Contusion of ovary, unspecified, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S37.431D | Laceration of ovary, unilateral, subsequent encounter |
| S37.431S | Laceration of ovary, unilateral, sequela |
| S37.432D | Laceration of ovary, bilateral, subsequent encounter |
| S37.432S | Laceration of ovary, bilateral, sequela |
| S37.439D | Laceration of ovary, unspecified, subsequent encounter |
| S37.439S | Laceration of ovary, unspecified, sequela |
| S37.491D | Other injury of ovary, unilateral, subsequent encounter |
| S37.491S | Other injury of ovary, unilateral, sequela |
| S37.492D | Other injury of ovary, bilateral, subsequent encounter |
| S37.492S | Other injury of ovary, bilateral, sequela |
| S37.499D | Other injury of ovary, unspecified, subsequent encounter |
| S37.499S | Other injury of ovary, unspecified, sequela |
| S37.501D | Unspecified injury of fallopian tube, unilateral, subsequent encounter |
| S37.501S | Unspecified injury of fallopian tube, unilateral, sequela |
| S37.502D | Unspecified injury of fallopian tube, bilateral, subsequent encounter |
| S37.502S | Unspecified injury of fallopian tube, bilateral, sequela |
| S37.509D | Unspecified injury of fallopian tube, unspecified, subsequent encounter |
| S37.509S | Unspecified injury of fallopian tube, unspecified, sequela |
| S37.511D | Primary blast injury of fallopian tube, unilateral, subsequent encounter |
| S37.511S | Primary blast injury of fallopian tube, unilateral, sequela |
| S37.512D | Primary blast injury of fallopian tube, bilateral, subsequent encounter |
| S37.512S | Primary blast injury of fallopian tube, bilateral, sequela |
| S37.519D | Primary blast injury of fallopian tube, unspecified, subsequent encounter |
| S37.519S | Primary blast injury of fallopian tube, unspecified, sequela |
| S37.521D | Contusion of fallopian tube, unilateral, subsequent encounter |
| S37.521S | Contusion of fallopian tube, unilateral, sequela |
| S37.522D | Contusion of fallopian tube, bilateral, subsequent encounter |
| S37.522S | Contusion of fallopian tube, bilateral, sequela |
| S37.529D | Contusion of fallopian tube, unspecified, subsequent encounter |
| S37.529S | Contusion of fallopian tube, unspecified, sequela |
| S37.531D | Laceration of fallopian tube, unilateral, subsequent encounter |
| S37.531S | Laceration of fallopian tube, unilateral, sequela |
| S37.532D | Laceration of fallopian tube, bilateral, subsequent encounter |
| S37.532S | Laceration of fallopian tube, bilateral, sequela |
| S37.539D | Laceration of fallopian tube, unspecified, subsequent encounter |
| S37.539S | Laceration of fallopian tube, unspecified, sequela |
| S37.591D | Other injury of fallopian tube, unilateral, subsequent encounter |
| S37.591S | Other injury of fallopian tube, unilateral, sequela |
| S37.592D | Other injury of fallopian tube, bilateral, subsequent encounter |
| S37.592S | Other injury of fallopian tube, bilateral, sequela |
| S37.599D | Other injury of fallopian tube, unspecified, subsequent encounter |
| S37.599S | Other injury of fallopian tube, unspecified, sequela |
| S37.60XD | Unspecified injury of uterus, subsequent encounter |
| S37.60XS | Unspecified injury of uterus, sequela |
| S37.62XD | Contusion of uterus, subsequent encounter |
| S37.62XS | Contusion of uterus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S37.63XD | Laceration of uterus, subsequent encounter |
| S37.63XS | Laceration of uterus, sequela |
| S37.69XD | Other injury of uterus, subsequent encounter |
| S37.69XS | Other injury of uterus, sequela |
| S37.812D | Contusion of adrenal gland, subsequent encounter |
| S37.812S | Contusion of adrenal gland, sequela |
| S37.813D | Laceration of adrenal gland, subsequent encounter |
| S37.813S | Laceration of adrenal gland, sequela |
| S37.818D | Other injury of adrenal gland, subsequent encounter |
| S37.818S | Other injury of adrenal gland, sequela |
| S37.819D | Unspecified injury of adrenal gland, subsequent encounter |
| S37.819S | Unspecified injury of adrenal gland, sequela |
| S37.822D | Contusion of prostate, subsequent encounter |
| S37.822S | Contusion of prostate, sequela |
| S37.823D | Laceration of prostate, subsequent encounter |
| S37.823S | Laceration of prostate, sequela |
| S37.828D | Other injury of prostate, subsequent encounter |
| S37.828S | Other injury of prostate, sequela |
| S37.829D | Unspecified injury of prostate, subsequent encounter |
| S37.829S | Unspecified injury of prostate, sequela |
| S37.892D | Contusion of other urinary and pelvic organ, subsequent encounter |
| S37.892S | Contusion of other urinary and pelvic organ, sequela |
| S37.893D | Laceration of other urinary and pelvic organ, subsequent encounter |
| S37.893S | Laceration of other urinary and pelvic organ, sequela |
| S37.898D | Other injury of other urinary and pelvic organ, subsequent encounter |
| S37.898S | Other injury of other urinary and pelvic organ, sequela |
| S37.899D | Unspecified injury of other urinary and pelvic organ, subsequent encounter |
| S37.899S | Unspecified injury of other urinary and pelvic organ, sequela |
| S37.90XD | Unspecified injury of unspecified urinary and pelvic organ, subsequent encounter |
| S37.90XS | Unspecified injury of unspecified urinary and pelvic organ, sequela |
| S37.92XD | Contusion of unspecified urinary and pelvic organ, subsequent encounter |
| S37.92XS | Contusion of unspecified urinary and pelvic organ, sequela |
| S37.93XD | Laceration of unspecified urinary and pelvic organ, subsequent encounter |
| S37.93XS | Laceration of unspecified urinary and pelvic organ, sequela |
| S37.99XD | Other injury of unspecified urinary and pelvic organ, subsequent encounter |
| S37.99XS | Other injury of unspecified urinary and pelvic organ, sequela |
| S38.001D | Crushing injury of unspecified external genital organs, male, subsequent encounter |
| S38.001S | Crushing injury of unspecified external genital organs, male, sequela |
| S38.002D | Crushing injury of unspecified external genital organs, female, subsequent encounter |
| S38.002S | Crushing injury of unspecified external genital organs, female, sequela |
| S38.01XD | Crushing injury of penis, subsequent encounter |
| S38.01XS | Crushing injury of penis, sequela |
| S38.02XD | Crushing injury of scrotum and testis, subsequent encounter |
| S38.02XS | Crushing injury of scrotum and testis, sequela |
| S38.03XD | Crushing injury of vulva, subsequent encounter |
| S38.03XS | Crushing injury of vulva, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S38.1XXD | Crushing injury of abdomen, lower back, and pelvis, subsequent encounter |
| S38.1XXS | Crushing injury of abdomen, lower back, and pelvis, sequela |
| S38.211D | Complete traumatic amputation of female external genital organs, subsequent encounter |
| S38.211S | Complete traumatic amputation of female external genital organs, sequela |
| S38.212D | Partial traumatic amputation of female external genital organs, subsequent encounter |
| S38.212S | Partial traumatic amputation of female external genital organs, sequela |
| S38.221D | Complete traumatic amputation of penis, subsequent encounter |
| S38.221S | Complete traumatic amputation of penis, sequela |
| S38.222D | Partial traumatic amputation of penis, subsequent encounter |
| S38.222S | Partial traumatic amputation of penis, sequela |
| S38.231D | Complete traumatic amputation of scrotum and testis, subsequent encounter |
| S38.231S | Complete traumatic amputation of scrotum and testis, sequela |
| S38.232D | Partial traumatic amputation of scrotum and testis, subsequent encounter |
| S38.232S | Partial traumatic amputation of scrotum and testis, sequela |
| S38.3XXD | Transection (partial) of abdomen, subsequent encounter |
| S38.3XXS | Transection (partial) of abdomen, sequela |
| S39.001D | Unspecified injury of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.001S | Unspecified injury of muscle, fascia and tendon of abdomen, sequela |
| S39.002D | Unspecified injury of muscle, fascia and tendon of lower back, subsequent encounter |
| S39.002S | Unspecified injury of muscle, fascia and tendon of lower back, sequela |
| S39.003D | Unspecified injury of muscle, fascia and tendon of pelvis, subsequent encounter |
| S39.003S | Unspecified injury of muscle, fascia and tendon of pelvis, sequela |
| S39.011D | Strain of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.011S | Strain of muscle, fascia and tendon of abdomen, sequela |
| S39.012D | Strain of muscle, fascia and tendon of lower back, subsequent encounter |
| S39.012S | Strain of muscle, fascia and tendon of lower back, sequela |
| S39.013D | Strain of muscle, fascia and tendon of pelvis, subsequent encounter |
| S39.013S | Strain of muscle, fascia and tendon of pelvis, sequela |
| S39.021D | Laceration of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.021S | Laceration of muscle, fascia and tendon of abdomen, sequela |
| S39.022D | Laceration of muscle, fascia and tendon of lower back, subsequent encounter |
| S39.022S | Laceration of muscle, fascia and tendon of lower back, sequela |
| S39.023D | Laceration of muscle, fascia and tendon of pelvis, subsequent encounter |
| S39.023S | Laceration of muscle, fascia and tendon of pelvis, sequela |
| S39.091D | Other injury of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.091S | Other injury of muscle, fascia and tendon of abdomen, sequela |
| S39.092D | Other injury of muscle, fascia and tendon of lower back, subsequent encounter |
| S39.092S | Other injury of muscle, fascia and tendon of lower back, sequela |
| S39.093D | Other injury of muscle, fascia and tendon of pelvis, subsequent encounter |
| S39.093S | Other injury of muscle, fascia and tendon of pelvis, sequela |
| S39.81XD | Other specified injuries of abdomen, subsequent encounter |
| S39.81XS | Other specified injuries of abdomen, sequela |
| S39.82XD | Other specified injuries of lower back, subsequent encounter |
| S39.82XS | Other specified injuries of lower back, sequela |
| S39.83XD | Other specified injuries of pelvis, subsequent encounter |
| S39.83XS | Other specified injuries of pelvis, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S39.840D | Fracture of corpus cavernosum penis, subsequent encounter |
| S39.840S | Fracture of corpus cavernosum penis, sequela |
| S39.848D | Other specified injuries of external genitals, subsequent encounter |
| S39.848S | Other specified injuries of external genitals, sequela |
| S39.91XD | Unspecified injury of abdomen, subsequent encounter |
| S39.91XS | Unspecified injury of abdomen, sequela |
| S39.92XD | Unspecified injury of lower back, subsequent encounter |
| S39.92XS | Unspecified injury of lower back, sequela |
| S39.93XD | Unspecified injury of pelvis, subsequent encounter |
| S39.93XS | Unspecified injury of pelvis, sequela |
| S39.94XD | Unspecified injury of external genitals, subsequent encounter |
| S39.94XS | Unspecified injury of external genitals, sequela |
| S40.011D | Contusion of right shoulder, subsequent encounter |
| S40.011S | Contusion of right shoulder, sequela |
| S40.012D | Contusion of left shoulder, subsequent encounter |
| S40.012S | Contusion of left shoulder, sequela |
| S40.019D | Contusion of unspecified shoulder, subsequent encounter |
| S40.019S | Contusion of unspecified shoulder, sequela |
| S40.021D | Contusion of right upper arm, subsequent encounter |
| S40.021S | Contusion of right upper arm, sequela |
| S40.022D | Contusion of left upper arm, subsequent encounter |
| S40.022S | Contusion of left upper arm, sequela |
| S40.029D | Contusion of unspecified upper arm, subsequent encounter |
| S40.029S | Contusion of unspecified upper arm, sequela |
| S40.211D | Abrasion of right shoulder, subsequent encounter |
| S40.211S | Abrasion of right shoulder, sequela |
| S40.212D | Abrasion of left shoulder, subsequent encounter |
| S40.212S | Abrasion of left shoulder, sequela |
| S40.219D | Abrasion of unspecified shoulder, subsequent encounter |
| S40.219S | Abrasion of unspecified shoulder, sequela |
| S40.221D | Blister (nonthermal) of right shoulder, subsequent encounter |
| S40.221S | Blister (nonthermal) of right shoulder, sequela |
| S40.222D | Blister (nonthermal) of left shoulder, subsequent encounter |
| S40.222S | Blister (nonthermal) of left shoulder, sequela |
| S40.229D | Blister (nonthermal) of unspecified shoulder, subsequent encounter |
| S40.229S | Blister (nonthermal) of unspecified shoulder, sequela |
| S40.241D | External constriction of right shoulder, subsequent encounter |
| S40.241S | External constriction of right shoulder, sequela |
| S40.242D | External constriction of left shoulder, subsequent encounter |
| S40.242S | External constriction of left shoulder, sequela |
| S40.249D | External constriction of unspecified shoulder, subsequent encounter |
| S40.249S | External constriction of unspecified shoulder, sequela |
| S40.251D | Superficial foreign body of right shoulder, subsequent encounter |
| S40.251S | Superficial foreign body of right shoulder, sequela |
| S40.252D | Superficial foreign body of left shoulder, subsequent encounter |
| S40.252S | Superficial foreign body of left shoulder, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S40.259D | Superficial foreign body of unspecified shoulder, subsequent encounter |
| S40.259S | Superficial foreign body of unspecified shoulder, sequela |
| S40.261D | Insect bite (nonvenomous) of right shoulder, subsequent encounter |
| S40.261S | Insect bite (nonvenomous) of right shoulder, sequela |
| S40.262D | Insect bite (nonvenomous) of left shoulder, subsequent encounter |
| S40.262S | Insect bite (nonvenomous) of left shoulder, sequela |
| S40.269D | Insect bite (nonvenomous) of unspecified shoulder, subsequent encounter |
| S40.269S | Insect bite (nonvenomous) of unspecified shoulder, sequela |
| S40.271D | Other superficial bite of right shoulder, subsequent encounter |
| S40.271S | Other superficial bite of right shoulder, sequela |
| S40.272D | Other superficial bite of left shoulder, subsequent encounter |
| S40.272S | Other superficial bite of left shoulder, sequela |
| S40.279D | Other superficial bite of unspecified shoulder, subsequent encounter |
| S40.279S | Other superficial bite of unspecified shoulder, sequela |
| S40.811D | Abrasion of right upper arm, subsequent encounter |
| S40.811S | Abrasion of right upper arm, sequela |
| S40.812D | Abrasion of left upper arm, subsequent encounter |
| S40.812S | Abrasion of left upper arm, sequela |
| S40.819D | Abrasion of unspecified upper arm, subsequent encounter |
| S40.819S | Abrasion of unspecified upper arm, sequela |
| S40.821D | Blister (nonthermal) of right upper arm, subsequent encounter |
| S40.821S | Blister (nonthermal) of right upper arm, sequela |
| S40.822D | Blister (nonthermal) of left upper arm, subsequent encounter |
| S40.822S | Blister (nonthermal) of left upper arm, sequela |
| S40.829D | Blister (nonthermal) of unspecified upper arm, subsequent encounter |
| S40.829S | Blister (nonthermal) of unspecified upper arm, sequela |
| S40.841D | External constriction of right upper arm, subsequent encounter |
| S40.841S | External constriction of right upper arm, sequela |
| S40.842D | External constriction of left upper arm, subsequent encounter |
| S40.842S | External constriction of left upper arm, sequela |
| S40.849D | External constriction of unspecified upper arm, subsequent encounter |
| S40.849S | External constriction of unspecified upper arm, sequela |
| S40.851D | Superficial foreign body of right upper arm, subsequent encounter |
| S40.851S | Superficial foreign body of right upper arm, sequela |
| S40.852D | Superficial foreign body of left upper arm, subsequent encounter |
| S40.852S | Superficial foreign body of left upper arm, sequela |
| S40.859D | Superficial foreign body of unspecified upper arm, subsequent encounter |
| S40.859S | Superficial foreign body of unspecified upper arm, sequela |
| S40.861D | Insect bite (nonvenomous) of right upper arm, subsequent encounter |
| S40.861S | Insect bite (nonvenomous) of right upper arm, sequela |
| S40.862D | Insect bite (nonvenomous) of left upper arm, subsequent encounter |
| S40.862S | Insect bite (nonvenomous) of left upper arm, sequela |
| S40.869D | Insect bite (nonvenomous) of unspecified upper arm, subsequent encounter |
| S40.869S | Insect bite (nonvenomous) of unspecified upper arm, sequela |
| S40.871D | Other superficial bite of right upper arm, subsequent encounter |
| S40.871S | Other superficial bite of right upper arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S40.872D | Other superficial bite of left upper arm, subsequent encounter |
| S40.872S | Other superficial bite of left upper arm, sequela |
| S40.879D | Other superficial bite of unspecified upper arm, subsequent encounter |
| S40.879S | Other superficial bite of unspecified upper arm, sequela |
| S40.911D | Unspecified superficial injury of right shoulder, subsequent encounter |
| S40.911S | Unspecified superficial injury of right shoulder, sequela |
| S40.912D | Unspecified superficial injury of left shoulder, subsequent encounter |
| S40.912S | Unspecified superficial injury of left shoulder, sequela |
| S40.919D | Unspecified superficial injury of unspecified shoulder, subsequent encounter |
| S40.919S | Unspecified superficial injury of unspecified shoulder, sequela |
| S40.921D | Unspecified superficial injury of right upper arm, subsequent encounter |
| S40.921S | Unspecified superficial injury of right upper arm, sequela |
| S40.922D | Unspecified superficial injury of left upper arm, subsequent encounter |
| S40.922S | Unspecified superficial injury of left upper arm, sequela |
| S40.929D | Unspecified superficial injury of unspecified upper arm, subsequent encounter |
| S40.929S | Unspecified superficial injury of unspecified upper arm, sequela |
| S41.001D | Unspecified open wound of right shoulder, subsequent encounter |
| S41.001S | Unspecified open wound of right shoulder, sequela |
| S41.002D | Unspecified open wound of left shoulder, subsequent encounter |
| S41.002S | Unspecified open wound of left shoulder, sequela |
| S41.009D | Unspecified open wound of unspecified shoulder, subsequent encounter |
| S41.009S | Unspecified open wound of unspecified shoulder, sequela |
| S41.011D | Laceration without foreign body of right shoulder, subsequent encounter |
| S41.011S | Laceration without foreign body of right shoulder, sequela |
| S41.012D | Laceration without foreign body of left shoulder, subsequent encounter |
| S41.012S | Laceration without foreign body of left shoulder, sequela |
| S41.019D | Laceration without foreign body of unspecified shoulder, subsequent encounter |
| S41.019S | Laceration without foreign body of unspecified shoulder, sequela |
| S41.021D | Laceration with foreign body of right shoulder, subsequent encounter |
| S41.021S | Laceration with foreign body of right shoulder, sequela |
| S41.022D | Laceration with foreign body of left shoulder, subsequent encounter |
| S41.022S | Laceration with foreign body of left shoulder, sequela |
| S41.029D | Laceration with foreign body of unspecified shoulder, subsequent encounter |
| S41.029S | Laceration with foreign body of unspecified shoulder, sequela |
| S41.031D | Puncture wound without foreign body of right shoulder, subsequent encounter |
| S41.031S | Puncture wound without foreign body of right shoulder, sequela |
| S41.032D | Puncture wound without foreign body of left shoulder, subsequent encounter |
| S41.032S | Puncture wound without foreign body of left shoulder, sequela |
| S41.039D | Puncture wound without foreign body of unspecified shoulder, subsequent encounter |
| S41.039S | Puncture wound without foreign body of unspecified shoulder, sequela |
| S41.041D | Puncture wound with foreign body of right shoulder, subsequent encounter |
| S41.041S | Puncture wound with foreign body of right shoulder, sequela |
| S41.042D | Puncture wound with foreign body of left shoulder, subsequent encounter |
| S41.042S | Puncture wound with foreign body of left shoulder, sequela |
| S41.049D | Puncture wound with foreign body of unspecified shoulder, subsequent encounter |
| S41.049S | Puncture wound with foreign body of unspecified shoulder, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S41.051D | Open bite of right shoulder, subsequent encounter |
| S41.051S | Open bite of right shoulder, sequela |
| S41.052D | Open bite of left shoulder, subsequent encounter |
| S41.052S | Open bite of left shoulder, sequela |
| S41.059D | Open bite of unspecified shoulder, subsequent encounter |
| S41.059S | Open bite of unspecified shoulder, sequela |
| S41.101D | Unspecified open wound of right upper arm, subsequent encounter |
| S41.101S | Unspecified open wound of right upper arm, sequela |
| S41.102D | Unspecified open wound of left upper arm, subsequent encounter |
| S41.102S | Unspecified open wound of left upper arm, sequela |
| S41.109D | Unspecified open wound of unspecified upper arm, subsequent encounter |
| S41.109S | Unspecified open wound of unspecified upper arm, sequela |
| S41.111D | Laceration without foreign body of right upper arm, subsequent encounter |
| S41.111S | Laceration without foreign body of right upper arm, sequela |
| S41.112D | Laceration without foreign body of left upper arm, subsequent encounter |
| S41.112S | Laceration without foreign body of left upper arm, sequela |
| S41.119D | Laceration without foreign body of unspecified upper arm, subsequent encounter |
| S41.119S | Laceration without foreign body of unspecified upper arm, sequela |
| S41.121D | Laceration with foreign body of right upper arm, subsequent encounter |
| S41.121S | Laceration with foreign body of right upper arm, sequela |
| S41.122D | Laceration with foreign body of left upper arm, subsequent encounter |
| S41.122S | Laceration with foreign body of left upper arm, sequela |
| S41.129D | Laceration with foreign body of unspecified upper arm, subsequent encounter |
| S41.129S | Laceration with foreign body of unspecified upper arm, sequela |
| S41.131D | Puncture wound without foreign body of right upper arm, subsequent encounter |
| S41.131S | Puncture wound without foreign body of right upper arm, sequela |
| S41.132D | Puncture wound without foreign body of left upper arm, subsequent encounter |
| S41.132S | Puncture wound without foreign body of left upper arm, sequela |
| S41.139D | Puncture wound without foreign body of unspecified upper arm, subsequent encounter |
| S41.139S | Puncture wound without foreign body of unspecified upper arm, sequela |
| S41.141D | Puncture wound with foreign body of right upper arm, subsequent encounter |
| S41.141S | Puncture wound with foreign body of right upper arm, sequela |
| S41.142D | Puncture wound with foreign body of left upper arm, subsequent encounter |
| S41.142S | Puncture wound with foreign body of left upper arm, sequela |
| S41.149D | Puncture wound with foreign body of unspecified upper arm, subsequent encounter |
| S41.149S | Puncture wound with foreign body of unspecified upper arm, sequela |
| S41.151D | Open bite of right upper arm, subsequent encounter |
| S41.151S | Open bite of right upper arm, sequela |
| S41.152D | Open bite of left upper arm, subsequent encounter |
| S41.152S | Open bite of left upper arm, sequela |
| S41.159D | Open bite of unspecified upper arm, subsequent encounter |
| S41.159S | Open bite of unspecified upper arm, sequela |
| S42.001D | Fracture of unspecified part of right clavicle, subsequent encounter for fracture with routine healing |
| S42.001G | Fracture of unspecified part of right clavicle, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.001K | Fracture of unspecified part of right clavicle, subsequent encounter for fracture with nonunion |
| S42.001P | Fracture of unspecified part of right clavicle, subsequent encounter for fracture with malunion |
| S42.001S | Fracture of unspecified part of right clavicle, sequela |
| S42.002D | Fracture of unspecified part of left clavicle, subsequent encounter for fracture with routine healing |
| S42.002G | Fracture of unspecified part of left clavicle, subsequent encounter for fracture with delayed healing |
| S42.002K | Fracture of unspecified part of left clavicle, subsequent encounter for fracture with nonunion |
| S42.002P | Fracture of unspecified part of left clavicle, subsequent encounter for fracture with malunion |
| S42.002S | Fracture of unspecified part of left clavicle, sequela |
| S42.009D | Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.009G | Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.009K | Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with nonunion |
| S42.009P | Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with malunion |
| S42.009S | Fracture of unspecified part of unspecified clavicle, sequela |
| S42.011D | Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing |
| S42.011G | Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing |
| S42.011K | Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with nonunion |
| S42.011P | Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with malunion |
| S42.011S | Anterior displaced fracture of sternal end of right clavicle, sequela |
| S42.012D | Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing |
| S42.012G | Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing |
| S42.012K | Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with nonunion |
| S42.012P | Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with malunion |
| S42.012S | Anterior displaced fracture of sternal end of left clavicle, sequela |
| S42.013D | Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.013G | Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.013K | Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.013P | Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with malunion |
| S42.013S | Anterior displaced fracture of sternal end of unspecified clavicle, sequela |
| S42.014D | Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing |
| S42.014G | Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing |
| S42.014K | Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with nonunion |
| S42.014P | Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with malunion |
| S42.014S | Posterior displaced fracture of sternal end of right clavicle, sequela |
| S42.015D | Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing |
| S42.015G | Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing |
| S42.015K | Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with nonunion |
| S42.015P | Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with malunion |
| S42.015S | Posterior displaced fracture of sternal end of left clavicle, sequela |
| S42.016D | Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.016G | Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.016K | Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with nonunion |
| S42.016P | Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with malunion |
| S42.016S | Posterior displaced fracture of sternal end of unspecified clavicle, sequela |
| S42.017D | Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing |
| S42.017G | Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing |
| S42.017K | Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with nonunion |
| S42.017P | Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with malunion |
| S42.017S | Nondisplaced fracture of sternal end of right clavicle, sequela |
| S42.018D | Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing |
| S42.018G | Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing |
| S42.018K | Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with nonunion |
| S42.018P | Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with malunion |
| S42.018S | Nondisplaced fracture of sternal end of left clavicle, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.019D | Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.019G | Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.019K | Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with nonunion |
| S42.019P | Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with malunion |
| S42.019S | Nondisplaced fracture of sternal end of unspecified clavicle, sequela |
| S42.021D | Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing |
| S42.021G | Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with delayed healing |
| S42.021K | Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with nonunion |
| S42.021P | Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with malunion |
| S42.021S | Displaced fracture of shaft of right clavicle, sequela |
| S42.022D | Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing |
| S42.022G | Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with delayed healing |
| S42.022K | Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with nonunion |
| S42.022P | Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with malunion |
| S42.022S | Displaced fracture of shaft of left clavicle, sequela |
| S42.023D | Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.023G | Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.023K | Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with nonunion |
| S42.023P | Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with malunion |
| S42.023S | Displaced fracture of shaft of unspecified clavicle, sequela |
| S42.024D | Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing |
| S42.024G | Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with delayed healing |
| S42.024K | Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with nonunion |
| S42.024P | Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with malunion |
| S42.024S | Nondisplaced fracture of shaft of right clavicle, sequela |
| S42.025D | Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.025G | Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with delayed healing |
| S42.025K | Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with nonunion |
| S42.025P | Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with malunion |
| S42.025S | Nondisplaced fracture of shaft of left clavicle, sequela |
| S42.026D | Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.026G | Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.026K | Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with nonunion |
| S42.026P | Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with malunion |
| S42.026S | Nondisplaced fracture of shaft of unspecified clavicle, sequela |
| S42.031D | Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing |
| S42.031G | Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with delayed healing |
| S42.031K | Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with nonunion |
| S42.031P | Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with malunion |
| S42.031S | Displaced fracture of lateral end of right clavicle, sequela |
| S42.032D | Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing |
| S42.032G | Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with delayed healing |
| S42.032K | Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with nonunion |
| S42.032P | Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with malunion |
| S42.032S | Displaced fracture of lateral end of left clavicle, sequela |
| S42.033D | Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.033G | Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.033K | Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with nonunion |
| S42.033P | Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with malunion |
| S42.033S | Displaced fracture of lateral end of unspecified clavicle, sequela |
| S42.034D | Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing |
| S42.034G | Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.034K | Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with nonunion |
| S42.034P | Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with malunion |
| S42.034S | Nondisplaced fracture of lateral end of right clavicle, sequela |
| S42.035D | Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing |
| S42.035G | Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with delayed healing |
| S42.035K | Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with nonunion |
| S42.035P | Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with malunion |
| S42.035S | Nondisplaced fracture of lateral end of left clavicle, sequela |
| S42.036D | Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.036G | Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.036K | Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with nonunion |
| S42.036P | Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with malunion |
| S42.036S | Nondisplaced fracture of lateral end of unspecified clavicle, sequela |
| S42.101D | Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with routine healing |
| S42.101G | Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.101K | Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with nonunion |
| S42.101P | Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with malunion |
| S42.101S | Fracture of unspecified part of scapula, right shoulder, sequela |
| S42.102D | Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with routine healing |
| S42.102G | Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.102K | Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with nonunion |
| S42.102P | Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with malunion |
| S42.102S | Fracture of unspecified part of scapula, left shoulder, sequela |
| S42.109D | Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.109G | Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.109K | Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.109P | Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.109S | Fracture of unspecified part of scapula, unspecified shoulder, sequela |
| S42.111D | Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with routine healing |
| S42.111G | Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.111K | Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with nonunion |
| S42.111P | Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with malunion |
| S42.111S | Displaced fracture of body of scapula, right shoulder, sequela |
| S42.112D | Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with routine healing |
| S42.112G | Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.112K | Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with nonunion |
| S42.112P | Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with malunion |
| S42.112S | Displaced fracture of body of scapula, left shoulder, sequela |
| S42.113D | Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.113G | Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.113K | Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.113P | Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.113S | Displaced fracture of body of scapula, unspecified shoulder, sequela |
| S42.114D | Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with routine healing |
| S42.114G | Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.114K | Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with nonunion |
| S42.114P | Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with malunion |
| S42.114S | Nondisplaced fracture of body of scapula, right shoulder, sequela |
| S42.115D | Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with routine healing |
| S42.115G | Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.115K | Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with nonunion |
| S42.115P | Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with malunion |
| S42.115S | Nondisplaced fracture of body of scapula, left shoulder, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.116D | Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.116G | Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.116K | Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.116P | Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.116S | Nondisplaced fracture of body of scapula, unspecified shoulder, sequela |
| S42.121D | Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with routine healing |
| S42.121G | Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.121K | Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with nonunion |
| S42.121P | Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with malunion |
| S42.121S | Displaced fracture of acromial process, right shoulder, sequela |
| S42.122D | Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with routine healing |
| S42.122G | Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.122K | Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with nonunion |
| S42.122P | Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with malunion |
| S42.122S | Displaced fracture of acromial process, left shoulder, sequela |
| S42.123D | Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.123G | Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.123K | Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.123P | Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.123S | Displaced fracture of acromial process, unspecified shoulder, sequela |
| S42.124D | Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with routine healing |
| S42.124G | Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.124K | Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with nonunion |
| S42.124P | Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with malunion |
| S42.124S | Nondisplaced fracture of acromial process, right shoulder, sequela |
| S42.125D | Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.125G | Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.125K | Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with nonunion |
| S42.125P | Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with malunion |
| S42.125S | Nondisplaced fracture of acromial process, left shoulder, sequela |
| S42.126D | Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.126G | Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.126K | Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.126P | Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.126S | Nondisplaced fracture of acromial process, unspecified shoulder, sequela |
| S42.131D | Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with routine healing |
| S42.131G | Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.131K | Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with nonunion |
| S42.131P | Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with malunion |
| S42.131S | Displaced fracture of coracoid process, right shoulder, sequela |
| S42.132D | Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with routine healing |
| S42.132G | Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.132K | Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with nonunion |
| S42.132P | Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with malunion |
| S42.132S | Displaced fracture of coracoid process, left shoulder, sequela |
| S42.133D | Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.133G | Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.133K | Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.133P | Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.133S | Displaced fracture of coracoid process, unspecified shoulder, sequela |
| S42.134D | Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with routine healing |
| S42.134G | Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.134K | Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with nonunion |
| S42.134P | Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with malunion |
| S42.134S | Nondisplaced fracture of coracoid process, right shoulder, sequela |
| S42.135D | Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with routine healing |
| S42.135G | Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.135K | Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with nonunion |
| S42.135P | Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with malunion |
| S42.135S | Nondisplaced fracture of coracoid process, left shoulder, sequela |
| S42.136D | Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.136G | Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.136K | Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.136P | Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.136S | Nondisplaced fracture of coracoid process, unspecified shoulder, sequela |
| S42.141D | Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with routine healing |
| S42.141G | Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.141K | Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with nonunion |
| S42.141P | Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with malunion |
| S42.141S | Displaced fracture of glenoid cavity of scapula, right shoulder, sequela |
| S42.142D | Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with routine healing |
| S42.142G | Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.142K | Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with nonunion |
| S42.142P | Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with malunion |
| S42.142S | Displaced fracture of glenoid cavity of scapula, left shoulder, sequela |
| S42.143D | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.143G | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.143K | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.143P | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.143S | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, sequela |
| S42.144D | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with routine healing |
| S42.144G | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.144K | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with nonunion |
| S42.144P | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with malunion |
| S42.144S | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, sequela |
| S42.145D | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with routine healing |
| S42.145G | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.145K | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with nonunion |
| S42.145P | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with malunion |
| S42.145S | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, sequela |
| S42.146D | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.146G | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.146K | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.146P | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.146S | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, sequela |
| S42.151D | Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with routine healing |
| S42.151G | Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.151K | Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with nonunion |
| S42.151P | Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with malunion |
| S42.151S | Displaced fracture of neck of scapula, right shoulder, sequela |
| S42.152D | Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with routine healing |
| S42.152G | Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.152K | Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with nonunion |
| S42.152P | Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with malunion |
| S42.152S | Displaced fracture of neck of scapula, left shoulder, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.153D | Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.153G | Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.153K | Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.153P | Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.153S | Displaced fracture of neck of scapula, unspecified shoulder, sequela |
| S42.154D | Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with routine healing |
| S42.154G | Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.154K | Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with nonunion |
| S42.154P | Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with malunion |
| S42.154S | Nondisplaced fracture of neck of scapula, right shoulder, sequela |
| S42.155D | Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with routine healing |
| S42.155G | Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.155K | Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with nonunion |
| S42.155P | Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with malunion |
| S42.155S | Nondisplaced fracture of neck of scapula, left shoulder, sequela |
| S42.156D | Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.156G | Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.156K | Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.156P | Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.156S | Nondisplaced fracture of neck of scapula, unspecified shoulder, sequela |
| S42.191D | Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with routine healing |
| S42.191G | Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with delayed healing |
| S42.191K | Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with nonunion |
| S42.191P | Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with malunion |
| S42.191S | Fracture of other part of scapula, right shoulder, sequela |
| S42.192D | Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.192G | Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with delayed healing |
| S42.192K | Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with nonunion |
| S42.192P | Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with malunion |
| S42.192S | Fracture of other part of scapula, left shoulder, sequela |
| S42.199D | Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.199G | Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.199K | Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion |
| S42.199P | Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with malunion |
| S42.199S | Fracture of other part of scapula, unspecified shoulder, sequela |
| S42.201D | Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with routine healing |
| S42.201G | Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing |
| S42.201K | Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with nonunion |
| S42.201P | Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with malunion |
| S42.201S | Unspecified fracture of upper end of right humerus, sequela |
| S42.202D | Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with routine healing |
| S42.202G | Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing |
| S42.202K | Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with nonunion |
| S42.202P | Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with malunion |
| S42.202S | Unspecified fracture of upper end of left humerus, sequela |
| S42.209D | Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.209G | Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.209K | Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.209P | Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.209S | Unspecified fracture of upper end of unspecified humerus, sequela |
| S42.211D | Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing |
| S42.211G | Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.211K | Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion |
| S42.211P | Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion |
| S42.211S | Unspecified displaced fracture of surgical neck of right humerus, sequela |
| S42.212D | Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing |
| S42.212G | Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing |
| S42.212K | Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion |
| S42.212P | Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion |
| S42.212S | Unspecified displaced fracture of surgical neck of left humerus, sequela |
| S42.213D | Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.213G | Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.213K | Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.213P | Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.213S | Unspecified displaced fracture of surgical neck of unspecified humerus, sequela |
| S42.214D | Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing |
| S42.214G | Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing |
| S42.214K | Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion |
| S42.214P | Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion |
| S42.214S | Unspecified nondisplaced fracture of surgical neck of right humerus, sequela |
| S42.215D | Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing |
| S42.215G | Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing |
| S42.215K | Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion |
| S42.215P | Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion |
| S42.215S | Unspecified nondisplaced fracture of surgical neck of left humerus, sequela |
| S42.216D | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.216G | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.216K | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.216P | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.216S | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, sequela |
| S42.221D | 2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing |
| S42.221G | 2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing |
| S42.221K | 2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion |
| S42.221P | 2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion |
| S42.221S | 2-part displaced fracture of surgical neck of right humerus, sequela |
| S42.222D | 2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing |
| S42.222G | 2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing |
| S42.222K | 2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion |
| S42.222P | 2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion |
| S42.222S | 2-part displaced fracture of surgical neck of left humerus, sequela |
| S42.223D | 2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.223G | 2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.223K | 2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.223P | 2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.223S | 2-part displaced fracture of surgical neck of unspecified humerus, sequela |
| S42.224D | 2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing |
| S42.224G | 2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing |
| S42.224K | 2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion |
| S42.224P | 2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion |
| S42.224S | 2-part nondisplaced fracture of surgical neck of right humerus, sequela |
| S42.225D | 2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing |
| S42.225G | 2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing |
| S42.225K | 2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion |
| S42.225P | 2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion |
| S42.225S | 2-part nondisplaced fracture of surgical neck of left humerus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.226D | 2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.226G | 2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.226K | 2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.226P | 2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.226S | 2-part nondisplaced fracture of surgical neck of unspecified humerus, sequela |
| S42.231D | 3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing |
| S42.231G | 3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing |
| S42.231K | 3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion |
| S42.231P | 3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion |
| S42.231S | 3-part fracture of surgical neck of right humerus, sequela |
| S42.232D | 3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing |
| S42.232G | 3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing |
| S42.232K | 3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion |
| S42.232P | 3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion |
| S42.232S | 3-part fracture of surgical neck of left humerus, sequela |
| S42.239D | 3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.239G | 3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.239K | 3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.239P | 3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.239S | 3-part fracture of surgical neck of unspecified humerus, sequela |
| S42.241D | 4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing |
| S42.241G | 4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing |
| S42.241K | 4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion |
| S42.241P | 4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion |
| S42.241S | 4-part fracture of surgical neck of right humerus, sequela |
| S42.242D | 4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.242G | 4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing |
| S42.242K | 4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion |
| S42.242P | 4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion |
| S42.242S | 4-part fracture of surgical neck of left humerus, sequela |
| S42.249D | 4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.249G | 4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.249K | 4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.249P | 4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.249S | 4-part fracture of surgical neck of unspecified humerus, sequela |
| S42.251D | Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with routine healing |
| S42.251G | Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with delayed healing |
| S42.251K | Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with nonunion |
| S42.251P | Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with malunion |
| S42.251S | Displaced fracture of greater tuberosity of right humerus, sequela |
| S42.252D | Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with routine healing |
| S42.252G | Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with delayed healing |
| S42.252K | Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with nonunion |
| S42.252P | Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with malunion |
| S42.252S | Displaced fracture of greater tuberosity of left humerus, sequela |
| S42.253D | Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.253G | Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.253K | Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.253P | Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.253S | Displaced fracture of greater tuberosity of unspecified humerus, sequela |
| S42.254D | Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with routine healing |
| S42.254G | Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.254K | Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with nonunion |
| S42.254P | Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with malunion |
| S42.254S | Nondisplaced fracture of greater tuberosity of right humerus, sequela |
| S42.255D | Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with routine healing |
| S42.255G | Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with delayed healing |
| S42.255K | Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with nonunion |
| S42.255P | Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with malunion |
| S42.255S | Nondisplaced fracture of greater tuberosity of left humerus, sequela |
| S42.256D | Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.256G | Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.256K | Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.256P | Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.256S | Nondisplaced fracture of greater tuberosity of unspecified humerus, sequela |
| S42.261D | Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with routine healing |
| S42.261G | Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with delayed healing |
| S42.261K | Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with nonunion |
| S42.261P | Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with malunion |
| S42.261S | Displaced fracture of lesser tuberosity of right humerus, sequela |
| S42.262D | Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with routine healing |
| S42.262G | Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with delayed healing |
| S42.262K | Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with nonunion |
| S42.262P | Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with malunion |
| S42.262S | Displaced fracture of lesser tuberosity of left humerus, sequela |
| S42.263D | Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.263G | Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.263K | Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.263P | Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.263S | Displaced fracture of lesser tuberosity of unspecified humerus, sequela |
| S42.264D | Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with routine healing |
| S42.264G | Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with delayed healing |
| S42.264K | Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with nonunion |
| S42.264P | Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with malunion |
| S42.264S | Nondisplaced fracture of lesser tuberosity of right humerus, sequela |
| S42.265D | Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with routine healing |
| S42.265G | Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with delayed healing |
| S42.265K | Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with nonunion |
| S42.265P | Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with malunion |
| S42.265S | Nondisplaced fracture of lesser tuberosity of left humerus, sequela |
| S42.266D | Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.266G | Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.266K | Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.266P | Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.266S | Nondisplaced fracture of lesser tuberosity of unspecified humerus, sequela |
| S42.271D | Torus fracture of upper end of right humerus, subsequent encounter for fracture with routine healing |
| S42.271G | Torus fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing |
| S42.271K | Torus fracture of upper end of right humerus, subsequent encounter for fracture with nonunion |
| S42.271P | Torus fracture of upper end of right humerus, subsequent encounter for fracture with malunion |
| S42.271S | Torus fracture of upper end of right humerus, sequela |
| S42.272D | Torus fracture of upper end of left humerus, subsequent encounter for fracture with routine healing |
| S42.272G | Torus fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing |
| S42.272K | Torus fracture of upper end of left humerus, subsequent encounter for fracture with nonunion |
| S42.272P | Torus fracture of upper end of left humerus, subsequent encounter for fracture with malunion |
| S42.272S | Torus fracture of upper end of left humerus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.279D | Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.279G | Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.279K | Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.279P | Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.279S | Torus fracture of upper end of unspecified humerus, sequela |
| S42.291D | Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with routine healing |
| S42.291G | Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing |
| S42.291K | Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with nonunion |
| S42.291P | Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with malunion |
| S42.291S | Other displaced fracture of upper end of right humerus, sequela |
| S42.292D | Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with routine healing |
| S42.292G | Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing |
| S42.292K | Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with nonunion |
| S42.292P | Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with malunion |
| S42.292S | Other displaced fracture of upper end of left humerus, sequela |
| S42.293D | Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.293G | Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.293K | Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.293P | Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.293S | Other displaced fracture of upper end of unspecified humerus, sequela |
| S42.294D | Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with routine healing |
| S42.294G | Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing |
| S42.294K | Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with nonunion |
| S42.294P | Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with malunion |
| S42.294S | Other nondisplaced fracture of upper end of right humerus, sequela |
| S42.295D | Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.295G | Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing |
| S42.295K | Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with nonunion |
| S42.295P | Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with malunion |
| S42.295S | Other nondisplaced fracture of upper end of left humerus, sequela |
| S42.296D | Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.296G | Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.296K | Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.296P | Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.296S | Other nondisplaced fracture of upper end of unspecified humerus, sequela |
| S42.301D | Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.301G | Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.301K | Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.301P | Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.301S | Unspecified fracture of shaft of humerus, right arm, sequela |
| S42.302D | Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.302G | Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.302K | Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.302P | Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.302S | Unspecified fracture of shaft of humerus, left arm, sequela |
| S42.309D | Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.309G | Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.309K | Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.309P | Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.309S | Unspecified fracture of shaft of humerus, unspecified arm, sequela |
| S42.311D | Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.311G | Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.311K | Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.311P | Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.311S | Greenstick fracture of shaft of humerus, right arm, sequela |
| S42.312D | Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.312G | Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.312K | Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.312P | Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.312S | Greenstick fracture of shaft of humerus, left arm, sequela |
| S42.319D | Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.319G | Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.319K | Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.319P | Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.319S | Greenstick fracture of shaft of humerus, unspecified arm, sequela |
| S42.321D | Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.321G | Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.321K | Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.321P | Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.321S | Displaced transverse fracture of shaft of humerus, right arm, sequela |
| S42.322D | Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.322G | Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.322K | Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.322P | Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.322S | Displaced transverse fracture of shaft of humerus, left arm, sequela |
| S42.323D | Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.323G | Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.323K | Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.323P | Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.323S | Displaced transverse fracture of shaft of humerus, unspecified arm, sequela |
| S42.324D | Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.324G | Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.324K | Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.324P | Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.324S | Nondisplaced transverse fracture of shaft of humerus, right arm, sequela |
| S42.325D | Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.325G | Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.325K | Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.325P | Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.325S | Nondisplaced transverse fracture of shaft of humerus, left arm, sequela |
| S42.326D | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.326G | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.326K | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.326P | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.326S | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, sequela |
| S42.331D | Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.331G | Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.331K | Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.331P | Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.331S | Displaced oblique fracture of shaft of humerus, right arm, sequela |
| S42.332D | Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.332G | Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.332K | Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.332P | Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.332S | Displaced oblique fracture of shaft of humerus, left arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.333D | Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.333G | Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.333K | Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.333P | Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.333S | Displaced oblique fracture of shaft of humerus, unspecified arm, sequela |
| S42.334D | Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.334G | Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.334K | Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.334P | Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.334S | Nondisplaced oblique fracture of shaft of humerus, right arm, sequela |
| S42.335D | Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.335G | Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.335K | Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.335P | Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.335S | Nondisplaced oblique fracture of shaft of humerus, left arm, sequela |
| S42.336D | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.336G | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.336K | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.336P | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.336S | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, sequela |
| S42.341D | Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.341G | Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.341K | Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.341P | Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.341S | Displaced spiral fracture of shaft of humerus, right arm, sequela |
| S42.342D | Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.342G | Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.342K | Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.342P | Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.342S | Displaced spiral fracture of shaft of humerus, left arm, sequela |
| S42.343D | Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.343G | Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.343K | Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.343P | Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.343S | Displaced spiral fracture of shaft of humerus, unspecified arm, sequela |
| S42.344D | Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.344G | Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.344K | Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.344P | Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.344S | Nondisplaced spiral fracture of shaft of humerus, right arm, sequela |
| S42.345D | Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.345G | Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.345K | Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.345P | Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.345S | Nondisplaced spiral fracture of shaft of humerus, left arm, sequela |
| S42.346D | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.346G | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.346K | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.346P | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.346S | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, sequela |
| S42.351D | Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.351G | Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.351K | Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.351P | Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.351S | Displaced comminuted fracture of shaft of humerus, right arm, sequela |
| S42.352D | Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.352G | Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.352K | Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.352P | Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.352S | Displaced comminuted fracture of shaft of humerus, left arm, sequela |
| S42.353D | Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.353G | Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.353K | Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.353P | Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.353S | Displaced comminuted fracture of shaft of humerus, unspecified arm, sequela |
| S42.354D | Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.354G | Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.354K | Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.354P | Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.354S | Nondisplaced comminuted fracture of shaft of humerus, right arm, sequela |
| S42.355D | Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.355G | Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.355K | Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.355P | Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.355S | Nondisplaced comminuted fracture of shaft of humerus, left arm, sequela |
| S42.356D | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.356G | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.356K | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.356P | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.356S | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, sequela |
| S42.361D | Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.361G | Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.361K | Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.361P | Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.361S | Displaced segmental fracture of shaft of humerus, right arm, sequela |
| S42.362D | Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.362G | Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.362K | Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.362P | Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.362S | Displaced segmental fracture of shaft of humerus, left arm, sequela |
| S42.363D | Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.363G | Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.363K | Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.363P | Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.363S | Displaced segmental fracture of shaft of humerus, unspecified arm, sequela |
| S42.364D | Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing |
| S42.364G | Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S42.364K | Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion |
| S42.364P | Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion |
| S42.364S | Nondisplaced segmental fracture of shaft of humerus, right arm, sequela |
| S42.365D | Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing |
| S42.365G | Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S42.365K | Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion |
| S42.365P | Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion |
| S42.365S | Nondisplaced segmental fracture of shaft of humerus, left arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.366D | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.366G | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.366K | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S42.366P | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S42.366S | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, sequela |
| S42.391D | Other fracture of shaft of right humerus, subsequent encounter for fracture with routine healing |
| S42.391G | Other fracture of shaft of right humerus, subsequent encounter for fracture with delayed healing |
| S42.391K | Other fracture of shaft of right humerus, subsequent encounter for fracture with nonunion |
| S42.391P | Other fracture of shaft of right humerus, subsequent encounter for fracture with malunion |
| S42.391S | Other fracture of shaft of right humerus, sequela |
| S42.392D | Other fracture of shaft of left humerus, subsequent encounter for fracture with routine healing |
| S42.392G | Other fracture of shaft of left humerus, subsequent encounter for fracture with delayed healing |
| S42.392K | Other fracture of shaft of left humerus, subsequent encounter for fracture with nonunion |
| S42.392P | Other fracture of shaft of left humerus, subsequent encounter for fracture with malunion |
| S42.392S | Other fracture of shaft of left humerus, sequela |
| S42.399D | Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.399G | Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.399K | Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.399P | Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.399S | Other fracture of shaft of unspecified humerus, sequela |
| S42.401D | Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with routine healing |
| S42.401G | Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing |
| S42.401K | Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with nonunion |
| S42.401P | Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with malunion |
| S42.401S | Unspecified fracture of lower end of right humerus, sequela |
| S42.402D | Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with routine healing |
| S42.402G | Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.402K | Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with nonunion |
| S42.402P | Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with malunion |
| S42.402S | Unspecified fracture of lower end of left humerus, sequela |
| S42.409D | Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.409G | Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.409K | Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.409P | Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.409S | Unspecified fracture of lower end of unspecified humerus, sequela |
| S42.411D | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing |
| S42.411G | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing |
| S42.411K | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion |
| S42.411P | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion |
| S42.411S | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, sequela |
| S42.412D | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing |
| S42.412G | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing |
| S42.412K | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion |
| S42.412P | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion |
| S42.412S | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, sequela |
| S42.413D | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.413G | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.413K | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.413P | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.413S | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, sequela |
| S42.414D | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing |
| S42.414G | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.414K | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion |
| S42.414P | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion |
| S42.414S | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, sequela |
| S42.415D | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing |
| S42.415G | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing |
| S42.415K | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion |
| S42.415P | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion |
| S42.415S | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, sequela |
| S42.416D | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.416G | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.416K | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.416P | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.416S | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, sequela |
| S42.421D | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing |
| S42.421G | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing |
| S42.421K | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion |
| S42.421P | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion |
| S42.421S | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, sequela |
| S42.422D | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing |
| S42.422G | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing |
| S42.422K | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion |
| S42.422P | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion |
| S42.422S | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, sequela |
| S42.423D | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.423G | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.423K | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.423P | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.423S | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, sequela |
| S42.424D | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing |
| S42.424G | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing |
| S42.424K | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion |
| S42.424P | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion |
| S42.424S | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, sequela |
| S42.425D | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing |
| S42.425G | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing |
| S42.425K | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion |
| S42.425P | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion |
| S42.425S | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, sequela |
| S42.426D | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.426G | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.426K | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.426P | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.426S | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, sequela |
| S42.431D | Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with routine healing |
| S42.431G | Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with delayed healing |
| S42.431K | Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with nonunion |
| S42.431P | Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with malunion |
| S42.431S | Displaced fracture (avulsion) of lateral epicondyle of right humerus, sequela |
| S42.432D | Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.432G | Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with delayed healing |
| S42.432K | Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with nonunion |
| S42.432P | Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with malunion |
| S42.432S | Displaced fracture (avulsion) of lateral epicondyle of left humerus, sequela |
| S42.433D | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.433G | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.433K | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.433P | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.433S | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, sequela |
| S42.434D | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with routine healing |
| S42.434G | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with delayed healing |
| S42.434K | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with nonunion |
| S42.434P | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with malunion |
| S42.434S | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, sequela |
| S42.435D | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with routine healing |
| S42.435G | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with delayed healing |
| S42.435K | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with nonunion |
| S42.435P | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with malunion |
| S42.435S | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, sequela |
| S42.436D | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.436G | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.436K | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.436P | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.436S | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, sequela |
| S42.441D | Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing |
| S42.441G | Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.441K | Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with nonunion |
| S42.441P | Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with malunion |
| S42.441S | Displaced fracture (avulsion) of medial epicondyle of right humerus, sequela |
| S42.442D | Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing |
| S42.442G | Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing |
| S42.442K | Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with nonunion |
| S42.442P | Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with malunion |
| S42.442S | Displaced fracture (avulsion) of medial epicondyle of left humerus, sequela |
| S42.443D | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.443G | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.443K | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.443P | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.443S | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, sequela |
| S42.444D | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing |
| S42.444G | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing |
| S42.444K | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with nonunion |
| S42.444P | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with malunion |
| S42.444S | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, sequela |
| S42.445D | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing |
| S42.445G | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing |
| S42.445K | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with nonunion |
| S42.445P | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with malunion |
| S42.445S | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, sequela |
| S42.446D | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.446G | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.446K | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.446P | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.446S | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, sequela |
| S42.447D | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing |
| S42.447G | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing |
| S42.447K | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with nonunion |
| S42.447P | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with malunion |
| S42.447S | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, sequela |
| S42.448D | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing |
| S42.448G | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing |
| S42.448K | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with nonunion |
| S42.448P | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with malunion |
| S42.448S | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, sequela |
| S42.449D | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.449G | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.449K | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.449P | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.449S | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, sequela |
| S42.451D | Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with routine healing |
| S42.451G | Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with delayed healing |
| S42.451K | Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with nonunion |
| S42.451P | Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with malunion |
| S42.451S | Displaced fracture of lateral condyle of right humerus, sequela |
| S42.452D | Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with routine healing |
| S42.452G | Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with delayed healing |
| S42.452K | Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with nonunion |
| S42.452P | Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with malunion |
| S42.452S | Displaced fracture of lateral condyle of left humerus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.453D | Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.453G | Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.453K | Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.453P | Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.453S | Displaced fracture of lateral condyle of unspecified humerus, sequela |
| S42.454D | Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with routine healing |
| S42.454G | Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with delayed healing |
| S42.454K | Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with nonunion |
| S42.454P | Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with malunion |
| S42.454S | Nondisplaced fracture of lateral condyle of right humerus, sequela |
| S42.455D | Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with routine healing |
| S42.455G | Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with delayed healing |
| S42.455K | Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with nonunion |
| S42.455P | Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with malunion |
| S42.455S | Nondisplaced fracture of lateral condyle of left humerus, sequela |
| S42.456D | Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.456G | Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.456K | Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.456P | Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.456S | Nondisplaced fracture of lateral condyle of unspecified humerus, sequela |
| S42.461D | Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with routine healing |
| S42.461G | Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with delayed healing |
| S42.461K | Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with nonunion |
| S42.461P | Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with malunion |
| S42.461S | Displaced fracture of medial condyle of right humerus, sequela |
| S42.462D | Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.462G | Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with delayed healing |
| S42.462K | Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with nonunion |
| S42.462P | Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with malunion |
| S42.462S | Displaced fracture of medial condyle of left humerus, sequela |
| S42.463D | Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.463G | Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.463K | Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.463P | Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.463S | Displaced fracture of medial condyle of unspecified humerus, sequela |
| S42.464D | Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with routine healing |
| S42.464G | Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with delayed healing |
| S42.464K | Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with nonunion |
| S42.464P | Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with malunion |
| S42.464S | Nondisplaced fracture of medial condyle of right humerus, sequela |
| S42.465D | Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with routine healing |
| S42.465G | Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with delayed healing |
| S42.465K | Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with nonunion |
| S42.465P | Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with malunion |
| S42.465S | Nondisplaced fracture of medial condyle of left humerus, sequela |
| S42.466D | Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.466G | Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.466K | Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.466P | Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.466S | Nondisplaced fracture of medial condyle of unspecified humerus, sequela |
| S42.471D | Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with routine healing |
| S42.471G | Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.471K | Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with nonunion |
| S42.471P | Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with malunion |
| S42.471S | Displaced transcondylar fracture of right humerus, sequela |
| S42.472D | Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with routine healing |
| S42.472G | Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with delayed healing |
| S42.472K | Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with nonunion |
| S42.472P | Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with malunion |
| S42.472S | Displaced transcondylar fracture of left humerus, sequela |
| S42.473D | Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.473G | Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.473K | Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.473P | Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.473S | Displaced transcondylar fracture of unspecified humerus, sequela |
| S42.474D | Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with routine healing |
| S42.474G | Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with delayed healing |
| S42.474K | Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with nonunion |
| S42.474P | Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with malunion |
| S42.474S | Nondisplaced transcondylar fracture of right humerus, sequela |
| S42.475D | Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with routine healing |
| S42.475G | Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with delayed healing |
| S42.475K | Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with nonunion |
| S42.475P | Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with malunion |
| S42.475S | Nondisplaced transcondylar fracture of left humerus, sequela |
| S42.476D | Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.476G | Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.476K | Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.476P | Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.476S | Nondisplaced transcondylar fracture of unspecified humerus, sequela |
| S42.481D | Torus fracture of lower end of right humerus, subsequent encounter for fracture with routine healing |
| S42.481G | Torus fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing |
| S42.481K | Torus fracture of lower end of right humerus, subsequent encounter for fracture with nonunion |
| S42.481P | Torus fracture of lower end of right humerus, subsequent encounter for fracture with malunion |
| S42.481S | Torus fracture of lower end of right humerus, sequela |
| S42.482D | Torus fracture of lower end of left humerus, subsequent encounter for fracture with routine healing |
| S42.482G | Torus fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing |
| S42.482K | Torus fracture of lower end of left humerus, subsequent encounter for fracture with nonunion |
| S42.482P | Torus fracture of lower end of left humerus, subsequent encounter for fracture with malunion |
| S42.482S | Torus fracture of lower end of left humerus, sequela |
| S42.489D | Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.489G | Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.489K | Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.489P | Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.489S | Torus fracture of lower end of unspecified humerus, sequela |
| S42.491D | Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with routine healing |
| S42.491G | Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing |
| S42.491K | Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with nonunion |
| S42.491P | Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with malunion |
| S42.491S | Other displaced fracture of lower end of right humerus, sequela |
| S42.492D | Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with routine healing |
| S42.492G | Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing |
| S42.492K | Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with nonunion |
| S42.492P | Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with malunion |
| S42.492S | Other displaced fracture of lower end of left humerus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.493D | Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.493G | Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.493K | Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.493P | Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.493S | Other displaced fracture of lower end of unspecified humerus, sequela |
| S42.494D | Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with routine healing |
| S42.494G | Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing |
| S42.494K | Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with nonunion |
| S42.494P | Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with malunion |
| S42.494S | Other nondisplaced fracture of lower end of right humerus, sequela |
| S42.495D | Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with routine healing |
| S42.495G | Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing |
| S42.495K | Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with nonunion |
| S42.495P | Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with malunion |
| S42.495S | Other nondisplaced fracture of lower end of left humerus, sequela |
| S42.496D | Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.496G | Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.496K | Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion |
| S42.496P | Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion |
| S42.496S | Other nondisplaced fracture of lower end of unspecified humerus, sequela |
| S42.90XD | Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing |
| S42.90XG | Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing |
| S42.90XK | Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with nonunion |
| S42.90XP | Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with malunion |
| S42.90XS | Fracture of unspecified shoulder girdle, part unspecified, sequela |
| S42.91XD | Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S42.91XG | Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing |
| S42.91XK | Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with nonunion |
| S42.91XP | Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with malunion |
| S42.91XS | Fracture of right shoulder girdle, part unspecified, sequela |
| S42.92XD | Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing |
| S42.92XG | Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing |
| S42.92XK | Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with nonunion |
| S42.92XP | Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with malunion |
| S42.92XS | Fracture of left shoulder girdle, part unspecified, sequela |
| S43.001D | Unspecified subluxation of right shoulder joint, subsequent encounter |
| S43.001S | Unspecified subluxation of right shoulder joint, sequela |
| S43.002D | Unspecified subluxation of left shoulder joint, subsequent encounter |
| S43.002S | Unspecified subluxation of left shoulder joint, sequela |
| S43.003D | Unspecified subluxation of unspecified shoulder joint, subsequent encounter |
| S43.003S | Unspecified subluxation of unspecified shoulder joint, sequela |
| S43.004D | Unspecified dislocation of right shoulder joint, subsequent encounter |
| S43.004S | Unspecified dislocation of right shoulder joint, sequela |
| S43.005D | Unspecified dislocation of left shoulder joint, subsequent encounter |
| S43.005S | Unspecified dislocation of left shoulder joint, sequela |
| S43.006D | Unspecified dislocation of unspecified shoulder joint, subsequent encounter |
| S43.006S | Unspecified dislocation of unspecified shoulder joint, sequela |
| S43.011D | Anterior subluxation of right humerus, subsequent encounter |
| S43.011S | Anterior subluxation of right humerus, sequela |
| S43.012D | Anterior subluxation of left humerus, subsequent encounter |
| S43.012S | Anterior subluxation of left humerus, sequela |
| S43.013D | Anterior subluxation of unspecified humerus, subsequent encounter |
| S43.013S | Anterior subluxation of unspecified humerus, sequela |
| S43.014D | Anterior dislocation of right humerus, subsequent encounter |
| S43.014S | Anterior dislocation of right humerus, sequela |
| S43.015D | Anterior dislocation of left humerus, subsequent encounter |
| S43.015S | Anterior dislocation of left humerus, sequela |
| S43.016D | Anterior dislocation of unspecified humerus, subsequent encounter |
| S43.016S | Anterior dislocation of unspecified humerus, sequela |
| S43.021D | Posterior subluxation of right humerus, subsequent encounter |
| S43.021S | Posterior subluxation of right humerus, sequela |
| S43.022D | Posterior subluxation of left humerus, subsequent encounter |
| S43.022S | Posterior subluxation of left humerus, sequela |
| S43.023D | Posterior subluxation of unspecified humerus, subsequent encounter |
| S43.023S | Posterior subluxation of unspecified humerus, sequela |
| S43.024D | Posterior dislocation of right humerus, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S43.024S | Posterior dislocation of right humerus, sequela |
| S43.025D | Posterior dislocation of left humerus, subsequent encounter |
| S43.025S | Posterior dislocation of left humerus, sequela |
| S43.026D | Posterior dislocation of unspecified humerus, subsequent encounter |
| S43.026S | Posterior dislocation of unspecified humerus, sequela |
| S43.031D | Inferior subluxation of right humerus, subsequent encounter |
| S43.031S | Inferior subluxation of right humerus, sequela |
| S43.032D | Inferior subluxation of left humerus, subsequent encounter |
| S43.032S | Inferior subluxation of left humerus, sequela |
| S43.033D | Inferior subluxation of unspecified humerus, subsequent encounter |
| S43.033S | Inferior subluxation of unspecified humerus, sequela |
| S43.034D | Inferior dislocation of right humerus, subsequent encounter |
| S43.034S | Inferior dislocation of right humerus, sequela |
| S43.035D | Inferior dislocation of left humerus, subsequent encounter |
| S43.035S | Inferior dislocation of left humerus, sequela |
| S43.036D | Inferior dislocation of unspecified humerus, subsequent encounter |
| S43.036S | Inferior dislocation of unspecified humerus, sequela |
| S43.081D | Other subluxation of right shoulder joint, subsequent encounter |
| S43.081S | Other subluxation of right shoulder joint, sequela |
| S43.082D | Other subluxation of left shoulder joint, subsequent encounter |
| S43.082S | Other subluxation of left shoulder joint, sequela |
| S43.083D | Other subluxation of unspecified shoulder joint, subsequent encounter |
| S43.083S | Other subluxation of unspecified shoulder joint, sequela |
| S43.084D | Other dislocation of right shoulder joint, subsequent encounter |
| S43.084S | Other dislocation of right shoulder joint, sequela |
| S43.085D | Other dislocation of left shoulder joint, subsequent encounter |
| S43.085S | Other dislocation of left shoulder joint, sequela |
| S43.086D | Other dislocation of unspecified shoulder joint, subsequent encounter |
| S43.086S | Other dislocation of unspecified shoulder joint, sequela |
| S43.101D | Unspecified dislocation of right acromioclavicular joint, subsequent encounter |
| S43.101S | Unspecified dislocation of right acromioclavicular joint, sequela |
| S43.102D | Unspecified dislocation of left acromioclavicular joint, subsequent encounter |
| S43.102S | Unspecified dislocation of left acromioclavicular joint, sequela |
| S43.109D | Unspecified dislocation of unspecified acromioclavicular joint, subsequent encounter |
| S43.109S | Unspecified dislocation of unspecified acromioclavicular joint, sequela |
| S43.111D | Subluxation of right acromioclavicular joint, subsequent encounter |
| S43.111S | Subluxation of right acromioclavicular joint, sequela |
| S43.112D | Subluxation of left acromioclavicular joint, subsequent encounter |
| S43.112S | Subluxation of left acromioclavicular joint, sequela |
| S43.119D | Subluxation of unspecified acromioclavicular joint, subsequent encounter |
| S43.119S | Subluxation of unspecified acromioclavicular joint, sequela |
| S43.121D | Dislocation of right acromioclavicular joint, 100%-200% displacement, subsequent encounter |
| S43.121S | Dislocation of right acromioclavicular joint, 100%-200% displacement, sequela |
| S43.122D | Dislocation of left acromioclavicular joint, 100%-200% displacement, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S43.122S | Dislocation of left acromioclavicular joint, 100%-200% displacement, sequela |
| S43.129D | Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, subsequent encounter |
| S43.129S | Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, sequela |
| S43.131D | Dislocation of right acromioclavicular joint, greater than 200% displacement, subsequent encounter |
| S43.131S | Dislocation of right acromioclavicular joint, greater than 200% displacement, sequela |
| S43.132D | Dislocation of left acromioclavicular joint, greater than 200% displacement, subsequent encounter |
| S43.132S | Dislocation of left acromioclavicular joint, greater than 200% displacement, sequela |
| S43.139D | Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, subsequent encounter |
| S43.139S | Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, sequela |
| S43.141D | Inferior dislocation of right acromioclavicular joint, subsequent encounter |
| S43.141S | Inferior dislocation of right acromioclavicular joint, sequela |
| S43.142D | Inferior dislocation of left acromioclavicular joint, subsequent encounter |
| S43.142S | Inferior dislocation of left acromioclavicular joint, sequela |
| S43.149D | Inferior dislocation of unspecified acromioclavicular joint, subsequent encounter |
| S43.149S | Inferior dislocation of unspecified acromioclavicular joint, sequela |
| S43.151D | Posterior dislocation of right acromioclavicular joint, subsequent encounter |
| S43.151S | Posterior dislocation of right acromioclavicular joint, sequela |
| S43.152D | Posterior dislocation of left acromioclavicular joint, subsequent encounter |
| S43.152S | Posterior dislocation of left acromioclavicular joint, sequela |
| S43.159D | Posterior dislocation of unspecified acromioclavicular joint, subsequent encounter |
| S43.159S | Posterior dislocation of unspecified acromioclavicular joint, sequela |
| S43.201D | Unspecified subluxation of right sternoclavicular joint, subsequent encounter |
| S43.201S | Unspecified subluxation of right sternoclavicular joint, sequela |
| S43.202D | Unspecified subluxation of left sternoclavicular joint, subsequent encounter |
| S43.202S | Unspecified subluxation of left sternoclavicular joint, sequela |
| S43.203D | Unspecified subluxation of unspecified sternoclavicular joint, subsequent encounter |
| S43.203S | Unspecified subluxation of unspecified sternoclavicular joint, sequela |
| S43.204D | Unspecified dislocation of right sternoclavicular joint, subsequent encounter |
| S43.204S | Unspecified dislocation of right sternoclavicular joint, sequela |
| S43.205D | Unspecified dislocation of left sternoclavicular joint, subsequent encounter |
| S43.205S | Unspecified dislocation of left sternoclavicular joint, sequela |
| S43.206D | Unspecified dislocation of unspecified sternoclavicular joint, subsequent encounter |
| S43.206S | Unspecified dislocation of unspecified sternoclavicular joint, sequela |
| S43.211D | Anterior subluxation of right sternoclavicular joint, subsequent encounter |
| S43.211S | Anterior subluxation of right sternoclavicular joint, sequela |
| S43.212D | Anterior subluxation of left sternoclavicular joint, subsequent encounter |
| S43.212S | Anterior subluxation of left sternoclavicular joint, sequela |
| S43.213D | Anterior subluxation of unspecified sternoclavicular joint, subsequent encounter |
| S43.213S | Anterior subluxation of unspecified sternoclavicular joint, sequela |
| S43.214D | Anterior dislocation of right sternoclavicular joint, subsequent encounter |
| S43.214S | Anterior dislocation of right sternoclavicular joint, sequela |
| S43.215D | Anterior dislocation of left sternoclavicular joint, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S43.215S | Anterior dislocation of left sternoclavicular joint, sequela |
| S43.216D | Anterior dislocation of unspecified sternoclavicular joint, subsequent encounter |
| S43.216S | Anterior dislocation of unspecified sternoclavicular joint, sequela |
| S43.221D | Posterior subluxation of right sternoclavicular joint, subsequent encounter |
| S43.221S | Posterior subluxation of right sternoclavicular joint, sequela |
| S43.222D | Posterior subluxation of left sternoclavicular joint, subsequent encounter |
| S43.222S | Posterior subluxation of left sternoclavicular joint, sequela |
| S43.223D | Posterior subluxation of unspecified sternoclavicular joint, subsequent encounter |
| S43.223S | Posterior subluxation of unspecified sternoclavicular joint, sequela |
| S43.224D | Posterior dislocation of right sternoclavicular joint, subsequent encounter |
| S43.224S | Posterior dislocation of right sternoclavicular joint, sequela |
| S43.225D | Posterior dislocation of left sternoclavicular joint, subsequent encounter |
| S43.225S | Posterior dislocation of left sternoclavicular joint, sequela |
| S43.226D | Posterior dislocation of unspecified sternoclavicular joint, subsequent encounter |
| S43.226S | Posterior dislocation of unspecified sternoclavicular joint, sequela |
| S43.301D | Subluxation of unspecified parts of right shoulder girdle, subsequent encounter |
| S43.301S | Subluxation of unspecified parts of right shoulder girdle, sequela |
| S43.302D | Subluxation of unspecified parts of left shoulder girdle, subsequent encounter |
| S43.302S | Subluxation of unspecified parts of left shoulder girdle, sequela |
| S43.303D | Subluxation of unspecified parts of unspecified shoulder girdle, subsequent encounter |
| S43.303S | Subluxation of unspecified parts of unspecified shoulder girdle, sequela |
| S43.304D | Dislocation of unspecified parts of right shoulder girdle, subsequent encounter |
| S43.304S | Dislocation of unspecified parts of right shoulder girdle, sequela |
| S43.305D | Dislocation of unspecified parts of left shoulder girdle, subsequent encounter |
| S43.305S | Dislocation of unspecified parts of left shoulder girdle, sequela |
| S43.306D | Dislocation of unspecified parts of unspecified shoulder girdle, subsequent encounter |
| S43.306S | Dislocation of unspecified parts of unspecified shoulder girdle, sequela |
| S43.311D | Subluxation of right scapula, subsequent encounter |
| S43.311S | Subluxation of right scapula, sequela |
| S43.312D | Subluxation of left scapula, subsequent encounter |
| S43.312S | Subluxation of left scapula, sequela |
| S43.313D | Subluxation of unspecified scapula, subsequent encounter |
| S43.313S | Subluxation of unspecified scapula, sequela |
| S43.314D | Dislocation of right scapula, subsequent encounter |
| S43.314S | Dislocation of right scapula, sequela |
| S43.315D | Dislocation of left scapula, subsequent encounter |
| S43.315S | Dislocation of left scapula, sequela |
| S43.316D | Dislocation of unspecified scapula, subsequent encounter |
| S43.316S | Dislocation of unspecified scapula, sequela |
| S43.391D | Subluxation of other parts of right shoulder girdle, subsequent encounter |
| S43.391S | Subluxation of other parts of right shoulder girdle, sequela |
| S43.392D | Subluxation of other parts of left shoulder girdle, subsequent encounter |
| S43.392S | Subluxation of other parts of left shoulder girdle, sequela |
| S43.393D | Subluxation of other parts of unspecified shoulder girdle, subsequent encounter |
| S43.393S | Subluxation of other parts of unspecified shoulder girdle, sequela |
| S43.394D | Dislocation of other parts of right shoulder girdle, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S43.394S | Dislocation of other parts of right shoulder girdle, sequela |
| S43.395D | Dislocation of other parts of left shoulder girdle, subsequent encounter |
| S43.395S | Dislocation of other parts of left shoulder girdle, sequela |
| S43.396D | Dislocation of other parts of unspecified shoulder girdle, subsequent encounter |
| S43.396S | Dislocation of other parts of unspecified shoulder girdle, sequela |
| S43.401D | Unspecified sprain of right shoulder joint, subsequent encounter |
| S43.401S | Unspecified sprain of right shoulder joint, sequela |
| S43.402D | Unspecified sprain of left shoulder joint, subsequent encounter |
| S43.402S | Unspecified sprain of left shoulder joint, sequela |
| S43.409D | Unspecified sprain of unspecified shoulder joint, subsequent encounter |
| S43.409S | Unspecified sprain of unspecified shoulder joint, sequela |
| S43.411D | Sprain of right coracohumeral (ligament), subsequent encounter |
| S43.411S | Sprain of right coracohumeral (ligament), sequela |
| S43.412D | Sprain of left coracohumeral (ligament), subsequent encounter |
| S43.412S | Sprain of left coracohumeral (ligament), sequela |
| S43.419D | Sprain of unspecified coracohumeral (ligament), subsequent encounter |
| S43.419S | Sprain of unspecified coracohumeral (ligament), sequela |
| S43.421D | Sprain of right rotator cuff capsule, subsequent encounter |
| S43.421S | Sprain of right rotator cuff capsule, sequela |
| S43.422D | Sprain of left rotator cuff capsule, subsequent encounter |
| S43.422S | Sprain of left rotator cuff capsule, sequela |
| S43.429D | Sprain of unspecified rotator cuff capsule, subsequent encounter |
| S43.429S | Sprain of unspecified rotator cuff capsule, sequela |
| S43.431D | Superior glenoid labrum lesion of right shoulder, subsequent encounter |
| S43.431S | Superior glenoid labrum lesion of right shoulder, sequela |
| S43.432D | Superior glenoid labrum lesion of left shoulder, subsequent encounter |
| S43.432S | Superior glenoid labrum lesion of left shoulder, sequela |
| S43.439D | Superior glenoid labrum lesion of unspecified shoulder, subsequent encounter |
| S43.439S | Superior glenoid labrum lesion of unspecified shoulder, sequela |
| S43.491D | Other sprain of right shoulder joint, subsequent encounter |
| S43.491S | Other sprain of right shoulder joint, sequela |
| S43.492D | Other sprain of left shoulder joint, subsequent encounter |
| S43.492S | Other sprain of left shoulder joint, sequela |
| S43.499D | Other sprain of unspecified shoulder joint, subsequent encounter |
| S43.499S | Other sprain of unspecified shoulder joint, sequela |
| S43.50XD | Sprain of unspecified acromioclavicular joint, subsequent encounter |
| S43.50XS | Sprain of unspecified acromioclavicular joint, sequela |
| S43.51XD | Sprain of right acromioclavicular joint, subsequent encounter |
| S43.51XS | Sprain of right acromioclavicular joint, sequela |
| S43.52XD | Sprain of left acromioclavicular joint, subsequent encounter |
| S43.52XS | Sprain of left acromioclavicular joint, sequela |
| S43.60XD | Sprain of unspecified sternoclavicular joint, subsequent encounter |
| S43.60XS | Sprain of unspecified sternoclavicular joint, sequela |
| S43.61XD | Sprain of right sternoclavicular joint, subsequent encounter |
| S43.61XS | Sprain of right sternoclavicular joint, sequela |
| S43.62XD | Sprain of left sternoclavicular joint, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S43.62XS | Sprain of left sternoclavicular joint, sequela |
| S43.80XD | Sprain of other specified parts of unspecified shoulder girdle, subsequent encounter |
| S43.80XS | Sprain of other specified parts of unspecified shoulder girdle, sequela |
| S43.81XD | Sprain of other specified parts of right shoulder girdle, subsequent encounter |
| S43.81XS | Sprain of other specified parts of right shoulder girdle, sequela |
| S43.82XD | Sprain of other specified parts of left shoulder girdle, subsequent encounter |
| S43.82XS | Sprain of other specified parts of left shoulder girdle, sequela |
| S43.90XD | Sprain of unspecified parts of unspecified shoulder girdle, subsequent encounter |
| S43.90XS | Sprain of unspecified parts of unspecified shoulder girdle, sequela |
| S43.91XD | Sprain of unspecified parts of right shoulder girdle, subsequent encounter |
| S43.91XS | Sprain of unspecified parts of right shoulder girdle, sequela |
| S43.92XD | Sprain of unspecified parts of left shoulder girdle, subsequent encounter |
| S43.92XS | Sprain of unspecified parts of left shoulder girdle, sequela |
| S44.00XD | Injury of ulnar nerve at upper arm level, unspecified arm, subsequent encounter |
| S44.00XS | Injury of ulnar nerve at upper arm level, unspecified arm, sequela |
| S44.01XD | Injury of ulnar nerve at upper arm level, right arm, subsequent encounter |
| S44.01XS | Injury of ulnar nerve at upper arm level, right arm, sequela |
| S44.02XD | Injury of ulnar nerve at upper arm level, left arm, subsequent encounter |
| S44.02XS | Injury of ulnar nerve at upper arm level, left arm, sequela |
| S44.10XD | Injury of median nerve at upper arm level, unspecified arm, subsequent encounter |
| S44.10XS | Injury of median nerve at upper arm level, unspecified arm, sequela |
| S44.11XD | Injury of median nerve at upper arm level, right arm, subsequent encounter |
| S44.11XS | Injury of median nerve at upper arm level, right arm, sequela |
| S44.12XD | Injury of median nerve at upper arm level, left arm, subsequent encounter |
| S44.12XS | Injury of median nerve at upper arm level, left arm, sequela |
| S44.20XD | Injury of radial nerve at upper arm level, unspecified arm, subsequent encounter |
| S44.20XS | Injury of radial nerve at upper arm level, unspecified arm, sequela |
| S44.21XD | Injury of radial nerve at upper arm level, right arm, subsequent encounter |
| S44.21XS | Injury of radial nerve at upper arm level, right arm, sequela |
| S44.22XD | Injury of radial nerve at upper arm level, left arm, subsequent encounter |
| S44.22XS | Injury of radial nerve at upper arm level, left arm, sequela |
| S44.30XD | Injury of axillary nerve, unspecified arm, subsequent encounter |
| S44.30XS | Injury of axillary nerve, unspecified arm, sequela |
| S44.31XD | Injury of axillary nerve, right arm, subsequent encounter |
| S44.31XS | Injury of axillary nerve, right arm, sequela |
| S44.32XD | Injury of axillary nerve, left arm, subsequent encounter |
| S44.32XS | Injury of axillary nerve, left arm, sequela |
| S44.40XD | Injury of musculocutaneous nerve, unspecified arm, subsequent encounter |
| S44.40XS | Injury of musculocutaneous nerve, unspecified arm, sequela |
| S44.41XD | Injury of musculocutaneous nerve, right arm, subsequent encounter |
| S44.41XS | Injury of musculocutaneous nerve, right arm, sequela |
| S44.42XD | Injury of musculocutaneous nerve, left arm, subsequent encounter |
| S44.42XS | Injury of musculocutaneous nerve, left arm, sequela |
| S44.50XD | Injury of cutaneous sensory nerve at shoulder and upper arm level, unspecified arm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S44.50XS | Injury of cutaneous sensory nerve at shoulder and upper arm level, unspecified arm, sequela |
| S44.51XD | Injury of cutaneous sensory nerve at shoulder and upper arm level, right arm, subsequent encounter |
| S44.51XS | Injury of cutaneous sensory nerve at shoulder and upper arm level, right arm, sequela |
| S44.52XD | Injury of cutaneous sensory nerve at shoulder and upper arm level, left arm, subsequent encounter |
| S44.52XS | Injury of cutaneous sensory nerve at shoulder and upper arm level, left arm, sequela |
| S44.8X1D | Injury of other nerves at shoulder and upper arm level, right arm, subsequent encounter |
| S44.8X1S | Injury of other nerves at shoulder and upper arm level, right arm, sequela |
| S44.8X2D | Injury of other nerves at shoulder and upper arm level, left arm, subsequent encounter |
| S44.8X2S | Injury of other nerves at shoulder and upper arm level, left arm, sequela |
| S44.8X9D | Injury of other nerves at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S44.8X9S | Injury of other nerves at shoulder and upper arm level, unspecified arm, sequela |
| S44.90XD | Injury of unspecified nerve at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S44.90XS | Injury of unspecified nerve at shoulder and upper arm level, unspecified arm, sequela |
| S44.91XD | Injury of unspecified nerve at shoulder and upper arm level, right arm, subsequent encounter |
| S44.91XS | Injury of unspecified nerve at shoulder and upper arm level, right arm, sequela |
| S44.92XD | Injury of unspecified nerve at shoulder and upper arm level, left arm, subsequent encounter |
| S44.92XS | Injury of unspecified nerve at shoulder and upper arm level, left arm, sequela |
| S45.001D | Unspecified injury of axillary artery, right side, subsequent encounter |
| S45.001S | Unspecified injury of axillary artery, right side, sequela |
| S45.002D | Unspecified injury of axillary artery, left side, subsequent encounter |
| S45.002S | Unspecified injury of axillary artery, left side, sequela |
| S45.009D | Unspecified injury of axillary artery, unspecified side, subsequent encounter |
| S45.009S | Unspecified injury of axillary artery, unspecified side, sequela |
| S45.011D | Laceration of axillary artery, right side, subsequent encounter |
| S45.011S | Laceration of axillary artery, right side, sequela |
| S45.012D | Laceration of axillary artery, left side, subsequent encounter |
| S45.012S | Laceration of axillary artery, left side, sequela |
| S45.019D | Laceration of axillary artery, unspecified side, subsequent encounter |
| S45.019S | Laceration of axillary artery, unspecified side, sequela |
| S45.091D | Other specified injury of axillary artery, right side, subsequent encounter |
| S45.091S | Other specified injury of axillary artery, right side, sequela |
| S45.092D | Other specified injury of axillary artery, left side, subsequent encounter |
| S45.092S | Other specified injury of axillary artery, left side, sequela |
| S45.099D | Other specified injury of axillary artery, unspecified side, subsequent encounter |
| S45.099S | Other specified injury of axillary artery, unspecified side, sequela |
| S45.101D | Unspecified injury of brachial artery, right side, subsequent encounter |
| S45.101S | Unspecified injury of brachial artery, right side, sequela |
| S45.102D | Unspecified injury of brachial artery, left side, subsequent encounter |
| S45.102S | Unspecified injury of brachial artery, left side, sequela |
| S45.109D | Unspecified injury of brachial artery, unspecified side, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S45.109S | Unspecified injury of brachial artery, unspecified side, sequela |
| S45.111D | Laceration of brachial artery, right side, subsequent encounter |
| S45.111S | Laceration of brachial artery, right side, sequela |
| S45.112D | Laceration of brachial artery, left side, subsequent encounter |
| S45.112S | Laceration of brachial artery, left side, sequela |
| S45.119D | Laceration of brachial artery, unspecified side, subsequent encounter |
| S45.119S | Laceration of brachial artery, unspecified side, sequela |
| S45.191D | Other specified injury of brachial artery, right side, subsequent encounter |
| S45.191S | Other specified injury of brachial artery, right side, sequela |
| S45.192D | Other specified injury of brachial artery, left side, subsequent encounter |
| S45.192S | Other specified injury of brachial artery, left side, sequela |
| S45.199D | Other specified injury of brachial artery, unspecified side, subsequent encounter |
| S45.199S | Other specified injury of brachial artery, unspecified side, sequela |
| S45.201D | Unspecified injury of axillary or brachial vein, right side, subsequent encounter |
| S45.201S | Unspecified injury of axillary or brachial vein, right side, sequela |
| S45.202D | Unspecified injury of axillary or brachial vein, left side, subsequent encounter |
| S45.202S | Unspecified injury of axillary or brachial vein, left side, sequela |
| S45.209D | Unspecified injury of axillary or brachial vein, unspecified side, subsequent encounter |
| S45.209S | Unspecified injury of axillary or brachial vein, unspecified side, sequela |
| S45.211D | Laceration of axillary or brachial vein, right side, subsequent encounter |
| S45.211S | Laceration of axillary or brachial vein, right side, sequela |
| S45.212D | Laceration of axillary or brachial vein, left side, subsequent encounter |
| S45.212S | Laceration of axillary or brachial vein, left side, sequela |
| S45.219D | Laceration of axillary or brachial vein, unspecified side, subsequent encounter |
| S45.219S | Laceration of axillary or brachial vein, unspecified side, sequela |
| S45.291D | Other specified injury of axillary or brachial vein, right side, subsequent encounter |
| S45.291S | Other specified injury of axillary or brachial vein, right side, sequela |
| S45.292D | Other specified injury of axillary or brachial vein, left side, subsequent encounter |
| S45.292S | Other specified injury of axillary or brachial vein, left side, sequela |
| S45.299D | Other specified injury of axillary or brachial vein, unspecified side, subsequent encounter |
| S45.299S | Other specified injury of axillary or brachial vein, unspecified side, sequela |
| S45.301D | Unspecified injury of superficial vein at shoulder and upper arm level, right arm, subsequent encounter |
| S45.301S | Unspecified injury of superficial vein at shoulder and upper arm level, right arm, sequela |
| S45.302D | Unspecified injury of superficial vein at shoulder and upper arm level, left arm, subsequent encounter |
| S45.302S | Unspecified injury of superficial vein at shoulder and upper arm level, left arm, sequela |
| S45.309D | Unspecified injury of superficial vein at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S45.309S | Unspecified injury of superficial vein at shoulder and upper arm level, unspecified arm, sequela |
| S45.311D | Laceration of superficial vein at shoulder and upper arm level, right arm, subsequent encounter |
| S45.311S | Laceration of superficial vein at shoulder and upper arm level, right arm, sequela |
| S45.312D | Laceration of superficial vein at shoulder and upper arm level, left arm, subsequent encounter |
| S45.312S | Laceration of superficial vein at shoulder and upper arm level, left arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S45.319D | Laceration of superficial vein at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S45.319S | Laceration of superficial vein at shoulder and upper arm level, unspecified arm, sequela |
| S45.391D | Other specified injury of superficial vein at shoulder and upper arm level, right arm, subsequent encounter |
| S45.391S | Other specified injury of superficial vein at shoulder and upper arm level, right arm, sequela |
| S45.392D | Other specified injury of superficial vein at shoulder and upper arm level, left arm, subsequent encounter |
| S45.392S | Other specified injury of superficial vein at shoulder and upper arm level, left arm, sequela |
| S45.399D | Other specified injury of superficial vein at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S45.399S | Other specified injury of superficial vein at shoulder and upper arm level, unspecified arm, sequela |
| S45.801D | Unspecified injury of other specified blood vessels at shoulder and upper arm level, right arm, subsequent encounter |
| S45.801S | Unspecified injury of other specified blood vessels at shoulder and upper arm level, right arm, sequela |
| S45.802D | Unspecified injury of other specified blood vessels at shoulder and upper arm level, left arm, subsequent encounter |
| S45.802S | Unspecified injury of other specified blood vessels at shoulder and upper arm level, left arm, sequela |
| S45.809D | Unspecified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S45.809S | Unspecified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, sequela |
| S45.811D | Laceration of other specified blood vessels at shoulder and upper arm level, right arm, subsequent encounter |
| S45.811S | Laceration of other specified blood vessels at shoulder and upper arm level, right arm, sequela |
| S45.812D | Laceration of other specified blood vessels at shoulder and upper arm level, left arm, subsequent encounter |
| S45.812S | Laceration of other specified blood vessels at shoulder and upper arm level, left arm, sequela |
| S45.819D | Laceration of other specified blood vessels at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S45.819S | Laceration of other specified blood vessels at shoulder and upper arm level, unspecified arm, sequela |
| S45.891D | Other specified injury of other specified blood vessels at shoulder and upper arm level, right arm, subsequent encounter |
| S45.891S | Other specified injury of other specified blood vessels at shoulder and upper arm level, right arm, sequela |
| S45.892D | Other specified injury of other specified blood vessels at shoulder and upper arm level, left arm, subsequent encounter |
| S45.892S | Other specified injury of other specified blood vessels at shoulder and upper arm level, left arm, sequela |
| S45.899D | Other specified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S45.899S | Other specified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, sequela |
| S45.901D | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, right arm, subsequent encounter |
| S45.901S | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, right arm, sequela |
| S45.902D | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, left arm, subsequent encounter |
| S45.902S | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, left arm, sequela |
| S45.909D | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S45.909S | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, sequela |
| S45.911D | Laceration of unspecified blood vessel at shoulder and upper arm level, right arm, subsequent encounter |
| S45.911S | Laceration of unspecified blood vessel at shoulder and upper arm level, right arm, sequela |
| S45.912D | Laceration of unspecified blood vessel at shoulder and upper arm level, left arm, subsequent encounter |
| S45.912S | Laceration of unspecified blood vessel at shoulder and upper arm level, left arm, sequela |
| S45.919D | Laceration of unspecified blood vessel at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S45.919S | Laceration of unspecified blood vessel at shoulder and upper arm level, unspecified arm, sequela |
| S45.991D | Other specified injury of unspecified blood vessel at shoulder and upper arm level, right arm, subsequent encounter |
| S45.991S | Other specified injury of unspecified blood vessel at shoulder and upper arm level, right arm, sequela |
| S45.992D | Other specified injury of unspecified blood vessel at shoulder and upper arm level, left arm, subsequent encounter |
| S45.992S | Other specified injury of unspecified blood vessel at shoulder and upper arm level, left arm, sequela |
| S45.999D | Other specified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S45.999S | Other specified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, sequela |
| S46.001D | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter |
| S46.001S | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela |
| S46.002D | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter |
| S46.002S | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela |
| S46.009D | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, subsequent encounter |
| S46.009S | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S46.011D | Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter |
| S46.011S | Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela |
| S46.012D | Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter |
| S46.012S | Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela |
| S46.019D | Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, subsequent encounter |
| S46.019S | Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela |
| S46.021D | Laceration of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter |
| S46.021S | Laceration of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela |
| S46.022D | Laceration of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter |
| S46.022S | Laceration of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela |
| S46.029D | Laceration of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, subsequent encounter |
| S46.029S | Laceration of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela |
| S46.091D | Other injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter |
| S46.091S | Other injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela |
| S46.092D | Other injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter |
| S46.092S | Other injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela |
| S46.099D | Other injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, subsequent encounter |
| S46.099S | Other injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela |
| S46.101D | Unspecified injury of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter |
| S46.101S | Unspecified injury of muscle, fascia and tendon of long head of biceps, right arm, sequela |
| S46.102D | Unspecified injury of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter |
| S46.102S | Unspecified injury of muscle, fascia and tendon of long head of biceps, left arm, sequela |
| S46.109D | Unspecified injury of muscle, fascia and tendon of long head of biceps, unspecified arm, subsequent encounter |
| S46.109S | Unspecified injury of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela |
| S46.111D | Strain of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter |
| S46.111S | Strain of muscle, fascia and tendon of long head of biceps, right arm, sequela |
| S46.112D | Strain of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter |
| S46.112S | Strain of muscle, fascia and tendon of long head of biceps, left arm, sequela |
| S46.119D | Strain of muscle, fascia and tendon of long head of biceps, unspecified arm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S46.119S | Strain of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela |
| S46.121D | Laceration of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter |
| S46.121S | Laceration of muscle, fascia and tendon of long head of biceps, right arm, sequela |
| S46.122D | Laceration of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter |
| S46.122S | Laceration of muscle, fascia and tendon of long head of biceps, left arm, sequela |
| S46.129D | Laceration of muscle, fascia and tendon of long head of biceps, unspecified arm, subsequent encounter |
| S46.129S | Laceration of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela |
| S46.191D | Other injury of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter |
| S46.191S | Other injury of muscle, fascia and tendon of long head of biceps, right arm, sequela |
| S46.192D | Other injury of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter |
| S46.192S | Other injury of muscle, fascia and tendon of long head of biceps, left arm, sequela |
| S46.199D | Other injury of muscle, fascia and tendon of long head of biceps, unspecified arm, subsequent encounter |
| S46.199S | Other injury of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela |
| S46.201D | Unspecified injury of muscle, fascia and tendon of other parts of biceps, right arm, subsequent encounter |
| S46.201S | Unspecified injury of muscle, fascia and tendon of other parts of biceps, right arm, sequela |
| S46.202D | Unspecified injury of muscle, fascia and tendon of other parts of biceps, left arm, subsequent encounter |
| S46.202S | Unspecified injury of muscle, fascia and tendon of other parts of biceps, left arm, sequela |
| S46.209D | Unspecified injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, subsequent encounter |
| S46.209S | Unspecified injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela |
| S46.211D | Strain of muscle, fascia and tendon of other parts of biceps, right arm, subsequent encounter |
| S46.211S | Strain of muscle, fascia and tendon of other parts of biceps, right arm, sequela |
| S46.212D | Strain of muscle, fascia and tendon of other parts of biceps, left arm, subsequent encounter |
| S46.212S | Strain of muscle, fascia and tendon of other parts of biceps, left arm, sequela |
| S46.219D | Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, subsequent encounter |
| S46.219S | Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela |
| S46.221D | Laceration of muscle, fascia and tendon of other parts of biceps, right arm, subsequent encounter |
| S46.221S | Laceration of muscle, fascia and tendon of other parts of biceps, right arm, sequela |
| S46.222D | Laceration of muscle, fascia and tendon of other parts of biceps, left arm, subsequent encounter |
| S46.222S | Laceration of muscle, fascia and tendon of other parts of biceps, left arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S46.229D | Laceration of muscle, fascia and tendon of other parts of biceps, unspecified arm, subsequent encounter |
| S46.229S | Laceration of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela |
| S46.291D | Other injury of muscle, fascia and tendon of other parts of biceps, right arm, subsequent encounter |
| S46.291S | Other injury of muscle, fascia and tendon of other parts of biceps, right arm, sequela |
| S46.292D | Other injury of muscle, fascia and tendon of other parts of biceps, left arm, subsequent encounter |
| S46.292S | Other injury of muscle, fascia and tendon of other parts of biceps, left arm, sequela |
| S46.299D | Other injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, subsequent encounter |
| S46.299S | Other injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela |
| S46.301D | Unspecified injury of muscle, fascia and tendon of triceps, right arm, subsequent encounter |
| S46.301S | Unspecified injury of muscle, fascia and tendon of triceps, right arm, sequela |
| S46.302D | Unspecified injury of muscle, fascia and tendon of triceps, left arm, subsequent encounter |
| S46.302S | Unspecified injury of muscle, fascia and tendon of triceps, left arm, sequela |
| S46.309D | Unspecified injury of muscle, fascia and tendon of triceps, unspecified arm, subsequent encounter |
| S46.309S | Unspecified injury of muscle, fascia and tendon of triceps, unspecified arm, sequela |
| S46.311D | Strain of muscle, fascia and tendon of triceps, right arm, subsequent encounter |
| S46.311S | Strain of muscle, fascia and tendon of triceps, right arm, sequela |
| S46.312D | Strain of muscle, fascia and tendon of triceps, left arm, subsequent encounter |
| S46.312S | Strain of muscle, fascia and tendon of triceps, left arm, sequela |
| S46.319D | Strain of muscle, fascia and tendon of triceps, unspecified arm, subsequent encounter |
| S46.319S | Strain of muscle, fascia and tendon of triceps, unspecified arm, sequela |
| S46.321D | Laceration of muscle, fascia and tendon of triceps, right arm, subsequent encounter |
| S46.321S | Laceration of muscle, fascia and tendon of triceps, right arm, sequela |
| S46.322D | Laceration of muscle, fascia and tendon of triceps, left arm, subsequent encounter |
| S46.322S | Laceration of muscle, fascia and tendon of triceps, left arm, sequela |
| S46.329D | Laceration of muscle, fascia and tendon of triceps, unspecified arm, subsequent encounter |
| S46.329S | Laceration of muscle, fascia and tendon of triceps, unspecified arm, sequela |
| S46.391D | Other injury of muscle, fascia and tendon of triceps, right arm, subsequent encounter |
| S46.391S | Other injury of muscle, fascia and tendon of triceps, right arm, sequela |
| S46.392D | Other injury of muscle, fascia and tendon of triceps, left arm, subsequent encounter |
| S46.392S | Other injury of muscle, fascia and tendon of triceps, left arm, sequela |
| S46.399D | Other injury of muscle, fascia and tendon of triceps, unspecified arm, subsequent encounter |
| S46.399S | Other injury of muscle, fascia and tendon of triceps, unspecified arm, sequela |
| S46.801D | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter |
| S46.801S | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S46.802D | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter |
| S46.802S | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela |
| S46.809D | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S46.809S | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela |
| S46.811D | Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter |
| S46.811S | Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela |
| S46.812D | Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter |
| S46.812S | Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela |
| S46.819D | Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S46.819S | Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela |
| S46.821D | Laceration of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter |
| S46.821S | Laceration of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela |
| S46.822D | Laceration of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter |
| S46.822S | Laceration of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela |
| S46.829D | Laceration of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S46.829S | Laceration of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela |
| S46.891D | Other injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter |
| S46.891S | Other injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela |
| S46.892D | Other injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter |
| S46.892S | Other injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela |
| S46.899D | Other injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S46.899S | Other injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela |
| S46.901D | Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, subsequent encounter |
| S46.901S | Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S46.902D | Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, subsequent encounter |
| S46.902S | Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela |
| S46.909D | Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S46.909S | Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela |
| S46.911D | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, subsequent encounter |
| S46.911S | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela |
| S46.912D | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, subsequent encounter |
| S46.912S | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela |
| S46.919D | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S46.919S | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela |
| S46.921D | Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, subsequent encounter |
| S46.921S | Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela |
| S46.922D | Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, subsequent encounter |
| S46.922S | Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela |
| S46.929D | Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S46.929S | Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela |
| S46.991D | Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, subsequent encounter |
| S46.991S | Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela |
| S46.992D | Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, subsequent encounter |
| S46.992S | Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela |
| S46.999D | Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, subsequent encounter |
| S46.999S | Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela |
| S47.1XXD | Crushing injury of right shoulder and upper arm, subsequent encounter |
| S47.1XXS | Crushing injury of right shoulder and upper arm, sequela |
| S47.2XXD | Crushing injury of left shoulder and upper arm, subsequent encounter |
| S47.2XXS | Crushing injury of left shoulder and upper arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S47.9XXD | Crushing injury of shoulder and upper arm, unspecified arm, subsequent encounter |
| S47.9XXS | Crushing injury of shoulder and upper arm, unspecified arm, sequela |
| S48.011D | Complete traumatic amputation at right shoulder joint, subsequent encounter |
| S48.011S | Complete traumatic amputation at right shoulder joint, sequela |
| S48.012D | Complete traumatic amputation at left shoulder joint, subsequent encounter |
| S48.012S | Complete traumatic amputation at left shoulder joint, sequela |
| S48.019D | Complete traumatic amputation at unspecified shoulder joint, subsequent encounter |
| S48.019S | Complete traumatic amputation at unspecified shoulder joint, sequela |
| S48.021D | Partial traumatic amputation at right shoulder joint, subsequent encounter |
| S48.021S | Partial traumatic amputation at right shoulder joint, sequela |
| S48.022D | Partial traumatic amputation at left shoulder joint, subsequent encounter |
| S48.022S | Partial traumatic amputation at left shoulder joint, sequela |
| S48.029D | Partial traumatic amputation at unspecified shoulder joint, subsequent encounter |
| S48.029S | Partial traumatic amputation at unspecified shoulder joint, sequela |
| S48.111D | Complete traumatic amputation at level between right shoulder and elbow, subsequent encounter |
| S48.111S | Complete traumatic amputation at level between right shoulder and elbow, sequela |
| S48.112D | Complete traumatic amputation at level between left shoulder and elbow, subsequent encounter |
| S48.112S | Complete traumatic amputation at level between left shoulder and elbow, sequela |
| S48.119D | Complete traumatic amputation at level between unspecified shoulder and elbow, subsequent encounter |
| S48.119S | Complete traumatic amputation at level between unspecified shoulder and elbow, sequela |
| S48.121D | Partial traumatic amputation at level between right shoulder and elbow, subsequent encounter |
| S48.121S | Partial traumatic amputation at level between right shoulder and elbow, sequela |
| S48.122D | Partial traumatic amputation at level between left shoulder and elbow, subsequent encounter |
| S48.122S | Partial traumatic amputation at level between left shoulder and elbow, sequela |
| S48.129D | Partial traumatic amputation at level between unspecified shoulder and elbow, subsequent encounter |
| S48.129S | Partial traumatic amputation at level between unspecified shoulder and elbow, sequela |
| S48.911D | Complete traumatic amputation of right shoulder and upper arm, level unspecified, subsequent encounter |
| S48.911S | Complete traumatic amputation of right shoulder and upper arm, level unspecified, sequela |
| S48.912D | Complete traumatic amputation of left shoulder and upper arm, level unspecified, subsequent encounter |
| S48.912S | Complete traumatic amputation of left shoulder and upper arm, level unspecified, sequela |
| S48.919D | Complete traumatic amputation of unspecified shoulder and upper arm, level unspecified, subsequent encounter |
| S48.919S | Complete traumatic amputation of unspecified shoulder and upper arm, level unspecified, sequela |
| S48.921D | Partial traumatic amputation of right shoulder and upper arm, level unspecified, subsequent encounter |
| S48.921S | Partial traumatic amputation of right shoulder and upper arm, level unspecified, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S48.922D | Partial traumatic amputation of left shoulder and upper arm, level unspecified, subsequent encounter |
| S48.922S | Partial traumatic amputation of left shoulder and upper arm, level unspecified, sequela |
| S48.929D | Partial traumatic amputation of unspecified shoulder and upper arm, level unspecified, subsequent encounter |
| S48.929S | Partial traumatic amputation of unspecified shoulder and upper arm, level unspecified, sequela |
| S49.001D | Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.001G | Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.001K | Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.001P | Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.001S | Unspecified physeal fracture of upper end of humerus, right arm, sequela |
| S49.002D | Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.002G | Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.002K | Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.002P | Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.002S | Unspecified physeal fracture of upper end of humerus, left arm, sequela |
| S49.009D | Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.009G | Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.009K | Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.009P | Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.009S | Unspecified physeal fracture of upper end of humerus, unspecified arm, sequela |
| S49.011D | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.011G | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.011K | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.011P | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.011S | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, sequela |
| S49.012D | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.012G | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S49.012K | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.012P | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.012S | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, sequela |
| S49.019D | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.019G | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.019K | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.019P | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.019S | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, sequela |
| S49.021D | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.021G | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.021K | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.021P | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.021S | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, sequela |
| S49.022D | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.022G | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.022K | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.022P | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.022S | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, sequela |
| S49.029D | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.029G | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.029K | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.029P | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.029S | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, sequela |
| S49.031D | Salter Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.031G | Salter Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.031K | Salter Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S49.031P | Salter Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.031S | Salter Harris Type III physeal fracture of upper end of humerus, right arm, sequela |
| S49.032D | Salter Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.032G | Salter Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.032K | Salter Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.032P | Salter Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.032S | Salter Harris Type III physeal fracture of upper end of humerus, left arm, sequela |
| S49.039D | Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.039G | Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.039K | Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.039P | Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.039S | Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, sequela |
| S49.041D | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.041G | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.041K | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.041P | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.041S | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, sequela |
| S49.042D | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.042G | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.042K | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.042P | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.042S | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, sequela |
| S49.049D | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.049G | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.049K | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.049P | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S49.049S | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, sequela |
| S49.091D | Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.091G | Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.091K | Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.091P | Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.091S | Other physeal fracture of upper end of humerus, right arm, sequela |
| S49.092D | Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.092G | Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.092K | Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.092P | Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.092S | Other physeal fracture of upper end of humerus, left arm, sequela |
| S49.099D | Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.099G | Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.099K | Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.099P | Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.099S | Other physeal fracture of upper end of humerus, unspecified arm, sequela |
| S49.101D | Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.101G | Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.101K | Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.101P | Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.101S | Unspecified physeal fracture of lower end of humerus, right arm, sequela |
| S49.102D | Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.102G | Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.102K | Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.102P | Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.102S | Unspecified physeal fracture of lower end of humerus, left arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S49.109D | Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.109G | Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.109K | Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.109P | Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.109S | Unspecified physeal fracture of lower end of humerus, unspecified arm, sequela |
| S49.111D | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.111G | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.111K | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.111P | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.111S | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, sequela |
| S49.112D | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.112G | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.112K | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.112P | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.112S | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, sequela |
| S49.119D | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.119G | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.119K | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.119P | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.119S | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, sequela |
| S49.121D | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.121G | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.121K | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.121P | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.121S | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, sequela |
| S49.122D | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S49.122G | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.122K | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.122P | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.122S | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, sequela |
| S49.129D | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.129G | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.129K | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.129P | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.129S | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, sequela |
| S49.131D | Salter Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.131G | Salter Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.131K | Salter Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.131P | Salter Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.131S | Salter Harris Type III physeal fracture of lower end of humerus, right arm, sequela |
| S49.132D | Salter Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.132G | Salter Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.132K | Salter Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.132P | Salter Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.132S | Salter Harris Type III physeal fracture of lower end of humerus, left arm, sequela |
| S49.139D | Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.139G | Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.139K | Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.139P | Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.139S | Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, sequela |
| S49.141D | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.141G | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S49.141K | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.141P | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.141S | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, sequela |
| S49.142D | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.142G | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.142K | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.142P | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.142S | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, sequela |
| S49.149D | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.149G | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.149K | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |
| S49.149P | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.149S | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, sequela |
| S49.191D | Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.191G | Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing |
| S49.191K | Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion |
| S49.191P | Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion |
| S49.191S | Other physeal fracture of lower end of humerus, right arm, sequela |
| S49.192D | Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing |
| S49.192G | Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing |
| S49.192K | Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion |
| S49.192P | Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion |
| S49.192S | Other physeal fracture of lower end of humerus, left arm, sequela |
| S49.199D | Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.199G | Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.199K | Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S49.199P | Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion |
| S49.199S | Other physeal fracture of lower end of humerus, unspecified arm, sequela |
| S49.80XD | Other specified injuries of shoulder and upper arm, unspecified arm, subsequent encounter |
| S49.80XS | Other specified injuries of shoulder and upper arm, unspecified arm, sequela |
| S49.81XD | Other specified injuries of right shoulder and upper arm, subsequent encounter |
| S49.81XS | Other specified injuries of right shoulder and upper arm, sequela |
| S49.82XD | Other specified injuries of left shoulder and upper arm, subsequent encounter |
| S49.82XS | Other specified injuries of left shoulder and upper arm, sequela |
| S49.90XD | Unspecified injury of shoulder and upper arm, unspecified arm, subsequent encounter |
| S49.90XS | Unspecified injury of shoulder and upper arm, unspecified arm, sequela |
| S49.91XD | Unspecified injury of right shoulder and upper arm, subsequent encounter |
| S49.91XS | Unspecified injury of right shoulder and upper arm, sequela |
| S49.92XD | Unspecified injury of left shoulder and upper arm, subsequent encounter |
| S49.92XS | Unspecified injury of left shoulder and upper arm, sequela |
| S50.00XD | Contusion of unspecified elbow, subsequent encounter |
| S50.00XS | Contusion of unspecified elbow, sequela |
| S50.01XD | Contusion of right elbow, subsequent encounter |
| S50.01XS | Contusion of right elbow, sequela |
| S50.02XD | Contusion of left elbow, subsequent encounter |
| S50.02XS | Contusion of left elbow, sequela |
| S50.10XD | Contusion of unspecified forearm, subsequent encounter |
| S50.10XS | Contusion of unspecified forearm, sequela |
| S50.11XD | Contusion of right forearm, subsequent encounter |
| S50.11XS | Contusion of right forearm, sequela |
| S50.12XD | Contusion of left forearm, subsequent encounter |
| S50.12XS | Contusion of left forearm, sequela |
| S50.311D | Abrasion of right elbow, subsequent encounter |
| S50.311S | Abrasion of right elbow, sequela |
| S50.312D | Abrasion of left elbow, subsequent encounter |
| S50.312S | Abrasion of left elbow, sequela |
| S50.319D | Abrasion of unspecified elbow, subsequent encounter |
| S50.319S | Abrasion of unspecified elbow, sequela |
| S50.321D | Blister (nonthermal) of right elbow, subsequent encounter |
| S50.321S | Blister (nonthermal) of right elbow, sequela |
| S50.322D | Blister (nonthermal) of left elbow, subsequent encounter |
| S50.322S | Blister (nonthermal) of left elbow, sequela |
| S50.329D | Blister (nonthermal) of unspecified elbow, subsequent encounter |
| S50.329S | Blister (nonthermal) of unspecified elbow, sequela |
| S50.341D | External constriction of right elbow, subsequent encounter |
| S50.341S | External constriction of right elbow, sequela |
| S50.342D | External constriction of left elbow, subsequent encounter |
| S50.342S | External constriction of left elbow, sequela |
| S50.349D | External constriction of unspecified elbow, subsequent encounter |
| S50.349S | External constriction of unspecified elbow, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S50.351D | Superficial foreign body of right elbow, subsequent encounter |
| S50.351S | Superficial foreign body of right elbow, sequela |
| S50.352D | Superficial foreign body of left elbow, subsequent encounter |
| S50.352S | Superficial foreign body of left elbow, sequela |
| S50.359D | Superficial foreign body of unspecified elbow, subsequent encounter |
| S50.359S | Superficial foreign body of unspecified elbow, sequela |
| S50.361D | Insect bite (nonvenomous) of right elbow, subsequent encounter |
| S50.361S | Insect bite (nonvenomous) of right elbow, sequela |
| S50.362D | Insect bite (nonvenomous) of left elbow, subsequent encounter |
| S50.362S | Insect bite (nonvenomous) of left elbow, sequela |
| S50.369D | Insect bite (nonvenomous) of unspecified elbow, subsequent encounter |
| S50.369S | Insect bite (nonvenomous) of unspecified elbow, sequela |
| S50.371D | Other superficial bite of right elbow, subsequent encounter |
| S50.371S | Other superficial bite of right elbow, sequela |
| S50.372D | Other superficial bite of left elbow, subsequent encounter |
| S50.372S | Other superficial bite of left elbow, sequela |
| S50.379D | Other superficial bite of unspecified elbow, subsequent encounter |
| S50.379S | Other superficial bite of unspecified elbow, sequela |
| S50.811D | Abrasion of right forearm, subsequent encounter |
| S50.811S | Abrasion of right forearm, sequela |
| S50.812D | Abrasion of left forearm, subsequent encounter |
| S50.812S | Abrasion of left forearm, sequela |
| S50.819D | Abrasion of unspecified forearm, subsequent encounter |
| S50.819S | Abrasion of unspecified forearm, sequela |
| S50.821D | Blister (nonthermal) of right forearm, subsequent encounter |
| S50.821S | Blister (nonthermal) of right forearm, sequela |
| S50.822D | Blister (nonthermal) of left forearm, subsequent encounter |
| S50.822S | Blister (nonthermal) of left forearm, sequela |
| S50.829D | Blister (nonthermal) of unspecified forearm, subsequent encounter |
| S50.829S | Blister (nonthermal) of unspecified forearm, sequela |
| S50.841D | External constriction of right forearm, subsequent encounter |
| S50.841S | External constriction of right forearm, sequela |
| S50.842D | External constriction of left forearm, subsequent encounter |
| S50.842S | External constriction of left forearm, sequela |
| S50.849D | External constriction of unspecified forearm, subsequent encounter |
| S50.849S | External constriction of unspecified forearm, sequela |
| S50.851D | Superficial foreign body of right forearm, subsequent encounter |
| S50.851S | Superficial foreign body of right forearm, sequela |
| S50.852D | Superficial foreign body of left forearm, subsequent encounter |
| S50.852S | Superficial foreign body of left forearm, sequela |
| S50.859D | Superficial foreign body of unspecified forearm, subsequent encounter |
| S50.859S | Superficial foreign body of unspecified forearm, sequela |
| S50.861D | Insect bite (nonvenomous) of right forearm, subsequent encounter |
| S50.861S | Insect bite (nonvenomous) of right forearm, sequela |
| S50.862D | Insect bite (nonvenomous) of left forearm, subsequent encounter |
| S50.862S | Insect bite (nonvenomous) of left forearm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S50.869D | Insect bite (nonvenomous) of unspecified forearm, subsequent encounter |
| S50.869S | Insect bite (nonvenomous) of unspecified forearm, sequela |
| S50.871D | Other superficial bite of right forearm, subsequent encounter |
| S50.871S | Other superficial bite of right forearm, sequela |
| S50.872D | Other superficial bite of left forearm, subsequent encounter |
| S50.872S | Other superficial bite of left forearm, sequela |
| S50.879D | Other superficial bite of unspecified forearm, subsequent encounter |
| S50.879S | Other superficial bite of unspecified forearm, sequela |
| S50.901D | Unspecified superficial injury of right elbow, subsequent encounter |
| S50.901S | Unspecified superficial injury of right elbow, sequela |
| S50.902D | Unspecified superficial injury of left elbow, subsequent encounter |
| S50.902S | Unspecified superficial injury of left elbow, sequela |
| S50.909D | Unspecified superficial injury of unspecified elbow, subsequent encounter |
| S50.909S | Unspecified superficial injury of unspecified elbow, sequela |
| S50.911D | Unspecified superficial injury of right forearm, subsequent encounter |
| S50.911S | Unspecified superficial injury of right forearm, sequela |
| S50.912D | Unspecified superficial injury of left forearm, subsequent encounter |
| S50.912S | Unspecified superficial injury of left forearm, sequela |
| S50.919D | Unspecified superficial injury of unspecified forearm, subsequent encounter |
| S50.919S | Unspecified superficial injury of unspecified forearm, sequela |
| S51.001D | Unspecified open wound of right elbow, subsequent encounter |
| S51.001S | Unspecified open wound of right elbow, sequela |
| S51.002D | Unspecified open wound of left elbow, subsequent encounter |
| S51.002S | Unspecified open wound of left elbow, sequela |
| S51.009D | Unspecified open wound of unspecified elbow, subsequent encounter |
| S51.009S | Unspecified open wound of unspecified elbow, sequela |
| S51.011D | Laceration without foreign body of right elbow, subsequent encounter |
| S51.011S | Laceration without foreign body of right elbow, sequela |
| S51.012D | Laceration without foreign body of left elbow, subsequent encounter |
| S51.012S | Laceration without foreign body of left elbow, sequela |
| S51.019D | Laceration without foreign body of unspecified elbow, subsequent encounter |
| S51.019S | Laceration without foreign body of unspecified elbow, sequela |
| S51.021D | Laceration with foreign body of right elbow, subsequent encounter |
| S51.021S | Laceration with foreign body of right elbow, sequela |
| S51.022D | Laceration with foreign body of left elbow, subsequent encounter |
| S51.022S | Laceration with foreign body of left elbow, sequela |
| S51.029D | Laceration with foreign body of unspecified elbow, subsequent encounter |
| S51.029S | Laceration with foreign body of unspecified elbow, sequela |
| S51.031D | Puncture wound without foreign body of right elbow, subsequent encounter |
| S51.031S | Puncture wound without foreign body of right elbow, sequela |
| S51.032D | Puncture wound without foreign body of left elbow, subsequent encounter |
| S51.032S | Puncture wound without foreign body of left elbow, sequela |
| S51.039D | Puncture wound without foreign body of unspecified elbow, subsequent encounter |
| S51.039S | Puncture wound without foreign body of unspecified elbow, sequela |
| S51.041D | Puncture wound with foreign body of right elbow, subsequent encounter |
| S51.041S | Puncture wound with foreign body of right elbow, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S51.042D | Puncture wound with foreign body of left elbow, subsequent encounter |
| S51.042S | Puncture wound with foreign body of left elbow, sequela |
| S51.049D | Puncture wound with foreign body of unspecified elbow, subsequent encounter |
| S51.049S | Puncture wound with foreign body of unspecified elbow, sequela |
| S51.051D | Open bite, right elbow, subsequent encounter |
| S51.051S | Open bite, right elbow, sequela |
| S51.052D | Open bite, left elbow, subsequent encounter |
| S51.052S | Open bite, left elbow, sequela |
| S51.059D | Open bite, unspecified elbow, subsequent encounter |
| S51.059S | Open bite, unspecified elbow, sequela |
| S51.801D | Unspecified open wound of right forearm, subsequent encounter |
| S51.801S | Unspecified open wound of right forearm, sequela |
| S51.802D | Unspecified open wound of left forearm, subsequent encounter |
| S51.802S | Unspecified open wound of left forearm, sequela |
| S51.809D | Unspecified open wound of unspecified forearm, subsequent encounter |
| S51.809S | Unspecified open wound of unspecified forearm, sequela |
| S51.811D | Laceration without foreign body of right forearm, subsequent encounter |
| S51.811S | Laceration without foreign body of right forearm, sequela |
| S51.812D | Laceration without foreign body of left forearm, subsequent encounter |
| S51.812S | Laceration without foreign body of left forearm, sequela |
| S51.819D | Laceration without foreign body of unspecified forearm, subsequent encounter |
| S51.819S | Laceration without foreign body of unspecified forearm, sequela |
| S51.821D | Laceration with foreign body of right forearm, subsequent encounter |
| S51.821S | Laceration with foreign body of right forearm, sequela |
| S51.822D | Laceration with foreign body of left forearm, subsequent encounter |
| S51.822S | Laceration with foreign body of left forearm, sequela |
| S51.829D | Laceration with foreign body of unspecified forearm, subsequent encounter |
| S51.829S | Laceration with foreign body of unspecified forearm, sequela |
| S51.831D | Puncture wound without foreign body of right forearm, subsequent encounter |
| S51.831S | Puncture wound without foreign body of right forearm, sequela |
| S51.832D | Puncture wound without foreign body of left forearm, subsequent encounter |
| S51.832S | Puncture wound without foreign body of left forearm, sequela |
| S51.839D | Puncture wound without foreign body of unspecified forearm, subsequent encounter |
| S51.839S | Puncture wound without foreign body of unspecified forearm, sequela |
| S51.841D | Puncture wound with foreign body of right forearm, subsequent encounter |
| S51.841S | Puncture wound with foreign body of right forearm, sequela |
| S51.842D | Puncture wound with foreign body of left forearm, subsequent encounter |
| S51.842S | Puncture wound with foreign body of left forearm, sequela |
| S51.849D | Puncture wound with foreign body of unspecified forearm, subsequent encounter |
| S51.849S | Puncture wound with foreign body of unspecified forearm, sequela |
| S51.851D | Open bite of right forearm, subsequent encounter |
| S51.851S | Open bite of right forearm, sequela |
| S51.852D | Open bite of left forearm, subsequent encounter |
| S51.852S | Open bite of left forearm, sequela |
| S51.859D | Open bite of unspecified forearm, subsequent encounter |
| S51.859S | Open bite of unspecified forearm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.001C | Unspecified fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.001D | Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.001E | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.001F | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.001G | Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.001H | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.001J | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.001K | Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.001M | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.001N | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.001P | Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with malunion |
| S52.001Q | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.001R | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.001S | Unspecified fracture of upper end of right ulna, sequela |
| S52.002C | Unspecified fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.002D | Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.002E | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.002F | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.002G | Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.002H | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.002J | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.002K | Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.002M | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.002N | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.002P | Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.002Q | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.002R | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.002S | Unspecified fracture of upper end of left ulna, sequela |
| S52.009C | Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.009D | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.009E | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.009F | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.009G | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.009H | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.009J | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.009K | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.009M | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.009N | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.009P | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.009Q | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.009R | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.009S | Unspecified fracture of upper end of unspecified ulna, sequela |
| S52.011D | Torus fracture of upper end of right ulna, subsequent encounter for fracture with routine healing |
| S52.011G | Torus fracture of upper end of right ulna, subsequent encounter for fracture with delayed healing |
| S52.011K | Torus fracture of upper end of right ulna, subsequent encounter for fracture with nonunion |
| S52.011P | Torus fracture of upper end of right ulna, subsequent encounter for fracture with malunion |
| S52.011S | Torus fracture of upper end of right ulna, sequela |
| S52.012D | Torus fracture of upper end of left ulna, subsequent encounter for fracture with routine healing |
| S52.012G | Torus fracture of upper end of left ulna, subsequent encounter for fracture with delayed healing |
| S52.012K | Torus fracture of upper end of left ulna, subsequent encounter for fracture with nonunion |
| S52.012P | Torus fracture of upper end of left ulna, subsequent encounter for fracture with malunion |
| S52.012S | Torus fracture of upper end of left ulna, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.019D | Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with routine healing |
| S52.019G | Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with delayed healing |
| S52.019K | Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with nonunion |
| S52.019P | Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with malunion |
| S52.019S | Torus fracture of upper end of unspecified ulna, sequela |
| S52.021C | Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.021D | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.021E | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.021F | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.021G | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.021H | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.021J | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.021K | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.021M | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.021N | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.021P | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion |
| S52.021Q | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.021R | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.021S | Displaced fracture of olecranon process without intraarticular extension of right ulna, sequela |
| S52.022C | Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.022D | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.022E | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.022F | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.022G | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.022H | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.022J | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.022K | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.022M | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.022N | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.022P | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion |
| S52.022Q | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.022R | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.022S | Displaced fracture of olecranon process without intraarticular extension of left ulna, sequela |
| S52.023C | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.023D | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.023E | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.023F | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.023G | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.023H | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.023J | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.023K | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.023M | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.023N | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.023P | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.023Q | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.023R | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.023S | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, sequela |
| S52.024C | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.024D | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.024E | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.024F | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.024G | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.024H | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.024J | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.024K | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.024M | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.024N | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.024P | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion |
| S52.024Q | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.024R | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.024S | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, sequela |
| S52.025C | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.025D | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.025E | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.025F | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.025G | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.025H | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.025J | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.025K | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.025M | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.025N | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.025P | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion |
| S52.025Q | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.025R | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.025S | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, sequela |
| S52.026C | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.026D | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.026E | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.026F | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.026G | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.026H | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.026J | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.026K | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.026M | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.026N | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.026P | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.026Q | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.026R | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.026S | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, sequela |
| S52.031C | Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.031D | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.031E | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.031F | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.031G | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.031H | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.031J | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.031K | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.031M | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.031N | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.031P | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion |
| S52.031Q | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.031R | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.031S | Displaced fracture of olecranon process with intraarticular extension of right ulna, sequela |
| S52.032C | Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.032D | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.032E | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.032F | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.032G | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.032H | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.032J | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.032K | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.032M | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.032N | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.032P | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion |
| S52.032Q | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.032R | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.032S | Displaced fracture of olecranon process with intraarticular extension of left ulna, sequela |
| S52.033C | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.033D | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.033E | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.033F | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.033G | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.033H | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.033J | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.033K | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.033M | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.033N | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.033P | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.033Q | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.033R | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.033S | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, sequela |
| S52.034C | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.034D | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.034E | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.034F | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.034G | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.034H | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.034J | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.034K | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.034M | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.034N | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.034P | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion |
| S52.034Q | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.034R | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.034S | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, sequela |
| S52.035C | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.035D | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.035E | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.035F | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.035G | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.035H | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.035J | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.035K | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.035M | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.035N | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.035P | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion |
| S52.035Q | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.035R | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.035S | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, sequela |
| S52.036C | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.036D | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.036E | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.036F | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.036G | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.036H | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.036J | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.036K | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.036M | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.036N | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.036P | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.036Q | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.036R | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.036S | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, sequela |
| S52.041C | Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.041D | Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.041E | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.041F | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.041G | Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.041H | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.041J | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.041K | Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.041M | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.041N | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.041P | Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with malunion |
| S52.041Q | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.041R | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.041S | Displaced fracture of coronoid process of right ulna, sequela |
| S52.042C | Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.042D | Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.042E | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.042F | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.042G | Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.042H | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.042J | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.042K | Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.042M | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.042N | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.042P | Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with malunion |
| S52.042Q | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.042R | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.042S | Displaced fracture of coronoid process of left ulna, sequela |
| S52.043C | Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.043D | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.043E | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.043F | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.043G | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.043H | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.043J | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.043K | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.043M | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.043N | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.043P | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.043Q | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.043R | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.043S | Displaced fracture of coronoid process of unspecified ulna, sequela |
| S52.044C | Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.044D | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.044E | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.044F | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.044G | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.044H | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.044J | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.044K | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.044M | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.044N | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.044P | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with malunion |
| S52.044Q | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.044R | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.044S | Nondisplaced fracture of coronoid process of right ulna, sequela |
| S52.045C | Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.045D | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.045E | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.045F | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.045G | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.045H | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.045J | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.045K | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.045M | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.045N | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.045P | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with malunion |
| S52.045Q | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.045R | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.045S | Nondisplaced fracture of coronoid process of left ulna, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.046C | Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.046D | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.046E | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.046F | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.046G | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.046H | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.046J | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.046K | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.046M | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.046N | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.046P | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.046Q | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.046R | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.046S | Nondisplaced fracture of coronoid process of unspecified ulna, sequela |
| S52.091C | Other fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.091D | Other fracture of upper end of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.091E | Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.091F | Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.091G | Other fracture of upper end of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.091H | Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.091J | Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.091K | Other fracture of upper end of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.091M | Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.091N | Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.091P | Other fracture of upper end of right ulna, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.091Q | Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.091R | Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.091S | Other fracture of upper end of right ulna, sequela |
| S52.092C | Other fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.092D | Other fracture of upper end of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.092E | Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.092F | Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.092G | Other fracture of upper end of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.092H | Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.092J | Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.092K | Other fracture of upper end of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.092M | Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.092N | Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.092P | Other fracture of upper end of left ulna, subsequent encounter for closed fracture with malunion |
| S52.092Q | Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.092R | Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.092S | Other fracture of upper end of left ulna, sequela |
| S52.099C | Other fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.099D | Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.099E | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.099F | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.099G | Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.099H | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.099J | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.099K | Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.099M | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.099N | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.099P | Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.099Q | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.099R | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.099S | Other fracture of upper end of unspecified ulna, sequela |
| S52.101C | Unspecified fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.101D | Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with routine healing |
| S52.101E | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.101F | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.101G | Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.101H | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.101J | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.101K | Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with nonunion |
| S52.101M | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.101N | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.101P | Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with malunion |
| S52.101Q | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.101R | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.101S | Unspecified fracture of upper end of right radius, sequela |
| S52.102C | Unspecified fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.102D | Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with routine healing |
| S52.102E | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.102F | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.102G | Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.102H | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.102J | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.102K | Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with nonunion |
| S52.102M | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.102N | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.102P | Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with malunion |
| S52.102Q | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.102R | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.102S | Unspecified fracture of upper end of left radius, sequela |
| S52.109C | Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.109D | Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.109E | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.109F | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.109G | Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.109H | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.109J | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.109K | Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.109M | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.109N | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.109P | Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.109Q | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.109R | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.109S | Unspecified fracture of upper end of unspecified radius, sequela |
| S52.111D | Torus fracture of upper end of right radius, subsequent encounter for fracture with routine healing |
| S52.111G | Torus fracture of upper end of right radius, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.111K | Torus fracture of upper end of right radius, subsequent encounter for fracture with nonunion |
| S52.111P | Torus fracture of upper end of right radius, subsequent encounter for fracture with malunion |
| S52.111S | Torus fracture of upper end of right radius, sequela |
| S52.112D | Torus fracture of upper end of left radius, subsequent encounter for fracture with routine healing |
| S52.112G | Torus fracture of upper end of left radius, subsequent encounter for fracture with delayed healing |
| S52.112K | Torus fracture of upper end of left radius, subsequent encounter for fracture with nonunion |
| S52.112P | Torus fracture of upper end of left radius, subsequent encounter for fracture with malunion |
| S52.112S | Torus fracture of upper end of left radius, sequela |
| S52.119D | Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with routine healing |
| S52.119G | Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with delayed healing |
| S52.119K | Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with nonunion |
| S52.119P | Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with malunion |
| S52.119S | Torus fracture of upper end of unspecified radius, sequela |
| S52.121C | Displaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.121D | Displaced fracture of head of right radius, subsequent encounter for closed fracture with routine healing |
| S52.121E | Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.121F | Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.121G | Displaced fracture of head of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.121H | Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.121J | Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.121K | Displaced fracture of head of right radius, subsequent encounter for closed fracture with nonunion |
| S52.121M | Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.121N | Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.121P | Displaced fracture of head of right radius, subsequent encounter for closed fracture with malunion |
| S52.121Q | Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.121R | Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.121S | Displaced fracture of head of right radius, sequela |
| S52.122C | Displaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.122D | Displaced fracture of head of left radius, subsequent encounter for closed fracture with routine healing |
| S52.122E | Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.122F | Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.122G | Displaced fracture of head of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.122H | Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.122J | Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.122K | Displaced fracture of head of left radius, subsequent encounter for closed fracture with nonunion |
| S52.122M | Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.122N | Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.122P | Displaced fracture of head of left radius, subsequent encounter for closed fracture with malunion |
| S52.122Q | Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.122R | Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.122S | Displaced fracture of head of left radius, sequela |
| S52.123C | Displaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.123D | Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.123E | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.123F | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.123G | Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.123H | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.123J | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.123K | Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.123M | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.123N | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.123P | Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.123Q | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.123R | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.123S | Displaced fracture of head of unspecified radius, sequela |
| S52.124C | Nondisplaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.124D | Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with routine healing |
| S52.124E | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.124F | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.124G | Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.124H | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.124J | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.124K | Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with nonunion |
| S52.124M | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.124N | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.124P | Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with malunion |
| S52.124Q | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.124R | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.124S | Nondisplaced fracture of head of right radius, sequela |
| S52.125C | Nondisplaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.125D | Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with routine healing |
| S52.125E | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.125F | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.125G | Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.125H | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.125J | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.125K | Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with nonunion |
| S52.125M | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.125N | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.125P | Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with malunion |
| S52.125Q | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.125R | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.125S | Nondisplaced fracture of head of left radius, sequela |
| S52.126C | Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.126D | Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.126E | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.126F | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.126G | Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.126H | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.126J | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.126K | Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.126M | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.126N | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.126P | Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.126Q | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.126R | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.126S | Nondisplaced fracture of head of unspecified radius, sequela |
| S52.131C | Displaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.131D | Displaced fracture of neck of right radius, subsequent encounter for closed fracture with routine healing |
| S52.131E | Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.131F | Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.131G | Displaced fracture of neck of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.131H | Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.131J | Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.131K | Displaced fracture of neck of right radius, subsequent encounter for closed fracture with nonunion |
| S52.131M | Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.131N | Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.131P | Displaced fracture of neck of right radius, subsequent encounter for closed fracture with malunion |
| S52.131Q | Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.131R | Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.131S | Displaced fracture of neck of right radius, sequela |
| S52.132C | Displaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.132D | Displaced fracture of neck of left radius, subsequent encounter for closed fracture with routine healing |
| S52.132E | Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.132F | Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.132G | Displaced fracture of neck of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.132H | Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.132J | Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.132K | Displaced fracture of neck of left radius, subsequent encounter for closed fracture with nonunion |
| S52.132M | Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.132N | Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.132P | Displaced fracture of neck of left radius, subsequent encounter for closed fracture with malunion |
| S52.132Q | Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.132R | Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.132S | Displaced fracture of neck of left radius, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.133C | Displaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.133D | Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.133E | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.133F | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.133G | Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.133H | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.133J | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.133K | Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.133M | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.133N | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.133P | Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.133Q | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.133R | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.133S | Displaced fracture of neck of unspecified radius, sequela |
| S52.134C | Nondisplaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.134D | Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with routine healing |
| S52.134E | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.134F | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.134G | Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.134H | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.134J | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.134K | Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with nonunion |
| S52.134M | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.134N | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.134P | Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.134Q | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.134R | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.134S | Nondisplaced fracture of neck of right radius, sequela |
| S52.135C | Nondisplaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.135D | Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with routine healing |
| S52.135E | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.135F | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.135G | Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.135H | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.135J | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.135K | Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with nonunion |
| S52.135M | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.135N | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.135P | Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with malunion |
| S52.135Q | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.135R | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.135S | Nondisplaced fracture of neck of left radius, sequela |
| S52.136C | Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.136D | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.136E | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.136F | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.136G | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.136H | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.136J | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.136K | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.136M | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.136N | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.136P | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.136Q | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.136R | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.136S | Nondisplaced fracture of neck of unspecified radius, sequela |
| S52.181C | Other fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.181D | Other fracture of upper end of right radius, subsequent encounter for closed fracture with routine healing |
| S52.181E | Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.181F | Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.181G | Other fracture of upper end of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.181H | Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.181J | Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.181K | Other fracture of upper end of right radius, subsequent encounter for closed fracture with nonunion |
| S52.181M | Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.181N | Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.181P | Other fracture of upper end of right radius, subsequent encounter for closed fracture with malunion |
| S52.181Q | Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.181R | Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.181S | Other fracture of upper end of right radius, sequela |
| S52.182C | Other fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.182D | Other fracture of upper end of left radius, subsequent encounter for closed fracture with routine healing |
| S52.182E | Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.182F | Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.182G | Other fracture of upper end of left radius, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.182H | Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.182J | Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.182K | Other fracture of upper end of left radius, subsequent encounter for closed fracture with nonunion |
| S52.182M | Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.182N | Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.182P | Other fracture of upper end of left radius, subsequent encounter for closed fracture with malunion |
| S52.182Q | Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.182R | Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.182S | Other fracture of upper end of left radius, sequela |
| S52.189C | Other fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.189D | Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.189E | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.189F | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.189G | Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.189H | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.189J | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.189K | Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.189M | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.189N | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.189P | Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.189Q | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.189R | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.189S | Other fracture of upper end of unspecified radius, sequela |
| S52.201C | Unspecified fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.201D | Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.201E | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.201F | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.201G | Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.201H | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.201J | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.201K | Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.201M | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.201N | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.201P | Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion |
| S52.201Q | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.201R | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.201S | Unspecified fracture of shaft of right ulna, sequela |
| S52.202C | Unspecified fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.202D | Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.202E | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.202F | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.202G | Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.202H | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.202J | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.202K | Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.202M | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.202N | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.202P | Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion |
| S52.202Q | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.202R | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.202S | Unspecified fracture of shaft of left ulna, sequela |
| S52.209C | Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.209D | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.209E | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.209F | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.209G | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.209H | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.209J | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.209K | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.209M | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.209N | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.209P | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.209Q | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.209R | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.209S | Unspecified fracture of shaft of unspecified ulna, sequela |
| S52.211D | Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with routine healing |
| S52.211G | Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with delayed healing |
| S52.211K | Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with nonunion |
| S52.211P | Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with malunion |
| S52.211S | Greenstick fracture of shaft of right ulna, sequela |
| S52.212D | Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with routine healing |
| S52.212G | Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with delayed healing |
| S52.212K | Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with nonunion |
| S52.212P | Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with malunion |
| S52.212S | Greenstick fracture of shaft of left ulna, sequela |
| S52.219D | Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with routine healing |
| S52.219G | Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.219K | Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with nonunion |
| S52.219P | Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with malunion |
| S52.219S | Greenstick fracture of shaft of unspecified ulna, sequela |
| S52.221C | Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.221D | Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.221E | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.221F | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.221G | Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.221H | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.221J | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.221K | Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.221M | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.221N | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.221P | Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion |
| S52.221Q | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.221R | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.221S | Displaced transverse fracture of shaft of right ulna, sequela |
| S52.222C | Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.222D | Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.222E | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.222F | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.222G | Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.222H | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.222J | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.222K | Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.222M | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.222N | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.222P | Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion |
| S52.222Q | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.222R | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.222S | Displaced transverse fracture of shaft of left ulna, sequela |
| S52.223C | Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.223D | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.223E | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.223F | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.223G | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.223H | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.223J | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.223K | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.223M | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.223N | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.223P | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.223Q | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.223R | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.223S | Displaced transverse fracture of shaft of unspecified ulna, sequela |
| S52.224C | Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.224D | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.224E | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.224F | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.224G | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.224H | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.224J | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.224K | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.224M | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.224N | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.224P | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion |
| S52.224Q | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.224R | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.224S | Nondisplaced transverse fracture of shaft of right ulna, sequela |
| S52.225C | Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.225D | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.225E | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.225F | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.225G | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.225H | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.225J | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.225K | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.225M | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.225N | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.225P | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion |
| S52.225Q | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.225R | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.225S | Nondisplaced transverse fracture of shaft of left ulna, sequela |
| S52.226C | Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.226D | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.226E | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.226F | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.226G | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.226H | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.226J | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.226K | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.226M | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.226N | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.226P | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.226Q | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.226R | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.226S | Nondisplaced transverse fracture of shaft of unspecified ulna, sequela |
| S52.231C | Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.231D | Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.231E | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.231F | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.231G | Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.231H | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.231J | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.231K | Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.231M | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.231N | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.231P | Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion |
| S52.231Q | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.231R | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.231S | Displaced oblique fracture of shaft of right ulna, sequela |
| S52.232C | Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.232D | Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.232E | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.232F | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.232G | Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.232H | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.232J | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.232K | Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.232M | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.232N | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.232P | Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion |
| S52.232Q | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.232R | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.232S | Displaced oblique fracture of shaft of left ulna, sequela |
| S52.233C | Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.233D | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.233E | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.233F | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.233G | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.233H | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.233J | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.233K | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.233M | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.233N | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.233P | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.233Q | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.233R | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.233S | Displaced oblique fracture of shaft of unspecified ulna, sequela |
| S52.234C | Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.234D | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.234E | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.234F | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.234G | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.234H | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.234J | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.234K | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.234M | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.234N | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.234P | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion |
| S52.234Q | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.234R | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.234S | Nondisplaced oblique fracture of shaft of right ulna, sequela |
| S52.235C | Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.235D | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.235E | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.235F | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.235G | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.235H | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.235J | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.235K | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.235M | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.235N | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.235P | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion |
| S52.235Q | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.235R | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.235S | Nondisplaced oblique fracture of shaft of left ulna, sequela |
| S52.236C | Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.236D | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.236E | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.236F | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.236G | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.236H | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.236J | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.236K | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.236M | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.236N | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.236P | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.236Q | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.236R | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.236S | Nondisplaced oblique fracture of shaft of unspecified ulna, sequela |
| S52.241C | Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.241D | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing |
| S52.241E | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.241F | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.241G | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.241H | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.241J | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.241K | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion |
| S52.241M | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.241N | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.241P | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion |
| S52.241Q | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.241R | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.241S | Displaced spiral fracture of shaft of ulna, right arm, sequela |
| S52.242C | Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.242D | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing |
| S52.242E | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.242F | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.242G | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.242H | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.242J | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.242K | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion |
| S52.242M | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.242N | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.242P | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion |
| S52.242Q | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.242R | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.242S | Displaced spiral fracture of shaft of ulna, left arm, sequela |
| S52.243C | Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.243D | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.243E | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.243F | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.243G | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.243H | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.243J | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.243K | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.243M | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.243N | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.243P | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.243Q | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.243R | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.243S | Displaced spiral fracture of shaft of ulna, unspecified arm, sequela |
| S52.244C | Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.244D | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing |
| S52.244E | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.244F | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.244G | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.244H | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.244J | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.244K | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion |
| S52.244M | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.244N | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.244P | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion |
| S52.244Q | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.244R | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.244S | Nondisplaced spiral fracture of shaft of ulna, right arm, sequela |
| S52.245C | Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.245D | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing |
| S52.245E | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.245F | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.245G | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.245H | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.245J | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.245K | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion |
| S52.245M | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.245N | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.245P | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion |
| S52.245Q | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.245R | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.245S | Nondisplaced spiral fracture of shaft of ulna, left arm, sequela |
| S52.246C | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.246D | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.246E | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.246F | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.246G | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.246H | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.246J | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.246K | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.246M | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.246N | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.246P | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.246Q | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.246R | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.246S | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, sequela |
| S52.251C | Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.251D | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing |
| S52.251E | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.251F | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.251G | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.251H | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.251J | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.251K | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion |
| S52.251M | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.251N | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.251P | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion |
| S52.251Q | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.251R | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.251S | Displaced comminuted fracture of shaft of ulna, right arm, sequela |
| S52.252C | Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.252D | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing |
| S52.252E | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.252F | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.252G | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.252H | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.252J | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.252K | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion |
| S52.252M | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.252N | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.252P | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion |
| S52.252Q | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.252R | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.252S | Displaced comminuted fracture of shaft of ulna, left arm, sequela |
| S52.253C | Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.253D | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.253E | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.253F | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.253G | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.253H | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.253J | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.253K | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.253M | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.253N | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.253P | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.253Q | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.253R | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.253S | Displaced comminuted fracture of shaft of ulna, unspecified arm, sequela |
| S52.254C | Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.254D | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing |
| S52.254E | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.254F | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.254G | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.254H | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.254J | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.254K | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion |
| S52.254M | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.254N | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.254P | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion |
| S52.254Q | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.254R | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.254S | Nondisplaced comminuted fracture of shaft of ulna, right arm, sequela |
| S52.255C | Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.255D | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing |
| S52.255E | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.255F | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.255G | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.255H | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.255J | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.255K | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion |
| S52.255M | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.255N | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.255P | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion |
| S52.255Q | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.255R | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.255S | Nondisplaced comminuted fracture of shaft of ulna, left arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.256C | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.256D | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.256E | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.256F | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.256G | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.256H | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.256J | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.256K | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.256M | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.256N | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.256P | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.256Q | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.256R | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.256S | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, sequela |
| S52.261C | Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.261D | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing |
| S52.261E | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.261F | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.261G | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.261H | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.261J | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.261K | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion |
| S52.261M | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.261N | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.261P | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.261Q | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.261R | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.261S | Displaced segmental fracture of shaft of ulna, right arm, sequela |
| S52.262C | Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.262D | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing |
| S52.262E | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.262F | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.262G | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.262H | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.262J | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.262K | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion |
| S52.262M | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.262N | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.262P | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion |
| S52.262Q | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.262R | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.262S | Displaced segmental fracture of shaft of ulna, left arm, sequela |
| S52.263C | Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.263D | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.263E | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.263F | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.263G | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.263H | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.263J | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.263K | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.263M | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.263N | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.263P | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.263Q | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.263R | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.263S | Displaced segmental fracture of shaft of ulna, unspecified arm, sequela |
| S52.264C | Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.264D | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing |
| S52.264E | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.264F | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.264G | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.264H | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.264J | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.264K | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion |
| S52.264M | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.264N | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.264P | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion |
| S52.264Q | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.264R | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.264S | Nondisplaced segmental fracture of shaft of ulna, right arm, sequela |
| S52.265C | Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.265D | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing |
| S52.265E | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.265F | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.265G | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.265H | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.265J | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.265K | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion |
| S52.265M | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.265N | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.265P | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion |
| S52.265Q | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.265R | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.265S | Nondisplaced segmental fracture of shaft of ulna, left arm, sequela |
| S52.266C | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.266D | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.266E | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.266F | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.266G | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.266H | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.266J | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.266K | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.266M | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.266N | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.266P | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.266Q | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.266R | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.266S | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, sequela |
| S52.271C | Monteggia's fracture of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.271D | Monteggia's fracture of right ulna, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.271E | Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.271F | Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.271G | Monteggia's fracture of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.271H | Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.271J | Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.271K | Monteggia's fracture of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.271M | Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.271N | Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.271P | Monteggia's fracture of right ulna, subsequent encounter for closed fracture with malunion |
| S52.271Q | Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.271R | Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.271S | Monteggia's fracture of right ulna, sequela |
| S52.272C | Monteggia's fracture of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.272D | Monteggia's fracture of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.272E | Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.272F | Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.272G | Monteggia's fracture of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.272H | Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.272J | Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.272K | Monteggia's fracture of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.272M | Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.272N | Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.272P | Monteggia's fracture of left ulna, subsequent encounter for closed fracture with malunion |
| S52.272Q | Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.272R | Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.272S | Monteggia's fracture of left ulna, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.279C | Monteggia's fracture of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.279D | Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.279E | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.279F | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.279G | Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.279H | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.279J | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.279K | Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.279M | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.279N | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.279P | Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.279Q | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.279R | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.279S | Monteggia's fracture of unspecified ulna, sequela |
| S52.281C | Bent bone of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.281D | Bent bone of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.281E | Bent bone of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.281F | Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.281G | Bent bone of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.281H | Bent bone of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.281J | Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.281K | Bent bone of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.281M | Bent bone of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.281N | Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.281P | Bent bone of right ulna, subsequent encounter for closed fracture with malunion |
| S52.281Q | Bent bone of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.281R | Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.281S | Bent bone of right ulna, sequela |
| S52.282C | Bent bone of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.282D | Bent bone of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.282E | Bent bone of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.282F | Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.282G | Bent bone of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.282H | Bent bone of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.282J | Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.282K | Bent bone of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.282M | Bent bone of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.282N | Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.282P | Bent bone of left ulna, subsequent encounter for closed fracture with malunion |
| S52.282Q | Bent bone of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.282R | Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.282S | Bent bone of left ulna, sequela |
| S52.283C | Bent bone of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.283D | Bent bone of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.283E | Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.283F | Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.283G | Bent bone of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.283H | Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.283J | Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.283K | Bent bone of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.283M | Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.283N | Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.283P | Bent bone of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.283Q | Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.283R | Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.283S | Bent bone of unspecified ulna, sequela |
| S52.291C | Other fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.291D | Other fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.291E | Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.291F | Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.291G | Other fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.291H | Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.291J | Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.291K | Other fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.291M | Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.291N | Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.291P | Other fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion |
| S52.291Q | Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.291R | Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.291S | Other fracture of shaft of right ulna, sequela |
| S52.292C | Other fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.292D | Other fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.292E | Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.292F | Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.292G | Other fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.292H | Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.292J | Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.292K | Other fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.292M | Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.292N | Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.292P | Other fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion |
| S52.292Q | Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.292R | Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.292S | Other fracture of shaft of left ulna, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.299C | Other fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.299D | Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.299E | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.299F | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.299G | Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.299H | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.299J | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.299K | Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.299M | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.299N | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.299P | Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.299Q | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.299R | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.299S | Other fracture of shaft of unspecified ulna, sequela |
| S52.301C | Unspecified fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.301D | Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing |
| S52.301E | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.301F | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.301G | Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.301H | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.301J | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.301K | Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion |
| S52.301M | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.301N | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.301P | Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.301Q | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.301R | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.301S | Unspecified fracture of shaft of right radius, sequela |
| S52.302C | Unspecified fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.302D | Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing |
| S52.302E | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.302F | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.302G | Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.302H | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.302J | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.302K | Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion |
| S52.302M | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.302N | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.302P | Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with malunion |
| S52.302Q | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.302R | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.302S | Unspecified fracture of shaft of left radius, sequela |
| S52.309C | Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.309D | Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.309E | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.309F | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.309G | Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.309H | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.309J | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.309K | Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.309M | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.309N | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.309P | Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.309Q | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.309R | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.309S | Unspecified fracture of shaft of unspecified radius, sequela |
| S52.311D | Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with routine healing |
| S52.311G | Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with delayed healing |
| S52.311K | Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with nonunion |
| S52.311P | Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with malunion |
| S52.311S | Greenstick fracture of shaft of radius, right arm, sequela |
| S52.312D | Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with routine healing |
| S52.312G | Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with delayed healing |
| S52.312K | Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with nonunion |
| S52.312P | Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with malunion |
| S52.312S | Greenstick fracture of shaft of radius, left arm, sequela |
| S52.319D | Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S52.319G | Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S52.319K | Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S52.319P | Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S52.319S | Greenstick fracture of shaft of radius, unspecified arm, sequela |
| S52.321C | Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.321D | Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing |
| S52.321E | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.321F | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.321G | Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.321H | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.321J | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.321K | Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion |
| S52.321M | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.321N | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.321P | Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with malunion |
| S52.321Q | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.321R | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.321S | Displaced transverse fracture of shaft of right radius, sequela |
| S52.322C | Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.322D | Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing |
| S52.322E | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.322F | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.322G | Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.322H | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.322J | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.322K | Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion |
| S52.322M | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.322N | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.322P | Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with malunion |
| S52.322Q | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.322R | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.322S | Displaced transverse fracture of shaft of left radius, sequela |
| S52.323C | Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.323D | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.323E | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.323F | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.323G | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.323H | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.323J | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.323K | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.323M | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.323N | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.323P | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.323Q | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.323R | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.323S | Displaced transverse fracture of shaft of unspecified radius, sequela |
| S52.324C | Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.324D | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing |
| S52.324E | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.324F | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.324G | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.324H | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.324J | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.324K | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion |
| S52.324M | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.324N | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.324P | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with malunion |
| S52.324Q | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.324R | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.324S | Nondisplaced transverse fracture of shaft of right radius, sequela |
| S52.325C | Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.325D | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing |
| S52.325E | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.325F | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.325G | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.325H | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.325J | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.325K | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion |
| S52.325M | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.325N | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.325P | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with malunion |
| S52.325Q | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.325R | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.325S | Nondisplaced transverse fracture of shaft of left radius, sequela |
| S52.326C | Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.326D | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.326E | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.326F | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.326G | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.326H | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.326J | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.326K | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.326M | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.326N | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.326P | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.326Q | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.326R | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.326S | Nondisplaced transverse fracture of shaft of unspecified radius, sequela |
| S52.331C | Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.331D | Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing |
| S52.331E | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.331F | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.331G | Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.331H | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.331J | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.331K | Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion |
| S52.331M | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.331N | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.331P | Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with malunion |
| S52.331Q | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.331R | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.331S | Displaced oblique fracture of shaft of right radius, sequela |
| S52.332C | Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.332D | Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing |
| S52.332E | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.332F | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.332G | Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.332H | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.332J | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.332K | Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion |
| S52.332M | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.332N | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.332P | Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with malunion |
| S52.332Q | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.332R | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.332S | Displaced oblique fracture of shaft of left radius, sequela |
| S52.333C | Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.333D | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.333E | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.333F | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.333G | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.333H | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.333J | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.333K | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.333M | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.333N | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.333P | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.333Q | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.333R | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.333S | Displaced oblique fracture of shaft of unspecified radius, sequela |
| S52.334C | Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.334D | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing |
| S52.334E | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.334F | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.334G | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.334H | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.334J | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.334K | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion |
| S52.334M | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.334N | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.334P | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with malunion |
| S52.334Q | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.334R | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.334S | Nondisplaced oblique fracture of shaft of right radius, sequela |
| S52.335C | Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.335D | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing |
| S52.335E | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.335F | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.335G | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.335H | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.335J | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.335K | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion |
| S52.335M | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.335N | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.335P | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with malunion |
| S52.335Q | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.335R | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.335S | Nondisplaced oblique fracture of shaft of left radius, sequela |
| S52.336C | Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.336D | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.336E | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.336F | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.336G | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.336H | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.336J | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.336K | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.336M | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.336N | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.336P | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.336Q | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.336R | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.336S | Nondisplaced oblique fracture of shaft of unspecified radius, sequela |
| S52.341C | Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.341D | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing |
| S52.341E | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.341F | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.341G | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.341H | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.341J | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.341K | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion |
| S52.341M | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.341N | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.341P | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion |
| S52.341Q | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.341R | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.341S | Displaced spiral fracture of shaft of radius, right arm, sequela |
| S52.342C | Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.342D | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing |
| S52.342E | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.342F | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.342G | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.342H | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.342J | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.342K | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion |
| S52.342M | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.342N | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.342P | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion |
| S52.342Q | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.342R | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.342S | Displaced spiral fracture of shaft of radius, left arm, sequela |
| S52.343C | Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.343D | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.343E | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.343F | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.343G | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.343H | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.343J | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.343K | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.343M | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.343N | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.343P | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.343Q | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.343R | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.343S | Displaced spiral fracture of shaft of radius, unspecified arm, sequela |
| S52.344C | Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.344D | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing |
| S52.344E | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.344F | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.344G | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.344H | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.344J | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.344K | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion |
| S52.344M | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.344N | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.344P | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion |
| S52.344Q | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.344R | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.344S | Nondisplaced spiral fracture of shaft of radius, right arm, sequela |
| S52.345C | Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.345D | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing |
| S52.345E | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.345F | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.345G | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.345H | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.345J | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.345K | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion |
| S52.345M | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.345N | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.345P | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion |
| S52.345Q | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.345R | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.345S | Nondisplaced spiral fracture of shaft of radius, left arm, sequela |
| S52.346C | Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.346D | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.346E | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.346F | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.346G | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.346H | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.346J | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.346K | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.346M | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.346N | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.346P | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.346Q | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.346R | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.346S | Nondisplaced spiral fracture of shaft of radius, unspecified arm, sequela |
| S52.351C | Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.351D | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing |
| S52.351E | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.351F | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.351G | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.351H | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.351J | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.351K | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion |
| S52.351M | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.351N | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.351P | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion |
| S52.351Q | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.351R | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.351S | Displaced comminuted fracture of shaft of radius, right arm, sequela |
| S52.352C | Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.352D | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing |
| S52.352E | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.352F | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.352G | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.352H | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.352J | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.352K | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion |
| S52.352M | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.352N | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.352P | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion |
| S52.352Q | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.352R | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.352S | Displaced comminuted fracture of shaft of radius, left arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.353C | Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.353D | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.353E | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.353F | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.353G | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.353H | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.353J | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.353K | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.353M | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.353N | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.353P | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.353Q | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.353R | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.353S | Displaced comminuted fracture of shaft of radius, unspecified arm, sequela |
| S52.354C | Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.354D | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing |
| S52.354E | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.354F | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.354G | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.354H | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.354J | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.354K | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion |
| S52.354M | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.354N | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.354P | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.354Q | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.354R | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.354S | Nondisplaced comminuted fracture of shaft of radius, right arm, sequela |
| S52.355C | Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.355D | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing |
| S52.355E | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.355F | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.355G | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.355H | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.355J | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.355K | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion |
| S52.355M | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.355N | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.355P | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion |
| S52.355Q | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.355R | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.355S | Nondisplaced comminuted fracture of shaft of radius, left arm, sequela |
| S52.356C | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.356D | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.356E | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.356F | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.356G | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.356H | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.356J | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.356K | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.356M | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.356N | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.356P | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.356Q | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.356R | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.356S | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, sequela |
| S52.361C | Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.361D | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing |
| S52.361E | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.361F | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.361G | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.361H | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.361J | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.361K | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion |
| S52.361M | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.361N | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.361P | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion |
| S52.361Q | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.361R | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.361S | Displaced segmental fracture of shaft of radius, right arm, sequela |
| S52.362C | Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.362D | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing |
| S52.362E | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.362F | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.362G | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.362H | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.362J | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.362K | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion |
| S52.362M | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.362N | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.362P | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion |
| S52.362Q | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.362R | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.362S | Displaced segmental fracture of shaft of radius, left arm, sequela |
| S52.363C | Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.363D | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.363E | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.363F | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.363G | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.363H | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.363J | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.363K | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.363M | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.363N | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.363P | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.363Q | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.363R | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.363S | Displaced segmental fracture of shaft of radius, unspecified arm, sequela |
| S52.364C | Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.364D | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.364E | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.364F | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.364G | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.364H | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.364J | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.364K | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion |
| S52.364M | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.364N | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.364P | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion |
| S52.364Q | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.364R | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.364S | Nondisplaced segmental fracture of shaft of radius, right arm, sequela |
| S52.365C | Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.365D | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing |
| S52.365E | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.365F | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.365G | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.365H | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.365J | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.365K | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion |
| S52.365M | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.365N | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.365P | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion |
| S52.365Q | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.365R | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.365S | Nondisplaced segmental fracture of shaft of radius, left arm, sequela |
| S52.366C | Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.366D | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.366E | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.366F | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.366G | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing |
| S52.366H | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.366J | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.366K | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.366M | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.366N | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.366P | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.366Q | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.366R | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.366S | Nondisplaced segmental fracture of shaft of radius, unspecified arm, sequela |
| S52.371C | Galeazzi's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.371D | Galeazzi's fracture of right radius, subsequent encounter for closed fracture with routine healing |
| S52.371E | Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.371F | Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.371G | Galeazzi's fracture of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.371H | Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.371J | Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.371K | Galeazzi's fracture of right radius, subsequent encounter for closed fracture with nonunion |
| S52.371M | Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.371N | Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.371P | Galeazzi's fracture of right radius, subsequent encounter for closed fracture with malunion |
| S52.371Q | Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.371R | Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.371S | Galeazzi's fracture of right radius, sequela |
| S52.372C | Galeazzi's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.372D | Galeazzi's fracture of left radius, subsequent encounter for closed fracture with routine healing |
| S52.372E | Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.372F | Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.372G | Galeazzi's fracture of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.372H | Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.372J | Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.372K | Galeazzi's fracture of left radius, subsequent encounter for closed fracture with nonunion |
| S52.372M | Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.372N | Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.372P | Galeazzi's fracture of left radius, subsequent encounter for closed fracture with malunion |
| S52.372Q | Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.372R | Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.372S | Galeazzi's fracture of left radius, sequela |
| S52.379C | Galeazzi's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.379D | Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.379E | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.379F | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.379G | Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.379H | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.379J | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.379K | Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.379M | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.379N | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.379P | Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.379Q | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.379R | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.379S | Galeazzi's fracture of unspecified radius, sequela |
| S52.381C | Bent bone of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.381D | Bent bone of right radius, subsequent encounter for closed fracture with routine healing |
| S52.381E | Bent bone of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.381F | Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.381G | Bent bone of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.381H | Bent bone of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.381J | Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.381K | Bent bone of right radius, subsequent encounter for closed fracture with nonunion |
| S52.381M | Bent bone of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.381N | Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.381P | Bent bone of right radius, subsequent encounter for closed fracture with malunion |
| S52.381Q | Bent bone of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.381R | Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.381S | Bent bone of right radius, sequela |
| S52.382C | Bent bone of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.382D | Bent bone of left radius, subsequent encounter for closed fracture with routine healing |
| S52.382E | Bent bone of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.382F | Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.382G | Bent bone of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.382H | Bent bone of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.382J | Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.382K | Bent bone of left radius, subsequent encounter for closed fracture with nonunion |
| S52.382M | Bent bone of left radius, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.382N | Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.382P | Bent bone of left radius, subsequent encounter for closed fracture with malunion |
| S52.382Q | Bent bone of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.382R | Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.382S | Bent bone of left radius, sequela |
| S52.389C | Bent bone of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.389D | Bent bone of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.389E | Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.389F | Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.389G | Bent bone of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.389H | Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.389J | Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.389K | Bent bone of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.389M | Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.389N | Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.389P | Bent bone of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.389Q | Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.389R | Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.389S | Bent bone of unspecified radius, sequela |
| S52.391C | Other fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.391D | Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing |
| S52.391E | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.391F | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.391G | Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing |
| S52.391H | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.391J | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.391K | Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.391M | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.391N | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.391P | Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion |
| S52.391Q | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion |
| S52.391R | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.391S | Other fracture of shaft of radius, right arm, sequela |
| S52.392C | Other fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.392D | Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing |
| S52.392E | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.392F | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.392G | Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing |
| S52.392H | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.392J | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.392K | Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion |
| S52.392M | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.392N | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.392P | Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion |
| S52.392Q | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion |
| S52.392R | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.392S | Other fracture of shaft of radius, left arm, sequela |
| S52.399C | Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.399D | Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing |
| S52.399E | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing |
| S52.399F | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.399G | Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.399H | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.399J | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.399K | Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion |
| S52.399M | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion |
| S52.399N | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.399P | Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion |
| S52.399Q | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion |
| S52.399R | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.399S | Other fracture of shaft of radius, unspecified arm, sequela |
| S52.501C | Unspecified fracture of the lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.501D | Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with routine healing |
| S52.501E | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.501F | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.501G | Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.501H | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.501J | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.501K | Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with nonunion |
| S52.501M | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.501N | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.501P | Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with malunion |
| S52.501Q | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.501R | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.501S | Unspecified fracture of the lower end of right radius, sequela |
| S52.502C | Unspecified fracture of the lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.502D | Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.502E | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.502F | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.502G | Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.502H | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.502J | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.502K | Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with nonunion |
| S52.502M | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.502N | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.502P | Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with malunion |
| S52.502Q | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.502R | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.502S | Unspecified fracture of the lower end of left radius, sequela |
| S52.509C | Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.509D | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.509E | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.509F | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.509G | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.509H | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.509J | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.509K | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.509M | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.509N | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.509P | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.509Q | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.509R | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.509S | Unspecified fracture of the lower end of unspecified radius, sequela |
| S52.511C | Displaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.511D | Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with routine healing |
| S52.511E | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.511F | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.511G | Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.511H | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.511J | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.511K | Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with nonunion |
| S52.511M | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.511N | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.511P | Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with malunion |
| S52.511Q | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.511R | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.511S | Displaced fracture of right radial styloid process, sequela |
| S52.512C | Displaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.512D | Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with routine healing |
| S52.512E | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.512F | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.512G | Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.512H | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.512J | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.512K | Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with nonunion |
| S52.512M | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.512N | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.512P | Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with malunion |
| S52.512Q | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.512R | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.512S | Displaced fracture of left radial styloid process, sequela |
| S52.513C | Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.513D | Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with routine healing |
| S52.513E | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.513F | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.513G | Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.513H | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.513J | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.513K | Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with nonunion |
| S52.513M | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.513N | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.513P | Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with malunion |
| S52.513Q | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.513R | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.513S | Displaced fracture of unspecified radial styloid process, sequela |
| S52.514C | Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.514D | Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with routine healing |
| S52.514E | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.514F | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.514G | Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.514H | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.514J | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.514K | Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with nonunion |
| S52.514M | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.514N | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.514P | Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with malunion |
| S52.514Q | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.514R | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.514S | Nondisplaced fracture of right radial styloid process, sequela |
| S52.515C | Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.515D | Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with routine healing |
| S52.515E | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.515F | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.515G | Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.515H | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.515J | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.515K | Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with nonunion |
| S52.515M | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.515N | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.515P | Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with malunion |
| S52.515Q | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.515R | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.515S | Nondisplaced fracture of left radial styloid process, sequela |
| S52.516C | Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.516D | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with routine healing |
| S52.516E | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.516F | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.516G | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.516H | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.516J | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.516K | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with nonunion |
| S52.516M | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.516N | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.516P | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with malunion |
| S52.516Q | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.516R | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.516S | Nondisplaced fracture of unspecified radial styloid process, sequela |
| S52.521D | Torus fracture of lower end of right radius, subsequent encounter for fracture with routine healing |
| S52.521G | Torus fracture of lower end of right radius, subsequent encounter for fracture with delayed healing |
| S52.521K | Torus fracture of lower end of right radius, subsequent encounter for fracture with nonunion |
| S52.521P | Torus fracture of lower end of right radius, subsequent encounter for fracture with malunion |
| S52.521S | Torus fracture of lower end of right radius, sequela |
| S52.522D | Torus fracture of lower end of left radius, subsequent encounter for fracture with routine healing |
| S52.522G | Torus fracture of lower end of left radius, subsequent encounter for fracture with delayed healing |
| S52.522K | Torus fracture of lower end of left radius, subsequent encounter for fracture with nonunion |
| S52.522P | Torus fracture of lower end of left radius, subsequent encounter for fracture with malunion |
| S52.522S | Torus fracture of lower end of left radius, sequela |
| S52.529D | Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with routine healing |
| S52.529G | Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with delayed healing |
| S52.529K | Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with nonunion |
| S52.529P | Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with malunion |
| S52.529S | Torus fracture of lower end of unspecified radius, sequela |
| S52.531C | Colles' fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.531D | Colles' fracture of right radius, subsequent encounter for closed fracture with routine healing |
| S52.531E | Colles' fracture of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.531F | Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.531G | Colles' fracture of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.531H | Colles' fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.531J | Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.531K | Colles' fracture of right radius, subsequent encounter for closed fracture with nonunion |
| S52.531M | Colles' fracture of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.531N | Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.531P | Colles' fracture of right radius, subsequent encounter for closed fracture with malunion |
| S52.531Q | Colles' fracture of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.531R | Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.531S | Colles' fracture of right radius, sequela |
| S52.532C | Colles' fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.532D | Colles' fracture of left radius, subsequent encounter for closed fracture with routine healing |
| S52.532E | Colles' fracture of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.532F | Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.532G | Colles' fracture of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.532H | Colles' fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.532J | Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.532K | Colles' fracture of left radius, subsequent encounter for closed fracture with nonunion |
| S52.532M | Colles' fracture of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.532N | Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.532P | Colles' fracture of left radius, subsequent encounter for closed fracture with malunion |
| S52.532Q | Colles' fracture of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.532R | Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.532S | Colles' fracture of left radius, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.539C | Colles' fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.539D | Colles' fracture of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.539E | Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.539F | Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.539G | Colles' fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.539H | Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.539J | Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.539K | Colles' fracture of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.539M | Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.539N | Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.539P | Colles' fracture of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.539Q | Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.539R | Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.539S | Colles' fracture of unspecified radius, sequela |
| S52.541C | Smith's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.541D | Smith's fracture of right radius, subsequent encounter for closed fracture with routine healing |
| S52.541E | Smith's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.541F | Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.541G | Smith's fracture of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.541H | Smith's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.541J | Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.541K | Smith's fracture of right radius, subsequent encounter for closed fracture with nonunion |
| S52.541M | Smith's fracture of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.541N | Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.541P | Smith's fracture of right radius, subsequent encounter for closed fracture with malunion |
| S52.541Q | Smith's fracture of right radius, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.541R | Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.541S | Smith's fracture of right radius, sequela |
| S52.542C | Smith's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.542D | Smith's fracture of left radius, subsequent encounter for closed fracture with routine healing |
| S52.542E | Smith's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.542F | Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.542G | Smith's fracture of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.542H | Smith's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.542J | Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.542K | Smith's fracture of left radius, subsequent encounter for closed fracture with nonunion |
| S52.542M | Smith's fracture of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.542N | Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.542P | Smith's fracture of left radius, subsequent encounter for closed fracture with malunion |
| S52.542Q | Smith's fracture of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.542R | Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.542S | Smith's fracture of left radius, sequela |
| S52.549C | Smith's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.549D | Smith's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.549E | Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.549F | Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.549G | Smith's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.549H | Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.549J | Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.549K | Smith's fracture of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.549M | Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.549N | Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.549P | Smith's fracture of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.549Q | Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.549R | Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.549S | Smith's fracture of unspecified radius, sequela |
| S52.551C | Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.551D | Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with routine healing |
| S52.551E | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.551F | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.551G | Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.551H | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.551J | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.551K | Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with nonunion |
| S52.551M | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.551N | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.551P | Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with malunion |
| S52.551Q | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.551R | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.551S | Other extraarticular fracture of lower end of right radius, sequela |
| S52.552C | Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.552D | Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with routine healing |
| S52.552E | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.552F | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.552G | Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.552H | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.552J | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.552K | Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with nonunion |
| S52.552M | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.552N | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.552P | Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with malunion |
| S52.552Q | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.552R | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.552S | Other extraarticular fracture of lower end of left radius, sequela |
| S52.559C | Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.559D | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.559E | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.559F | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.559G | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.559H | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.559J | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.559K | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.559M | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.559N | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.559P | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.559Q | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.559R | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.559S | Other extraarticular fracture of lower end of unspecified radius, sequela |
| S52.561C | Barton's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.561D | Barton's fracture of right radius, subsequent encounter for closed fracture with routine healing |
| S52.561E | Barton's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.561F | Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.561G | Barton's fracture of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.561H | Barton's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.561J | Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.561K | Barton's fracture of right radius, subsequent encounter for closed fracture with nonunion |
| S52.561M | Barton's fracture of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.561N | Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.561P | Barton's fracture of right radius, subsequent encounter for closed fracture with malunion |
| S52.561Q | Barton's fracture of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.561R | Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.561S | Barton's fracture of right radius, sequela |
| S52.562C | Barton's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.562D | Barton's fracture of left radius, subsequent encounter for closed fracture with routine healing |
| S52.562E | Barton's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.562F | Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.562G | Barton's fracture of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.562H | Barton's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.562J | Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.562K | Barton's fracture of left radius, subsequent encounter for closed fracture with nonunion |
| S52.562M | Barton's fracture of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.562N | Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.562P | Barton's fracture of left radius, subsequent encounter for closed fracture with malunion |
| S52.562Q | Barton's fracture of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.562R | Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.562S | Barton's fracture of left radius, sequela |
| S52.569C | Barton's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.569D | Barton's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.569E | Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.569F | Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.569G | Barton's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.569H | Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.569J | Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.569K | Barton's fracture of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.569M | Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.569N | Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.569P | Barton's fracture of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.569Q | Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.569R | Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.569S | Barton's fracture of unspecified radius, sequela |
| S52.571C | Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.571D | Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with routine healing |
| S52.571E | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.571F | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.571G | Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.571H | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.571J | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.571K | Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with nonunion |
| S52.571M | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.571N | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.571P | Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with malunion |
| S52.571Q | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.571R | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.571S | Other intraarticular fracture of lower end of right radius, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.572C | Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.572D | Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with routine healing |
| S52.572E | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.572F | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.572G | Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.572H | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.572J | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.572K | Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with nonunion |
| S52.572M | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.572N | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.572P | Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with malunion |
| S52.572Q | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.572R | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.572S | Other intraarticular fracture of lower end of left radius, sequela |
| S52.579C | Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.579D | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.579E | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.579F | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.579G | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.579H | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.579J | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.579K | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.579M | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.579N | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.579P | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.579Q | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.579R | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.579S | Other intraarticular fracture of lower end of unspecified radius, sequela |
| S52.591C | Other fractures of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.591D | Other fractures of lower end of right radius, subsequent encounter for closed fracture with routine healing |
| S52.591E | Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.591F | Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.591G | Other fractures of lower end of right radius, subsequent encounter for closed fracture with delayed healing |
| S52.591H | Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.591J | Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.591K | Other fractures of lower end of right radius, subsequent encounter for closed fracture with nonunion |
| S52.591M | Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.591N | Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.591P | Other fractures of lower end of right radius, subsequent encounter for closed fracture with malunion |
| S52.591Q | Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with malunion |
| S52.591R | Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.591S | Other fractures of lower end of right radius, sequela |
| S52.592C | Other fractures of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.592D | Other fractures of lower end of left radius, subsequent encounter for closed fracture with routine healing |
| S52.592E | Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.592F | Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.592G | Other fractures of lower end of left radius, subsequent encounter for closed fracture with delayed healing |
| S52.592H | Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.592J | Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.592K | Other fractures of lower end of left radius, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.592M | Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.592N | Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.592P | Other fractures of lower end of left radius, subsequent encounter for closed fracture with malunion |
| S52.592Q | Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with malunion |
| S52.592R | Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.592S | Other fractures of lower end of left radius, sequela |
| S52.599C | Other fractures of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.599D | Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing |
| S52.599E | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing |
| S52.599F | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.599G | Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing |
| S52.599H | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing |
| S52.599J | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.599K | Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with nonunion |
| S52.599M | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion |
| S52.599N | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.599P | Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with malunion |
| S52.599Q | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion |
| S52.599R | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.599S | Other fractures of lower end of unspecified radius, sequela |
| S52.601C | Unspecified fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.601D | Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.601E | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.601F | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.601G | Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.601H | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.601J | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.601K | Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.601M | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.601N | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.601P | Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with malunion |
| S52.601Q | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.601R | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.601S | Unspecified fracture of lower end of right ulna, sequela |
| S52.602C | Unspecified fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.602D | Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with routine healing |
| S52.602E | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.602F | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.602G | Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.602H | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.602J | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.602K | Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.602M | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.602N | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.602P | Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with malunion |
| S52.602Q | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.602R | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.602S | Unspecified fracture of lower end of left ulna, sequela |
| S52.609C | Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.609D | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.609E | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.609F | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.609G | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.609H | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.609J | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.609K | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.609M | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.609N | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.609P | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.609Q | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.609R | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.609S | Unspecified fracture of lower end of unspecified ulna, sequela |
| S52.611C | Displaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.611D | Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with routine healing |
| S52.611E | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.611F | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.611G | Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.611H | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.611J | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.611K | Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with nonunion |
| S52.611M | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.611N | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.611P | Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with malunion |
| S52.611Q | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.611R | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.611S | Displaced fracture of right ulna styloid process, sequela |
| S52.612C | Displaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.612D | Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with routine healing |
| S52.612E | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.612F | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.612G | Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.612H | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.612J | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.612K | Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with nonunion |
| S52.612M | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.612N | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.612P | Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with malunion |
| S52.612Q | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.612R | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.612S | Displaced fracture of left ulna styloid process, sequela |
| S52.613C | Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.613D | Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with routine healing |
| S52.613E | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.613F | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.613G | Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.613H | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.613J | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.613K | Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with nonunion |
| S52.613M | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.613N | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.613P | Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with malunion |
| S52.613Q | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.613R | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.613S | Displaced fracture of unspecified ulna styloid process, sequela |
| S52.614C | Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.614D | Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with routine healing |
| S52.614E | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.614F | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.614G | Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.614H | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.614J | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.614K | Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with nonunion |
| S52.614M | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.614N | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.614P | Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with malunion |
| S52.614Q | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.614R | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.614S | Nondisplaced fracture of right ulna styloid process, sequela |
| S52.615C | Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.615D | Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with routine healing |
| S52.615E | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.615F | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.615G | Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.615H | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.615J | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.615K | Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with nonunion |
| S52.615M | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.615N | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.615P | Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with malunion |
| S52.615Q | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.615R | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.615S | Nondisplaced fracture of left ulna styloid process, sequela |
| S52.616C | Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.616D | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with routine healing |
| S52.616E | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with routine healing |
| S52.616F | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.616G | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with delayed healing |
| S52.616H | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing |
| S52.616J | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.616K | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with nonunion |
| S52.616M | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with nonunion |
| S52.616N | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.616P | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with malunion |
| S52.616Q | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with malunion |
| S52.616R | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.616S | Nondisplaced fracture of unspecified ulna styloid process, sequela |
| S52.621D | Torus fracture of lower end of right ulna, subsequent encounter for fracture with routine healing |
| S52.621G | Torus fracture of lower end of right ulna, subsequent encounter for fracture with delayed healing |
| S52.621K | Torus fracture of lower end of right ulna, subsequent encounter for fracture with nonunion |
| S52.621P | Torus fracture of lower end of right ulna, subsequent encounter for fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.621S | Torus fracture of lower end of right ulna, sequela |
| S52.622D | Torus fracture of lower end of left ulna, subsequent encounter for fracture with routine healing |
| S52.622G | Torus fracture of lower end of left ulna, subsequent encounter for fracture with delayed healing |
| S52.622K | Torus fracture of lower end of left ulna, subsequent encounter for fracture with nonunion |
| S52.622P | Torus fracture of lower end of left ulna, subsequent encounter for fracture with malunion |
| S52.622S | Torus fracture of lower end of left ulna, sequela |
| S52.629D | Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with routine healing |
| S52.629G | Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with delayed healing |
| S52.629K | Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with nonunion |
| S52.629P | Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with malunion |
| S52.629S | Torus fracture of lower end of unspecified ulna, sequela |
| S52.691C | Other fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.691D | Other fracture of lower end of right ulna, subsequent encounter for closed fracture with routine healing |
| S52.691E | Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.691F | Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.691G | Other fracture of lower end of right ulna, subsequent encounter for closed fracture with delayed healing |
| S52.691H | Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.691J | Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.691K | Other fracture of lower end of right ulna, subsequent encounter for closed fracture with nonunion |
| S52.691M | Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.691N | Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.691P | Other fracture of lower end of right ulna, subsequent encounter for closed fracture with malunion |
| S52.691Q | Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.691R | Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.691S | Other fracture of lower end of right ulna, sequela |
| S52.692C | Other fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.692D | Other fracture of lower end of left ulna, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.692E | Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.692F | Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.692G | Other fracture of lower end of left ulna, subsequent encounter for closed fracture with delayed healing |
| S52.692H | Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.692J | Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.692K | Other fracture of lower end of left ulna, subsequent encounter for closed fracture with nonunion |
| S52.692M | Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.692N | Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.692P | Other fracture of lower end of left ulna, subsequent encounter for closed fracture with malunion |
| S52.692Q | Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.692R | Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.692S | Other fracture of lower end of left ulna, sequela |
| S52.699C | Other fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.699D | Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with routine healing |
| S52.699E | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing |
| S52.699F | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.699G | Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with delayed healing |
| S52.699H | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing |
| S52.699J | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.699K | Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with nonunion |
| S52.699M | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion |
| S52.699N | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.699P | Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with malunion |
| S52.699Q | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion |
| S52.699R | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.699S | Other fracture of lower end of unspecified ulna, sequela |
| S52.90XC | Unspecified fracture of unspecified forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.90XD | Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with routine healing |
| S52.90XE | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with routine healing |
| S52.90XF | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.90XG | Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with delayed healing |
| S52.90XH | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.90XJ | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.90XK | Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with nonunion |
| S52.90XM | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with nonunion |
| S52.90XN | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.90XP | Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with malunion |
| S52.90XQ | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with malunion |
| S52.90XR | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.90XS | Unspecified fracture of unspecified forearm, sequela |
| S52.91XC | Unspecified fracture of right forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.91XD | Unspecified fracture of right forearm, subsequent encounter for closed fracture with routine healing |
| S52.91XE | Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with routine healing |
| S52.91XF | Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.91XG | Unspecified fracture of right forearm, subsequent encounter for closed fracture with delayed healing |
| S52.91XH | Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.91XJ | Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.91XK | Unspecified fracture of right forearm, subsequent encounter for closed fracture with nonunion |
| S52.91XM | Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with nonunion |
| S52.91XN | Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S52.91XP | Unspecified fracture of right forearm, subsequent encounter for closed fracture with malunion |
| S52.91XQ | Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with malunion |
| S52.91XR | Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.91XS | Unspecified fracture of right forearm, sequela |
| S52.92XC | Unspecified fracture of left forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.92XD | Unspecified fracture of left forearm, subsequent encounter for closed fracture with routine healing |
| S52.92XE | Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with routine healing |
| S52.92XF | Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.92XG | Unspecified fracture of left forearm, subsequent encounter for closed fracture with delayed healing |
| S52.92XH | Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with delayed healing |
| S52.92XJ | Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.92XK | Unspecified fracture of left forearm, subsequent encounter for closed fracture with nonunion |
| S52.92XM | Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with nonunion |
| S52.92XN | Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S52.92XP | Unspecified fracture of left forearm, subsequent encounter for closed fracture with malunion |
| S52.92XQ | Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with malunion |
| S52.92XR | Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S52.92XS | Unspecified fracture of left forearm, sequela |
| S53.001D | Unspecified subluxation of right radial head, subsequent encounter |
| S53.001S | Unspecified subluxation of right radial head, sequela |
| S53.002D | Unspecified subluxation of left radial head, subsequent encounter |
| S53.002S | Unspecified subluxation of left radial head, sequela |
| S53.003D | Unspecified subluxation of unspecified radial head, subsequent encounter |
| S53.003S | Unspecified subluxation of unspecified radial head, sequela |
| S53.004D | Unspecified dislocation of right radial head, subsequent encounter |
| S53.004S | Unspecified dislocation of right radial head, sequela |
| S53.005D | Unspecified dislocation of left radial head, subsequent encounter |
| S53.005S | Unspecified dislocation of left radial head, sequela |
| S53.006D | Unspecified dislocation of unspecified radial head, subsequent encounter |
| S53.006S | Unspecified dislocation of unspecified radial head, sequela |
| S53.011D | Anterior subluxation of right radial head, subsequent encounter |
| S53.011S | Anterior subluxation of right radial head, sequela |
| S53.012D | Anterior subluxation of left radial head, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S53.012S | Anterior subluxation of left radial head, sequela |
| S53.013D | Anterior subluxation of unspecified radial head, subsequent encounter |
| S53.013S | Anterior subluxation of unspecified radial head, sequela |
| S53.014D | Anterior dislocation of right radial head, subsequent encounter |
| S53.014S | Anterior dislocation of right radial head, sequela |
| S53.015D | Anterior dislocation of left radial head, subsequent encounter |
| S53.015S | Anterior dislocation of left radial head, sequela |
| S53.016D | Anterior dislocation of unspecified radial head, subsequent encounter |
| S53.016S | Anterior dislocation of unspecified radial head, sequela |
| S53.021D | Posterior subluxation of right radial head, subsequent encounter |
| S53.021S | Posterior subluxation of right radial head, sequela |
| S53.022D | Posterior subluxation of left radial head, subsequent encounter |
| S53.022S | Posterior subluxation of left radial head, sequela |
| S53.023D | Posterior subluxation of unspecified radial head, subsequent encounter |
| S53.023S | Posterior subluxation of unspecified radial head, sequela |
| S53.024D | Posterior dislocation of right radial head, subsequent encounter |
| S53.024S | Posterior dislocation of right radial head, sequela |
| S53.025D | Posterior dislocation of left radial head, subsequent encounter |
| S53.025S | Posterior dislocation of left radial head, sequela |
| S53.026D | Posterior dislocation of unspecified radial head, subsequent encounter |
| S53.026S | Posterior dislocation of unspecified radial head, sequela |
| S53.031D | Nursemaid's elbow, right elbow, subsequent encounter |
| S53.031S | Nursemaid's elbow, right elbow, sequela |
| S53.032D | Nursemaid's elbow, left elbow, subsequent encounter |
| S53.032S | Nursemaid's elbow, left elbow, sequela |
| S53.033D | Nursemaid's elbow, unspecified elbow, subsequent encounter |
| S53.033S | Nursemaid's elbow, unspecified elbow, sequela |
| S53.091D | Other subluxation of right radial head, subsequent encounter |
| S53.091S | Other subluxation of right radial head, sequela |
| S53.092D | Other subluxation of left radial head, subsequent encounter |
| S53.092S | Other subluxation of left radial head, sequela |
| S53.093D | Other subluxation of unspecified radial head, subsequent encounter |
| S53.093S | Other subluxation of unspecified radial head, sequela |
| S53.094D | Other dislocation of right radial head, subsequent encounter |
| S53.094S | Other dislocation of right radial head, sequela |
| S53.095D | Other dislocation of left radial head, subsequent encounter |
| S53.095S | Other dislocation of left radial head, sequela |
| S53.096D | Other dislocation of unspecified radial head, subsequent encounter |
| S53.096S | Other dislocation of unspecified radial head, sequela |
| S53.101D | Unspecified subluxation of right ulnohumeral joint, subsequent encounter |
| S53.101S | Unspecified subluxation of right ulnohumeral joint, sequela |
| S53.102D | Unspecified subluxation of left ulnohumeral joint, subsequent encounter |
| S53.102S | Unspecified subluxation of left ulnohumeral joint, sequela |
| S53.103D | Unspecified subluxation of unspecified ulnohumeral joint, subsequent encounter |
| S53.103S | Unspecified subluxation of unspecified ulnohumeral joint, sequela |
| S53.104D | Unspecified dislocation of right ulnohumeral joint, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S53.104S | Unspecified dislocation of right ulnohumeral joint, sequela |
| S53.105D | Unspecified dislocation of left ulnohumeral joint, subsequent encounter |
| S53.105S | Unspecified dislocation of left ulnohumeral joint, sequela |
| S53.106D | Unspecified dislocation of unspecified ulnohumeral joint, subsequent encounter |
| S53.106S | Unspecified dislocation of unspecified ulnohumeral joint, sequela |
| S53.111D | Anterior subluxation of right ulnohumeral joint, subsequent encounter |
| S53.111S | Anterior subluxation of right ulnohumeral joint, sequela |
| S53.112D | Anterior subluxation of left ulnohumeral joint, subsequent encounter |
| S53.112S | Anterior subluxation of left ulnohumeral joint, sequela |
| S53.113D | Anterior subluxation of unspecified ulnohumeral joint, subsequent encounter |
| S53.113S | Anterior subluxation of unspecified ulnohumeral joint, sequela |
| S53.114D | Anterior dislocation of right ulnohumeral joint, subsequent encounter |
| S53.114S | Anterior dislocation of right ulnohumeral joint, sequela |
| S53.115D | Anterior dislocation of left ulnohumeral joint, subsequent encounter |
| S53.115S | Anterior dislocation of left ulnohumeral joint, sequela |
| S53.116D | Anterior dislocation of unspecified ulnohumeral joint, subsequent encounter |
| S53.116S | Anterior dislocation of unspecified ulnohumeral joint, sequela |
| S53.121D | Posterior subluxation of right ulnohumeral joint, subsequent encounter |
| S53.121S | Posterior subluxation of right ulnohumeral joint, sequela |
| S53.122D | Posterior subluxation of left ulnohumeral joint, subsequent encounter |
| S53.122S | Posterior subluxation of left ulnohumeral joint, sequela |
| S53.123D | Posterior subluxation of unspecified ulnohumeral joint, subsequent encounter |
| S53.123S | Posterior subluxation of unspecified ulnohumeral joint, sequela |
| S53.124D | Posterior dislocation of right ulnohumeral joint, subsequent encounter |
| S53.124S | Posterior dislocation of right ulnohumeral joint, sequela |
| S53.125D | Posterior dislocation of left ulnohumeral joint, subsequent encounter |
| S53.125S | Posterior dislocation of left ulnohumeral joint, sequela |
| S53.126D | Posterior dislocation of unspecified ulnohumeral joint, subsequent encounter |
| S53.126S | Posterior dislocation of unspecified ulnohumeral joint, sequela |
| S53.131D | Medial subluxation of right ulnohumeral joint, subsequent encounter |
| S53.131S | Medial subluxation of right ulnohumeral joint, sequela |
| S53.132D | Medial subluxation of left ulnohumeral joint, subsequent encounter |
| S53.132S | Medial subluxation of left ulnohumeral joint, sequela |
| S53.133D | Medial subluxation of unspecified ulnohumeral joint, subsequent encounter |
| S53.133S | Medial subluxation of unspecified ulnohumeral joint, sequela |
| S53.134D | Medial dislocation of right ulnohumeral joint, subsequent encounter |
| S53.134S | Medial dislocation of right ulnohumeral joint, sequela |
| S53.135D | Medial dislocation of left ulnohumeral joint, subsequent encounter |
| S53.135S | Medial dislocation of left ulnohumeral joint, sequela |
| S53.136D | Medial dislocation of unspecified ulnohumeral joint, subsequent encounter |
| S53.136S | Medial dislocation of unspecified ulnohumeral joint, sequela |
| S53.141D | Lateral subluxation of right ulnohumeral joint, subsequent encounter |
| S53.141S | Lateral subluxation of right ulnohumeral joint, sequela |
| S53.142D | Lateral subluxation of left ulnohumeral joint, subsequent encounter |
| S53.142S | Lateral subluxation of left ulnohumeral joint, sequela |
| S53.143D | Lateral subluxation of unspecified ulnohumeral joint, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S53.143S | Lateral subluxation of unspecified ulnohumeral joint, sequela |
| S53.144D | Lateral dislocation of right ulnohumeral joint, subsequent encounter |
| S53.144S | Lateral dislocation of right ulnohumeral joint, sequela |
| S53.145D | Lateral dislocation of left ulnohumeral joint, subsequent encounter |
| S53.145S | Lateral dislocation of left ulnohumeral joint, sequela |
| S53.146D | Lateral dislocation of unspecified ulnohumeral joint, subsequent encounter |
| S53.146S | Lateral dislocation of unspecified ulnohumeral joint, sequela |
| S53.191D | Other subluxation of right ulnohumeral joint, subsequent encounter |
| S53.191S | Other subluxation of right ulnohumeral joint, sequela |
| S53.192D | Other subluxation of left ulnohumeral joint, subsequent encounter |
| S53.192S | Other subluxation of left ulnohumeral joint, sequela |
| S53.193D | Other subluxation of unspecified ulnohumeral joint, subsequent encounter |
| S53.193S | Other subluxation of unspecified ulnohumeral joint, sequela |
| S53.194D | Other dislocation of right ulnohumeral joint, subsequent encounter |
| S53.194S | Other dislocation of right ulnohumeral joint, sequela |
| S53.195D | Other dislocation of left ulnohumeral joint, subsequent encounter |
| S53.195S | Other dislocation of left ulnohumeral joint, sequela |
| S53.196D | Other dislocation of unspecified ulnohumeral joint, subsequent encounter |
| S53.196S | Other dislocation of unspecified ulnohumeral joint, sequela |
| S53.20XD | Traumatic rupture of unspecified radial collateral ligament, subsequent encounter |
| S53.20XS | Traumatic rupture of unspecified radial collateral ligament, sequela |
| S53.21XD | Traumatic rupture of right radial collateral ligament, subsequent encounter |
| S53.21XS | Traumatic rupture of right radial collateral ligament, sequela |
| S53.22XD | Traumatic rupture of left radial collateral ligament, subsequent encounter |
| S53.22XS | Traumatic rupture of left radial collateral ligament, sequela |
| S53.30XD | Traumatic rupture of unspecified ulnar collateral ligament, subsequent encounter |
| S53.30XS | Traumatic rupture of unspecified ulnar collateral ligament, sequela |
| S53.31XD | Traumatic rupture of right ulnar collateral ligament, subsequent encounter |
| S53.31XS | Traumatic rupture of right ulnar collateral ligament, sequela |
| S53.32XD | Traumatic rupture of left ulnar collateral ligament, subsequent encounter |
| S53.32XS | Traumatic rupture of left ulnar collateral ligament, sequela |
| S53.401D | Unspecified sprain of right elbow, subsequent encounter |
| S53.401S | Unspecified sprain of right elbow, sequela |
| S53.402D | Unspecified sprain of left elbow, subsequent encounter |
| S53.402S | Unspecified sprain of left elbow, sequela |
| S53.409D | Unspecified sprain of unspecified elbow, subsequent encounter |
| S53.409S | Unspecified sprain of unspecified elbow, sequela |
| S53.411D | Radiohumeral (joint) sprain of right elbow, subsequent encounter |
| S53.411S | Radiohumeral (joint) sprain of right elbow, sequela |
| S53.412D | Radiohumeral (joint) sprain of left elbow, subsequent encounter |
| S53.412S | Radiohumeral (joint) sprain of left elbow, sequela |
| S53.419D | Radiohumeral (joint) sprain of unspecified elbow, subsequent encounter |
| S53.419S | Radiohumeral (joint) sprain of unspecified elbow, sequela |
| S53.421D | Ulnohumeral (joint) sprain of right elbow, subsequent encounter |
| S53.421S | Ulnohumeral (joint) sprain of right elbow, sequela |
| S53.422D | Ulnohumeral (joint) sprain of left elbow, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S53.422S | Ulnohumeral (joint) sprain of left elbow, sequela |
| S53.429D | Ulnohumeral (joint) sprain of unspecified elbow, subsequent encounter |
| S53.429S | Ulnohumeral (joint) sprain of unspecified elbow, sequela |
| S53.431D | Radial collateral ligament sprain of right elbow, subsequent encounter |
| S53.431S | Radial collateral ligament sprain of right elbow, sequela |
| S53.432D | Radial collateral ligament sprain of left elbow, subsequent encounter |
| S53.432S | Radial collateral ligament sprain of left elbow, sequela |
| S53.439D | Radial collateral ligament sprain of unspecified elbow, subsequent encounter |
| S53.439S | Radial collateral ligament sprain of unspecified elbow, sequela |
| S53.441D | Ulnar collateral ligament sprain of right elbow, subsequent encounter |
| S53.441S | Ulnar collateral ligament sprain of right elbow, sequela |
| S53.442D | Ulnar collateral ligament sprain of left elbow, subsequent encounter |
| S53.442S | Ulnar collateral ligament sprain of left elbow, sequela |
| S53.449D | Ulnar collateral ligament sprain of unspecified elbow, subsequent encounter |
| S53.449S | Ulnar collateral ligament sprain of unspecified elbow, sequela |
| S53.491D | Other sprain of right elbow, subsequent encounter |
| S53.491S | Other sprain of right elbow, sequela |
| S53.492D | Other sprain of left elbow, subsequent encounter |
| S53.492S | Other sprain of left elbow, sequela |
| S53.499D | Other sprain of unspecified elbow, subsequent encounter |
| S53.499S | Other sprain of unspecified elbow, sequela |
| S54.00XD | Injury of ulnar nerve at forearm level, unspecified arm, subsequent encounter |
| S54.00XS | Injury of ulnar nerve at forearm level, unspecified arm, sequela |
| S54.01XD | Injury of ulnar nerve at forearm level, right arm, subsequent encounter |
| S54.01XS | Injury of ulnar nerve at forearm level, right arm, sequela |
| S54.02XD | Injury of ulnar nerve at forearm level, left arm, subsequent encounter |
| S54.02XS | Injury of ulnar nerve at forearm level, left arm, sequela |
| S54.10XD | Injury of median nerve at forearm level, unspecified arm, subsequent encounter |
| S54.10XS | Injury of median nerve at forearm level, unspecified arm, sequela |
| S54.11XD | Injury of median nerve at forearm level, right arm, subsequent encounter |
| S54.11XS | Injury of median nerve at forearm level, right arm, sequela |
| S54.12XD | Injury of median nerve at forearm level, left arm, subsequent encounter |
| S54.12XS | Injury of median nerve at forearm level, left arm, sequela |
| S54.20XD | Injury of radial nerve at forearm level, unspecified arm, subsequent encounter |
| S54.20XS | Injury of radial nerve at forearm level, unspecified arm, sequela |
| S54.21XD | Injury of radial nerve at forearm level, right arm, subsequent encounter |
| S54.21XS | Injury of radial nerve at forearm level, right arm, sequela |
| S54.22XD | Injury of radial nerve at forearm level, left arm, subsequent encounter |
| S54.22XS | Injury of radial nerve at forearm level, left arm, sequela |
| S54.30XD | Injury of cutaneous sensory nerve at forearm level, unspecified arm, subsequent encounter |
| S54.30XS | Injury of cutaneous sensory nerve at forearm level, unspecified arm, sequela |
| S54.31XD | Injury of cutaneous sensory nerve at forearm level, right arm, subsequent encounter |
| S54.31XS | Injury of cutaneous sensory nerve at forearm level, right arm, sequela |
| S54.32XD | Injury of cutaneous sensory nerve at forearm level, left arm, subsequent encounter |
| S54.32XS | Injury of cutaneous sensory nerve at forearm level, left arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S54.8X1D | Unspecified injury of other nerves at forearm level, right arm, subsequent encounter |
| S54.8X1S | Unspecified injury of other nerves at forearm level, right arm, sequela |
| S54.8X2D | Unspecified injury of other nerves at forearm level, left arm, subsequent encounter |
| S54.8X2S | Unspecified injury of other nerves at forearm level, left arm, sequela |
| S54.8X9D | Unspecified injury of other nerves at forearm level, unspecified arm, subsequent encounter |
| S54.8X9S | Unspecified injury of other nerves at forearm level, unspecified arm, sequela |
| S54.90XD | Injury of unspecified nerve at forearm level, unspecified arm, subsequent encounter |
| S54.90XS | Injury of unspecified nerve at forearm level, unspecified arm, sequela |
| S54.91XD | Injury of unspecified nerve at forearm level, right arm, subsequent encounter |
| S54.91XS | Injury of unspecified nerve at forearm level, right arm, sequela |
| S54.92XD | Injury of unspecified nerve at forearm level, left arm, subsequent encounter |
| S54.92XS | Injury of unspecified nerve at forearm level, left arm, sequela |
| S55.001D | Unspecified injury of ulnar artery at forearm level, right arm, subsequent encounter |
| S55.001S | Unspecified injury of ulnar artery at forearm level, right arm, sequela |
| S55.002D | Unspecified injury of ulnar artery at forearm level, left arm, subsequent encounter |
| S55.002S | Unspecified injury of ulnar artery at forearm level, left arm, sequela |
| S55.009D | Unspecified injury of ulnar artery at forearm level, unspecified arm, subsequent encounter |
| S55.009S | Unspecified injury of ulnar artery at forearm level, unspecified arm, sequela |
| S55.011D | Laceration of ulnar artery at forearm level, right arm, subsequent encounter |
| S55.011S | Laceration of ulnar artery at forearm level, right arm, sequela |
| S55.012D | Laceration of ulnar artery at forearm level, left arm, subsequent encounter |
| S55.012S | Laceration of ulnar artery at forearm level, left arm, sequela |
| S55.019D | Laceration of ulnar artery at forearm level, unspecified arm, subsequent encounter |
| S55.019S | Laceration of ulnar artery at forearm level, unspecified arm, sequela |
| S55.091D | Other specified injury of ulnar artery at forearm level, right arm, subsequent encounter |
| S55.091S | Other specified injury of ulnar artery at forearm level, right arm, sequela |
| S55.092D | Other specified injury of ulnar artery at forearm level, left arm, subsequent encounter |
| S55.092S | Other specified injury of ulnar artery at forearm level, left arm, sequela |
| S55.099D | Other specified injury of ulnar artery at forearm level, unspecified arm, subsequent encounter |
| S55.099S | Other specified injury of ulnar artery at forearm level, unspecified arm, sequela |
| S55.101D | Unspecified injury of radial artery at forearm level, right arm, subsequent encounter |
| S55.101S | Unspecified injury of radial artery at forearm level, right arm, sequela |
| S55.102D | Unspecified injury of radial artery at forearm level, left arm, subsequent encounter |
| S55.102S | Unspecified injury of radial artery at forearm level, left arm, sequela |
| S55.109D | Unspecified injury of radial artery at forearm level, unspecified arm, subsequent encounter |
| S55.109S | Unspecified injury of radial artery at forearm level, unspecified arm, sequela |
| S55.111D | Laceration of radial artery at forearm level, right arm, subsequent encounter |
| S55.111S | Laceration of radial artery at forearm level, right arm, sequela |
| S55.112D | Laceration of radial artery at forearm level, left arm, subsequent encounter |
| S55.112S | Laceration of radial artery at forearm level, left arm, sequela |
| S55.119D | Laceration of radial artery at forearm level, unspecified arm, subsequent encounter |
| S55.119S | Laceration of radial artery at forearm level, unspecified arm, sequela |
| S55.191D | Other specified injury of radial artery at forearm level, right arm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S55.191S | Other specified injury of radial artery at forearm level, right arm, sequela |
| S55.192D | Other specified injury of radial artery at forearm level, left arm, subsequent encounter |
| S55.192S | Other specified injury of radial artery at forearm level, left arm, sequela |
| S55.199D | Other specified injury of radial artery at forearm level, unspecified arm, subsequent encounter |
| S55.199S | Other specified injury of radial artery at forearm level, unspecified arm, sequela |
| S55.201D | Unspecified injury of vein at forearm level, right arm, subsequent encounter |
| S55.201S | Unspecified injury of vein at forearm level, right arm, sequela |
| S55.202D | Unspecified injury of vein at forearm level, left arm, subsequent encounter |
| S55.202S | Unspecified injury of vein at forearm level, left arm, sequela |
| S55.209D | Unspecified injury of vein at forearm level, unspecified arm, subsequent encounter |
| S55.209S | Unspecified injury of vein at forearm level, unspecified arm, sequela |
| S55.211D | Laceration of vein at forearm level, right arm, subsequent encounter |
| S55.211S | Laceration of vein at forearm level, right arm, sequela |
| S55.212D | Laceration of vein at forearm level, left arm, subsequent encounter |
| S55.212S | Laceration of vein at forearm level, left arm, sequela |
| S55.219D | Laceration of vein at forearm level, unspecified arm, subsequent encounter |
| S55.219S | Laceration of vein at forearm level, unspecified arm, sequela |
| S55.291D | Other specified injury of vein at forearm level, right arm, subsequent encounter |
| S55.291S | Other specified injury of vein at forearm level, right arm, sequela |
| S55.292D | Other specified injury of vein at forearm level, left arm, subsequent encounter |
| S55.292S | Other specified injury of vein at forearm level, left arm, sequela |
| S55.299D | Other specified injury of vein at forearm level, unspecified arm, subsequent encounter |
| S55.299S | Other specified injury of vein at forearm level, unspecified arm, sequela |
| S55.801D | Unspecified injury of other blood vessels at forearm level, right arm, subsequent encounter |
| S55.801S | Unspecified injury of other blood vessels at forearm level, right arm, sequela |
| S55.802D | Unspecified injury of other blood vessels at forearm level, left arm, subsequent encounter |
| S55.802S | Unspecified injury of other blood vessels at forearm level, left arm, sequela |
| S55.809D | Unspecified injury of other blood vessels at forearm level, unspecified arm, subsequent encounter |
| S55.809S | Unspecified injury of other blood vessels at forearm level, unspecified arm, sequela |
| S55.811D | Laceration of other blood vessels at forearm level, right arm, subsequent encounter |
| S55.811S | Laceration of other blood vessels at forearm level, right arm, sequela |
| S55.812D | Laceration of other blood vessels at forearm level, left arm, subsequent encounter |
| S55.812S | Laceration of other blood vessels at forearm level, left arm, sequela |
| S55.819D | Laceration of other blood vessels at forearm level, unspecified arm, subsequent encounter |
| S55.819S | Laceration of other blood vessels at forearm level, unspecified arm, sequela |
| S55.891D | Other specified injury of other blood vessels at forearm level, right arm, subsequent encounter |
| S55.891S | Other specified injury of other blood vessels at forearm level, right arm, sequela |
| S55.892D | Other specified injury of other blood vessels at forearm level, left arm, subsequent encounter |
| S55.892S | Other specified injury of other blood vessels at forearm level, left arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S55.899D | Other specified injury of other blood vessels at forearm level, unspecified arm, subsequent encounter |
| S55.899S | Other specified injury of other blood vessels at forearm level, unspecified arm, sequela |
| S55.901D | Unspecified injury of unspecified blood vessel at forearm level, right arm, subsequent encounter |
| S55.901S | Unspecified injury of unspecified blood vessel at forearm level, right arm, sequela |
| S55.902D | Unspecified injury of unspecified blood vessel at forearm level, left arm, subsequent encounter |
| S55.902S | Unspecified injury of unspecified blood vessel at forearm level, left arm, sequela |
| S55.909D | Unspecified injury of unspecified blood vessel at forearm level, unspecified arm, subsequent encounter |
| S55.909S | Unspecified injury of unspecified blood vessel at forearm level, unspecified arm, sequela |
| S55.911D | Laceration of unspecified blood vessel at forearm level, right arm, subsequent encounter |
| S55.911S | Laceration of unspecified blood vessel at forearm level, right arm, sequela |
| S55.912D | Laceration of unspecified blood vessel at forearm level, left arm, subsequent encounter |
| S55.912S | Laceration of unspecified blood vessel at forearm level, left arm, sequela |
| S55.919D | Laceration of unspecified blood vessel at forearm level, unspecified arm, subsequent encounter |
| S55.919S | Laceration of unspecified blood vessel at forearm level, unspecified arm, sequela |
| S55.991D | Other specified injury of unspecified blood vessel at forearm level, right arm, subsequent encounter |
| S55.991S | Other specified injury of unspecified blood vessel at forearm level, right arm, sequela |
| S55.992D | Other specified injury of unspecified blood vessel at forearm level, left arm, subsequent encounter |
| S55.992S | Other specified injury of unspecified blood vessel at forearm level, left arm, sequela |
| S55.999D | Other specified injury of unspecified blood vessel at forearm level, unspecified arm, subsequent encounter |
| S55.999S | Other specified injury of unspecified blood vessel at forearm level, unspecified arm, sequela |
| S56.001D | Unspecified injury of flexor muscle, fascia and tendon of right thumb at forearm level, subsequent encounter |
| S56.001S | Unspecified injury of flexor muscle, fascia and tendon of right thumb at forearm level, sequela |
| S56.002D | Unspecified injury of flexor muscle, fascia and tendon of left thumb at forearm level, subsequent encounter |
| S56.002S | Unspecified injury of flexor muscle, fascia and tendon of left thumb at forearm level, sequela |
| S56.009D | Unspecified injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, subsequent encounter |
| S56.009S | Unspecified injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela |
| S56.011D | Strain of flexor muscle, fascia and tendon of right thumb at forearm level, subsequent encounter |
| S56.011S | Strain of flexor muscle, fascia and tendon of right thumb at forearm level, sequela |
| S56.012D | Strain of flexor muscle, fascia and tendon of left thumb at forearm level, subsequent encounter |
| S56.012S | Strain of flexor muscle, fascia and tendon of left thumb at forearm level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.019D | Strain of flexor muscle, fascia and tendon of unspecified thumb at forearm level, subsequent encounter |
| S56.019S | Strain of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela |
| S56.021D | Laceration of flexor muscle, fascia and tendon of right thumb at forearm level, subsequent encounter |
| S56.021S | Laceration of flexor muscle, fascia and tendon of right thumb at forearm level, sequela |
| S56.022D | Laceration of flexor muscle, fascia and tendon of left thumb at forearm level, subsequent encounter |
| S56.022S | Laceration of flexor muscle, fascia and tendon of left thumb at forearm level, sequela |
| S56.029D | Laceration of flexor muscle, fascia and tendon of unspecified thumb at forearm level, subsequent encounter |
| S56.029S | Laceration of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela |
| S56.091D | Other injury of flexor muscle, fascia and tendon of right thumb at forearm level, subsequent encounter |
| S56.091S | Other injury of flexor muscle, fascia and tendon of right thumb at forearm level, sequela |
| S56.092D | Other injury of flexor muscle, fascia and tendon of left thumb at forearm level, subsequent encounter |
| S56.092S | Other injury of flexor muscle, fascia and tendon of left thumb at forearm level, sequela |
| S56.099D | Other injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, subsequent encounter |
| S56.099S | Other injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela |
| S56.101D | Unspecified injury of flexor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter |
| S56.101S | Unspecified injury of flexor muscle, fascia and tendon of right index finger at forearm level, sequela |
| S56.102D | Unspecified injury of flexor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter |
| S56.102S | Unspecified injury of flexor muscle, fascia and tendon of left index finger at forearm level, sequela |
| S56.103D | Unspecified injury of flexor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter |
| S56.103S | Unspecified injury of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela |
| S56.104D | Unspecified injury of flexor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter |
| S56.104S | Unspecified injury of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela |
| S56.105D | Unspecified injury of flexor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter |
| S56.105S | Unspecified injury of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela |
| S56.106D | Unspecified injury of flexor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter |
| S56.106S | Unspecified injury of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.107D | Unspecified injury of flexor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter |
| S56.107S | Unspecified injury of flexor muscle, fascia and tendon of right little finger at forearm level, sequela |
| S56.108D | Unspecified injury of flexor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter |
| S56.108S | Unspecified injury of flexor muscle, fascia and tendon of left little finger at forearm level, sequela |
| S56.109D | Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter |
| S56.109S | Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, sequela |
| S56.111D | Strain of flexor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter |
| S56.111S | Strain of flexor muscle, fascia and tendon of right index finger at forearm level, sequela |
| S56.112D | Strain of flexor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter |
| S56.112S | Strain of flexor muscle, fascia and tendon of left index finger at forearm level, sequela |
| S56.113D | Strain of flexor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter |
| S56.113S | Strain of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela |
| S56.114D | Strain of flexor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter |
| S56.114S | Strain of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela |
| S56.115D | Strain of flexor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter |
| S56.115S | Strain of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela |
| S56.116D | Strain of flexor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter |
| S56.116S | Strain of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela |
| S56.117D | Strain of flexor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter |
| S56.117S | Strain of flexor muscle, fascia and tendon of right little finger at forearm level, sequela |
| S56.118D | Strain of flexor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter |
| S56.118S | Strain of flexor muscle, fascia and tendon of left little finger at forearm level, sequela |
| S56.119D | Strain of flexor muscle, fascia and tendon of finger of unspecified finger at forearm level, subsequent encounter |
| S56.119S | Strain of flexor muscle, fascia and tendon of finger of unspecified finger at forearm level, sequela |
| S56.121D | Laceration of flexor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter |
| S56.121S | Laceration of flexor muscle, fascia and tendon of right index finger at forearm level, sequela |
| S56.122D | Laceration of flexor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter |
| S56.122S | Laceration of flexor muscle, fascia and tendon of left index finger at forearm level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.123D | Laceration of flexor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter |
| S56.123S | Laceration of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela |
| S56.124D | Laceration of flexor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter |
| S56.124S | Laceration of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela |
| S56.125D | Laceration of flexor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter |
| S56.125S | Laceration of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela |
| S56.126D | Laceration of flexor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter |
| S56.126S | Laceration of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela |
| S56.127D | Laceration of flexor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter |
| S56.127S | Laceration of flexor muscle, fascia and tendon of right little finger at forearm level, sequela |
| S56.128D | Laceration of flexor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter |
| S56.128S | Laceration of flexor muscle, fascia and tendon of left little finger at forearm level, sequela |
| S56.129D | Laceration of flexor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter |
| S56.129S | Laceration of flexor muscle, fascia and tendon of unspecified finger at forearm level, sequela |
| S56.191D | Other injury of flexor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter |
| S56.191S | Other injury of flexor muscle, fascia and tendon of right index finger at forearm level, sequela |
| S56.192D | Other injury of flexor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter |
| S56.192S | Other injury of flexor muscle, fascia and tendon of left index finger at forearm level, sequela |
| S56.193D | Other injury of flexor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter |
| S56.193S | Other injury of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela |
| S56.194D | Other injury of flexor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter |
| S56.194S | Other injury of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela |
| S56.195D | Other injury of flexor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter |
| S56.195S | Other injury of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela |
| S56.196D | Other injury of flexor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.196S | Other injury of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela |
| S56.197D | Other injury of flexor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter |
| S56.197S | Other injury of flexor muscle, fascia and tendon of right little finger at forearm level, sequela |
| S56.198D | Other injury of flexor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter |
| S56.198S | Other injury of flexor muscle, fascia and tendon of left little finger at forearm level, sequela |
| S56.199D | Other injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter |
| S56.199S | Other injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, sequela |
| S56.201D | Unspecified injury of other flexor muscle, fascia and tendon at forearm level, right arm, subsequent encounter |
| S56.201S | Unspecified injury of other flexor muscle, fascia and tendon at forearm level, right arm, sequela |
| S56.202D | Unspecified injury of other flexor muscle, fascia and tendon at forearm level, left arm, subsequent encounter |
| S56.202S | Unspecified injury of other flexor muscle, fascia and tendon at forearm level, left arm, sequela |
| S56.209D | Unspecified injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter |
| S56.209S | Unspecified injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela |
| S56.211D | Strain of other flexor muscle, fascia and tendon at forearm level, right arm, subsequent encounter |
| S56.211S | Strain of other flexor muscle, fascia and tendon at forearm level, right arm, sequela |
| S56.212D | Strain of other flexor muscle, fascia and tendon at forearm level, left arm, subsequent encounter |
| S56.212S | Strain of other flexor muscle, fascia and tendon at forearm level, left arm, sequela |
| S56.219D | Strain of other flexor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter |
| S56.219S | Strain of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela |
| S56.221D | Laceration of other flexor muscle, fascia and tendon at forearm level, right arm, subsequent encounter |
| S56.221S | Laceration of other flexor muscle, fascia and tendon at forearm level, right arm, sequela |
| S56.222D | Laceration of other flexor muscle, fascia and tendon at forearm level, left arm, subsequent encounter |
| S56.222S | Laceration of other flexor muscle, fascia and tendon at forearm level, left arm, sequela |
| S56.229D | Laceration of other flexor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter |
| S56.229S | Laceration of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela |
| S56.291D | Other injury of other flexor muscle, fascia and tendon at forearm level, right arm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.291S | Other injury of other flexor muscle, fascia and tendon at forearm level, right arm, sequela |
| S56.292D | Other injury of other flexor muscle, fascia and tendon at forearm level, left arm, subsequent encounter |
| S56.292S | Other injury of other flexor muscle, fascia and tendon at forearm level, left arm, sequela |
| S56.299D | Other injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter |
| S56.299S | Other injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela |
| S56.301D | Unspecified injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, subsequent encounter |
| S56.301S | Unspecified injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela |
| S56.302D | Unspecified injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, subsequent encounter |
| S56.302S | Unspecified injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela |
| S56.309D | Unspecified injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, subsequent encounter |
| S56.309S | Unspecified injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela |
| S56.311D | Strain of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, subsequent encounter |
| S56.311S | Strain of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela |
| S56.312D | Strain of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, subsequent encounter |
| S56.312S | Strain of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela |
| S56.319D | Strain of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, subsequent encounter |
| S56.319S | Strain of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela |
| S56.321D | Laceration of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, subsequent encounter |
| S56.321S | Laceration of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela |
| S56.322D | Laceration of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, subsequent encounter |
| S56.322S | Laceration of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela |
| S56.329D | Laceration of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, subsequent encounter |
| S56.329S | Laceration of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela |
| S56.391D | Other injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, subsequent encounter |
| S56.391S | Other injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.392D | Other injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, subsequent encounter |
| S56.392S | Other injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela |
| S56.399D | Other injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, subsequent encounter |
| S56.399S | Other injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela |
| S56.401D | Unspecified injury of extensor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter |
| S56.401S | Unspecified injury of extensor muscle, fascia and tendon of right index finger at forearm level, sequela |
| S56.402D | Unspecified injury of extensor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter |
| S56.402S | Unspecified injury of extensor muscle, fascia and tendon of left index finger at forearm level, sequela |
| S56.403D | Unspecified injury of extensor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter |
| S56.403S | Unspecified injury of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela |
| S56.404D | Unspecified injury of extensor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter |
| S56.404S | Unspecified injury of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela |
| S56.405D | Unspecified injury of extensor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter |
| S56.405S | Unspecified injury of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela |
| S56.406D | Unspecified injury of extensor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter |
| S56.406S | Unspecified injury of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela |
| S56.407D | Unspecified injury of extensor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter |
| S56.407S | Unspecified injury of extensor muscle, fascia and tendon of right little finger at forearm level, sequela |
| S56.408D | Unspecified injury of extensor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter |
| S56.408S | Unspecified injury of extensor muscle, fascia and tendon of left little finger at forearm level, sequela |
| S56.409D | Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter |
| S56.409S | Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, sequela |
| S56.411D | Strain of extensor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter |
| S56.411S | Strain of extensor muscle, fascia and tendon of right index finger at forearm level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.412D | Strain of extensor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter |
| S56.412S | Strain of extensor muscle, fascia and tendon of left index finger at forearm level, sequela |
| S56.413D | Strain of extensor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter |
| S56.413S | Strain of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela |
| S56.414D | Strain of extensor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter |
| S56.414S | Strain of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela |
| S56.415D | Strain of extensor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter |
| S56.415S | Strain of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela |
| S56.416D | Strain of extensor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter |
| S56.416S | Strain of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela |
| S56.417D | Strain of extensor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter |
| S56.417S | Strain of extensor muscle, fascia and tendon of right little finger at forearm level, sequela |
| S56.418D | Strain of extensor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter |
| S56.418S | Strain of extensor muscle, fascia and tendon of left little finger at forearm level, sequela |
| S56.419D | Strain of extensor muscle, fascia and tendon of finger, unspecified finger at forearm level, subsequent encounter |
| S56.419S | Strain of extensor muscle, fascia and tendon of finger, unspecified finger at forearm level, sequela |
| S56.421D | Laceration of extensor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter |
| S56.421S | Laceration of extensor muscle, fascia and tendon of right index finger at forearm level, sequela |
| S56.422D | Laceration of extensor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter |
| S56.422S | Laceration of extensor muscle, fascia and tendon of left index finger at forearm level, sequela |
| S56.423D | Laceration of extensor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter |
| S56.423S | Laceration of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela |
| S56.424D | Laceration of extensor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter |
| S56.424S | Laceration of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela |
| S56.425D | Laceration of extensor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter |
| S56.425S | Laceration of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.426D | Laceration of extensor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter |
| S56.426S | Laceration of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela |
| S56.427D | Laceration of extensor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter |
| S56.427S | Laceration of extensor muscle, fascia and tendon of right little finger at forearm level, sequela |
| S56.428D | Laceration of extensor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter |
| S56.428S | Laceration of extensor muscle, fascia and tendon of left little finger at forearm level, sequela |
| S56.429D | Laceration of extensor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter |
| S56.429S | Laceration of extensor muscle, fascia and tendon of unspecified finger at forearm level, sequela |
| S56.491D | Other injury of extensor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter |
| S56.491S | Other injury of extensor muscle, fascia and tendon of right index finger at forearm level, sequela |
| S56.492D | Other injury of extensor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter |
| S56.492S | Other injury of extensor muscle, fascia and tendon of left index finger at forearm level, sequela |
| S56.493D | Other injury of extensor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter |
| S56.493S | Other injury of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela |
| S56.494D | Other injury of extensor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter |
| S56.494S | Other injury of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela |
| S56.495D | Other injury of extensor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter |
| S56.495S | Other injury of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela |
| S56.496D | Other injury of extensor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter |
| S56.496S | Other injury of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela |
| S56.497D | Other injury of extensor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter |
| S56.497S | Other injury of extensor muscle, fascia and tendon of right little finger at forearm level, sequela |
| S56.498D | Other injury of extensor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter |
| S56.498S | Other injury of extensor muscle, fascia and tendon of left little finger at forearm level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.499D | Other injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter |
| S56.499S | Other injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, sequela |
| S56.501D | Unspecified injury of other extensor muscle, fascia and tendon at forearm level, right arm, subsequent encounter |
| S56.501S | Unspecified injury of other extensor muscle, fascia and tendon at forearm level, right arm, sequela |
| S56.502D | Unspecified injury of other extensor muscle, fascia and tendon at forearm level, left arm, subsequent encounter |
| S56.502S | Unspecified injury of other extensor muscle, fascia and tendon at forearm level, left arm, sequela |
| S56.509D | Unspecified injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter |
| S56.509S | Unspecified injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela |
| S56.511D | Strain of other extensor muscle, fascia and tendon at forearm level, right arm, subsequent encounter |
| S56.511S | Strain of other extensor muscle, fascia and tendon at forearm level, right arm, sequela |
| S56.512D | Strain of other extensor muscle, fascia and tendon at forearm level, left arm, subsequent encounter |
| S56.512S | Strain of other extensor muscle, fascia and tendon at forearm level, left arm, sequela |
| S56.519D | Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter |
| S56.519S | Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela |
| S56.521D | Laceration of other extensor muscle, fascia and tendon at forearm level, right arm, subsequent encounter |
| S56.521S | Laceration of other extensor muscle, fascia and tendon at forearm level, right arm, sequela |
| S56.522D | Laceration of other extensor muscle, fascia and tendon at forearm level, left arm, subsequent encounter |
| S56.522S | Laceration of other extensor muscle, fascia and tendon at forearm level, left arm, sequela |
| S56.529D | Laceration of other extensor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter |
| S56.529S | Laceration of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela |
| S56.591D | Other injury of other extensor muscle, fascia and tendon at forearm level, right arm, subsequent encounter |
| S56.591S | Other injury of other extensor muscle, fascia and tendon at forearm level, right arm, sequela |
| S56.592D | Other injury of other extensor muscle, fascia and tendon at forearm level, left arm, subsequent encounter |
| S56.592S | Other injury of other extensor muscle, fascia and tendon at forearm level, left arm, sequela |
| S56.599D | Other injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.599S | Other injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela |
| S56.801D | Unspecified injury of other muscles, fascia and tendons at forearm level, right arm, subsequent encounter |
| S56.801S | Unspecified injury of other muscles, fascia and tendons at forearm level, right arm, sequela |
| S56.802D | Unspecified injury of other muscles, fascia and tendons at forearm level, left arm, subsequent encounter |
| S56.802S | Unspecified injury of other muscles, fascia and tendons at forearm level, left arm, sequela |
| S56.809D | Unspecified injury of other muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter |
| S56.809S | Unspecified injury of other muscles, fascia and tendons at forearm level, unspecified arm, sequela |
| S56.811D | Strain of other muscles, fascia and tendons at forearm level, right arm, subsequent encounter |
| S56.811S | Strain of other muscles, fascia and tendons at forearm level, right arm, sequela |
| S56.812D | Strain of other muscles, fascia and tendons at forearm level, left arm, subsequent encounter |
| S56.812S | Strain of other muscles, fascia and tendons at forearm level, left arm, sequela |
| S56.819D | Strain of other muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter |
| S56.819S | Strain of other muscles, fascia and tendons at forearm level, unspecified arm, sequela |
| S56.821D | Laceration of other muscles, fascia and tendons at forearm level, right arm, subsequent encounter |
| S56.821S | Laceration of other muscles, fascia and tendons at forearm level, right arm, sequela |
| S56.822D | Laceration of other muscles, fascia and tendons at forearm level, left arm, subsequent encounter |
| S56.822S | Laceration of other muscles, fascia and tendons at forearm level, left arm, sequela |
| S56.829D | Laceration of other muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter |
| S56.829S | Laceration of other muscles, fascia and tendons at forearm level, unspecified arm, sequela |
| S56.891D | Other injury of other muscles, fascia and tendons at forearm level, right arm, subsequent encounter |
| S56.891S | Other injury of other muscles, fascia and tendons at forearm level, right arm, sequela |
| S56.892D | Other injury of other muscles, fascia and tendons at forearm level, left arm, subsequent encounter |
| S56.892S | Other injury of other muscles, fascia and tendons at forearm level, left arm, sequela |
| S56.899D | Other injury of other muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter |
| S56.899S | Other injury of other muscles, fascia and tendons at forearm level, unspecified arm, sequela |
| S56.901D | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter |
| S56.901S | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, right arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S56.902D | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter |
| S56.902S | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, left arm, sequela |
| S56.909D | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter |
| S56.909S | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela |
| S56.911D | Strain of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter |
| S56.911S | Strain of unspecified muscles, fascia and tendons at forearm level, right arm, sequela |
| S56.912D | Strain of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter |
| S56.912S | Strain of unspecified muscles, fascia and tendons at forearm level, left arm, sequela |
| S56.919D | Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter |
| S56.919S | Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela |
| S56.921D | Laceration of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter |
| S56.921S | Laceration of unspecified muscles, fascia and tendons at forearm level, right arm, sequela |
| S56.922D | Laceration of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter |
| S56.922S | Laceration of unspecified muscles, fascia and tendons at forearm level, left arm, sequela |
| S56.929D | Laceration of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter |
| S56.929S | Laceration of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela |
| S56.991D | Other injury of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter |
| S56.991S | Other injury of unspecified muscles, fascia and tendons at forearm level, right arm, sequela |
| S56.992D | Other injury of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter |
| S56.992S | Other injury of unspecified muscles, fascia and tendons at forearm level, left arm, sequela |
| S56.999D | Other injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter |
| S56.999S | Other injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela |
| S57.00XD | Crushing injury of unspecified elbow, subsequent encounter |
| S57.00XS | Crushing injury of unspecified elbow, sequela |
| S57.01XD | Crushing injury of right elbow, subsequent encounter |
| S57.01XS | Crushing injury of right elbow, sequela |
| S57.02XD | Crushing injury of left elbow, subsequent encounter |
| S57.02XS | Crushing injury of left elbow, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S57.80XD | Crushing injury of unspecified forearm, subsequent encounter |
| S57.80XS | Crushing injury of unspecified forearm, sequela |
| S57.81XD | Crushing injury of right forearm, subsequent encounter |
| S57.81XS | Crushing injury of right forearm, sequela |
| S57.82XD | Crushing injury of left forearm, subsequent encounter |
| S57.82XS | Crushing injury of left forearm, sequela |
| S58.011D | Complete traumatic amputation at elbow level, right arm, subsequent encounter |
| S58.011S | Complete traumatic amputation at elbow level, right arm, sequela |
| S58.012D | Complete traumatic amputation at elbow level, left arm, subsequent encounter |
| S58.012S | Complete traumatic amputation at elbow level, left arm, sequela |
| S58.019D | Complete traumatic amputation at elbow level, unspecified arm, subsequent encounter |
| S58.019S | Complete traumatic amputation at elbow level, unspecified arm, sequela |
| S58.021D | Partial traumatic amputation at elbow level, right arm, subsequent encounter |
| S58.021S | Partial traumatic amputation at elbow level, right arm, sequela |
| S58.022D | Partial traumatic amputation at elbow level, left arm, subsequent encounter |
| S58.022S | Partial traumatic amputation at elbow level, left arm, sequela |
| S58.029D | Partial traumatic amputation at elbow level, unspecified arm, subsequent encounter |
| S58.029S | Partial traumatic amputation at elbow level, unspecified arm, sequela |
| S58.111D | Complete traumatic amputation at level between elbow and wrist, right arm, subsequent encounter |
| S58.111S | Complete traumatic amputation at level between elbow and wrist, right arm, sequela |
| S58.112D | Complete traumatic amputation at level between elbow and wrist, left arm, subsequent encounter |
| S58.112S | Complete traumatic amputation at level between elbow and wrist, left arm, sequela |
| S58.119D | Complete traumatic amputation at level between elbow and wrist, unspecified arm, subsequent encounter |
| S58.119S | Complete traumatic amputation at level between elbow and wrist, unspecified arm, sequela |
| S58.121D | Partial traumatic amputation at level between elbow and wrist, right arm, subsequent encounter |
| S58.121S | Partial traumatic amputation at level between elbow and wrist, right arm, sequela |
| S58.122D | Partial traumatic amputation at level between elbow and wrist, left arm, subsequent encounter |
| S58.122S | Partial traumatic amputation at level between elbow and wrist, left arm, sequela |
| S58.129D | Partial traumatic amputation at level between elbow and wrist, unspecified arm, subsequent encounter |
| S58.129S | Partial traumatic amputation at level between elbow and wrist, unspecified arm, sequela |
| S58.911D | Complete traumatic amputation of right forearm, level unspecified, subsequent encounter |
| S58.911S | Complete traumatic amputation of right forearm, level unspecified, sequela |
| S58.912D | Complete traumatic amputation of left forearm, level unspecified, subsequent encounter |
| S58.912S | Complete traumatic amputation of left forearm, level unspecified, sequela |
| S58.919D | Complete traumatic amputation of unspecified forearm, level unspecified, subsequent encounter |
| S58.919S | Complete traumatic amputation of unspecified forearm, level unspecified, sequela |
| S58.921D | Partial traumatic amputation of right forearm, level unspecified, subsequent encounter |
| S58.921S | Partial traumatic amputation of right forearm, level unspecified, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S58.922D | Partial traumatic amputation of left forearm, level unspecified, subsequent encounter |
| S58.922S | Partial traumatic amputation of left forearm, level unspecified, sequela |
| S58.929D | Partial traumatic amputation of unspecified forearm, level unspecified, subsequent encounter |
| S58.929S | Partial traumatic amputation of unspecified forearm, level unspecified, sequela |
| S59.001D | Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing |
| S59.001G | Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing |
| S59.001K | Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion |
| S59.001P | Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion |
| S59.001S | Unspecified physeal fracture of lower end of ulna, right arm, sequela |
| S59.002D | Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing |
| S59.002G | Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing |
| S59.002K | Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion |
| S59.002P | Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion |
| S59.002S | Unspecified physeal fracture of lower end of ulna, left arm, sequela |
| S59.009D | Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.009G | Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.009K | Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.009P | Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion |
| S59.009S | Unspecified physeal fracture of lower end of ulna, unspecified arm, sequela |
| S59.011D | Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing |
| S59.011G | Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing |
| S59.011K | Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion |
| S59.011P | Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion |
| S59.011S | Salter-Harris Type I physeal fracture of lower end of ulna, right arm, sequela |
| S59.012D | Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing |
| S59.012G | Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing |
| S59.012K | Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.012P | Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion |
| S59.012S | Salter-Harris Type I physeal fracture of lower end of ulna, left arm, sequela |
| S59.019D | Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.019G | Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.019K | Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.019P | Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion |
| S59.019S | Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, sequela |
| S59.021D | Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing |
| S59.021G | Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing |
| S59.021K | Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion |
| S59.021P | Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion |
| S59.021S | Salter-Harris Type II physeal fracture of lower end of ulna, right arm, sequela |
| S59.022D | Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing |
| S59.022G | Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing |
| S59.022K | Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion |
| S59.022P | Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion |
| S59.022S | Salter-Harris Type II physeal fracture of lower end of ulna, left arm, sequela |
| S59.029D | Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.029G | Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.029K | Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.029P | Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion |
| S59.029S | Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, sequela |
| S59.031D | Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing |
| S59.031G | Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing |
| S59.031K | Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion |
| S59.031P | Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion |
| S59.031S | Salter-Harris Type III physeal fracture of lower end of ulna, right arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.032D | Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing |
| S59.032G | Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing |
| S59.032K | Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion |
| S59.032P | Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion |
| S59.032S | Salter-Harris Type III physeal fracture of lower end of ulna, left arm, sequela |
| S59.039D | Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.039G | Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.039K | Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.039P | Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion |
| S59.039S | Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, sequela |
| S59.041D | Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing |
| S59.041G | Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing |
| S59.041K | Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion |
| S59.041P | Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion |
| S59.041S | Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, sequela |
| S59.042D | Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing |
| S59.042G | Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing |
| S59.042K | Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion |
| S59.042P | Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion |
| S59.042S | Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, sequela |
| S59.049D | Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.049G | Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.049K | Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.049P | Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion |
| S59.049S | Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, sequela |
| S59.091D | Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.091G | Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing |
| S59.091K | Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion |
| S59.091P | Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion |
| S59.091S | Other physeal fracture of lower end of ulna, right arm, sequela |
| S59.092D | Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing |
| S59.092G | Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing |
| S59.092K | Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion |
| S59.092P | Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion |
| S59.092S | Other physeal fracture of lower end of ulna, left arm, sequela |
| S59.099D | Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.099G | Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.099K | Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.099P | Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion |
| S59.099S | Other physeal fracture of lower end of ulna, unspecified arm, sequela |
| S59.101D | Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.101G | Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.101K | Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.101P | Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.101S | Unspecified physeal fracture of upper end of radius, right arm, sequela |
| S59.102D | Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.102G | Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.102K | Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.102P | Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.102S | Unspecified physeal fracture of upper end of radius, left arm, sequela |
| S59.109D | Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.109G | Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.109K | Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.109P | Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.109S | Unspecified physeal fracture of upper end of radius, unspecified arm, sequela |
| S59.111D | Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.111G | Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.111K | Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.111P | Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.111S | Salter-Harris Type I physeal fracture of upper end of radius, right arm, sequela |
| S59.112D | Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.112G | Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.112K | Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.112P | Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.112S | Salter-Harris Type I physeal fracture of upper end of radius, left arm, sequela |
| S59.119D | Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.119G | Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.119K | Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.119P | Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.119S | Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, sequela |
| S59.121D | Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.121G | Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.121K | Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.121P | Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.121S | Salter-Harris Type II physeal fracture of upper end of radius, right arm, sequela |
| S59.122D | Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.122G | Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.122K | Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.122P | Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.122S | Salter-Harris Type II physeal fracture of upper end of radius, left arm, sequela |
| S59.129D | Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.129G | Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.129K | Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.129P | Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.129S | Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, sequela |
| S59.131D | Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.131G | Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.131K | Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.131P | Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.131S | Salter-Harris Type III physeal fracture of upper end of radius, right arm, sequela |
| S59.132D | Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.132G | Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.132K | Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.132P | Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.132S | Salter-Harris Type III physeal fracture of upper end of radius, left arm, sequela |
| S59.139D | Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.139G | Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.139K | Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.139P | Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.139S | Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, sequela |
| S59.141D | Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.141G | Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.141K | Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.141P | Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.141S | Salter-Harris Type IV physeal fracture of upper end of radius, right arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.142D | Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.142G | Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.142K | Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.142P | Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.142S | Salter-Harris Type IV physeal fracture of upper end of radius, left arm, sequela |
| S59.149D | Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.149G | Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.149K | Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.149P | Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.149S | Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, sequela |
| S59.191D | Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.191G | Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.191K | Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.191P | Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.191S | Other physeal fracture of upper end of radius, right arm, sequela |
| S59.192D | Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.192G | Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.192K | Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.192P | Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.192S | Other physeal fracture of upper end of radius, left arm, sequela |
| S59.199D | Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.199G | Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.199K | Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.199P | Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.199S | Other physeal fracture of upper end of radius, unspecified arm, sequela |
| S59.201D | Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.201G | Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.201K | Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.201P | Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.201S | Unspecified physeal fracture of lower end of radius, right arm, sequela |
| S59.202D | Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.202G | Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.202K | Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.202P | Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.202S | Unspecified physeal fracture of lower end of radius, left arm, sequela |
| S59.209D | Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.209G | Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.209K | Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.209P | Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.209S | Unspecified physeal fracture of lower end of radius, unspecified arm, sequela |
| S59.211D | Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.211G | Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.211K | Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.211P | Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.211S | Salter-Harris Type I physeal fracture of lower end of radius, right arm, sequela |
| S59.212D | Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.212G | Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.212K | Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.212P | Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.212S | Salter-Harris Type I physeal fracture of lower end of radius, left arm, sequela |
| S59.219D | Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.219G | Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.219K | Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.219P | Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.219S | Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, sequela |
| S59.221D | Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.221G | Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.221K | Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.221P | Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.221S | Salter-Harris Type II physeal fracture of lower end of radius, right arm, sequela |
| S59.222D | Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.222G | Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.222K | Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.222P | Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.222S | Salter-Harris Type II physeal fracture of lower end of radius, left arm, sequela |
| S59.229D | Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.229G | Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.229K | Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.229P | Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.229S | Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, sequela |
| S59.231D | Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.231G | Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.231K | Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.231P | Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.231S | Salter-Harris Type III physeal fracture of lower end of radius, right arm, sequela |
| S59.232D | Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.232G | Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.232K | Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.232P | Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.232S | Salter-Harris Type III physeal fracture of lower end of radius, left arm, sequela |
| S59.239D | Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.239G | Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.239K | Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.239P | Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.239S | Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, sequela |
| S59.241D | Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.241G | Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.241K | Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.241P | Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.241S | Salter-Harris Type IV physeal fracture of lower end of radius, right arm, sequela |
| S59.242D | Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.242G | Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.242K | Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.242P | Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.242S | Salter-Harris Type IV physeal fracture of lower end of radius, left arm, sequela |
| S59.249D | Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.249G | Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.249K | Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.249P | Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.249S | Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, sequela |
| S59.291D | Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing |
| S59.291G | Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing |
| S59.291K | Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion |
| S59.291P | Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion |
| S59.291S | Other physeal fracture of lower end of radius, right arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S59.292D | Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing |
| S59.292G | Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing |
| S59.292K | Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion |
| S59.292P | Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion |
| S59.292S | Other physeal fracture of lower end of radius, left arm, sequela |
| S59.299D | Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.299G | Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.299K | Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion |
| S59.299P | Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion |
| S59.299S | Other physeal fracture of lower end of radius, unspecified arm, sequela |
| S59.801D | Other specified injuries of right elbow, subsequent encounter |
| S59.801S | Other specified injuries of right elbow, sequela |
| S59.802D | Other specified injuries of left elbow, subsequent encounter |
| S59.802S | Other specified injuries of left elbow, sequela |
| S59.809D | Other specified injuries of unspecified elbow, subsequent encounter |
| S59.809S | Other specified injuries of unspecified elbow, sequela |
| S59.811D | Other specified injuries right forearm, subsequent encounter |
| S59.811S | Other specified injuries right forearm, sequela |
| S59.812D | Other specified injuries left forearm, subsequent encounter |
| S59.812S | Other specified injuries left forearm, sequela |
| S59.819D | Other specified injuries unspecified forearm, subsequent encounter |
| S59.819S | Other specified injuries unspecified forearm, sequela |
| S59.901D | Unspecified injury of right elbow, subsequent encounter |
| S59.901S | Unspecified injury of right elbow, sequela |
| S59.902D | Unspecified injury of left elbow, subsequent encounter |
| S59.902S | Unspecified injury of left elbow, sequela |
| S59.909D | Unspecified injury of unspecified elbow, subsequent encounter |
| S59.909S | Unspecified injury of unspecified elbow, sequela |
| S59.911D | Unspecified injury of right forearm, subsequent encounter |
| S59.911S | Unspecified injury of right forearm, sequela |
| S59.912D | Unspecified injury of left forearm, subsequent encounter |
| S59.912S | Unspecified injury of left forearm, sequela |
| S59.919D | Unspecified injury of unspecified forearm, subsequent encounter |
| S59.919S | Unspecified injury of unspecified forearm, sequela |
| S60.00XD | Contusion of unspecified finger without damage to nail, subsequent encounter |
| S60.00XS | Contusion of unspecified finger without damage to nail, sequela |
| S60.011D | Contusion of right thumb without damage to nail, subsequent encounter |
| S60.011S | Contusion of right thumb without damage to nail, sequela |
| S60.012D | Contusion of left thumb without damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S60.012S | Contusion of left thumb without damage to nail, sequela |
| S60.019D | Contusion of unspecified thumb without damage to nail, subsequent encounter |
| S60.019S | Contusion of unspecified thumb without damage to nail, sequela |
| S60.021D | Contusion of right index finger without damage to nail, subsequent encounter |
| S60.021S | Contusion of right index finger without damage to nail, sequela |
| S60.022D | Contusion of left index finger without damage to nail, subsequent encounter |
| S60.022S | Contusion of left index finger without damage to nail, sequela |
| S60.029D | Contusion of unspecified index finger without damage to nail, subsequent encounter |
| S60.029S | Contusion of unspecified index finger without damage to nail, sequela |
| S60.031D | Contusion of right middle finger without damage to nail, subsequent encounter |
| S60.031S | Contusion of right middle finger without damage to nail, sequela |
| S60.032D | Contusion of left middle finger without damage to nail, subsequent encounter |
| S60.032S | Contusion of left middle finger without damage to nail, sequela |
| S60.039D | Contusion of unspecified middle finger without damage to nail, subsequent encounter |
| S60.039S | Contusion of unspecified middle finger without damage to nail, sequela |
| S60.041D | Contusion of right ring finger without damage to nail, subsequent encounter |
| S60.041S | Contusion of right ring finger without damage to nail, sequela |
| S60.042D | Contusion of left ring finger without damage to nail, subsequent encounter |
| S60.042S | Contusion of left ring finger without damage to nail, sequela |
| S60.049D | Contusion of unspecified ring finger without damage to nail, subsequent encounter |
| S60.049S | Contusion of unspecified ring finger without damage to nail, sequela |
| S60.051D | Contusion of right little finger without damage to nail, subsequent encounter |
| S60.051S | Contusion of right little finger without damage to nail, sequela |
| S60.052D | Contusion of left little finger without damage to nail, subsequent encounter |
| S60.052S | Contusion of left little finger without damage to nail, sequela |
| S60.059D | Contusion of unspecified little finger without damage to nail, subsequent encounter |
| S60.059S | Contusion of unspecified little finger without damage to nail, sequela |
| S60.10XD | Contusion of unspecified finger with damage to nail, subsequent encounter |
| S60.10XS | Contusion of unspecified finger with damage to nail, sequela |
| S60.111D | Contusion of right thumb with damage to nail, subsequent encounter |
| S60.111S | Contusion of right thumb with damage to nail, sequela |
| S60.112D | Contusion of left thumb with damage to nail, subsequent encounter |
| S60.112S | Contusion of left thumb with damage to nail, sequela |
| S60.119D | Contusion of unspecified thumb with damage to nail, subsequent encounter |
| S60.119S | Contusion of unspecified thumb with damage to nail, sequela |
| S60.121D | Contusion of right index finger with damage to nail, subsequent encounter |
| S60.121S | Contusion of right index finger with damage to nail, sequela |
| S60.122D | Contusion of left index finger with damage to nail, subsequent encounter |
| S60.122S | Contusion of left index finger with damage to nail, sequela |
| S60.129D | Contusion of unspecified index finger with damage to nail, subsequent encounter |
| S60.129S | Contusion of unspecified index finger with damage to nail, sequela |
| S60.131D | Contusion of right middle finger with damage to nail, subsequent encounter |
| S60.131S | Contusion of right middle finger with damage to nail, sequela |
| S60.132D | Contusion of left middle finger with damage to nail, subsequent encounter |
| S60.132S | Contusion of left middle finger with damage to nail, sequela |
| S60.139D | Contusion of unspecified middle finger with damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S60.139S | Contusion of unspecified middle finger with damage to nail, sequela |
| S60.141D | Contusion of right ring finger with damage to nail, subsequent encounter |
| S60.141S | Contusion of right ring finger with damage to nail, sequela |
| S60.142D | Contusion of left ring finger with damage to nail, subsequent encounter |
| S60.142S | Contusion of left ring finger with damage to nail, sequela |
| S60.149D | Contusion of unspecified ring finger with damage to nail, subsequent encounter |
| S60.149S | Contusion of unspecified ring finger with damage to nail, sequela |
| S60.151D | Contusion of right little finger with damage to nail, subsequent encounter |
| S60.151S | Contusion of right little finger with damage to nail, sequela |
| S60.152D | Contusion of left little finger with damage to nail, subsequent encounter |
| S60.152S | Contusion of left little finger with damage to nail, sequela |
| S60.159D | Contusion of unspecified little finger with damage to nail, subsequent encounter |
| S60.159S | Contusion of unspecified little finger with damage to nail, sequela |
| S60.211D | Contusion of right wrist, subsequent encounter |
| S60.211S | Contusion of right wrist, sequela |
| S60.212D | Contusion of left wrist, subsequent encounter |
| S60.212S | Contusion of left wrist, sequela |
| S60.219D | Contusion of unspecified wrist, subsequent encounter |
| S60.219S | Contusion of unspecified wrist, sequela |
| S60.221D | Contusion of right hand, subsequent encounter |
| S60.221S | Contusion of right hand, sequela |
| S60.222D | Contusion of left hand, subsequent encounter |
| S60.222S | Contusion of left hand, sequela |
| S60.229D | Contusion of unspecified hand, subsequent encounter |
| S60.229S | Contusion of unspecified hand, sequela |
| S60.311D | Abrasion of right thumb, subsequent encounter |
| S60.311S | Abrasion of right thumb, sequela |
| S60.312D | Abrasion of left thumb, subsequent encounter |
| S60.312S | Abrasion of left thumb, sequela |
| S60.319D | Abrasion of unspecified thumb, subsequent encounter |
| S60.319S | Abrasion of unspecified thumb, sequela |
| S60.321D | Blister (nonthermal) of right thumb, subsequent encounter |
| S60.321S | Blister (nonthermal) of right thumb, sequela |
| S60.322D | Blister (nonthermal) of left thumb, subsequent encounter |
| S60.322S | Blister (nonthermal) of left thumb, sequela |
| S60.329D | Blister (nonthermal) of unspecified thumb, subsequent encounter |
| S60.329S | Blister (nonthermal) of unspecified thumb, sequela |
| S60.341D | External constriction of right thumb, subsequent encounter |
| S60.341S | External constriction of right thumb, sequela |
| S60.342D | External constriction of left thumb, subsequent encounter |
| S60.342S | External constriction of left thumb, sequela |
| S60.349D | External constriction of unspecified thumb, subsequent encounter |
| S60.349S | External constriction of unspecified thumb, sequela |
| S60.351D | Superficial foreign body of right thumb, subsequent encounter |
| S60.351S | Superficial foreign body of right thumb, sequela |
| S60.352D | Superficial foreign body of left thumb, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S60.352S | Superficial foreign body of left thumb, sequela |
| S60.359D | Superficial foreign body of unspecified thumb, subsequent encounter |
| S60.359S | Superficial foreign body of unspecified thumb, sequela |
| S60.361D | Insect bite (nonvenomous) of right thumb, subsequent encounter |
| S60.361S | Insect bite (nonvenomous) of right thumb, sequela |
| S60.362D | Insect bite (nonvenomous) of left thumb, subsequent encounter |
| S60.362S | Insect bite (nonvenomous) of left thumb, sequela |
| S60.369D | Insect bite (nonvenomous) of unspecified thumb, subsequent encounter |
| S60.369S | Insect bite (nonvenomous) of unspecified thumb, sequela |
| S60.371D | Other superficial bite of right thumb, subsequent encounter |
| S60.371S | Other superficial bite of right thumb, sequela |
| S60.372D | Other superficial bite of left thumb, subsequent encounter |
| S60.372S | Other superficial bite of left thumb, sequela |
| S60.379D | Other superficial bite of unspecified thumb, subsequent encounter |
| S60.379S | Other superficial bite of unspecified thumb, sequela |
| S60.391D | Other superficial injuries of right thumb, subsequent encounter |
| S60.391S | Other superficial injuries of right thumb, sequela |
| S60.392D | Other superficial injuries of left thumb, subsequent encounter |
| S60.392S | Other superficial injuries of left thumb, sequela |
| S60.399D | Other superficial injuries of unspecified thumb, subsequent encounter |
| S60.399S | Other superficial injuries of unspecified thumb, sequela |
| S60.410D | Abrasion of right index finger, subsequent encounter |
| S60.410S | Abrasion of right index finger, sequela |
| S60.411D | Abrasion of left index finger, subsequent encounter |
| S60.411S | Abrasion of left index finger, sequela |
| S60.412D | Abrasion of right middle finger, subsequent encounter |
| S60.412S | Abrasion of right middle finger, sequela |
| S60.413D | Abrasion of left middle finger, subsequent encounter |
| S60.413S | Abrasion of left middle finger, sequela |
| S60.414D | Abrasion of right ring finger, subsequent encounter |
| S60.414S | Abrasion of right ring finger, sequela |
| S60.415D | Abrasion of left ring finger, subsequent encounter |
| S60.415S | Abrasion of left ring finger, sequela |
| S60.416D | Abrasion of right little finger, subsequent encounter |
| S60.416S | Abrasion of right little finger, sequela |
| S60.417D | Abrasion of left little finger, subsequent encounter |
| S60.417S | Abrasion of left little finger, sequela |
| S60.418D | Abrasion of other finger, subsequent encounter |
| S60.418S | Abrasion of other finger, sequela |
| S60.419D | Abrasion of unspecified finger, subsequent encounter |
| S60.419S | Abrasion of unspecified finger, sequela |
| S60.420D | Blister (nonthermal) of right index finger, subsequent encounter |
| S60.420S | Blister (nonthermal) of right index finger, sequela |
| S60.421D | Blister (nonthermal) of left index finger, subsequent encounter |
| S60.421S | Blister (nonthermal) of left index finger, sequela |
| S60.422D | Blister (nonthermal) of right middle finger, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S60.422S | Blister (nonthermal) of right middle finger, sequela |
| S60.423D | Blister (nonthermal) of left middle finger, subsequent encounter |
| S60.423S | Blister (nonthermal) of left middle finger, sequela |
| S60.424D | Blister (nonthermal) of right ring finger, subsequent encounter |
| S60.424S | Blister (nonthermal) of right ring finger, sequela |
| S60.425D | Blister (nonthermal) of left ring finger, subsequent encounter |
| S60.425S | Blister (nonthermal) of left ring finger, sequela |
| S60.426D | Blister (nonthermal) of right little finger, subsequent encounter |
| S60.426S | Blister (nonthermal) of right little finger, sequela |
| S60.427D | Blister (nonthermal) of left little finger, subsequent encounter |
| S60.427S | Blister (nonthermal) of left little finger, sequela |
| S60.428D | Blister (nonthermal) of other finger, subsequent encounter |
| S60.428S | Blister (nonthermal) of other finger, sequela |
| S60.429D | Blister (nonthermal) of unspecified finger, subsequent encounter |
| S60.429S | Blister (nonthermal) of unspecified finger, sequela |
| S60.440D | External constriction of right index finger, subsequent encounter |
| S60.440S | External constriction of right index finger, sequela |
| S60.441D | External constriction of left index finger, subsequent encounter |
| S60.441S | External constriction of left index finger, sequela |
| S60.442D | External constriction of right middle finger, subsequent encounter |
| S60.442S | External constriction of right middle finger, sequela |
| S60.443D | External constriction of left middle finger, subsequent encounter |
| S60.443S | External constriction of left middle finger, sequela |
| S60.444D | External constriction of right ring finger, subsequent encounter |
| S60.444S | External constriction of right ring finger, sequela |
| S60.445D | External constriction of left ring finger, subsequent encounter |
| S60.445S | External constriction of left ring finger, sequela |
| S60.446D | External constriction of right little finger, subsequent encounter |
| S60.446S | External constriction of right little finger, sequela |
| S60.447D | External constriction of left little finger, subsequent encounter |
| S60.447S | External constriction of left little finger, sequela |
| S60.448D | External constriction of other finger, subsequent encounter |
| S60.448S | External constriction of other finger, sequela |
| S60.449D | External constriction of unspecified finger, subsequent encounter |
| S60.449S | External constriction of unspecified finger, sequela |
| S60.450D | Superficial foreign body of right index finger, subsequent encounter |
| S60.450S | Superficial foreign body of right index finger, sequela |
| S60.451D | Superficial foreign body of left index finger, subsequent encounter |
| S60.451S | Superficial foreign body of left index finger, sequela |
| S60.452D | Superficial foreign body of right middle finger, subsequent encounter |
| S60.452S | Superficial foreign body of right middle finger, sequela |
| S60.453D | Superficial foreign body of left middle finger, subsequent encounter |
| S60.453S | Superficial foreign body of left middle finger, sequela |
| S60.454D | Superficial foreign body of right ring finger, subsequent encounter |
| S60.454S | Superficial foreign body of right ring finger, sequela |
| S60.455D | Superficial foreign body of left ring finger, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S60.455S | Superficial foreign body of left ring finger, sequela |
| S60.456D | Superficial foreign body of right little finger, subsequent encounter |
| S60.456S | Superficial foreign body of right little finger, sequela |
| S60.457D | Superficial foreign body of left little finger, subsequent encounter |
| S60.457S | Superficial foreign body of left little finger, sequela |
| S60.458D | Superficial foreign body of other finger, subsequent encounter |
| S60.458S | Superficial foreign body of other finger, sequela |
| S60.459D | Superficial foreign body of unspecified finger, subsequent encounter |
| S60.459S | Superficial foreign body of unspecified finger, sequela |
| S60.460D | Insect bite (nonvenomous) of right index finger, subsequent encounter |
| S60.460S | Insect bite (nonvenomous) of right index finger, sequela |
| S60.461D | Insect bite (nonvenomous) of left index finger, subsequent encounter |
| S60.461S | Insect bite (nonvenomous) of left index finger, sequela |
| S60.462D | Insect bite (nonvenomous) of right middle finger, subsequent encounter |
| S60.462S | Insect bite (nonvenomous) of right middle finger, sequela |
| S60.463D | Insect bite (nonvenomous) of left middle finger, subsequent encounter |
| S60.463S | Insect bite (nonvenomous) of left middle finger, sequela |
| S60.464D | Insect bite (nonvenomous) of right ring finger, subsequent encounter |
| S60.464S | Insect bite (nonvenomous) of right ring finger, sequela |
| S60.465D | Insect bite (nonvenomous) of left ring finger, subsequent encounter |
| S60.465S | Insect bite (nonvenomous) of left ring finger, sequela |
| S60.466D | Insect bite (nonvenomous) of right little finger, subsequent encounter |
| S60.466S | Insect bite (nonvenomous) of right little finger, sequela |
| S60.467D | Insect bite (nonvenomous) of left little finger, subsequent encounter |
| S60.467S | Insect bite (nonvenomous) of left little finger, sequela |
| S60.468D | Insect bite (nonvenomous) of other finger, subsequent encounter |
| S60.468S | Insect bite (nonvenomous) of other finger, sequela |
| S60.469D | Insect bite (nonvenomous) of unspecified finger, subsequent encounter |
| S60.469S | Insect bite (nonvenomous) of unspecified finger, sequela |
| S60.470D | Other superficial bite of right index finger, subsequent encounter |
| S60.470S | Other superficial bite of right index finger, sequela |
| S60.471D | Other superficial bite of left index finger, subsequent encounter |
| S60.471S | Other superficial bite of left index finger, sequela |
| S60.472D | Other superficial bite of right middle finger, subsequent encounter |
| S60.472S | Other superficial bite of right middle finger, sequela |
| S60.473D | Other superficial bite of left middle finger, subsequent encounter |
| S60.473S | Other superficial bite of left middle finger, sequela |
| S60.474D | Other superficial bite of right ring finger, subsequent encounter |
| S60.474S | Other superficial bite of right ring finger, sequela |
| S60.475D | Other superficial bite of left ring finger, subsequent encounter |
| S60.475S | Other superficial bite of left ring finger, sequela |
| S60.476D | Other superficial bite of right little finger, subsequent encounter |
| S60.476S | Other superficial bite of right little finger, sequela |
| S60.477D | Other superficial bite of left little finger, subsequent encounter |
| S60.477S | Other superficial bite of left little finger, sequela |
| S60.478D | Other superficial bite of other finger, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S60.478S | Other superficial bite of other finger, sequela |
| S60.479D | Other superficial bite of unspecified finger, subsequent encounter |
| S60.479S | Other superficial bite of unspecified finger, sequela |
| S60.511D | Abrasion of right hand, subsequent encounter |
| S60.511S | Abrasion of right hand, sequela |
| S60.512D | Abrasion of left hand, subsequent encounter |
| S60.512S | Abrasion of left hand, sequela |
| S60.519D | Abrasion of unspecified hand, subsequent encounter |
| S60.519S | Abrasion of unspecified hand, sequela |
| S60.521D | Blister (nonthermal) of right hand, subsequent encounter |
| S60.521S | Blister (nonthermal) of right hand, sequela |
| S60.522D | Blister (nonthermal) of left hand, subsequent encounter |
| S60.522S | Blister (nonthermal) of left hand, sequela |
| S60.529D | Blister (nonthermal) of unspecified hand, subsequent encounter |
| S60.529S | Blister (nonthermal) of unspecified hand, sequela |
| S60.541D | External constriction of right hand, subsequent encounter |
| S60.541S | External constriction of right hand, sequela |
| S60.542D | External constriction of left hand, subsequent encounter |
| S60.542S | External constriction of left hand, sequela |
| S60.549D | External constriction of unspecified hand, subsequent encounter |
| S60.549S | External constriction of unspecified hand, sequela |
| S60.551D | Superficial foreign body of right hand, subsequent encounter |
| S60.551S | Superficial foreign body of right hand, sequela |
| S60.552D | Superficial foreign body of left hand, subsequent encounter |
| S60.552S | Superficial foreign body of left hand, sequela |
| S60.559D | Superficial foreign body of unspecified hand, subsequent encounter |
| S60.559S | Superficial foreign body of unspecified hand, sequela |
| S60.561D | Insect bite (nonvenomous) of right hand, subsequent encounter |
| S60.561S | Insect bite (nonvenomous) of right hand, sequela |
| S60.562D | Insect bite (nonvenomous) of left hand, subsequent encounter |
| S60.562S | Insect bite (nonvenomous) of left hand, sequela |
| S60.569D | Insect bite (nonvenomous) of unspecified hand, subsequent encounter |
| S60.569S | Insect bite (nonvenomous) of unspecified hand, sequela |
| S60.571D | Other superficial bite of hand of right hand, subsequent encounter |
| S60.571S | Other superficial bite of hand of right hand, sequela |
| S60.572D | Other superficial bite of hand of left hand, subsequent encounter |
| S60.572S | Other superficial bite of hand of left hand, sequela |
| S60.579D | Other superficial bite of hand of unspecified hand, subsequent encounter |
| S60.579S | Other superficial bite of hand of unspecified hand, sequela |
| S60.811D | Abrasion of right wrist, subsequent encounter |
| S60.811S | Abrasion of right wrist, sequela |
| S60.812D | Abrasion of left wrist, subsequent encounter |
| S60.812S | Abrasion of left wrist, sequela |
| S60.819D | Abrasion of unspecified wrist, subsequent encounter |
| S60.819S | Abrasion of unspecified wrist, sequela |
| S60.821D | Blister (nonthermal) of right wrist, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S60.821S | Blister (nonthermal) of right wrist, sequela |
| S60.822D | Blister (nonthermal) of left wrist, subsequent encounter |
| S60.822S | Blister (nonthermal) of left wrist, sequela |
| S60.829D | Blister (nonthermal) of unspecified wrist, subsequent encounter |
| S60.829S | Blister (nonthermal) of unspecified wrist, sequela |
| S60.841D | External constriction of right wrist, subsequent encounter |
| S60.841S | External constriction of right wrist, sequela |
| S60.842D | External constriction of left wrist, subsequent encounter |
| S60.842S | External constriction of left wrist, sequela |
| S60.849D | External constriction of unspecified wrist, subsequent encounter |
| S60.849S | External constriction of unspecified wrist, sequela |
| S60.851D | Superficial foreign body of right wrist, subsequent encounter |
| S60.851S | Superficial foreign body of right wrist, sequela |
| S60.852D | Superficial foreign body of left wrist, subsequent encounter |
| S60.852S | Superficial foreign body of left wrist, sequela |
| S60.859D | Superficial foreign body of unspecified wrist, subsequent encounter |
| S60.859S | Superficial foreign body of unspecified wrist, sequela |
| S60.861D | Insect bite (nonvenomous) of right wrist, subsequent encounter |
| S60.861S | Insect bite (nonvenomous) of right wrist, sequela |
| S60.862D | Insect bite (nonvenomous) of left wrist, subsequent encounter |
| S60.862S | Insect bite (nonvenomous) of left wrist, sequela |
| S60.869D | Insect bite (nonvenomous) of unspecified wrist, subsequent encounter |
| S60.869S | Insect bite (nonvenomous) of unspecified wrist, sequela |
| S60.871D | Other superficial bite of right wrist, subsequent encounter |
| S60.871S | Other superficial bite of right wrist, sequela |
| S60.872D | Other superficial bite of left wrist, subsequent encounter |
| S60.872S | Other superficial bite of left wrist, sequela |
| S60.879D | Other superficial bite of unspecified wrist, subsequent encounter |
| S60.879S | Other superficial bite of unspecified wrist, sequela |
| S60.911D | Unspecified superficial injury of right wrist, subsequent encounter |
| S60.911S | Unspecified superficial injury of right wrist, sequela |
| S60.912D | Unspecified superficial injury of left wrist, subsequent encounter |
| S60.912S | Unspecified superficial injury of left wrist, sequela |
| S60.919D | Unspecified superficial injury of unspecified wrist, subsequent encounter |
| S60.919S | Unspecified superficial injury of unspecified wrist, sequela |
| S60.921D | Unspecified superficial injury of right hand, subsequent encounter |
| S60.921S | Unspecified superficial injury of right hand, sequela |
| S60.922D | Unspecified superficial injury of left hand, subsequent encounter |
| S60.922S | Unspecified superficial injury of left hand, sequela |
| S60.929D | Unspecified superficial injury of unspecified hand, subsequent encounter |
| S60.929S | Unspecified superficial injury of unspecified hand, sequela |
| S60.931D | Unspecified superficial injury of right thumb, subsequent encounter |
| S60.931S | Unspecified superficial injury of right thumb, sequela |
| S60.932D | Unspecified superficial injury of left thumb, subsequent encounter |
| S60.932S | Unspecified superficial injury of left thumb, sequela |
| S60.939D | Unspecified superficial injury of unspecified thumb, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S60.939S | Unspecified superficial injury of unspecified thumb, sequela |
| S60.940D | Unspecified superficial injury of right index finger, subsequent encounter |
| S60.940S | Unspecified superficial injury of right index finger, sequela |
| S60.941D | Unspecified superficial injury of left index finger, subsequent encounter |
| S60.941S | Unspecified superficial injury of left index finger, sequela |
| S60.942D | Unspecified superficial injury of right middle finger, subsequent encounter |
| S60.942S | Unspecified superficial injury of right middle finger, sequela |
| S60.943D | Unspecified superficial injury of left middle finger, subsequent encounter |
| S60.943S | Unspecified superficial injury of left middle finger, sequela |
| S60.944D | Unspecified superficial injury of right ring finger, subsequent encounter |
| S60.944S | Unspecified superficial injury of right ring finger, sequela |
| S60.945D | Unspecified superficial injury of left ring finger, subsequent encounter |
| S60.945S | Unspecified superficial injury of left ring finger, sequela |
| S60.946D | Unspecified superficial injury of right little finger, subsequent encounter |
| S60.946S | Unspecified superficial injury of right little finger, sequela |
| S60.947D | Unspecified superficial injury of left little finger, subsequent encounter |
| S60.947S | Unspecified superficial injury of left little finger, sequela |
| S60.948D | Unspecified superficial injury of other finger, subsequent encounter |
| S60.948S | Unspecified superficial injury of other finger, sequela |
| S60.949D | Unspecified superficial injury of unspecified finger, subsequent encounter |
| S60.949S | Unspecified superficial injury of unspecified finger, sequela |
| S61.001D | Unspecified open wound of right thumb without damage to nail, subsequent encounter |
| S61.001S | Unspecified open wound of right thumb without damage to nail, sequela |
| S61.002D | Unspecified open wound of left thumb without damage to nail, subsequent encounter |
| S61.002S | Unspecified open wound of left thumb without damage to nail, sequela |
| S61.009D | Unspecified open wound of unspecified thumb without damage to nail, subsequent encounter |
| S61.009S | Unspecified open wound of unspecified thumb without damage to nail, sequela |
| S61.011D | Laceration without foreign body of right thumb without damage to nail, subsequent encounter |
| S61.011S | Laceration without foreign body of right thumb without damage to nail, sequela |
| S61.012D | Laceration without foreign body of left thumb without damage to nail, subsequent encounter |
| S61.012S | Laceration without foreign body of left thumb without damage to nail, sequela |
| S61.019D | Laceration without foreign body of unspecified thumb without damage to nail, subsequent encounter |
| S61.019S | Laceration without foreign body of unspecified thumb without damage to nail, sequela |
| S61.021D | Laceration with foreign body of right thumb without damage to nail, subsequent encounter |
| S61.021S | Laceration with foreign body of right thumb without damage to nail, sequela |
| S61.022D | Laceration with foreign body of left thumb without damage to nail, subsequent encounter |
| S61.022S | Laceration with foreign body of left thumb without damage to nail, sequela |
| S61.029D | Laceration with foreign body of unspecified thumb without damage to nail, subsequent encounter |
| S61.029S | Laceration with foreign body of unspecified thumb without damage to nail, sequela |
| S61.031D | Puncture wound without foreign body of right thumb without damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.031S | Puncture wound without foreign body of right thumb without damage to nail, sequela |
| S61.032D | Puncture wound without foreign body of left thumb without damage to nail, subsequent encounter |
| S61.032S | Puncture wound without foreign body of left thumb without damage to nail, sequela |
| S61.039D | Puncture wound without foreign body of unspecified thumb without damage to nail, subsequent encounter |
| S61.039S | Puncture wound without foreign body of unspecified thumb without damage to nail, sequela |
| S61.041D | Puncture wound with foreign body of right thumb without damage to nail, subsequent encounter |
| S61.041S | Puncture wound with foreign body of right thumb without damage to nail, sequela |
| S61.042D | Puncture wound with foreign body of left thumb without damage to nail, subsequent encounter |
| S61.042S | Puncture wound with foreign body of left thumb without damage to nail, sequela |
| S61.049D | Puncture wound with foreign body of unspecified thumb without damage to nail, subsequent encounter |
| S61.049S | Puncture wound with foreign body of unspecified thumb without damage to nail, sequela |
| S61.051D | Open bite of right thumb without damage to nail, subsequent encounter |
| S61.051S | Open bite of right thumb without damage to nail, sequela |
| S61.052D | Open bite of left thumb without damage to nail, subsequent encounter |
| S61.052S | Open bite of left thumb without damage to nail, sequela |
| S61.059D | Open bite of unspecified thumb without damage to nail, subsequent encounter |
| S61.059S | Open bite of unspecified thumb without damage to nail, sequela |
| S61.101D | Unspecified open wound of right thumb with damage to nail, subsequent encounter |
| S61.101S | Unspecified open wound of right thumb with damage to nail, sequela |
| S61.102D | Unspecified open wound of left thumb with damage to nail, subsequent encounter |
| S61.102S | Unspecified open wound of left thumb with damage to nail, sequela |
| S61.109D | Unspecified open wound of unspecified thumb with damage to nail, subsequent encounter |
| S61.109S | Unspecified open wound of unspecified thumb with damage to nail, sequela |
| S61.111D | Laceration without foreign body of right thumb with damage to nail, subsequent encounter |
| S61.111S | Laceration without foreign body of right thumb with damage to nail, sequela |
| S61.112D | Laceration without foreign body of left thumb with damage to nail, subsequent encounter |
| S61.112S | Laceration without foreign body of left thumb with damage to nail, sequela |
| S61.119D | Laceration without foreign body of unspecified thumb with damage to nail, subsequent encounter |
| S61.119S | Laceration without foreign body of unspecified thumb with damage to nail, sequela |
| S61.121D | Laceration with foreign body of right thumb with damage to nail, subsequent encounter |
| S61.121S | Laceration with foreign body of right thumb with damage to nail, sequela |
| S61.122D | Laceration with foreign body of left thumb with damage to nail, subsequent encounter |
| S61.122S | Laceration with foreign body of left thumb with damage to nail, sequela |
| S61.129D | Laceration with foreign body of unspecified thumb with damage to nail, subsequent encounter |
| S61.129S | Laceration with foreign body of unspecified thumb with damage to nail, sequela |
| S61.131D | Puncture wound without foreign body of right thumb with damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.131S | Puncture wound without foreign body of right thumb with damage to nail, sequela |
| S61.132D | Puncture wound without foreign body of left thumb with damage to nail, subsequent encounter |
| S61.132S | Puncture wound without foreign body of left thumb with damage to nail, sequela |
| S61.139D | Puncture wound without foreign body of unspecified thumb with damage to nail, subsequent encounter |
| S61.139S | Puncture wound without foreign body of unspecified thumb with damage to nail, sequela |
| S61.141D | Puncture wound with foreign body of right thumb with damage to nail, subsequent encounter |
| S61.141S | Puncture wound with foreign body of right thumb with damage to nail, sequela |
| S61.142D | Puncture wound with foreign body of left thumb with damage to nail, subsequent encounter |
| S61.142S | Puncture wound with foreign body of left thumb with damage to nail, sequela |
| S61.149D | Puncture wound with foreign body of unspecified thumb with damage to nail, subsequent encounter |
| S61.149S | Puncture wound with foreign body of unspecified thumb with damage to nail, sequela |
| S61.151D | Open bite of right thumb with damage to nail, subsequent encounter |
| S61.151S | Open bite of right thumb with damage to nail, sequela |
| S61.152D | Open bite of left thumb with damage to nail, subsequent encounter |
| S61.152S | Open bite of left thumb with damage to nail, sequela |
| S61.159D | Open bite of unspecified thumb with damage to nail, subsequent encounter |
| S61.159S | Open bite of unspecified thumb with damage to nail, sequela |
| S61.200D | Unspecified open wound of right index finger without damage to nail, subsequent encounter |
| S61.200S | Unspecified open wound of right index finger without damage to nail, sequela |
| S61.201D | Unspecified open wound of left index finger without damage to nail, subsequent encounter |
| S61.201S | Unspecified open wound of left index finger without damage to nail, sequela |
| S61.202D | Unspecified open wound of right middle finger without damage to nail, subsequent encounter |
| S61.202S | Unspecified open wound of right middle finger without damage to nail, sequela |
| S61.203D | Unspecified open wound of left middle finger without damage to nail, subsequent encounter |
| S61.203S | Unspecified open wound of left middle finger without damage to nail, sequela |
| S61.204D | Unspecified open wound of right ring finger without damage to nail, subsequent encounter |
| S61.204S | Unspecified open wound of right ring finger without damage to nail, sequela |
| S61.205D | Unspecified open wound of left ring finger without damage to nail, subsequent encounter |
| S61.205S | Unspecified open wound of left ring finger without damage to nail, sequela |
| S61.206D | Unspecified open wound of right little finger without damage to nail, subsequent encounter |
| S61.206S | Unspecified open wound of right little finger without damage to nail, sequela |
| S61.207D | Unspecified open wound of left little finger without damage to nail, subsequent encounter |
| S61.207S | Unspecified open wound of left little finger without damage to nail, sequela |
| S61.208D | Unspecified open wound of other finger without damage to nail, subsequent encounter |
| S61.208S | Unspecified open wound of other finger without damage to nail, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.209D | Unspecified open wound of unspecified finger without damage to nail, subsequent encounter |
| S61.209S | Unspecified open wound of unspecified finger without damage to nail, sequela |
| S61.210D | Laceration without foreign body of right index finger without damage to nail, subsequent encounter |
| S61.210S | Laceration without foreign body of right index finger without damage to nail, sequela |
| S61.211D | Laceration without foreign body of left index finger without damage to nail, subsequent encounter |
| S61.211S | Laceration without foreign body of left index finger without damage to nail, sequela |
| S61.212D | Laceration without foreign body of right middle finger without damage to nail, subsequent encounter |
| S61.212S | Laceration without foreign body of right middle finger without damage to nail, sequela |
| S61.213D | Laceration without foreign body of left middle finger without damage to nail, subsequent encounter |
| S61.213S | Laceration without foreign body of left middle finger without damage to nail, sequela |
| S61.214D | Laceration without foreign body of right ring finger without damage to nail, subsequent encounter |
| S61.214S | Laceration without foreign body of right ring finger without damage to nail, sequela |
| S61.215D | Laceration without foreign body of left ring finger without damage to nail, subsequent encounter |
| S61.215S | Laceration without foreign body of left ring finger without damage to nail, sequela |
| S61.216D | Laceration without foreign body of right little finger without damage to nail, subsequent encounter |
| S61.216S | Laceration without foreign body of right little finger without damage to nail, sequela |
| S61.217D | Laceration without foreign body of left little finger without damage to nail, subsequent encounter |
| S61.217S | Laceration without foreign body of left little finger without damage to nail, sequela |
| S61.218D | Laceration without foreign body of other finger without damage to nail, subsequent encounter |
| S61.218S | Laceration without foreign body of other finger without damage to nail, sequela |
| S61.219D | Laceration without foreign body of unspecified finger without damage to nail, subsequent encounter |
| S61.219S | Laceration without foreign body of unspecified finger without damage to nail, sequela |
| S61.220D | Laceration with foreign body of right index finger without damage to nail, subsequent encounter |
| S61.220S | Laceration with foreign body of right index finger without damage to nail, sequela |
| S61.221D | Laceration with foreign body of left index finger without damage to nail, subsequent encounter |
| S61.221S | Laceration with foreign body of left index finger without damage to nail, sequela |
| S61.222D | Laceration with foreign body of right middle finger without damage to nail, subsequent encounter |
| S61.222S | Laceration with foreign body of right middle finger without damage to nail, sequela |
| S61.223D | Laceration with foreign body of left middle finger without damage to nail, subsequent encounter |
| S61.223S | Laceration with foreign body of left middle finger without damage to nail, sequela |
| S61.224D | Laceration with foreign body of right ring finger without damage to nail, subsequent encounter |
| S61.224S | Laceration with foreign body of right ring finger without damage to nail, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.225D | Laceration with foreign body of left ring finger without damage to nail, subsequent encounter |
| S61.225S | Laceration with foreign body of left ring finger without damage to nail, sequela |
| S61.226D | Laceration with foreign body of right little finger without damage to nail, subsequent encounter |
| S61.226S | Laceration with foreign body of right little finger without damage to nail, sequela |
| S61.227D | Laceration with foreign body of left little finger without damage to nail, subsequent encounter |
| S61.227S | Laceration with foreign body of left little finger without damage to nail, sequela |
| S61.228D | Laceration with foreign body of other finger without damage to nail, subsequent encounter |
| S61.228S | Laceration with foreign body of other finger without damage to nail, sequela |
| S61.229D | Laceration with foreign body of unspecified finger without damage to nail, subsequent encounter |
| S61.229S | Laceration with foreign body of unspecified finger without damage to nail, sequela |
| S61.230D | Puncture wound without foreign body of right index finger without damage to nail, subsequent encounter |
| S61.230S | Puncture wound without foreign body of right index finger without damage to nail, sequela |
| S61.231D | Puncture wound without foreign body of left index finger without damage to nail, subsequent encounter |
| S61.231S | Puncture wound without foreign body of left index finger without damage to nail, sequela |
| S61.232D | Puncture wound without foreign body of right middle finger without damage to nail, subsequent encounter |
| S61.232S | Puncture wound without foreign body of right middle finger without damage to nail, sequela |
| S61.233D | Puncture wound without foreign body of left middle finger without damage to nail, subsequent encounter |
| S61.233S | Puncture wound without foreign body of left middle finger without damage to nail, sequela |
| S61.234D | Puncture wound without foreign body of right ring finger without damage to nail, subsequent encounter |
| S61.234S | Puncture wound without foreign body of right ring finger without damage to nail, sequela |
| S61.235D | Puncture wound without foreign body of left ring finger without damage to nail, subsequent encounter |
| S61.235S | Puncture wound without foreign body of left ring finger without damage to nail, sequela |
| S61.236D | Puncture wound without foreign body of right little finger without damage to nail, subsequent encounter |
| S61.236S | Puncture wound without foreign body of right little finger without damage to nail, sequela |
| S61.237D | Puncture wound without foreign body of left little finger without damage to nail, subsequent encounter |
| S61.237S | Puncture wound without foreign body of left little finger without damage to nail, sequela |
| S61.238D | Puncture wound without foreign body of other finger without damage to nail, subsequent encounter |
| S61.238S | Puncture wound without foreign body of other finger without damage to nail, sequela |
| S61.239D | Puncture wound without foreign body of unspecified finger without damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.239S | Puncture wound without foreign body of unspecified finger without damage to nail, sequela |
| S61.240D | Puncture wound with foreign body of right index finger without damage to nail, subsequent encounter |
| S61.240S | Puncture wound with foreign body of right index finger without damage to nail, sequela |
| S61.241D | Puncture wound with foreign body of left index finger without damage to nail, subsequent encounter |
| S61.241S | Puncture wound with foreign body of left index finger without damage to nail, sequela |
| S61.242D | Puncture wound with foreign body of right middle finger without damage to nail, subsequent encounter |
| S61.242S | Puncture wound with foreign body of right middle finger without damage to nail, sequela |
| S61.243D | Puncture wound with foreign body of left middle finger without damage to nail, subsequent encounter |
| S61.243S | Puncture wound with foreign body of left middle finger without damage to nail, sequela |
| S61.244D | Puncture wound with foreign body of right ring finger without damage to nail, subsequent encounter |
| S61.244S | Puncture wound with foreign body of right ring finger without damage to nail, sequela |
| S61.245D | Puncture wound with foreign body of left ring finger without damage to nail, subsequent encounter |
| S61.245S | Puncture wound with foreign body of left ring finger without damage to nail, sequela |
| S61.246D | Puncture wound with foreign body of right little finger without damage to nail, subsequent encounter |
| S61.246S | Puncture wound with foreign body of right little finger without damage to nail, sequela |
| S61.247D | Puncture wound with foreign body of left little finger without damage to nail, subsequent encounter |
| S61.247S | Puncture wound with foreign body of left little finger without damage to nail, sequela |
| S61.248D | Puncture wound with foreign body of other finger without damage to nail, subsequent encounter |
| S61.248S | Puncture wound with foreign body of other finger without damage to nail, sequela |
| S61.249D | Puncture wound with foreign body of unspecified finger without damage to nail, subsequent encounter |
| S61.249S | Puncture wound with foreign body of unspecified finger without damage to nail, sequela |
| S61.250D | Open bite of right index finger without damage to nail, subsequent encounter |
| S61.250S | Open bite of right index finger without damage to nail, sequela |
| S61.251D | Open bite of left index finger without damage to nail, subsequent encounter |
| S61.251S | Open bite of left index finger without damage to nail, sequela |
| S61.252D | Open bite of right middle finger without damage to nail, subsequent encounter |
| S61.252S | Open bite of right middle finger without damage to nail, sequela |
| S61.253D | Open bite of left middle finger without damage to nail, subsequent encounter |
| S61.253S | Open bite of left middle finger without damage to nail, sequela |
| S61.254D | Open bite of right ring finger without damage to nail, subsequent encounter |
| S61.254S | Open bite of right ring finger without damage to nail, sequela |
| S61.255D | Open bite of left ring finger without damage to nail, subsequent encounter |
| S61.255S | Open bite of left ring finger without damage to nail, sequela |
| S61.256D | Open bite of right little finger without damage to nail, subsequent encounter |
| S61.256S | Open bite of right little finger without damage to nail, sequela |
| S61.257D | Open bite of left little finger without damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.257S | Open bite of left little finger without damage to nail, sequela |
| S61.258D | Open bite of other finger without damage to nail, subsequent encounter |
| S61.258S | Open bite of other finger without damage to nail, sequela |
| S61.259D | Open bite of unspecified finger without damage to nail, subsequent encounter |
| S61.259S | Open bite of unspecified finger without damage to nail, sequela |
| S61.300D | Unspecified open wound of right index finger with damage to nail, subsequent encounter |
| S61.300S | Unspecified open wound of right index finger with damage to nail, sequela |
| S61.301D | Unspecified open wound of left index finger with damage to nail, subsequent encounter |
| S61.301S | Unspecified open wound of left index finger with damage to nail, sequela |
| S61.302D | Unspecified open wound of right middle finger with damage to nail, subsequent encounter |
| S61.302S | Unspecified open wound of right middle finger with damage to nail, sequela |
| S61.303D | Unspecified open wound of left middle finger with damage to nail, subsequent encounter |
| S61.303S | Unspecified open wound of left middle finger with damage to nail, sequela |
| S61.304D | Unspecified open wound of right ring finger with damage to nail, subsequent encounter |
| S61.304S | Unspecified open wound of right ring finger with damage to nail, sequela |
| S61.305D | Unspecified open wound of left ring finger with damage to nail, subsequent encounter |
| S61.305S | Unspecified open wound of left ring finger with damage to nail, sequela |
| S61.306D | Unspecified open wound of right little finger with damage to nail, subsequent encounter |
| S61.306S | Unspecified open wound of right little finger with damage to nail, sequela |
| S61.307D | Unspecified open wound of left little finger with damage to nail, subsequent encounter |
| S61.307S | Unspecified open wound of left little finger with damage to nail, sequela |
| S61.308D | Unspecified open wound of other finger with damage to nail, subsequent encounter |
| S61.308S | Unspecified open wound of other finger with damage to nail, sequela |
| S61.309D | Unspecified open wound of unspecified finger with damage to nail, subsequent encounter |
| S61.309S | Unspecified open wound of unspecified finger with damage to nail, sequela |
| S61.310D | Laceration without foreign body of right index finger with damage to nail, subsequent encounter |
| S61.310S | Laceration without foreign body of right index finger with damage to nail, sequela |
| S61.311D | Laceration without foreign body of left index finger with damage to nail, subsequent encounter |
| S61.311S | Laceration without foreign body of left index finger with damage to nail, sequela |
| S61.312D | Laceration without foreign body of right middle finger with damage to nail, subsequent encounter |
| S61.312S | Laceration without foreign body of right middle finger with damage to nail, sequela |
| S61.313D | Laceration without foreign body of left middle finger with damage to nail, subsequent encounter |
| S61.313S | Laceration without foreign body of left middle finger with damage to nail, sequela |
| S61.314D | Laceration without foreign body of right ring finger with damage to nail, subsequent encounter |
| S61.314S | Laceration without foreign body of right ring finger with damage to nail, sequela |
| S61.315D | Laceration without foreign body of left ring finger with damage to nail, subsequent encounter |
| S61.315S | Laceration without foreign body of left ring finger with damage to nail, sequela |
| S61.316D | Laceration without foreign body of right little finger with damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.316S | Laceration without foreign body of right little finger with damage to nail, sequela |
| S61.317D | Laceration without foreign body of left little finger with damage to nail, subsequent encounter |
| S61.317S | Laceration without foreign body of left little finger with damage to nail, sequela |
| S61.318D | Laceration without foreign body of other finger with damage to nail, subsequent encounter |
| S61.318S | Laceration without foreign body of other finger with damage to nail, sequela |
| S61.319D | Laceration without foreign body of unspecified finger with damage to nail, subsequent encounter |
| S61.319S | Laceration without foreign body of unspecified finger with damage to nail, sequela |
| S61.320D | Laceration with foreign body of right index finger with damage to nail, subsequent encounter |
| S61.320S | Laceration with foreign body of right index finger with damage to nail, sequela |
| S61.321D | Laceration with foreign body of left index finger with damage to nail, subsequent encounter |
| S61.321S | Laceration with foreign body of left index finger with damage to nail, sequela |
| S61.322D | Laceration with foreign body of right middle finger with damage to nail, subsequent encounter |
| S61.322S | Laceration with foreign body of right middle finger with damage to nail, sequela |
| S61.323D | Laceration with foreign body of left middle finger with damage to nail, subsequent encounter |
| S61.323S | Laceration with foreign body of left middle finger with damage to nail, sequela |
| S61.324D | Laceration with foreign body of right ring finger with damage to nail, subsequent encounter |
| S61.324S | Laceration with foreign body of right ring finger with damage to nail, sequela |
| S61.325D | Laceration with foreign body of left ring finger with damage to nail, subsequent encounter |
| S61.325S | Laceration with foreign body of left ring finger with damage to nail, sequela |
| S61.326D | Laceration with foreign body of right little finger with damage to nail, subsequent encounter |
| S61.326S | Laceration with foreign body of right little finger with damage to nail, sequela |
| S61.327D | Laceration with foreign body of left little finger with damage to nail, subsequent encounter |
| S61.327S | Laceration with foreign body of left little finger with damage to nail, sequela |
| S61.328D | Laceration with foreign body of other finger with damage to nail, subsequent encounter |
| S61.328S | Laceration with foreign body of other finger with damage to nail, sequela |
| S61.329D | Laceration with foreign body of unspecified finger with damage to nail, subsequent encounter |
| S61.329S | Laceration with foreign body of unspecified finger with damage to nail, sequela |
| S61.330D | Puncture wound without foreign body of right index finger with damage to nail, subsequent encounter |
| S61.330S | Puncture wound without foreign body of right index finger with damage to nail, sequela |
| S61.331D | Puncture wound without foreign body of left index finger with damage to nail, subsequent encounter |
| S61.331S | Puncture wound without foreign body of left index finger with damage to nail, sequela |
| S61.332D | Puncture wound without foreign body of right middle finger with damage to nail, subsequent encounter |
| S61.332S | Puncture wound without foreign body of right middle finger with damage to nail, sequela |
| S61.333D | Puncture wound without foreign body of left middle finger with damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.333S | Puncture wound without foreign body of left middle finger with damage to nail, sequela |
| S61.334D | Puncture wound without foreign body of right ring finger with damage to nail, subsequent encounter |
| S61.334S | Puncture wound without foreign body of right ring finger with damage to nail, sequela |
| S61.335D | Puncture wound without foreign body of left ring finger with damage to nail, subsequent encounter |
| S61.335S | Puncture wound without foreign body of left ring finger with damage to nail, sequela |
| S61.336D | Puncture wound without foreign body of right little finger with damage to nail, subsequent encounter |
| S61.336S | Puncture wound without foreign body of right little finger with damage to nail, sequela |
| S61.337D | Puncture wound without foreign body of left little finger with damage to nail, subsequent encounter |
| S61.337S | Puncture wound without foreign body of left little finger with damage to nail, sequela |
| S61.338D | Puncture wound without foreign body of other finger with damage to nail, subsequent encounter |
| S61.338S | Puncture wound without foreign body of other finger with damage to nail, sequela |
| S61.339D | Puncture wound without foreign body of unspecified finger with damage to nail, subsequent encounter |
| S61.339S | Puncture wound without foreign body of unspecified finger with damage to nail, sequela |
| S61.340D | Puncture wound with foreign body of right index finger with damage to nail, subsequent encounter |
| S61.340S | Puncture wound with foreign body of right index finger with damage to nail, sequela |
| S61.341D | Puncture wound with foreign body of left index finger with damage to nail, subsequent encounter |
| S61.341S | Puncture wound with foreign body of left index finger with damage to nail, sequela |
| S61.342D | Puncture wound with foreign body of right middle finger with damage to nail, subsequent encounter |
| S61.342S | Puncture wound with foreign body of right middle finger with damage to nail, sequela |
| S61.343D | Puncture wound with foreign body of left middle finger with damage to nail, subsequent encounter |
| S61.343S | Puncture wound with foreign body of left middle finger with damage to nail, sequela |
| S61.344D | Puncture wound with foreign body of right ring finger with damage to nail, subsequent encounter |
| S61.344S | Puncture wound with foreign body of right ring finger with damage to nail, sequela |
| S61.345D | Puncture wound with foreign body of left ring finger with damage to nail, subsequent encounter |
| S61.345S | Puncture wound with foreign body of left ring finger with damage to nail, sequela |
| S61.346D | Puncture wound with foreign body of right little finger with damage to nail, subsequent encounter |
| S61.346S | Puncture wound with foreign body of right little finger with damage to nail, sequela |
| S61.347D | Puncture wound with foreign body of left little finger with damage to nail, subsequent encounter |
| S61.347S | Puncture wound with foreign body of left little finger with damage to nail, sequela |
| S61.348D | Puncture wound with foreign body of other finger with damage to nail, subsequent encounter |
| S61.348S | Puncture wound with foreign body of other finger with damage to nail, sequela |
| S61.349D | Puncture wound with foreign body of unspecified finger with damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.349S | Puncture wound with foreign body of unspecified finger with damage to nail, sequela |
| S61.350D | Open bite of right index finger with damage to nail, subsequent encounter |
| S61.350S | Open bite of right index finger with damage to nail, sequela |
| S61.351D | Open bite of left index finger with damage to nail, subsequent encounter |
| S61.351S | Open bite of left index finger with damage to nail, sequela |
| S61.352D | Open bite of right middle finger with damage to nail, subsequent encounter |
| S61.352S | Open bite of right middle finger with damage to nail, sequela |
| S61.353D | Open bite of left middle finger with damage to nail, subsequent encounter |
| S61.353S | Open bite of left middle finger with damage to nail, sequela |
| S61.354D | Open bite of right ring finger with damage to nail, subsequent encounter |
| S61.354S | Open bite of right ring finger with damage to nail, sequela |
| S61.355D | Open bite of left ring finger with damage to nail, subsequent encounter |
| S61.355S | Open bite of left ring finger with damage to nail, sequela |
| S61.356D | Open bite of right little finger with damage to nail, subsequent encounter |
| S61.356S | Open bite of right little finger with damage to nail, sequela |
| S61.357D | Open bite of left little finger with damage to nail, subsequent encounter |
| S61.357S | Open bite of left little finger with damage to nail, sequela |
| S61.358D | Open bite of other finger with damage to nail, subsequent encounter |
| S61.358S | Open bite of other finger with damage to nail, sequela |
| S61.359D | Open bite of unspecified finger with damage to nail, subsequent encounter |
| S61.359S | Open bite of unspecified finger with damage to nail, sequela |
| S61.401D | Unspecified open wound of right hand, subsequent encounter |
| S61.401S | Unspecified open wound of right hand, sequela |
| S61.402D | Unspecified open wound of left hand, subsequent encounter |
| S61.402S | Unspecified open wound of left hand, sequela |
| S61.409D | Unspecified open wound of unspecified hand, subsequent encounter |
| S61.409S | Unspecified open wound of unspecified hand, sequela |
| S61.411D | Laceration without foreign body of right hand, subsequent encounter |
| S61.411S | Laceration without foreign body of right hand, sequela |
| S61.412D | Laceration without foreign body of left hand, subsequent encounter |
| S61.412S | Laceration without foreign body of left hand, sequela |
| S61.419D | Laceration without foreign body of unspecified hand, subsequent encounter |
| S61.419S | Laceration without foreign body of unspecified hand, sequela |
| S61.421D | Laceration with foreign body of right hand, subsequent encounter |
| S61.421S | Laceration with foreign body of right hand, sequela |
| S61.422D | Laceration with foreign body of left hand, subsequent encounter |
| S61.422S | Laceration with foreign body of left hand, sequela |
| S61.429D | Laceration with foreign body of unspecified hand, subsequent encounter |
| S61.429S | Laceration with foreign body of unspecified hand, sequela |
| S61.431D | Puncture wound without foreign body of right hand, subsequent encounter |
| S61.431S | Puncture wound without foreign body of right hand, sequela |
| S61.432D | Puncture wound without foreign body of left hand, subsequent encounter |
| S61.432S | Puncture wound without foreign body of left hand, sequela |
| S61.439D | Puncture wound without foreign body of unspecified hand, subsequent encounter |
| S61.439S | Puncture wound without foreign body of unspecified hand, sequela |
| S61.441D | Puncture wound with foreign body of right hand, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.441S | Puncture wound with foreign body of right hand, sequela |
| S61.442D | Puncture wound with foreign body of left hand, subsequent encounter |
| S61.442S | Puncture wound with foreign body of left hand, sequela |
| S61.449D | Puncture wound with foreign body of unspecified hand, subsequent encounter |
| S61.449S | Puncture wound with foreign body of unspecified hand, sequela |
| S61.451D | Open bite of right hand, subsequent encounter |
| S61.451S | Open bite of right hand, sequela |
| S61.452D | Open bite of left hand, subsequent encounter |
| S61.452S | Open bite of left hand, sequela |
| S61.459D | Open bite of unspecified hand, subsequent encounter |
| S61.459S | Open bite of unspecified hand, sequela |
| S61.501D | Unspecified open wound of right wrist, subsequent encounter |
| S61.501S | Unspecified open wound of right wrist, sequela |
| S61.502D | Unspecified open wound of left wrist, subsequent encounter |
| S61.502S | Unspecified open wound of left wrist, sequela |
| S61.509D | Unspecified open wound of unspecified wrist, subsequent encounter |
| S61.509S | Unspecified open wound of unspecified wrist, sequela |
| S61.511D | Laceration without foreign body of right wrist, subsequent encounter |
| S61.511S | Laceration without foreign body of right wrist, sequela |
| S61.512D | Laceration without foreign body of left wrist, subsequent encounter |
| S61.512S | Laceration without foreign body of left wrist, sequela |
| S61.519D | Laceration without foreign body of unspecified wrist, subsequent encounter |
| S61.519S | Laceration without foreign body of unspecified wrist, sequela |
| S61.521D | Laceration with foreign body of right wrist, subsequent encounter |
| S61.521S | Laceration with foreign body of right wrist, sequela |
| S61.522D | Laceration with foreign body of left wrist, subsequent encounter |
| S61.522S | Laceration with foreign body of left wrist, sequela |
| S61.529D | Laceration with foreign body of unspecified wrist, subsequent encounter |
| S61.529S | Laceration with foreign body of unspecified wrist, sequela |
| S61.531D | Puncture wound without foreign body of right wrist, subsequent encounter |
| S61.531S | Puncture wound without foreign body of right wrist, sequela |
| S61.532D | Puncture wound without foreign body of left wrist, subsequent encounter |
| S61.532S | Puncture wound without foreign body of left wrist, sequela |
| S61.539D | Puncture wound without foreign body of unspecified wrist, subsequent encounter |
| S61.539S | Puncture wound without foreign body of unspecified wrist, sequela |
| S61.541D | Puncture wound with foreign body of right wrist, subsequent encounter |
| S61.541S | Puncture wound with foreign body of right wrist, sequela |
| S61.542D | Puncture wound with foreign body of left wrist, subsequent encounter |
| S61.542S | Puncture wound with foreign body of left wrist, sequela |
| S61.549D | Puncture wound with foreign body of unspecified wrist, subsequent encounter |
| S61.549S | Puncture wound with foreign body of unspecified wrist, sequela |
| S61.551D | Open bite of right wrist, subsequent encounter |
| S61.551S | Open bite of right wrist, sequela |
| S61.552D | Open bite of left wrist, subsequent encounter |
| S61.552S | Open bite of left wrist, sequela |
| S61.559D | Open bite of unspecified wrist, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S61.559S | Open bite of unspecified wrist, sequela |
| S62.001D | Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing |
| S62.001G | Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing |
| S62.001K | Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion |
| S62.001P | Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion |
| S62.001S | Unspecified fracture of navicular [scaphoid] bone of right wrist, sequela |
| S62.002D | Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing |
| S62.002G | Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing |
| S62.002K | Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion |
| S62.002P | Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion |
| S62.002S | Unspecified fracture of navicular [scaphoid] bone of left wrist, sequela |
| S62.009D | Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.009G | Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.009K | Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.009P | Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion |
| S62.009S | Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, sequela |
| S62.011D | Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing |
| S62.011G | Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing |
| S62.011K | Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion |
| S62.011P | Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion |
| S62.011S | Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, sequela |
| S62.012D | Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing |
| S62.012G | Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing |
| S62.012K | Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion |
| S62.012P | Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion |
| S62.012S | Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, sequela |
| S62.013D | Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.013G | Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.013K | Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.013P | Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion |
| S62.013S | Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, sequela |
| S62.014D | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing |
| S62.014G | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing |
| S62.014K | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion |
| S62.014P | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion |
| S62.014S | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, sequela |
| S62.015D | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing |
| S62.015G | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing |
| S62.015K | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion |
| S62.015P | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion |
| S62.015S | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, sequela |
| S62.016D | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.016G | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.016K | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.016P | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion |
| S62.016S | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, sequela |
| S62.021D | Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing |
| S62.021G | Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing |
| S62.021K | Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion |
| S62.021P | Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion |
| S62.021S | Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, sequela |
| S62.022D | Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.022G | Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing |
| S62.022K | Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion |
| S62.022P | Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion |
| S62.022S | Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, sequela |
| S62.023D | Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.023G | Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.023K | Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.023P | Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion |
| S62.023S | Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, sequela |
| S62.024D | Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing |
| S62.024G | Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing |
| S62.024K | Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion |
| S62.024P | Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion |
| S62.024S | Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, sequela |
| S62.025D | Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing |
| S62.025G | Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing |
| S62.025K | Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion |
| S62.025P | Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion |
| S62.025S | Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, sequela |
| S62.026D | Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.026G | Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.026K | Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.026P | Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion |
| S62.026S | Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, sequela |
| S62.031D | Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.031G | Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing |
| S62.031K | Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion |
| S62.031P | Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion |
| S62.031S | Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, sequela |
| S62.032D | Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing |
| S62.032G | Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing |
| S62.032K | Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion |
| S62.032P | Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion |
| S62.032S | Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, sequela |
| S62.033D | Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.033G | Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.033K | Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.033P | Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion |
| S62.033S | Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, sequela |
| S62.034D | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing |
| S62.034G | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing |
| S62.034K | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion |
| S62.034P | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion |
| S62.034S | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, sequela |
| S62.035D | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing |
| S62.035G | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing |
| S62.035K | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion |
| S62.035P | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion |
| S62.035S | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, sequela |
| S62.036D | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.036G | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.036K | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.036P | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion |
| S62.036S | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, sequela |
| S62.101D | Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with routine healing |
| S62.101G | Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with delayed healing |
| S62.101K | Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with nonunion |
| S62.101P | Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with malunion |
| S62.101S | Fracture of unspecified carpal bone, right wrist, sequela |
| S62.102D | Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with routine healing |
| S62.102G | Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with delayed healing |
| S62.102K | Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with nonunion |
| S62.102P | Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with malunion |
| S62.102S | Fracture of unspecified carpal bone, left wrist, sequela |
| S62.109D | Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.109G | Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.109K | Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.109P | Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.109S | Fracture of unspecified carpal bone, unspecified wrist, sequela |
| S62.111D | Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with routine healing |
| S62.111G | Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with delayed healing |
| S62.111K | Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with nonunion |
| S62.111P | Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with malunion |
| S62.111S | Displaced fracture of triquetrum [cuneiform] bone, right wrist, sequela |
| S62.112D | Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with routine healing |
| S62.112G | Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.112K | Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with nonunion |
| S62.112P | Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with malunion |
| S62.112S | Displaced fracture of triquetrum [cuneiform] bone, left wrist, sequela |
| S62.113D | Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.113G | Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.113K | Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.113P | Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.113S | Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, sequela |
| S62.114D | Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with routine healing |
| S62.114G | Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with delayed healing |
| S62.114K | Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with nonunion |
| S62.114P | Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with malunion |
| S62.114S | Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, sequela |
| S62.115D | Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with routine healing |
| S62.115G | Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with delayed healing |
| S62.115K | Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with nonunion |
| S62.115P | Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with malunion |
| S62.115S | Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, sequela |
| S62.116D | Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.116G | Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.116K | Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.116P | Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.116S | Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, sequela |
| S62.121D | Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with routine healing |
| S62.121G | Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with delayed healing |
| S62.121K | Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.121P | Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with malunion |
| S62.121S | Displaced fracture of lunate [semilunar], right wrist, sequela |
| S62.122D | Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with routine healing |
| S62.122G | Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with delayed healing |
| S62.122K | Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with nonunion |
| S62.122P | Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with malunion |
| S62.122S | Displaced fracture of lunate [semilunar], left wrist, sequela |
| S62.123D | Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.123G | Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.123K | Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.123P | Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with malunion |
| S62.123S | Displaced fracture of lunate [semilunar], unspecified wrist, sequela |
| S62.124D | Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with routine healing |
| S62.124G | Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with delayed healing |
| S62.124K | Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with nonunion |
| S62.124P | Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with malunion |
| S62.124S | Nondisplaced fracture of lunate [semilunar], right wrist, sequela |
| S62.125D | Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with routine healing |
| S62.125G | Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with delayed healing |
| S62.125K | Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with nonunion |
| S62.125P | Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with malunion |
| S62.125S | Nondisplaced fracture of lunate [semilunar], left wrist, sequela |
| S62.126D | Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.126G | Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.126K | Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.126P | Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with malunion |
| S62.126S | Nondisplaced fracture of lunate [semilunar], unspecified wrist, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.131D | Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with routine healing |
| S62.131G | Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with delayed healing |
| S62.131K | Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with nonunion |
| S62.131P | Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with malunion |
| S62.131S | Displaced fracture of capitate [os magnum] bone, right wrist, sequela |
| S62.132D | Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with routine healing |
| S62.132G | Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with delayed healing |
| S62.132K | Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with nonunion |
| S62.132P | Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with malunion |
| S62.132S | Displaced fracture of capitate [os magnum] bone, left wrist, sequela |
| S62.133D | Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.133G | Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.133K | Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.133P | Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.133S | Displaced fracture of capitate [os magnum] bone, unspecified wrist, sequela |
| S62.134D | Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with routine healing |
| S62.134G | Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with delayed healing |
| S62.134K | Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with nonunion |
| S62.134P | Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with malunion |
| S62.134S | Nondisplaced fracture of capitate [os magnum] bone, right wrist, sequela |
| S62.135D | Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with routine healing |
| S62.135G | Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with delayed healing |
| S62.135K | Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with nonunion |
| S62.135P | Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with malunion |
| S62.135S | Nondisplaced fracture of capitate [os magnum] bone, left wrist, sequela |
| S62.136D | Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.136G | Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.136K | Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.136P | Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.136S | Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, sequela |
| S62.141D | Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing |
| S62.141G | Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing |
| S62.141K | Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion |
| S62.141P | Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion |
| S62.141S | Displaced fracture of body of hamate [unciform] bone, right wrist, sequela |
| S62.142D | Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing |
| S62.142G | Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing |
| S62.142K | Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion |
| S62.142P | Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion |
| S62.142S | Displaced fracture of body of hamate [unciform] bone, left wrist, sequela |
| S62.143D | Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.143G | Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.143K | Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.143P | Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.143S | Displaced fracture of body of hamate [unciform] bone, unspecified wrist, sequela |
| S62.144D | Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing |
| S62.144G | Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing |
| S62.144K | Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion |
| S62.144P | Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion |
| S62.144S | Nondisplaced fracture of body of hamate [unciform] bone, right wrist, sequela |
| S62.145D | Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing |
| S62.145G | Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.145K | Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion |
| S62.145P | Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion |
| S62.145S | Nondisplaced fracture of body of hamate [unciform] bone, left wrist, sequela |
| S62.146D | Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.146G | Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.146K | Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.146P | Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.146S | Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, sequela |
| S62.151D | Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing |
| S62.151G | Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing |
| S62.151K | Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion |
| S62.151P | Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion |
| S62.151S | Displaced fracture of hook process of hamate [unciform] bone, right wrist, sequela |
| S62.152D | Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing |
| S62.152G | Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing |
| S62.152K | Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion |
| S62.152P | Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion |
| S62.152S | Displaced fracture of hook process of hamate [unciform] bone, left wrist, sequela |
| S62.153D | Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.153G | Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.153K | Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.153P | Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.153S | Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, sequela |
| S62.154D | Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing |
| S62.154G | Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing |
| S62.154K | Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.154P | Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion |
| S62.154S | Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, sequela |
| S62.155D | Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing |
| S62.155G | Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing |
| S62.155K | Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion |
| S62.155P | Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion |
| S62.155S | Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, sequela |
| S62.156D | Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.156G | Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.156K | Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.156P | Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.156S | Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, sequela |
| S62.161D | Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with routine healing |
| S62.161G | Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with delayed healing |
| S62.161K | Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with nonunion |
| S62.161P | Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with malunion |
| S62.161S | Displaced fracture of pisiform, right wrist, sequela |
| S62.162D | Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with routine healing |
| S62.162G | Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with delayed healing |
| S62.162K | Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with nonunion |
| S62.162P | Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with malunion |
| S62.162S | Displaced fracture of pisiform, left wrist, sequela |
| S62.163D | Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.163G | Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.163K | Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.163P | Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.163S | Displaced fracture of pisiform, unspecified wrist, sequela |
| S62.164D | Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with routine healing |
| S62.164G | Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with delayed healing |
| S62.164K | Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with nonunion |
| S62.164P | Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with malunion |
| S62.164S | Nondisplaced fracture of pisiform, right wrist, sequela |
| S62.165D | Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with routine healing |
| S62.165G | Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with delayed healing |
| S62.165K | Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with nonunion |
| S62.165P | Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with malunion |
| S62.165S | Nondisplaced fracture of pisiform, left wrist, sequela |
| S62.166D | Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.166G | Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.166K | Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.166P | Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with malunion |
| S62.166S | Nondisplaced fracture of pisiform, unspecified wrist, sequela |
| S62.171D | Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with routine healing |
| S62.171G | Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with delayed healing |
| S62.171K | Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with nonunion |
| S62.171P | Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with malunion |
| S62.171S | Displaced fracture of trapezium [larger multangular], right wrist, sequela |
| S62.172D | Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with routine healing |
| S62.172G | Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with delayed healing |
| S62.172K | Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with nonunion |
| S62.172P | Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with malunion |
| S62.172S | Displaced fracture of trapezium [larger multangular], left wrist, sequela |
| S62.173D | Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.173G | Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.173K | Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.173P | Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with malunion |
| S62.173S | Displaced fracture of trapezium [larger multangular], unspecified wrist, sequela |
| S62.174D | Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with routine healing |
| S62.174G | Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with delayed healing |
| S62.174K | Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with nonunion |
| S62.174P | Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with malunion |
| S62.174S | Nondisplaced fracture of trapezium [larger multangular], right wrist, sequela |
| S62.175D | Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with routine healing |
| S62.175G | Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with delayed healing |
| S62.175K | Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with nonunion |
| S62.175P | Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with malunion |
| S62.175S | Nondisplaced fracture of trapezium [larger multangular], left wrist, sequela |
| S62.176D | Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.176G | Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.176K | Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.176P | Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with malunion |
| S62.176S | Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, sequela |
| S62.181D | Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with routine healing |
| S62.181G | Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with delayed healing |
| S62.181K | Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with nonunion |
| S62.181P | Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with malunion |
| S62.181S | Displaced fracture of trapezoid [smaller multangular], right wrist, sequela |
| S62.182D | Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with routine healing |
| S62.182G | Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.182K | Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with nonunion |
| S62.182P | Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with malunion |
| S62.182S | Displaced fracture of trapezoid [smaller multangular], left wrist, sequela |
| S62.183D | Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.183G | Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.183K | Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.183P | Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with malunion |
| S62.183S | Displaced fracture of trapezoid [smaller multangular], unspecified wrist, sequela |
| S62.184D | Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with routine healing |
| S62.184G | Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with delayed healing |
| S62.184K | Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with nonunion |
| S62.184P | Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with malunion |
| S62.184S | Nondisplaced fracture of trapezoid [smaller multangular], right wrist, sequela |
| S62.185D | Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with routine healing |
| S62.185G | Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with delayed healing |
| S62.185K | Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with nonunion |
| S62.185P | Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with malunion |
| S62.185S | Nondisplaced fracture of trapezoid [smaller multangular], left wrist, sequela |
| S62.186D | Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.186G | Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.186K | Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with nonunion |
| S62.186P | Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with malunion |
| S62.186S | Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, sequela |
| S62.201D | Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.201G | Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.201K | Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.201P | Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.201S | Unspecified fracture of first metacarpal bone, right hand, sequela |
| S62.202D | Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.202G | Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.202K | Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.202P | Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.202S | Unspecified fracture of first metacarpal bone, left hand, sequela |
| S62.209D | Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.209G | Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.209K | Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.209P | Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion |
| S62.209S | Unspecified fracture of first metacarpal bone, unspecified hand, sequela |
| S62.211D | Bennett's fracture, right hand, subsequent encounter for fracture with routine healing |
| S62.211G | Bennett's fracture, right hand, subsequent encounter for fracture with delayed healing |
| S62.211K | Bennett's fracture, right hand, subsequent encounter for fracture with nonunion |
| S62.211P | Bennett's fracture, right hand, subsequent encounter for fracture with malunion |
| S62.211S | Bennett's fracture, right hand, sequela |
| S62.212D | Bennett's fracture, left hand, subsequent encounter for fracture with routine healing |
| S62.212G | Bennett's fracture, left hand, subsequent encounter for fracture with delayed healing |
| S62.212K | Bennett's fracture, left hand, subsequent encounter for fracture with nonunion |
| S62.212P | Bennett's fracture, left hand, subsequent encounter for fracture with malunion |
| S62.212S | Bennett's fracture, left hand, sequela |
| S62.213D | Bennett's fracture, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.213G | Bennett's fracture, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.213K | Bennett's fracture, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.213P | Bennett's fracture, unspecified hand, subsequent encounter for fracture with malunion |
| S62.213S | Bennett's fracture, unspecified hand, sequela |
| S62.221D | Displaced Rolando's fracture, right hand, subsequent encounter for fracture with routine healing |
| S62.221G | Displaced Rolando's fracture, right hand, subsequent encounter for fracture with delayed healing |
| S62.221K | Displaced Rolando's fracture, right hand, subsequent encounter for fracture with nonunion |
| S62.221P | Displaced Rolando's fracture, right hand, subsequent encounter for fracture with malunion |
| S62.221S | Displaced Rolando's fracture, right hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.222D | Displaced Rolando's fracture, left hand, subsequent encounter for fracture with routine healing |
| S62.222G | Displaced Rolando's fracture, left hand, subsequent encounter for fracture with delayed healing |
| S62.222K | Displaced Rolando's fracture, left hand, subsequent encounter for fracture with nonunion |
| S62.222P | Displaced Rolando's fracture, left hand, subsequent encounter for fracture with malunion |
| S62.222S | Displaced Rolando's fracture, left hand, sequela |
| S62.223D | Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.223G | Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.223K | Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.223P | Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with malunion |
| S62.223S | Displaced Rolando's fracture, unspecified hand, sequela |
| S62.224D | Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with routine healing |
| S62.224G | Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with delayed healing |
| S62.224K | Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with nonunion |
| S62.224P | Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with malunion |
| S62.224S | Nondisplaced Rolando's fracture, right hand, sequela |
| S62.225D | Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with routine healing |
| S62.225G | Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with delayed healing |
| S62.225K | Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with nonunion |
| S62.225P | Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with malunion |
| S62.225S | Nondisplaced Rolando's fracture, left hand, sequela |
| S62.226D | Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.226G | Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.226K | Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.226P | Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with malunion |
| S62.226S | Nondisplaced Rolando's fracture, unspecified hand, sequela |
| S62.231D | Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.231G | Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.231K | Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.231P | Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.231S | Other displaced fracture of base of first metacarpal bone, right hand, sequela |
| S62.232D | Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.232G | Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.232K | Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.232P | Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.232S | Other displaced fracture of base of first metacarpal bone, left hand, sequela |
| S62.233D | Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.233G | Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.233K | Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.233P | Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion |
| S62.233S | Other displaced fracture of base of first metacarpal bone, unspecified hand, sequela |
| S62.234D | Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.234G | Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.234K | Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.234P | Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.234S | Other nondisplaced fracture of base of first metacarpal bone, right hand, sequela |
| S62.235D | Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.235G | Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.235K | Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.235P | Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.235S | Other nondisplaced fracture of base of first metacarpal bone, left hand, sequela |
| S62.236D | Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.236G | Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.236K | Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.236P | Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion |
| S62.236S | Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, sequela |
| S62.241D | Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.241G | Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.241K | Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.241P | Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.241S | Displaced fracture of shaft of first metacarpal bone, right hand, sequela |
| S62.242D | Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.242G | Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.242K | Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.242P | Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.242S | Displaced fracture of shaft of first metacarpal bone, left hand, sequela |
| S62.243D | Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.243G | Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.243K | Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.243P | Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion |
| S62.243S | Displaced fracture of shaft of first metacarpal bone, unspecified hand, sequela |
| S62.244D | Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.244G | Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.244K | Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.244P | Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.244S | Nondisplaced fracture of shaft of first metacarpal bone, right hand, sequela |
| S62.245D | Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.245G | Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.245K | Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.245P | Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.245S | Nondisplaced fracture of shaft of first metacarpal bone, left hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.246D | Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.246G | Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.246K | Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.246P | Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion |
| S62.246S | Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, sequela |
| S62.251D | Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.251G | Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.251K | Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.251P | Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.251S | Displaced fracture of neck of first metacarpal bone, right hand, sequela |
| S62.252D | Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.252G | Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.252K | Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.252P | Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.252S | Displaced fracture of neck of first metacarpal bone, left hand, sequela |
| S62.253D | Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.253G | Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.253K | Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.253P | Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion |
| S62.253S | Displaced fracture of neck of first metacarpal bone, unspecified hand, sequela |
| S62.254D | Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.254G | Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.254K | Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.254P | Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.254S | Nondisplaced fracture of neck of first metacarpal bone, right hand, sequela |
| S62.255D | Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.255G | Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.255K | Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.255P | Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.255S | Nondisplaced fracture of neck of first metacarpal bone, left hand, sequela |
| S62.256D | Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.256G | Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.256K | Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.256P | Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion |
| S62.256S | Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, sequela |
| S62.291D | Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.291G | Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.291K | Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.291P | Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.291S | Other fracture of first metacarpal bone, right hand, sequela |
| S62.292D | Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.292G | Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.292K | Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.292P | Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.292S | Other fracture of first metacarpal bone, left hand, sequela |
| S62.299D | Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.299G | Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.299K | Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion |
| S62.299P | Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion |
| S62.299S | Other fracture of first metacarpal bone, unspecified hand, sequela |
| S62.300D | Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.300G | Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.300K | Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.300P | Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.300S | Unspecified fracture of second metacarpal bone, right hand, sequela |
| S62.301D | Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.301G | Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.301K | Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.301P | Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.301S | Unspecified fracture of second metacarpal bone, left hand, sequela |
| S62.302D | Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.302G | Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.302K | Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.302P | Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.302S | Unspecified fracture of third metacarpal bone, right hand, sequela |
| S62.303D | Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.303G | Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.303K | Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.303P | Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.303S | Unspecified fracture of third metacarpal bone, left hand, sequela |
| S62.304D | Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.304G | Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.304K | Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.304P | Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.304S | Unspecified fracture of fourth metacarpal bone, right hand, sequela |
| S62.305D | Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.305G | Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.305K | Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.305P | Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.305S | Unspecified fracture of fourth metacarpal bone, left hand, sequela |
| S62.306D | Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.306G | Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.306K | Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.306P | Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.306S | Unspecified fracture of fifth metacarpal bone, right hand, sequela |
| S62.307D | Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.307G | Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.307K | Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.307P | Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.307S | Unspecified fracture of fifth metacarpal bone, left hand, sequela |
| S62.308D | Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.308G | Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.308K | Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.308P | Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with malunion |
| S62.308S | Unspecified fracture of other metacarpal bone, sequela |
| S62.309D | Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.309G | Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.309K | Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.309P | Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with malunion |
| S62.309S | Unspecified fracture of unspecified metacarpal bone, sequela |
| S62.310D | Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.310G | Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.310K | Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.310P | Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.310S | Displaced fracture of base of second metacarpal bone, right hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.311D | Displaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with routine healing |
| S62.311G | Displaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with delayed healing |
| S62.311K | Displaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with nonunion |
| S62.311P | Displaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with malunion |
| S62.311S | Displaced fracture of base of second metacarpal bone. left hand, sequela |
| S62.312D | Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.312G | Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.312K | Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.312P | Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.312S | Displaced fracture of base of third metacarpal bone, right hand, sequela |
| S62.313D | Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.313G | Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.313K | Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.313P | Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.313S | Displaced fracture of base of third metacarpal bone, left hand, sequela |
| S62.314D | Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.314G | Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.314K | Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.314P | Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.314S | Displaced fracture of base of fourth metacarpal bone, right hand, sequela |
| S62.315D | Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.315G | Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.315K | Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.315P | Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.315S | Displaced fracture of base of fourth metacarpal bone, left hand, sequela |
| S62.316D | Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.316G | Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.316K | Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.316P | Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.316S | Displaced fracture of base of fifth metacarpal bone, right hand, sequela |
| S62.317D | Displaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with routine healing |
| S62.317G | Displaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with delayed healing |
| S62.317K | Displaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with nonunion |
| S62.317P | Displaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with malunion |
| S62.317S | Displaced fracture of base of fifth metacarpal bone. left hand, sequela |
| S62.318D | Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.318G | Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.318K | Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.318P | Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with malunion |
| S62.318S | Displaced fracture of base of other metacarpal bone, sequela |
| S62.319D | Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.319G | Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.319K | Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.319P | Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with malunion |
| S62.319S | Displaced fracture of base of unspecified metacarpal bone, sequela |
| S62.320D | Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.320G | Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.320K | Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.320P | Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.320S | Displaced fracture of shaft of second metacarpal bone, right hand, sequela |
| S62.321D | Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.321G | Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.321K | Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.321P | Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.321S | Displaced fracture of shaft of second metacarpal bone, left hand, sequela |
| S62.322D | Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.322G | Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.322K | Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.322P | Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.322S | Displaced fracture of shaft of third metacarpal bone, right hand, sequela |
| S62.323D | Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.323G | Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.323K | Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.323P | Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.323S | Displaced fracture of shaft of third metacarpal bone, left hand, sequela |
| S62.324D | Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.324G | Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.324K | Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.324P | Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.324S | Displaced fracture of shaft of fourth metacarpal bone, right hand, sequela |
| S62.325D | Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.325G | Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.325K | Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.325P | Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.325S | Displaced fracture of shaft of fourth metacarpal bone, left hand, sequela |
| S62.326D | Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.326G | Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.326K | Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.326P | Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.326S | Displaced fracture of shaft of fifth metacarpal bone, right hand, sequela |
| S62.327D | Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.327G | Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.327K | Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.327P | Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.327S | Displaced fracture of shaft of fifth metacarpal bone, left hand, sequela |
| S62.328D | Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.328G | Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.328K | Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.328P | Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with malunion |
| S62.328S | Displaced fracture of shaft of other metacarpal bone, sequela |
| S62.329D | Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.329G | Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.329K | Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.329P | Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with malunion |
| S62.329S | Displaced fracture of shaft of unspecified metacarpal bone, sequela |
| S62.330D | Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.330G | Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.330K | Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.330P | Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.330S | Displaced fracture of neck of second metacarpal bone, right hand, sequela |
| S62.331D | Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.331G | Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.331K | Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.331P | Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.331S | Displaced fracture of neck of second metacarpal bone, left hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.332D | Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.332G | Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.332K | Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.332P | Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.332S | Displaced fracture of neck of third metacarpal bone, right hand, sequela |
| S62.333D | Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.333G | Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.333K | Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.333P | Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.333S | Displaced fracture of neck of third metacarpal bone, left hand, sequela |
| S62.334D | Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.334G | Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.334K | Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.334P | Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.334S | Displaced fracture of neck of fourth metacarpal bone, right hand, sequela |
| S62.335D | Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.335G | Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.335K | Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.335P | Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.335S | Displaced fracture of neck of fourth metacarpal bone, left hand, sequela |
| S62.336D | Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.336G | Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.336K | Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.336P | Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.336S | Displaced fracture of neck of fifth metacarpal bone, right hand, sequela |
| S62.337D | Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.337G | Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.337K | Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.337P | Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.337S | Displaced fracture of neck of fifth metacarpal bone, left hand, sequela |
| S62.338D | Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.338G | Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.338K | Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.338P | Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with malunion |
| S62.338S | Displaced fracture of neck of other metacarpal bone, sequela |
| S62.339D | Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.339G | Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.339K | Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.339P | Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with malunion |
| S62.339S | Displaced fracture of neck of unspecified metacarpal bone, sequela |
| S62.340D | Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.340G | Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.340K | Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.340P | Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.340S | Nondisplaced fracture of base of second metacarpal bone, right hand, sequela |
| S62.341D | Nondisplaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with routine healing |
| S62.341G | Nondisplaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with delayed healing |
| S62.341K | Nondisplaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with nonunion |
| S62.341P | Nondisplaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with malunion |
| S62.341S | Nondisplaced fracture of base of second metacarpal bone. left hand, sequela |
| S62.342D | Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.342G | Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.342K | Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.342P | Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.342S | Nondisplaced fracture of base of third metacarpal bone, right hand, sequela |
| S62.343D | Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.343G | Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.343K | Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.343P | Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.343S | Nondisplaced fracture of base of third metacarpal bone, left hand, sequela |
| S62.344D | Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.344G | Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.344K | Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.344P | Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.344S | Nondisplaced fracture of base of fourth metacarpal bone, right hand, sequela |
| S62.345D | Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.345G | Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.345K | Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.345P | Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.345S | Nondisplaced fracture of base of fourth metacarpal bone, left hand, sequela |
| S62.346D | Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.346G | Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.346K | Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.346P | Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.346S | Nondisplaced fracture of base of fifth metacarpal bone, right hand, sequela |
| S62.347D | Nondisplaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with routine healing |
| S62.347G | Nondisplaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with delayed healing |
| S62.347K | Nondisplaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.347P | Nondisplaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with malunion |
| S62.347S | Nondisplaced fracture of base of fifth metacarpal bone. left hand, sequela |
| S62.348D | Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.348G | Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.348K | Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.348P | Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with malunion |
| S62.348S | Nondisplaced fracture of base of other metacarpal bone, sequela |
| S62.349D | Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.349G | Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.349K | Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.349P | Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with malunion |
| S62.349S | Nondisplaced fracture of base of unspecified metacarpal bone, sequela |
| S62.350D | Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.350G | Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.350K | Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.350P | Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.350S | Nondisplaced fracture of shaft of second metacarpal bone, right hand, sequela |
| S62.351D | Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.351G | Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.351K | Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.351P | Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.351S | Nondisplaced fracture of shaft of second metacarpal bone, left hand, sequela |
| S62.352D | Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.352G | Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.352K | Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.352P | Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.352S | Nondisplaced fracture of shaft of third metacarpal bone, right hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.353D | Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.353G | Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.353K | Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.353P | Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.353S | Nondisplaced fracture of shaft of third metacarpal bone, left hand, sequela |
| S62.354D | Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.354G | Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.354K | Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.354P | Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.354S | Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, sequela |
| S62.355D | Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.355G | Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.355K | Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.355P | Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.355S | Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, sequela |
| S62.356D | Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.356G | Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.356K | Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.356P | Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.356S | Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, sequela |
| S62.357D | Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.357G | Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.357K | Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.357P | Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.357S | Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, sequela |
| S62.358D | Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.358G | Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.358K | Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.358P | Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with malunion |
| S62.358S | Nondisplaced fracture of shaft of other metacarpal bone, sequela |
| S62.359D | Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.359G | Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.359K | Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.359P | Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with malunion |
| S62.359S | Nondisplaced fracture of shaft of unspecified metacarpal bone, sequela |
| S62.360D | Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.360G | Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.360K | Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.360P | Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.360S | Nondisplaced fracture of neck of second metacarpal bone, right hand, sequela |
| S62.361D | Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.361G | Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.361K | Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.361P | Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.361S | Nondisplaced fracture of neck of second metacarpal bone, left hand, sequela |
| S62.362D | Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.362G | Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.362K | Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.362P | Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.362S | Nondisplaced fracture of neck of third metacarpal bone, right hand, sequela |
| S62.363D | Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.363G | Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.363K | Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.363P | Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.363S | Nondisplaced fracture of neck of third metacarpal bone, left hand, sequela |
| S62.364D | Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.364G | Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.364K | Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.364P | Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.364S | Nondisplaced fracture of neck of fourth metacarpal bone, right hand, sequela |
| S62.365D | Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.365G | Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.365K | Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.365P | Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.365S | Nondisplaced fracture of neck of fourth metacarpal bone, left hand, sequela |
| S62.366D | Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.366G | Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.366K | Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.366P | Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.366S | Nondisplaced fracture of neck of fifth metacarpal bone, right hand, sequela |
| S62.367D | Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.367G | Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.367K | Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.367P | Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.367S | Nondisplaced fracture of neck of fifth metacarpal bone, left hand, sequela |
| S62.368D | Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.368G | Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.368K | Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.368P | Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with malunion |
| S62.368S | Nondisplaced fracture of neck of other metacarpal bone, sequela |
| S62.369D | Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.369G | Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.369K | Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.369P | Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with malunion |
| S62.369S | Nondisplaced fracture of neck of unspecified metacarpal bone, sequela |
| S62.390D | Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.390G | Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.390K | Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.390P | Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.390S | Other fracture of second metacarpal bone, right hand, sequela |
| S62.391D | Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.391G | Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.391K | Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.391P | Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.391S | Other fracture of second metacarpal bone, left hand, sequela |
| S62.392D | Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.392G | Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.392K | Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.392P | Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.392S | Other fracture of third metacarpal bone, right hand, sequela |
| S62.393D | Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.393G | Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.393K | Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.393P | Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.393S | Other fracture of third metacarpal bone, left hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.394D | Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.394G | Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.394K | Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.394P | Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.394S | Other fracture of fourth metacarpal bone, right hand, sequela |
| S62.395D | Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.395G | Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.395K | Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.395P | Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.395S | Other fracture of fourth metacarpal bone, left hand, sequela |
| S62.396D | Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.396G | Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.396K | Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion |
| S62.396P | Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion |
| S62.396S | Other fracture of fifth metacarpal bone, right hand, sequela |
| S62.397D | Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.397G | Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.397K | Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion |
| S62.397P | Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion |
| S62.397S | Other fracture of fifth metacarpal bone, left hand, sequela |
| S62.398D | Other fracture of other metacarpal bone, subsequent encounter for fracture with routine healing |
| S62.398G | Other fracture of other metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.398K | Other fracture of other metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.398P | Other fracture of other metacarpal bone, subsequent encounter for fracture with malunion |
| S62.398S | Other fracture of other metacarpal bone, sequela |
| S62.399D | Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.399G | Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing |
| S62.399K | Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with nonunion |
| S62.399P | Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with malunion |
| S62.399S | Other fracture of unspecified metacarpal bone, sequela |
| S62.501D | Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with routine healing |
| S62.501G | Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with delayed healing |
| S62.501K | Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with nonunion |
| S62.501P | Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with malunion |
| S62.501S | Fracture of unspecified phalanx of right thumb, sequela |
| S62.502D | Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with routine healing |
| S62.502G | Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with delayed healing |
| S62.502K | Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with nonunion |
| S62.502P | Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with malunion |
| S62.502S | Fracture of unspecified phalanx of left thumb, sequela |
| S62.509D | Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with routine healing |
| S62.509G | Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing |
| S62.509K | Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with nonunion |
| S62.509P | Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with malunion |
| S62.509S | Fracture of unspecified phalanx of unspecified thumb, sequela |
| S62.511D | Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with routine healing |
| S62.511G | Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with delayed healing |
| S62.511K | Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with nonunion |
| S62.511P | Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with malunion |
| S62.511S | Displaced fracture of proximal phalanx of right thumb, sequela |
| S62.512D | Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with routine healing |
| S62.512G | Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.512K | Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with nonunion |
| S62.512P | Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with malunion |
| S62.512S | Displaced fracture of proximal phalanx of left thumb, sequela |
| S62.513D | Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing |
| S62.513G | Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing |
| S62.513K | Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion |
| S62.513P | Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with malunion |
| S62.513S | Displaced fracture of proximal phalanx of unspecified thumb, sequela |
| S62.514D | Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with routine healing |
| S62.514G | Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with delayed healing |
| S62.514K | Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with nonunion |
| S62.514P | Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with malunion |
| S62.514S | Nondisplaced fracture of proximal phalanx of right thumb, sequela |
| S62.515D | Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with routine healing |
| S62.515G | Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with delayed healing |
| S62.515K | Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with nonunion |
| S62.515P | Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with malunion |
| S62.515S | Nondisplaced fracture of proximal phalanx of left thumb, sequela |
| S62.516D | Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing |
| S62.516G | Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing |
| S62.516K | Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion |
| S62.516P | Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with malunion |
| S62.516S | Nondisplaced fracture of proximal phalanx of unspecified thumb, sequela |
| S62.521D | Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with routine healing |
| S62.521G | Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with delayed healing |
| S62.521K | Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.521P | Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with malunion |
| S62.521S | Displaced fracture of distal phalanx of right thumb, sequela |
| S62.522D | Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with routine healing |
| S62.522G | Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with delayed healing |
| S62.522K | Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with nonunion |
| S62.522P | Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with malunion |
| S62.522S | Displaced fracture of distal phalanx of left thumb, sequela |
| S62.523D | Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing |
| S62.523G | Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing |
| S62.523K | Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion |
| S62.523P | Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with malunion |
| S62.523S | Displaced fracture of distal phalanx of unspecified thumb, sequela |
| S62.524D | Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with routine healing |
| S62.524G | Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with delayed healing |
| S62.524K | Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with nonunion |
| S62.524P | Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with malunion |
| S62.524S | Nondisplaced fracture of distal phalanx of right thumb, sequela |
| S62.525D | Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with routine healing |
| S62.525G | Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with delayed healing |
| S62.525K | Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with nonunion |
| S62.525P | Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with malunion |
| S62.525S | Nondisplaced fracture of distal phalanx of left thumb, sequela |
| S62.526D | Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing |
| S62.526G | Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing |
| S62.526K | Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion |
| S62.526P | Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with malunion |
| S62.526S | Nondisplaced fracture of distal phalanx of unspecified thumb, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.600D | Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with routine healing |
| S62.600G | Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with delayed healing |
| S62.600K | Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with nonunion |
| S62.600P | Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with malunion |
| S62.600S | Fracture of unspecified phalanx of right index finger, sequela |
| S62.601D | Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with routine healing |
| S62.601G | Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with delayed healing |
| S62.601K | Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with nonunion |
| S62.601P | Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with malunion |
| S62.601S | Fracture of unspecified phalanx of left index finger, sequela |
| S62.602D | Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.602G | Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.602K | Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with nonunion |
| S62.602P | Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with malunion |
| S62.602S | Fracture of unspecified phalanx of right middle finger, sequela |
| S62.603D | Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with routine healing |
| S62.603G | Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with delayed healing |
| S62.603K | Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with nonunion |
| S62.603P | Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with malunion |
| S62.603S | Fracture of unspecified phalanx of left middle finger, sequela |
| S62.604D | Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with routine healing |
| S62.604G | Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with delayed healing |
| S62.604K | Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with nonunion |
| S62.604P | Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with malunion |
| S62.604S | Fracture of unspecified phalanx of right ring finger, sequela |
| S62.605D | Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.605G | Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with delayed healing |
| S62.605K | Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with nonunion |
| S62.605P | Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with malunion |
| S62.605S | Fracture of unspecified phalanx of left ring finger, sequela |
| S62.606D | Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.606G | Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.606K | Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with nonunion |
| S62.606P | Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with malunion |
| S62.606S | Fracture of unspecified phalanx of right little finger, sequela |
| S62.607D | Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with routine healing |
| S62.607G | Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with delayed healing |
| S62.607K | Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with nonunion |
| S62.607P | Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with malunion |
| S62.607S | Fracture of unspecified phalanx of left little finger, sequela |
| S62.608D | Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with routine healing |
| S62.608G | Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with delayed healing |
| S62.608K | Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with nonunion |
| S62.608P | Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with malunion |
| S62.608S | Fracture of unspecified phalanx of other finger, sequela |
| S62.609D | Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with routine healing |
| S62.609G | Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with delayed healing |
| S62.609K | Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with nonunion |
| S62.609P | Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with malunion |
| S62.609S | Fracture of unspecified phalanx of unspecified finger, sequela |
| S62.610D | Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with routine healing |
| S62.610G | Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.610K | Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with nonunion |
| S62.610P | Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with malunion |
| S62.610S | Displaced fracture of proximal phalanx of right index finger, sequela |
| S62.611D | Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with routine healing |
| S62.611G | Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with delayed healing |
| S62.611K | Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with nonunion |
| S62.611P | Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with malunion |
| S62.611S | Displaced fracture of proximal phalanx of left index finger, sequela |
| S62.612D | Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.612G | Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.612K | Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with nonunion |
| S62.612P | Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with malunion |
| S62.612S | Displaced fracture of proximal phalanx of right middle finger, sequela |
| S62.613D | Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with routine healing |
| S62.613G | Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with delayed healing |
| S62.613K | Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with nonunion |
| S62.613P | Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with malunion |
| S62.613S | Displaced fracture of proximal phalanx of left middle finger, sequela |
| S62.614D | Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with routine healing |
| S62.614G | Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with delayed healing |
| S62.614K | Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with nonunion |
| S62.614P | Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with malunion |
| S62.614S | Displaced fracture of proximal phalanx of right ring finger, sequela |
| S62.615D | Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with routine healing |
| S62.615G | Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with delayed healing |
| S62.615K | Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.615P | Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with malunion |
| S62.615S | Displaced fracture of proximal phalanx of left ring finger, sequela |
| S62.616D | Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.616G | Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.616K | Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with nonunion |
| S62.616P | Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with malunion |
| S62.616S | Displaced fracture of proximal phalanx of right little finger, sequela |
| S62.617D | Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with routine healing |
| S62.617G | Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with delayed healing |
| S62.617K | Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with nonunion |
| S62.617P | Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with malunion |
| S62.617S | Displaced fracture of proximal phalanx of left little finger, sequela |
| S62.618D | Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with routine healing |
| S62.618G | Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with delayed healing |
| S62.618K | Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with nonunion |
| S62.618P | Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with malunion |
| S62.618S | Displaced fracture of proximal phalanx of other finger, sequela |
| S62.619D | Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with routine healing |
| S62.619G | Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing |
| S62.619K | Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with nonunion |
| S62.619P | Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with malunion |
| S62.619S | Displaced fracture of proximal phalanx of unspecified finger, sequela |
| S62.620D | Displaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with routine healing |
| S62.620G | Displaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with delayed healing |
| S62.620K | Displaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with nonunion |
| S62.620P | Displaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with malunion |
| S62.620S | Displaced fracture of medial phalanx of right index finger, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.621D | Displaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with routine healing |
| S62.621G | Displaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with delayed healing |
| S62.621K | Displaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with nonunion |
| S62.621P | Displaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with malunion |
| S62.621S | Displaced fracture of medial phalanx of left index finger, sequela |
| S62.622D | Displaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.622G | Displaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.622K | Displaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with nonunion |
| S62.622P | Displaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with malunion |
| S62.622S | Displaced fracture of medial phalanx of right middle finger, sequela |
| S62.623D | Displaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with routine healing |
| S62.623G | Displaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with delayed healing |
| S62.623K | Displaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with nonunion |
| S62.623P | Displaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with malunion |
| S62.623S | Displaced fracture of medial phalanx of left middle finger, sequela |
| S62.624D | Displaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with routine healing |
| S62.624G | Displaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with delayed healing |
| S62.624K | Displaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with nonunion |
| S62.624P | Displaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with malunion |
| S62.624S | Displaced fracture of medial phalanx of right ring finger, sequela |
| S62.625D | Displaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with routine healing |
| S62.625G | Displaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with delayed healing |
| S62.625K | Displaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with nonunion |
| S62.625P | Displaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with malunion |
| S62.625S | Displaced fracture of medial phalanx of left ring finger, sequela |
| S62.626D | Displaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.626G | Displaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.626K | Displaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with nonunion |
| S62.626P | Displaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with malunion |
| S62.626S | Displaced fracture of medial phalanx of right little finger, sequela |
| S62.627D | Displaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with routine healing |
| S62.627G | Displaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with delayed healing |
| S62.627K | Displaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with nonunion |
| S62.627P | Displaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with malunion |
| S62.627S | Displaced fracture of medial phalanx of left little finger, sequela |
| S62.628D | Displaced fracture of medial phalanx of other finger, subsequent encounter for fracture with routine healing |
| S62.628G | Displaced fracture of medial phalanx of other finger, subsequent encounter for fracture with delayed healing |
| S62.628K | Displaced fracture of medial phalanx of other finger, subsequent encounter for fracture with nonunion |
| S62.628P | Displaced fracture of medial phalanx of other finger, subsequent encounter for fracture with malunion |
| S62.628S | Displaced fracture of medial phalanx of other finger, sequela |
| S62.629D | Displaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with routine healing |
| S62.629G | Displaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with delayed healing |
| S62.629K | Displaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with nonunion |
| S62.629P | Displaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with malunion |
| S62.629S | Displaced fracture of medial phalanx of unspecified finger, sequela |
| S62.630D | Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with routine healing |
| S62.630G | Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with delayed healing |
| S62.630K | Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with nonunion |
| S62.630P | Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with malunion |
| S62.630S | Displaced fracture of distal phalanx of right index finger, sequela |
| S62.631D | Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with routine healing |
| S62.631G | Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.631K | Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with nonunion |
| S62.631P | Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with malunion |
| S62.631S | Displaced fracture of distal phalanx of left index finger, sequela |
| S62.632D | Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.632G | Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.632K | Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with nonunion |
| S62.632P | Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with malunion |
| S62.632S | Displaced fracture of distal phalanx of right middle finger, sequela |
| S62.633D | Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with routine healing |
| S62.633G | Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with delayed healing |
| S62.633K | Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with nonunion |
| S62.633P | Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with malunion |
| S62.633S | Displaced fracture of distal phalanx of left middle finger, sequela |
| S62.634D | Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with routine healing |
| S62.634G | Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with delayed healing |
| S62.634K | Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with nonunion |
| S62.634P | Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with malunion |
| S62.634S | Displaced fracture of distal phalanx of right ring finger, sequela |
| S62.635D | Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with routine healing |
| S62.635G | Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with delayed healing |
| S62.635K | Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with nonunion |
| S62.635P | Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with malunion |
| S62.635S | Displaced fracture of distal phalanx of left ring finger, sequela |
| S62.636D | Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.636G | Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.636K | Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.636P | Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with malunion |
| S62.636S | Displaced fracture of distal phalanx of right little finger, sequela |
| S62.637D | Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with routine healing |
| S62.637G | Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with delayed healing |
| S62.637K | Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with nonunion |
| S62.637P | Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with malunion |
| S62.637S | Displaced fracture of distal phalanx of left little finger, sequela |
| S62.638D | Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with routine healing |
| S62.638G | Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with delayed healing |
| S62.638K | Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with nonunion |
| S62.638P | Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with malunion |
| S62.638S | Displaced fracture of distal phalanx of other finger, sequela |
| S62.639D | Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with routine healing |
| S62.639G | Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing |
| S62.639K | Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with nonunion |
| S62.639P | Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with malunion |
| S62.639S | Displaced fracture of distal phalanx of unspecified finger, sequela |
| S62.640D | Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with routine healing |
| S62.640G | Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with delayed healing |
| S62.640K | Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with nonunion |
| S62.640P | Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with malunion |
| S62.640S | Nondisplaced fracture of proximal phalanx of right index finger, sequela |
| S62.641D | Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with routine healing |
| S62.641G | Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with delayed healing |
| S62.641K | Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with nonunion |
| S62.641P | Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with malunion |
| S62.641S | Nondisplaced fracture of proximal phalanx of left index finger, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.642D | Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.642G | Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.642K | Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with nonunion |
| S62.642P | Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with malunion |
| S62.642S | Nondisplaced fracture of proximal phalanx of right middle finger, sequela |
| S62.643D | Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with routine healing |
| S62.643G | Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with delayed healing |
| S62.643K | Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with nonunion |
| S62.643P | Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with malunion |
| S62.643S | Nondisplaced fracture of proximal phalanx of left middle finger, sequela |
| S62.644D | Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with routine healing |
| S62.644G | Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with delayed healing |
| S62.644K | Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with nonunion |
| S62.644P | Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with malunion |
| S62.644S | Nondisplaced fracture of proximal phalanx of right ring finger, sequela |
| S62.645D | Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with routine healing |
| S62.645G | Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with delayed healing |
| S62.645K | Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with nonunion |
| S62.645P | Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with malunion |
| S62.645S | Nondisplaced fracture of proximal phalanx of left ring finger, sequela |
| S62.646D | Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.646G | Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.646K | Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with nonunion |
| S62.646P | Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with malunion |
| S62.646S | Nondisplaced fracture of proximal phalanx of right little finger, sequela |
| S62.647D | Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.647G | Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with delayed healing |
| S62.647K | Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with nonunion |
| S62.647P | Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with malunion |
| S62.647S | Nondisplaced fracture of proximal phalanx of left little finger, sequela |
| S62.648D | Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with routine healing |
| S62.648G | Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with delayed healing |
| S62.648K | Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with nonunion |
| S62.648P | Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with malunion |
| S62.648S | Nondisplaced fracture of proximal phalanx of other finger, sequela |
| S62.649D | Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with routine healing |
| S62.649G | Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing |
| S62.649K | Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with nonunion |
| S62.649P | Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with malunion |
| S62.649S | Nondisplaced fracture of proximal phalanx of unspecified finger, sequela |
| S62.650D | Nondisplaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with routine healing |
| S62.650G | Nondisplaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with delayed healing |
| S62.650K | Nondisplaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with nonunion |
| S62.650P | Nondisplaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with malunion |
| S62.650S | Nondisplaced fracture of medial phalanx of right index finger, sequela |
| S62.651D | Nondisplaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with routine healing |
| S62.651G | Nondisplaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with delayed healing |
| S62.651K | Nondisplaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with nonunion |
| S62.651P | Nondisplaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with malunion |
| S62.651S | Nondisplaced fracture of medial phalanx of left index finger, sequela |
| S62.652D | Nondisplaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.652G | Nondisplaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.652K | Nondisplaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with nonunion |
| S62.652P | Nondisplaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with malunion |
| S62.652S | Nondisplaced fracture of medial phalanx of right middle finger, sequela |
| S62.653D | Nondisplaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with routine healing |
| S62.653G | Nondisplaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with delayed healing |
| S62.653K | Nondisplaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with nonunion |
| S62.653P | Nondisplaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with malunion |
| S62.653S | Nondisplaced fracture of medial phalanx of left middle finger, sequela |
| S62.654D | Nondisplaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with routine healing |
| S62.654G | Nondisplaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with delayed healing |
| S62.654K | Nondisplaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with nonunion |
| S62.654P | Nondisplaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with malunion |
| S62.654S | Nondisplaced fracture of medial phalanx of right ring finger, sequela |
| S62.655D | Nondisplaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with routine healing |
| S62.655G | Nondisplaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with delayed healing |
| S62.655K | Nondisplaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with nonunion |
| S62.655P | Nondisplaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with malunion |
| S62.655S | Nondisplaced fracture of medial phalanx of left ring finger, sequela |
| S62.656D | Nondisplaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.656G | Nondisplaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.656K | Nondisplaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with nonunion |
| S62.656P | Nondisplaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with malunion |
| S62.656S | Nondisplaced fracture of medial phalanx of right little finger, sequela |
| S62.657D | Nondisplaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with routine healing |
| S62.657G | Nondisplaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with delayed healing |
| S62.657K | Nondisplaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.657P | Nondisplaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with malunion |
| S62.657S | Nondisplaced fracture of medial phalanx of left little finger, sequela |
| S62.658D | Nondisplaced fracture of medial phalanx of other finger, subsequent encounter for fracture with routine healing |
| S62.658G | Nondisplaced fracture of medial phalanx of other finger, subsequent encounter for fracture with delayed healing |
| S62.658K | Nondisplaced fracture of medial phalanx of other finger, subsequent encounter for fracture with nonunion |
| S62.658P | Nondisplaced fracture of medial phalanx of other finger, subsequent encounter for fracture with malunion |
| S62.658S | Nondisplaced fracture of medial phalanx of other finger, sequela |
| S62.659D | Nondisplaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with routine healing |
| S62.659G | Nondisplaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with delayed healing |
| S62.659K | Nondisplaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with nonunion |
| S62.659P | Nondisplaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with malunion |
| S62.659S | Nondisplaced fracture of medial phalanx of unspecified finger, sequela |
| S62.660D | Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with routine healing |
| S62.660G | Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with delayed healing |
| S62.660K | Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with nonunion |
| S62.660P | Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with malunion |
| S62.660S | Nondisplaced fracture of distal phalanx of right index finger, sequela |
| S62.661D | Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with routine healing |
| S62.661G | Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with delayed healing |
| S62.661K | Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with nonunion |
| S62.661P | Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with malunion |
| S62.661S | Nondisplaced fracture of distal phalanx of left index finger, sequela |
| S62.662D | Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.662G | Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.662K | Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with nonunion |
| S62.662P | Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with malunion |
| S62.662S | Nondisplaced fracture of distal phalanx of right middle finger, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.663D | Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with routine healing |
| S62.663G | Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with delayed healing |
| S62.663K | Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with nonunion |
| S62.663P | Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with malunion |
| S62.663S | Nondisplaced fracture of distal phalanx of left middle finger, sequela |
| S62.664D | Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with routine healing |
| S62.664G | Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with delayed healing |
| S62.664K | Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with nonunion |
| S62.664P | Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with malunion |
| S62.664S | Nondisplaced fracture of distal phalanx of right ring finger, sequela |
| S62.665D | Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with routine healing |
| S62.665G | Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with delayed healing |
| S62.665K | Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with nonunion |
| S62.665P | Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with malunion |
| S62.665S | Nondisplaced fracture of distal phalanx of left ring finger, sequela |
| S62.666D | Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.666G | Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.666K | Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with nonunion |
| S62.666P | Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with malunion |
| S62.666S | Nondisplaced fracture of distal phalanx of right little finger, sequela |
| S62.667D | Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with routine healing |
| S62.667G | Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with delayed healing |
| S62.667K | Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with nonunion |
| S62.667P | Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with malunion |
| S62.667S | Nondisplaced fracture of distal phalanx of left little finger, sequela |
| S62.668D | Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S62.668G | Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with delayed healing |
| S62.668K | Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with nonunion |
| S62.668P | Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with malunion |
| S62.668S | Nondisplaced fracture of distal phalanx of other finger, sequela |
| S62.669D | Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with routine healing |
| S62.669G | Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing |
| S62.669K | Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with nonunion |
| S62.669P | Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with malunion |
| S62.669S | Nondisplaced fracture of distal phalanx of unspecified finger, sequela |
| S62.90XD | Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with routine healing |
| S62.90XG | Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with delayed healing |
| S62.90XK | Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with nonunion |
| S62.90XP | Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with malunion |
| S62.90XS | Unspecified fracture of unspecified wrist and hand, sequela |
| S62.91XD | Unspecified fracture of right wrist and hand, subsequent encounter for fracture with routine healing |
| S62.91XG | Unspecified fracture of right wrist and hand, subsequent encounter for fracture with delayed healing |
| S62.91XK | Unspecified fracture of right wrist and hand, subsequent encounter for fracture with nonunion |
| S62.91XP | Unspecified fracture of right wrist and hand, subsequent encounter for fracture with malunion |
| S62.91XS | Unspecified fracture of right wrist and hand, sequela |
| S62.92XD | Unspecified fracture of left wrist and hand, subsequent encounter for fracture with routine healing |
| S62.92XG | Unspecified fracture of left wrist and hand, subsequent encounter for fracture with delayed healing |
| S62.92XK | Unspecified fracture of left wrist and hand, subsequent encounter for fracture with nonunion |
| S62.92XP | Unspecified fracture of left wrist and hand, subsequent encounter for fracture with malunion |
| S62.92XS | Unspecified fracture of left wrist and hand, sequela |
| S63.001D | Unspecified subluxation of right wrist and hand, subsequent encounter |
| S63.001S | Unspecified subluxation of right wrist and hand, sequela |
| S63.002D | Unspecified subluxation of left wrist and hand, subsequent encounter |
| S63.002S | Unspecified subluxation of left wrist and hand, sequela |
| S63.003D | Unspecified subluxation of unspecified wrist and hand, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.003S | Unspecified subluxation of unspecified wrist and hand, sequela |
| S63.004D | Unspecified dislocation of right wrist and hand, subsequent encounter |
| S63.004S | Unspecified dislocation of right wrist and hand, sequela |
| S63.005D | Unspecified dislocation of left wrist and hand, subsequent encounter |
| S63.005S | Unspecified dislocation of left wrist and hand, sequela |
| S63.006D | Unspecified dislocation of unspecified wrist and hand, subsequent encounter |
| S63.006S | Unspecified dislocation of unspecified wrist and hand, sequela |
| S63.011D | Subluxation of distal radioulnar joint of right wrist, subsequent encounter |
| S63.011S | Subluxation of distal radioulnar joint of right wrist, sequela |
| S63.012D | Subluxation of distal radioulnar joint of left wrist, subsequent encounter |
| S63.012S | Subluxation of distal radioulnar joint of left wrist, sequela |
| S63.013D | Subluxation of distal radioulnar joint of unspecified wrist, subsequent encounter |
| S63.013S | Subluxation of distal radioulnar joint of unspecified wrist, sequela |
| S63.014D | Dislocation of distal radioulnar joint of right wrist, subsequent encounter |
| S63.014S | Dislocation of distal radioulnar joint of right wrist, sequela |
| S63.015D | Dislocation of distal radioulnar joint of left wrist, subsequent encounter |
| S63.015S | Dislocation of distal radioulnar joint of left wrist, sequela |
| S63.016D | Dislocation of distal radioulnar joint of unspecified wrist, subsequent encounter |
| S63.016S | Dislocation of distal radioulnar joint of unspecified wrist, sequela |
| S63.021D | Subluxation of radiocarpal joint of right wrist, subsequent encounter |
| S63.021S | Subluxation of radiocarpal joint of right wrist, sequela |
| S63.022D | Subluxation of radiocarpal joint of left wrist, subsequent encounter |
| S63.022S | Subluxation of radiocarpal joint of left wrist, sequela |
| S63.023D | Subluxation of radiocarpal joint of unspecified wrist, subsequent encounter |
| S63.023S | Subluxation of radiocarpal joint of unspecified wrist, sequela |
| S63.024D | Dislocation of radiocarpal joint of right wrist, subsequent encounter |
| S63.024S | Dislocation of radiocarpal joint of right wrist, sequela |
| S63.025D | Dislocation of radiocarpal joint of left wrist, subsequent encounter |
| S63.025S | Dislocation of radiocarpal joint of left wrist, sequela |
| S63.026D | Dislocation of radiocarpal joint of unspecified wrist, subsequent encounter |
| S63.026S | Dislocation of radiocarpal joint of unspecified wrist, sequela |
| S63.031D | Subluxation of midcarpal joint of right wrist, subsequent encounter |
| S63.031S | Subluxation of midcarpal joint of right wrist, sequela |
| S63.032D | Subluxation of midcarpal joint of left wrist, subsequent encounter |
| S63.032S | Subluxation of midcarpal joint of left wrist, sequela |
| S63.033D | Subluxation of midcarpal joint of unspecified wrist, subsequent encounter |
| S63.033S | Subluxation of midcarpal joint of unspecified wrist, sequela |
| S63.034D | Dislocation of midcarpal joint of right wrist, subsequent encounter |
| S63.034S | Dislocation of midcarpal joint of right wrist, sequela |
| S63.035D | Dislocation of midcarpal joint of left wrist, subsequent encounter |
| S63.035S | Dislocation of midcarpal joint of left wrist, sequela |
| S63.036D | Dislocation of midcarpal joint of unspecified wrist, subsequent encounter |
| S63.036S | Dislocation of midcarpal joint of unspecified wrist, sequela |
| S63.041D | Subluxation of carpometacarpal joint of right thumb, subsequent encounter |
| S63.041S | Subluxation of carpometacarpal joint of right thumb, sequela |
| S63.042D | Subluxation of carpometacarpal joint of left thumb, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.042S | Subluxation of carpometacarpal joint of left thumb, sequela |
| S63.043D | Subluxation of carpometacarpal joint of unspecified thumb, subsequent encounter |
| S63.043S | Subluxation of carpometacarpal joint of unspecified thumb, sequela |
| S63.044D | Dislocation of carpometacarpal joint of right thumb, subsequent encounter |
| S63.044S | Dislocation of carpometacarpal joint of right thumb, sequela |
| S63.045D | Dislocation of carpometacarpal joint of left thumb, subsequent encounter |
| S63.045S | Dislocation of carpometacarpal joint of left thumb, sequela |
| S63.046D | Dislocation of carpometacarpal joint of unspecified thumb, subsequent encounter |
| S63.046S | Dislocation of carpometacarpal joint of unspecified thumb, sequela |
| S63.051D | Subluxation of other carpometacarpal joint of right hand, subsequent encounter |
| S63.051S | Subluxation of other carpometacarpal joint of right hand, sequela |
| S63.052D | Subluxation of other carpometacarpal joint of left hand, subsequent encounter |
| S63.052S | Subluxation of other carpometacarpal joint of left hand, sequela |
| S63.053D | Subluxation of other carpometacarpal joint of unspecified hand, subsequent encounter |
| S63.053S | Subluxation of other carpometacarpal joint of unspecified hand, sequela |
| S63.054D | Dislocation of other carpometacarpal joint of right hand, subsequent encounter |
| S63.054S | Dislocation of other carpometacarpal joint of right hand, sequela |
| S63.055D | Dislocation of other carpometacarpal joint of left hand, subsequent encounter |
| S63.055S | Dislocation of other carpometacarpal joint of left hand, sequela |
| S63.056D | Dislocation of other carpometacarpal joint of unspecified hand, subsequent encounter |
| S63.056S | Dislocation of other carpometacarpal joint of unspecified hand, sequela |
| S63.061D | Subluxation of metacarpal (bone), proximal end of right hand, subsequent encounter |
| S63.061S | Subluxation of metacarpal (bone), proximal end of right hand, sequela |
| S63.062D | Subluxation of metacarpal (bone), proximal end of left hand, subsequent encounter |
| S63.062S | Subluxation of metacarpal (bone), proximal end of left hand, sequela |
| S63.063D | Subluxation of metacarpal (bone), proximal end of unspecified hand, subsequent encounter |
| S63.063S | Subluxation of metacarpal (bone), proximal end of unspecified hand, sequela |
| S63.064D | Dislocation of metacarpal (bone), proximal end of right hand, subsequent encounter |
| S63.064S | Dislocation of metacarpal (bone), proximal end of right hand, sequela |
| S63.065D | Dislocation of metacarpal (bone), proximal end of left hand, subsequent encounter |
| S63.065S | Dislocation of metacarpal (bone), proximal end of left hand, sequela |
| S63.066D | Dislocation of metacarpal (bone), proximal end of unspecified hand, subsequent encounter |
| S63.066S | Dislocation of metacarpal (bone), proximal end of unspecified hand, sequela |
| S63.071D | Subluxation of distal end of right ulna, subsequent encounter |
| S63.071S | Subluxation of distal end of right ulna, sequela |
| S63.072D | Subluxation of distal end of left ulna, subsequent encounter |
| S63.072S | Subluxation of distal end of left ulna, sequela |
| S63.073D | Subluxation of distal end of unspecified ulna, subsequent encounter |
| S63.073S | Subluxation of distal end of unspecified ulna, sequela |
| S63.074D | Dislocation of distal end of right ulna, subsequent encounter |
| S63.074S | Dislocation of distal end of right ulna, sequela |
| S63.075D | Dislocation of distal end of left ulna, subsequent encounter |
| S63.075S | Dislocation of distal end of left ulna, sequela |
| S63.076D | Dislocation of distal end of unspecified ulna, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.076S | Dislocation of distal end of unspecified ulna, sequela |
| S63.091D | Other subluxation of right wrist and hand, subsequent encounter |
| S63.091S | Other subluxation of right wrist and hand, sequela |
| S63.092D | Other subluxation of left wrist and hand, subsequent encounter |
| S63.092S | Other subluxation of left wrist and hand, sequela |
| S63.093D | Other subluxation of unspecified wrist and hand, subsequent encounter |
| S63.093S | Other subluxation of unspecified wrist and hand, sequela |
| S63.094D | Other dislocation of right wrist and hand, subsequent encounter |
| S63.094S | Other dislocation of right wrist and hand, sequela |
| S63.095D | Other dislocation of left wrist and hand, subsequent encounter |
| S63.095S | Other dislocation of left wrist and hand, sequela |
| S63.096D | Other dislocation of unspecified wrist and hand, subsequent encounter |
| S63.096S | Other dislocation of unspecified wrist and hand, sequela |
| S63.101D | Unspecified subluxation of right thumb, subsequent encounter |
| S63.101S | Unspecified subluxation of right thumb, sequela |
| S63.102D | Unspecified subluxation of left thumb, subsequent encounter |
| S63.102S | Unspecified subluxation of left thumb, sequela |
| S63.103D | Unspecified subluxation of unspecified thumb, subsequent encounter |
| S63.103S | Unspecified subluxation of unspecified thumb, sequela |
| S63.104D | Unspecified dislocation of right thumb, subsequent encounter |
| S63.104S | Unspecified dislocation of right thumb, sequela |
| S63.105D | Unspecified dislocation of left thumb, subsequent encounter |
| S63.105S | Unspecified dislocation of left thumb, sequela |
| S63.106D | Unspecified dislocation of unspecified thumb, subsequent encounter |
| S63.106S | Unspecified dislocation of unspecified thumb, sequela |
| S63.111D | Subluxation of metacarpophalangeal joint of right thumb, subsequent encounter |
| S63.111S | Subluxation of metacarpophalangeal joint of right thumb, sequela |
| S63.112D | Subluxation of metacarpophalangeal joint of left thumb, subsequent encounter |
| S63.112S | Subluxation of metacarpophalangeal joint of left thumb, sequela |
| S63.113D | Subluxation of metacarpophalangeal joint of unspecified thumb, subsequent encounter |
| S63.113S | Subluxation of metacarpophalangeal joint of unspecified thumb, sequela |
| S63.114D | Dislocation of metacarpophalangeal joint of right thumb, subsequent encounter |
| S63.114S | Dislocation of metacarpophalangeal joint of right thumb, sequela |
| S63.115D | Dislocation of metacarpophalangeal joint of left thumb, subsequent encounter |
| S63.115S | Dislocation of metacarpophalangeal joint of left thumb, sequela |
| S63.116D | Dislocation of metacarpophalangeal joint of unspecified thumb, subsequent encounter |
| S63.116S | Dislocation of metacarpophalangeal joint of unspecified thumb, sequela |
| S63.121D | Subluxation of unspecified interphalangeal joint of right thumb, subsequent encounter |
| S63.121S | Subluxation of unspecified interphalangeal joint of right thumb, sequela |
| S63.122D | Subluxation of unspecified interphalangeal joint of left thumb, subsequent encounter |
| S63.122S | Subluxation of unspecified interphalangeal joint of left thumb, sequela |
| S63.123D | Subluxation of unspecified interphalangeal joint of unspecified thumb, subsequent encounter |
| S63.123S | Subluxation of unspecified interphalangeal joint of unspecified thumb, sequela |
| S63.124D | Dislocation of unspecified interphalangeal joint of right thumb, subsequent encounter |
| S63.124S | Dislocation of unspecified interphalangeal joint of right thumb, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.125D | Dislocation of unspecified interphalangeal joint of left thumb, subsequent encounter |
| S63.125S | Dislocation of unspecified interphalangeal joint of left thumb, sequela |
| S63.126D | Dislocation of unspecified interphalangeal joint of unspecified thumb, subsequent encounter |
| S63.126S | Dislocation of unspecified interphalangeal joint of unspecified thumb, sequela |
| S63.131D | Subluxation of proximal interphalangeal joint of right thumb, subsequent encounter |
| S63.131S | Subluxation of proximal interphalangeal joint of right thumb, sequela |
| S63.132D | Subluxation of proximal interphalangeal joint of left thumb, subsequent encounter |
| S63.132S | Subluxation of proximal interphalangeal joint of left thumb, sequela |
| S63.133D | Subluxation of proximal interphalangeal joint of unspecified thumb, subsequent encounter |
| S63.133S | Subluxation of proximal interphalangeal joint of unspecified thumb, sequela |
| S63.134D | Dislocation of proximal interphalangeal joint of right thumb, subsequent encounter |
| S63.134S | Dislocation of proximal interphalangeal joint of right thumb, sequela |
| S63.135D | Dislocation of proximal interphalangeal joint of left thumb, subsequent encounter |
| S63.135S | Dislocation of proximal interphalangeal joint of left thumb, sequela |
| S63.136D | Dislocation of proximal interphalangeal joint of unspecified thumb, subsequent encounter |
| S63.136S | Dislocation of proximal interphalangeal joint of unspecified thumb, sequela |
| S63.141D | Subluxation of distal interphalangeal joint of right thumb, subsequent encounter |
| S63.141S | Subluxation of distal interphalangeal joint of right thumb, sequela |
| S63.142D | Subluxation of distal interphalangeal joint of left thumb, subsequent encounter |
| S63.142S | Subluxation of distal interphalangeal joint of left thumb, sequela |
| S63.143D | Subluxation of distal interphalangeal joint of unspecified thumb, subsequent encounter |
| S63.143S | Subluxation of distal interphalangeal joint of unspecified thumb, sequela |
| S63.144D | Dislocation of distal interphalangeal joint of right thumb, subsequent encounter |
| S63.144S | Dislocation of distal interphalangeal joint of right thumb, sequela |
| S63.145D | Dislocation of distal interphalangeal joint of left thumb, subsequent encounter |
| S63.145S | Dislocation of distal interphalangeal joint of left thumb, sequela |
| S63.146D | Dislocation of distal interphalangeal joint of unspecified thumb, subsequent encounter |
| S63.146S | Dislocation of distal interphalangeal joint of unspecified thumb, sequela |
| S63.200D | Unspecified subluxation of right index finger, subsequent encounter |
| S63.200S | Unspecified subluxation of right index finger, sequela |
| S63.201D | Unspecified subluxation of left index finger, subsequent encounter |
| S63.201S | Unspecified subluxation of left index finger, sequela |
| S63.202D | Unspecified subluxation of right middle finger, subsequent encounter |
| S63.202S | Unspecified subluxation of right middle finger, sequela |
| S63.203D | Unspecified subluxation of left middle finger, subsequent encounter |
| S63.203S | Unspecified subluxation of left middle finger, sequela |
| S63.204D | Unspecified subluxation of right ring finger, subsequent encounter |
| S63.204S | Unspecified subluxation of right ring finger, sequela |
| S63.205D | Unspecified subluxation of left ring finger, subsequent encounter |
| S63.205S | Unspecified subluxation of left ring finger, sequela |
| S63.206D | Unspecified subluxation of right little finger, subsequent encounter |
| S63.206S | Unspecified subluxation of right little finger, sequela |
| S63.207D | Unspecified subluxation of left little finger, subsequent encounter |
| S63.207S | Unspecified subluxation of left little finger, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.208D | Unspecified subluxation of other finger, subsequent encounter |
| S63.208S | Unspecified subluxation of other finger, sequela |
| S63.209D | Unspecified subluxation of unspecified finger, subsequent encounter |
| S63.209S | Unspecified subluxation of unspecified finger, sequela |
| S63.210D | Subluxation of metacarpophalangeal joint of right index finger, subsequent encounter |
| S63.210S | Subluxation of metacarpophalangeal joint of right index finger, sequela |
| S63.211D | Subluxation of metacarpophalangeal joint of left index finger, subsequent encounter |
| S63.211S | Subluxation of metacarpophalangeal joint of left index finger, sequela |
| S63.212D | Subluxation of metacarpophalangeal joint of right middle finger, subsequent encounter |
| S63.212S | Subluxation of metacarpophalangeal joint of right middle finger, sequela |
| S63.213D | Subluxation of metacarpophalangeal joint of left middle finger, subsequent encounter |
| S63.213S | Subluxation of metacarpophalangeal joint of left middle finger, sequela |
| S63.214D | Subluxation of metacarpophalangeal joint of right ring finger, subsequent encounter |
| S63.214S | Subluxation of metacarpophalangeal joint of right ring finger, sequela |
| S63.215D | Subluxation of metacarpophalangeal joint of left ring finger, subsequent encounter |
| S63.215S | Subluxation of metacarpophalangeal joint of left ring finger, sequela |
| S63.216D | Subluxation of metacarpophalangeal joint of right little finger, subsequent encounter |
| S63.216S | Subluxation of metacarpophalangeal joint of right little finger, sequela |
| S63.217D | Subluxation of metacarpophalangeal joint of left little finger, subsequent encounter |
| S63.217S | Subluxation of metacarpophalangeal joint of left little finger, sequela |
| S63.218D | Subluxation of metacarpophalangeal joint of other finger, subsequent encounter |
| S63.218S | Subluxation of metacarpophalangeal joint of other finger, sequela |
| S63.219D | Subluxation of metacarpophalangeal joint of unspecified finger, subsequent encounter |
| S63.219S | Subluxation of metacarpophalangeal joint of unspecified finger, sequela |
| S63.220D | Subluxation of unspecified interphalangeal joint of right index finger, subsequent encounter |
| S63.220S | Subluxation of unspecified interphalangeal joint of right index finger, sequela |
| S63.221D | Subluxation of unspecified interphalangeal joint of left index finger, subsequent encounter |
| S63.221S | Subluxation of unspecified interphalangeal joint of left index finger, sequela |
| S63.222D | Subluxation of unspecified interphalangeal joint of right middle finger, subsequent encounter |
| S63.222S | Subluxation of unspecified interphalangeal joint of right middle finger, sequela |
| S63.223D | Subluxation of unspecified interphalangeal joint of left middle finger, subsequent encounter |
| S63.223S | Subluxation of unspecified interphalangeal joint of left middle finger, sequela |
| S63.224D | Subluxation of unspecified interphalangeal joint of right ring finger, subsequent encounter |
| S63.224S | Subluxation of unspecified interphalangeal joint of right ring finger, sequela |
| S63.225D | Subluxation of unspecified interphalangeal joint of left ring finger, subsequent encounter |
| S63.225S | Subluxation of unspecified interphalangeal joint of left ring finger, sequela |
| S63.226D | Subluxation of unspecified interphalangeal joint of right little finger, subsequent encounter |
| S63.226S | Subluxation of unspecified interphalangeal joint of right little finger, sequela |
| S63.227D | Subluxation of unspecified interphalangeal joint of left little finger, subsequent encounter |
| S63.227S | Subluxation of unspecified interphalangeal joint of left little finger, sequela |
| S63.228D | Subluxation of unspecified interphalangeal joint of other finger, subsequent encounter |
| S63.228S | Subluxation of unspecified interphalangeal joint of other finger, sequela |
| S63.229D | Subluxation of unspecified interphalangeal joint of unspecified finger, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.229S | Subluxation of unspecified interphalangeal joint of unspecified finger, sequela |
| S63.230D | Subluxation of proximal interphalangeal joint of right index finger, subsequent encounter |
| S63.230S | Subluxation of proximal interphalangeal joint of right index finger, sequela |
| S63.231D | Subluxation of proximal interphalangeal joint of left index finger, subsequent encounter |
| S63.231S | Subluxation of proximal interphalangeal joint of left index finger, sequela |
| S63.232D | Subluxation of proximal interphalangeal joint of right middle finger, subsequent encounter |
| S63.232S | Subluxation of proximal interphalangeal joint of right middle finger, sequela |
| S63.233D | Subluxation of proximal interphalangeal joint of left middle finger, subsequent encounter |
| S63.233S | Subluxation of proximal interphalangeal joint of left middle finger, sequela |
| S63.234D | Subluxation of proximal interphalangeal joint of right ring finger, subsequent encounter |
| S63.234S | Subluxation of proximal interphalangeal joint of right ring finger, sequela |
| S63.235D | Subluxation of proximal interphalangeal joint of left ring finger, subsequent encounter |
| S63.235S | Subluxation of proximal interphalangeal joint of left ring finger, sequela |
| S63.236D | Subluxation of proximal interphalangeal joint of right little finger, subsequent encounter |
| S63.236S | Subluxation of proximal interphalangeal joint of right little finger, sequela |
| S63.237D | Subluxation of proximal interphalangeal joint of left little finger, subsequent encounter |
| S63.237S | Subluxation of proximal interphalangeal joint of left little finger, sequela |
| S63.238D | Subluxation of proximal interphalangeal joint of other finger, subsequent encounter |
| S63.238S | Subluxation of proximal interphalangeal joint of other finger, sequela |
| S63.239D | Subluxation of proximal interphalangeal joint of unspecified finger, subsequent encounter |
| S63.239S | Subluxation of proximal interphalangeal joint of unspecified finger, sequela |
| S63.240D | Subluxation of distal interphalangeal joint of right index finger, subsequent encounter |
| S63.240S | Subluxation of distal interphalangeal joint of right index finger, sequela |
| S63.241D | Subluxation of distal interphalangeal joint of left index finger, subsequent encounter |
| S63.241S | Subluxation of distal interphalangeal joint of left index finger, sequela |
| S63.242D | Subluxation of distal interphalangeal joint of right middle finger, subsequent encounter |
| S63.242S | Subluxation of distal interphalangeal joint of right middle finger, sequela |
| S63.243D | Subluxation of distal interphalangeal joint of left middle finger, subsequent encounter |
| S63.243S | Subluxation of distal interphalangeal joint of left middle finger, sequela |
| S63.244D | Subluxation of distal interphalangeal joint of right ring finger, subsequent encounter |
| S63.244S | Subluxation of distal interphalangeal joint of right ring finger, sequela |
| S63.245D | Subluxation of distal interphalangeal joint of left ring finger, subsequent encounter |
| S63.245S | Subluxation of distal interphalangeal joint of left ring finger, sequela |
| S63.246D | Subluxation of distal interphalangeal joint of right little finger, subsequent encounter |
| S63.246S | Subluxation of distal interphalangeal joint of right little finger, sequela |
| S63.247D | Subluxation of distal interphalangeal joint of left little finger, subsequent encounter |
| S63.247S | Subluxation of distal interphalangeal joint of left little finger, sequela |
| S63.248D | Subluxation of distal interphalangeal joint of other finger, subsequent encounter |
| S63.248S | Subluxation of distal interphalangeal joint of other finger, sequela |
| S63.249D | Subluxation of distal interphalangeal joint of unspecified finger, subsequent encounter |
| S63.249S | Subluxation of distal interphalangeal joint of unspecified finger, sequela |
| S63.250D | Unspecified dislocation of right index finger, subsequent encounter |
| S63.250S | Unspecified dislocation of right index finger, sequela |
| S63.251D | Unspecified dislocation of left index finger, subsequent encounter |
| S63.251S | Unspecified dislocation of left index finger, sequela |
| S63.252D | Unspecified dislocation of right middle finger, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.252S | Unspecified dislocation of right middle finger, sequela |
| S63.253D | Unspecified dislocation of left middle finger, subsequent encounter |
| S63.253S | Unspecified dislocation of left middle finger, sequela |
| S63.254D | Unspecified dislocation of right ring finger, subsequent encounter |
| S63.254S | Unspecified dislocation of right ring finger, sequela |
| S63.255D | Unspecified dislocation of left ring finger, subsequent encounter |
| S63.255S | Unspecified dislocation of left ring finger, sequela |
| S63.256D | Unspecified dislocation of right little finger, subsequent encounter |
| S63.256S | Unspecified dislocation of right little finger, sequela |
| S63.257D | Unspecified dislocation of left little finger, subsequent encounter |
| S63.257S | Unspecified dislocation of left little finger, sequela |
| S63.258D | Unspecified dislocation of other finger, subsequent encounter |
| S63.258S | Unspecified dislocation of other finger, sequela |
| S63.259D | Unspecified dislocation of unspecified finger, subsequent encounter |
| S63.259S | Unspecified dislocation of unspecified finger, sequela |
| S63.260D | Dislocation of metacarpophalangeal joint of right index finger, subsequent encounter |
| S63.260S | Dislocation of metacarpophalangeal joint of right index finger, sequela |
| S63.261D | Dislocation of metacarpophalangeal joint of left index finger, subsequent encounter |
| S63.261S | Dislocation of metacarpophalangeal joint of left index finger, sequela |
| S63.262D | Dislocation of metacarpophalangeal joint of right middle finger, subsequent encounter |
| S63.262S | Dislocation of metacarpophalangeal joint of right middle finger, sequela |
| S63.263D | Dislocation of metacarpophalangeal joint of left middle finger, subsequent encounter |
| S63.263S | Dislocation of metacarpophalangeal joint of left middle finger, sequela |
| S63.264D | Dislocation of metacarpophalangeal joint of right ring finger, subsequent encounter |
| S63.264S | Dislocation of metacarpophalangeal joint of right ring finger, sequela |
| S63.265D | Dislocation of metacarpophalangeal joint of left ring finger, subsequent encounter |
| S63.265S | Dislocation of metacarpophalangeal joint of left ring finger, sequela |
| S63.266D | Dislocation of metacarpophalangeal joint of right little finger, subsequent encounter |
| S63.266S | Dislocation of metacarpophalangeal joint of right little finger, sequela |
| S63.267D | Dislocation of metacarpophalangeal joint of left little finger, subsequent encounter |
| S63.267S | Dislocation of metacarpophalangeal joint of left little finger, sequela |
| S63.268D | Dislocation of metacarpophalangeal joint of other finger, subsequent encounter |
| S63.268S | Dislocation of metacarpophalangeal joint of other finger, sequela |
| S63.269D | Dislocation of metacarpophalangeal joint of unspecified finger, subsequent encounter |
| S63.269S | Dislocation of metacarpophalangeal joint of unspecified finger, sequela |
| S63.270D | Dislocation of unspecified interphalangeal joint of right index finger, subsequent encounter |
| S63.270S | Dislocation of unspecified interphalangeal joint of right index finger, sequela |
| S63.271D | Dislocation of unspecified interphalangeal joint of left index finger, subsequent encounter |
| S63.271S | Dislocation of unspecified interphalangeal joint of left index finger, sequela |
| S63.272D | Dislocation of unspecified interphalangeal joint of right middle finger, subsequent encounter |
| S63.272S | Dislocation of unspecified interphalangeal joint of right middle finger, sequela |
| S63.273D | Dislocation of unspecified interphalangeal joint of left middle finger, subsequent encounter |
| S63.273S | Dislocation of unspecified interphalangeal joint of left middle finger, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.274D | Dislocation of unspecified interphalangeal joint of right ring finger, subsequent encounter |
| S63.274S | Dislocation of unspecified interphalangeal joint of right ring finger, sequela |
| S63.275D | Dislocation of unspecified interphalangeal joint of left ring finger, subsequent encounter |
| S63.275S | Dislocation of unspecified interphalangeal joint of left ring finger, sequela |
| S63.276D | Dislocation of unspecified interphalangeal joint of right little finger, subsequent encounter |
| S63.276S | Dislocation of unspecified interphalangeal joint of right little finger, sequela |
| S63.277D | Dislocation of unspecified interphalangeal joint of left little finger, subsequent encounter |
| S63.277S | Dislocation of unspecified interphalangeal joint of left little finger, sequela |
| S63.278D | Dislocation of unspecified interphalangeal joint of other finger, subsequent encounter |
| S63.278S | Dislocation of unspecified interphalangeal joint of other finger, sequela |
| S63.279D | Dislocation of unspecified interphalangeal joint of unspecified finger, subsequent encounter |
| S63.279S | Dislocation of unspecified interphalangeal joint of unspecified finger, sequela |
| S63.280D | Dislocation of proximal interphalangeal joint of right index finger, subsequent encounter |
| S63.280S | Dislocation of proximal interphalangeal joint of right index finger, sequela |
| S63.281D | Dislocation of proximal interphalangeal joint of left index finger, subsequent encounter |
| S63.281S | Dislocation of proximal interphalangeal joint of left index finger, sequela |
| S63.282D | Dislocation of proximal interphalangeal joint of right middle finger, subsequent encounter |
| S63.282S | Dislocation of proximal interphalangeal joint of right middle finger, sequela |
| S63.283D | Dislocation of proximal interphalangeal joint of left middle finger, subsequent encounter |
| S63.283S | Dislocation of proximal interphalangeal joint of left middle finger, sequela |
| S63.284D | Dislocation of proximal interphalangeal joint of right ring finger, subsequent encounter |
| S63.284S | Dislocation of proximal interphalangeal joint of right ring finger, sequela |
| S63.285D | Dislocation of proximal interphalangeal joint of left ring finger, subsequent encounter |
| S63.285S | Dislocation of proximal interphalangeal joint of left ring finger, sequela |
| S63.286D | Dislocation of proximal interphalangeal joint of right little finger, subsequent encounter |
| S63.286S | Dislocation of proximal interphalangeal joint of right little finger, sequela |
| S63.287D | Dislocation of proximal interphalangeal joint of left little finger, subsequent encounter |
| S63.287S | Dislocation of proximal interphalangeal joint of left little finger, sequela |
| S63.288D | Dislocation of proximal interphalangeal joint of other finger, subsequent encounter |
| S63.288S | Dislocation of proximal interphalangeal joint of other finger, sequela |
| S63.289D | Dislocation of proximal interphalangeal joint of unspecified finger, subsequent encounter |
| S63.289S | Dislocation of proximal interphalangeal joint of unspecified finger, sequela |
| S63.290D | Dislocation of distal interphalangeal joint of right index finger, subsequent encounter |
| S63.290S | Dislocation of distal interphalangeal joint of right index finger, sequela |
| S63.291D | Dislocation of distal interphalangeal joint of left index finger, subsequent encounter |
| S63.291S | Dislocation of distal interphalangeal joint of left index finger, sequela |
| S63.292D | Dislocation of distal interphalangeal joint of right middle finger, subsequent encounter |
| S63.292S | Dislocation of distal interphalangeal joint of right middle finger, sequela |
| S63.293D | Dislocation of distal interphalangeal joint of left middle finger, subsequent encounter |
| S63.293S | Dislocation of distal interphalangeal joint of left middle finger, sequela |
| S63.294D | Dislocation of distal interphalangeal joint of right ring finger, subsequent encounter |
| S63.294S | Dislocation of distal interphalangeal joint of right ring finger, sequela |
| S63.295D | Dislocation of distal interphalangeal joint of left ring finger, subsequent encounter |
| S63.295S | Dislocation of distal interphalangeal joint of left ring finger, sequela |
| S63.296D | Dislocation of distal interphalangeal joint of right little finger, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.296S | Dislocation of distal interphalangeal joint of right little finger, sequela |
| S63.297D | Dislocation of distal interphalangeal joint of left little finger, subsequent encounter |
| S63.297S | Dislocation of distal interphalangeal joint of left little finger, sequela |
| S63.298D | Dislocation of distal interphalangeal joint of other finger, subsequent encounter |
| S63.298S | Dislocation of distal interphalangeal joint of other finger, sequela |
| S63.299D | Dislocation of distal interphalangeal joint of unspecified finger, subsequent encounter |
| S63.299S | Dislocation of distal interphalangeal joint of unspecified finger, sequela |
| S63.301D | Traumatic rupture of unspecified ligament of right wrist, subsequent encounter |
| S63.301S | Traumatic rupture of unspecified ligament of right wrist, sequela |
| S63.302D | Traumatic rupture of unspecified ligament of left wrist, subsequent encounter |
| S63.302S | Traumatic rupture of unspecified ligament of left wrist, sequela |
| S63.309D | Traumatic rupture of unspecified ligament of unspecified wrist, subsequent encounter |
| S63.309S | Traumatic rupture of unspecified ligament of unspecified wrist, sequela |
| S63.311D | Traumatic rupture of collateral ligament of right wrist, subsequent encounter |
| S63.311S | Traumatic rupture of collateral ligament of right wrist, sequela |
| S63.312D | Traumatic rupture of collateral ligament of left wrist, subsequent encounter |
| S63.312S | Traumatic rupture of collateral ligament of left wrist, sequela |
| S63.319D | Traumatic rupture of collateral ligament of unspecified wrist, subsequent encounter |
| S63.319S | Traumatic rupture of collateral ligament of unspecified wrist, sequela |
| S63.321D | Traumatic rupture of right radiocarpal ligament, subsequent encounter |
| S63.321S | Traumatic rupture of right radiocarpal ligament, sequela |
| S63.322D | Traumatic rupture of left radiocarpal ligament, subsequent encounter |
| S63.322S | Traumatic rupture of left radiocarpal ligament, sequela |
| S63.329D | Traumatic rupture of unspecified radiocarpal ligament, subsequent encounter |
| S63.329S | Traumatic rupture of unspecified radiocarpal ligament, sequela |
| S63.331D | Traumatic rupture of right ulnocarpal (palmar) ligament, subsequent encounter |
| S63.331S | Traumatic rupture of right ulnocarpal (palmar) ligament, sequela |
| S63.332D | Traumatic rupture of left ulnocarpal (palmar) ligament, subsequent encounter |
| S63.332S | Traumatic rupture of left ulnocarpal (palmar) ligament, sequela |
| S63.339D | Traumatic rupture of unspecified ulnocarpal (palmar) ligament, subsequent encounter |
| S63.339S | Traumatic rupture of unspecified ulnocarpal (palmar) ligament, sequela |
| S63.391D | Traumatic rupture of other ligament of right wrist, subsequent encounter |
| S63.391S | Traumatic rupture of other ligament of right wrist, sequela |
| S63.392D | Traumatic rupture of other ligament of left wrist, subsequent encounter |
| S63.392S | Traumatic rupture of other ligament of left wrist, sequela |
| S63.399D | Traumatic rupture of other ligament of unspecified wrist, subsequent encounter |
| S63.399S | Traumatic rupture of other ligament of unspecified wrist, sequela |
| S63.400D | Traumatic rupture of unspecified ligament of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.400S | Traumatic rupture of unspecified ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.401D | Traumatic rupture of unspecified ligament of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.401S | Traumatic rupture of unspecified ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.402D | Traumatic rupture of unspecified ligament of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.402S | Traumatic rupture of unspecified ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.403D | Traumatic rupture of unspecified ligament of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.403S | Traumatic rupture of unspecified ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.404D | Traumatic rupture of unspecified ligament of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.404S | Traumatic rupture of unspecified ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.405D | Traumatic rupture of unspecified ligament of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.405S | Traumatic rupture of unspecified ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.406D | Traumatic rupture of unspecified ligament of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.406S | Traumatic rupture of unspecified ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.407D | Traumatic rupture of unspecified ligament of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.407S | Traumatic rupture of unspecified ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.408D | Traumatic rupture of unspecified ligament of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.408S | Traumatic rupture of unspecified ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.409D | Traumatic rupture of unspecified ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.409S | Traumatic rupture of unspecified ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.410D | Traumatic rupture of collateral ligament of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.410S | Traumatic rupture of collateral ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.411D | Traumatic rupture of collateral ligament of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.411S | Traumatic rupture of collateral ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.412D | Traumatic rupture of collateral ligament of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.412S | Traumatic rupture of collateral ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.413D | Traumatic rupture of collateral ligament of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.413S | Traumatic rupture of collateral ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.414D | Traumatic rupture of collateral ligament of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.414S | Traumatic rupture of collateral ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.415D | Traumatic rupture of collateral ligament of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.415S | Traumatic rupture of collateral ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.416D | Traumatic rupture of collateral ligament of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.416S | Traumatic rupture of collateral ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.417D | Traumatic rupture of collateral ligament of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.417S | Traumatic rupture of collateral ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.418D | Traumatic rupture of collateral ligament of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.418S | Traumatic rupture of collateral ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.419D | Traumatic rupture of collateral ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.419S | Traumatic rupture of collateral ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.420D | Traumatic rupture of palmar ligament of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.420S | Traumatic rupture of palmar ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.421D | Traumatic rupture of palmar ligament of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.421S | Traumatic rupture of palmar ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.422D | Traumatic rupture of palmar ligament of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.422S | Traumatic rupture of palmar ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.423D | Traumatic rupture of palmar ligament of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.423S | Traumatic rupture of palmar ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.424D | Traumatic rupture of palmar ligament of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.424S | Traumatic rupture of palmar ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.425D | Traumatic rupture of palmar ligament of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.425S | Traumatic rupture of palmar ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.426D | Traumatic rupture of palmar ligament of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.426S | Traumatic rupture of palmar ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.427D | Traumatic rupture of palmar ligament of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.427S | Traumatic rupture of palmar ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.428D | Traumatic rupture of palmar ligament of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.428S | Traumatic rupture of palmar ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.429D | Traumatic rupture of palmar ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.429S | Traumatic rupture of palmar ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.430D | Traumatic rupture of volar plate of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.430S | Traumatic rupture of volar plate of right index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.431D | Traumatic rupture of volar plate of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.431S | Traumatic rupture of volar plate of left index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.432D | Traumatic rupture of volar plate of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.432S | Traumatic rupture of volar plate of right middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.433D | Traumatic rupture of volar plate of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.433S | Traumatic rupture of volar plate of left middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.434D | Traumatic rupture of volar plate of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.434S | Traumatic rupture of volar plate of right ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.435D | Traumatic rupture of volar plate of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.435S | Traumatic rupture of volar plate of left ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.436D | Traumatic rupture of volar plate of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.436S | Traumatic rupture of volar plate of right little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.437D | Traumatic rupture of volar plate of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.437S | Traumatic rupture of volar plate of left little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.438D | Traumatic rupture of volar plate of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.438S | Traumatic rupture of volar plate of other finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.439D | Traumatic rupture of volar plate of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.439S | Traumatic rupture of volar plate of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.490D | Traumatic rupture of other ligament of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.490S | Traumatic rupture of other ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.491D | Traumatic rupture of other ligament of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.491S | Traumatic rupture of other ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.492D | Traumatic rupture of other ligament of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.492S | Traumatic rupture of other ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.493D | Traumatic rupture of other ligament of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.493S | Traumatic rupture of other ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.494D | Traumatic rupture of other ligament of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.494S | Traumatic rupture of other ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.495D | Traumatic rupture of other ligament of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.495S | Traumatic rupture of other ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.496D | Traumatic rupture of other ligament of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.496S | Traumatic rupture of other ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.497D | Traumatic rupture of other ligament of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.497S | Traumatic rupture of other ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.498D | Traumatic rupture of other ligament of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.498S | Traumatic rupture of other ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.499D | Traumatic rupture of other ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter |
| S63.499S | Traumatic rupture of other ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela |
| S63.501D | Unspecified sprain of right wrist, subsequent encounter |
| S63.501S | Unspecified sprain of right wrist, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.502D | Unspecified sprain of left wrist, subsequent encounter |
| S63.502S | Unspecified sprain of left wrist, sequela |
| S63.509D | Unspecified sprain of unspecified wrist, subsequent encounter |
| S63.509S | Unspecified sprain of unspecified wrist, sequela |
| S63.511D | Sprain of carpal joint of right wrist, subsequent encounter |
| S63.511S | Sprain of carpal joint of right wrist, sequela |
| S63.512D | Sprain of carpal joint of left wrist, subsequent encounter |
| S63.512S | Sprain of carpal joint of left wrist, sequela |
| S63.519D | Sprain of carpal joint of unspecified wrist, subsequent encounter |
| S63.519S | Sprain of carpal joint of unspecified wrist, sequela |
| S63.521D | Sprain of radiocarpal joint of right wrist, subsequent encounter |
| S63.521S | Sprain of radiocarpal joint of right wrist, sequela |
| S63.522D | Sprain of radiocarpal joint of left wrist, subsequent encounter |
| S63.522S | Sprain of radiocarpal joint of left wrist, sequela |
| S63.529D | Sprain of radiocarpal joint of unspecified wrist, subsequent encounter |
| S63.529S | Sprain of radiocarpal joint of unspecified wrist, sequela |
| S63.591D | Other specified sprain of right wrist, subsequent encounter |
| S63.591S | Other specified sprain of right wrist, sequela |
| S63.592D | Other specified sprain of left wrist, subsequent encounter |
| S63.592S | Other specified sprain of left wrist, sequela |
| S63.599D | Other specified sprain of unspecified wrist, subsequent encounter |
| S63.599S | Other specified sprain of unspecified wrist, sequela |
| S63.601D | Unspecified sprain of right thumb, subsequent encounter |
| S63.601S | Unspecified sprain of right thumb, sequela |
| S63.602D | Unspecified sprain of left thumb, subsequent encounter |
| S63.602S | Unspecified sprain of left thumb, sequela |
| S63.609D | Unspecified sprain of unspecified thumb, subsequent encounter |
| S63.609S | Unspecified sprain of unspecified thumb, sequela |
| S63.610D | Unspecified sprain of right index finger, subsequent encounter |
| S63.610S | Unspecified sprain of right index finger, sequela |
| S63.611D | Unspecified sprain of left index finger, subsequent encounter |
| S63.611S | Unspecified sprain of left index finger, sequela |
| S63.612D | Unspecified sprain of right middle finger, subsequent encounter |
| S63.612S | Unspecified sprain of right middle finger, sequela |
| S63.613D | Unspecified sprain of left middle finger, subsequent encounter |
| S63.613S | Unspecified sprain of left middle finger, sequela |
| S63.614D | Unspecified sprain of right ring finger, subsequent encounter |
| S63.614S | Unspecified sprain of right ring finger, sequela |
| S63.615D | Unspecified sprain of left ring finger, subsequent encounter |
| S63.615S | Unspecified sprain of left ring finger, sequela |
| S63.616D | Unspecified sprain of right little finger, subsequent encounter |
| S63.616S | Unspecified sprain of right little finger, sequela |
| S63.617D | Unspecified sprain of left little finger, subsequent encounter |
| S63.617S | Unspecified sprain of left little finger, sequela |
| S63.618D | Unspecified sprain of other finger, subsequent encounter |
| S63.618S | Unspecified sprain of other finger, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.619D | Unspecified sprain of unspecified finger, subsequent encounter |
| S63.619S | Unspecified sprain of unspecified finger, sequela |
| S63.621D | Sprain of interphalangeal joint of right thumb, subsequent encounter |
| S63.621S | Sprain of interphalangeal joint of right thumb, sequela |
| S63.622D | Sprain of interphalangeal joint of left thumb, subsequent encounter |
| S63.622S | Sprain of interphalangeal joint of left thumb, sequela |
| S63.629D | Sprain of interphalangeal joint of unspecified thumb, subsequent encounter |
| S63.629S | Sprain of interphalangeal joint of unspecified thumb, sequela |
| S63.630D | Sprain of interphalangeal joint of right index finger, subsequent encounter |
| S63.630S | Sprain of interphalangeal joint of right index finger, sequela |
| S63.631D | Sprain of interphalangeal joint of left index finger, subsequent encounter |
| S63.631S | Sprain of interphalangeal joint of left index finger, sequela |
| S63.632D | Sprain of interphalangeal joint of right middle finger, subsequent encounter |
| S63.632S | Sprain of interphalangeal joint of right middle finger, sequela |
| S63.633D | Sprain of interphalangeal joint of left middle finger, subsequent encounter |
| S63.633S | Sprain of interphalangeal joint of left middle finger, sequela |
| S63.634D | Sprain of interphalangeal joint of right ring finger, subsequent encounter |
| S63.634S | Sprain of interphalangeal joint of right ring finger, sequela |
| S63.635D | Sprain of interphalangeal joint of left ring finger, subsequent encounter |
| S63.635S | Sprain of interphalangeal joint of left ring finger, sequela |
| S63.636D | Sprain of interphalangeal joint of right little finger, subsequent encounter |
| S63.636S | Sprain of interphalangeal joint of right little finger, sequela |
| S63.637D | Sprain of interphalangeal joint of left little finger, subsequent encounter |
| S63.637S | Sprain of interphalangeal joint of left little finger, sequela |
| S63.638D | Sprain of interphalangeal joint of other finger, subsequent encounter |
| S63.638S | Sprain of interphalangeal joint of other finger, sequela |
| S63.639D | Sprain of interphalangeal joint of unspecified finger, subsequent encounter |
| S63.639S | Sprain of interphalangeal joint of unspecified finger, sequela |
| S63.641D | Sprain of metacarpophalangeal joint of right thumb, subsequent encounter |
| S63.641S | Sprain of metacarpophalangeal joint of right thumb, sequela |
| S63.642D | Sprain of metacarpophalangeal joint of left thumb, subsequent encounter |
| S63.642S | Sprain of metacarpophalangeal joint of left thumb, sequela |
| S63.649D | Sprain of metacarpophalangeal joint of unspecified thumb, subsequent encounter |
| S63.649S | Sprain of metacarpophalangeal joint of unspecified thumb, sequela |
| S63.650D | Sprain of metacarpophalangeal joint of right index finger, subsequent encounter |
| S63.650S | Sprain of metacarpophalangeal joint of right index finger, sequela |
| S63.651D | Sprain of metacarpophalangeal joint of left index finger, subsequent encounter |
| S63.651S | Sprain of metacarpophalangeal joint of left index finger, sequela |
| S63.652D | Sprain of metacarpophalangeal joint of right middle finger, subsequent encounter |
| S63.652S | Sprain of metacarpophalangeal joint of right middle finger, sequela |
| S63.653D | Sprain of metacarpophalangeal joint of left middle finger, subsequent encounter |
| S63.653S | Sprain of metacarpophalangeal joint of left middle finger, sequela |
| S63.654D | Sprain of metacarpophalangeal joint of right ring finger, subsequent encounter |
| S63.654S | Sprain of metacarpophalangeal joint of right ring finger, sequela |
| S63.655D | Sprain of metacarpophalangeal joint of left ring finger, subsequent encounter |
| S63.655S | Sprain of metacarpophalangeal joint of left ring finger, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S63.656D | Sprain of metacarpophalangeal joint of right little finger, subsequent encounter |
| S63.656S | Sprain of metacarpophalangeal joint of right little finger, sequela |
| S63.657D | Sprain of metacarpophalangeal joint of left little finger, subsequent encounter |
| S63.657S | Sprain of metacarpophalangeal joint of left little finger, sequela |
| S63.658D | Sprain of metacarpophalangeal joint of other finger, subsequent encounter |
| S63.658S | Sprain of metacarpophalangeal joint of other finger, sequela |
| S63.659D | Sprain of metacarpophalangeal joint of unspecified finger, subsequent encounter |
| S63.659S | Sprain of metacarpophalangeal joint of unspecified finger, sequela |
| S63.681D | Other sprain of right thumb, subsequent encounter |
| S63.681S | Other sprain of right thumb, sequela |
| S63.682D | Other sprain of left thumb, subsequent encounter |
| S63.682S | Other sprain of left thumb, sequela |
| S63.689D | Other sprain of unspecified thumb, subsequent encounter |
| S63.689S | Other sprain of unspecified thumb, sequela |
| S63.690D | Other sprain of right index finger, subsequent encounter |
| S63.690S | Other sprain of right index finger, sequela |
| S63.691D | Other sprain of left index finger, subsequent encounter |
| S63.691S | Other sprain of left index finger, sequela |
| S63.692D | Other sprain of right middle finger, subsequent encounter |
| S63.692S | Other sprain of right middle finger, sequela |
| S63.693D | Other sprain of left middle finger, subsequent encounter |
| S63.693S | Other sprain of left middle finger, sequela |
| S63.694D | Other sprain of right ring finger, subsequent encounter |
| S63.694S | Other sprain of right ring finger, sequela |
| S63.695D | Other sprain of left ring finger, subsequent encounter |
| S63.695S | Other sprain of left ring finger, sequela |
| S63.696D | Other sprain of right little finger, subsequent encounter |
| S63.696S | Other sprain of right little finger, sequela |
| S63.697D | Other sprain of left little finger, subsequent encounter |
| S63.697S | Other sprain of left little finger, sequela |
| S63.698D | Other sprain of other finger, subsequent encounter |
| S63.698S | Other sprain of other finger, sequela |
| S63.699D | Other sprain of unspecified finger, subsequent encounter |
| S63.699S | Other sprain of unspecified finger, sequela |
| S63.8X1D | Sprain of other part of right wrist and hand, subsequent encounter |
| S63.8X1S | Sprain of other part of right wrist and hand, sequela |
| S63.8X2D | Sprain of other part of left wrist and hand, subsequent encounter |
| S63.8X2S | Sprain of other part of left wrist and hand, sequela |
| S63.8X9D | Sprain of other part of unspecified wrist and hand, subsequent encounter |
| S63.8X9S | Sprain of other part of unspecified wrist and hand, sequela |
| S63.90XD | Sprain of unspecified part of unspecified wrist and hand, subsequent encounter |
| S63.90XS | Sprain of unspecified part of unspecified wrist and hand, sequela |
| S63.91XD | Sprain of unspecified part of right wrist and hand, subsequent encounter |
| S63.91XS | Sprain of unspecified part of right wrist and hand, sequela |
| S63.92XD | Sprain of unspecified part of left wrist and hand, subsequent encounter |
| S63.92XS | Sprain of unspecified part of left wrist and hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S64.00XD | Injury of ulnar nerve at wrist and hand level of unspecified arm, subsequent encounter |
| S64.00XS | Injury of ulnar nerve at wrist and hand level of unspecified arm, sequela |
| S64.01XD | Injury of ulnar nerve at wrist and hand level of right arm, subsequent encounter |
| S64.01XS | Injury of ulnar nerve at wrist and hand level of right arm, sequela |
| S64.02XD | Injury of ulnar nerve at wrist and hand level of left arm, subsequent encounter |
| S64.02XS | Injury of ulnar nerve at wrist and hand level of left arm, sequela |
| S64.10XD | Injury of median nerve at wrist and hand level of unspecified arm, subsequent encounter |
| S64.10XS | Injury of median nerve at wrist and hand level of unspecified arm, sequela |
| S64.11XD | Injury of median nerve at wrist and hand level of right arm, subsequent encounter |
| S64.11XS | Injury of median nerve at wrist and hand level of right arm, sequela |
| S64.12XD | Injury of median nerve at wrist and hand level of left arm, subsequent encounter |
| S64.12XS | Injury of median nerve at wrist and hand level of left arm, sequela |
| S64.20XD | Injury of radial nerve at wrist and hand level of unspecified arm, subsequent encounter |
| S64.20XS | Injury of radial nerve at wrist and hand level of unspecified arm, sequela |
| S64.21XD | Injury of radial nerve at wrist and hand level of right arm, subsequent encounter |
| S64.21XS | Injury of radial nerve at wrist and hand level of right arm, sequela |
| S64.22XD | Injury of radial nerve at wrist and hand level of left arm, subsequent encounter |
| S64.22XS | Injury of radial nerve at wrist and hand level of left arm, sequela |
| S64.30XD | Injury of digital nerve of unspecified thumb, subsequent encounter |
| S64.30XS | Injury of digital nerve of unspecified thumb, sequela |
| S64.31XD | Injury of digital nerve of right thumb, subsequent encounter |
| S64.31XS | Injury of digital nerve of right thumb, sequela |
| S64.32XD | Injury of digital nerve of left thumb, subsequent encounter |
| S64.32XS | Injury of digital nerve of left thumb, sequela |
| S64.40XD | Injury of digital nerve of unspecified finger, subsequent encounter |
| S64.40XS | Injury of digital nerve of unspecified finger, sequela |
| S64.490D | Injury of digital nerve of right index finger, subsequent encounter |
| S64.490S | Injury of digital nerve of right index finger, sequela |
| S64.491D | Injury of digital nerve of left index finger, subsequent encounter |
| S64.491S | Injury of digital nerve of left index finger, sequela |
| S64.492D | Injury of digital nerve of right middle finger, subsequent encounter |
| S64.492S | Injury of digital nerve of right middle finger, sequela |
| S64.493D | Injury of digital nerve of left middle finger, subsequent encounter |
| S64.493S | Injury of digital nerve of left middle finger, sequela |
| S64.494D | Injury of digital nerve of right ring finger, subsequent encounter |
| S64.494S | Injury of digital nerve of right ring finger, sequela |
| S64.495D | Injury of digital nerve of left ring finger, subsequent encounter |
| S64.495S | Injury of digital nerve of left ring finger, sequela |
| S64.496D | Injury of digital nerve of right little finger, subsequent encounter |
| S64.496S | Injury of digital nerve of right little finger, sequela |
| S64.497D | Injury of digital nerve of left little finger, subsequent encounter |
| S64.497S | Injury of digital nerve of left little finger, sequela |
| S64.498D | Injury of digital nerve of other finger, subsequent encounter |
| S64.498S | Injury of digital nerve of other finger, sequela |
| S64.8X1D | Injury of other nerves at wrist and hand level of right arm, subsequent encounter |
| S64.8X1S | Injury of other nerves at wrist and hand level of right arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S64.8X2D | Injury of other nerves at wrist and hand level of left arm, subsequent encounter |
| S64.8X2S | Injury of other nerves at wrist and hand level of left arm, sequela |
| S64.8X9D | Injury of other nerves at wrist and hand level of unspecified arm, subsequent encounter |
| S64.8X9S | Injury of other nerves at wrist and hand level of unspecified arm, sequela |
| S64.90XD | Injury of unspecified nerve at wrist and hand level of unspecified arm, subsequent encounter |
| S64.90XS | Injury of unspecified nerve at wrist and hand level of unspecified arm, sequela |
| S64.91XD | Injury of unspecified nerve at wrist and hand level of right arm, subsequent encounter |
| S64.91XS | Injury of unspecified nerve at wrist and hand level of right arm, sequela |
| S64.92XD | Injury of unspecified nerve at wrist and hand level of left arm, subsequent encounter |
| S64.92XS | Injury of unspecified nerve at wrist and hand level of left arm, sequela |
| S65.001D | Unspecified injury of ulnar artery at wrist and hand level of right arm, subsequent encounter |
| S65.001S | Unspecified injury of ulnar artery at wrist and hand level of right arm, sequela |
| S65.002D | Unspecified injury of ulnar artery at wrist and hand level of left arm, subsequent encounter |
| S65.002S | Unspecified injury of ulnar artery at wrist and hand level of left arm, sequela |
| S65.009D | Unspecified injury of ulnar artery at wrist and hand level of unspecified arm, subsequent encounter |
| S65.009S | Unspecified injury of ulnar artery at wrist and hand level of unspecified arm, sequela |
| S65.011D | Laceration of ulnar artery at wrist and hand level of right arm, subsequent encounter |
| S65.011S | Laceration of ulnar artery at wrist and hand level of right arm, sequela |
| S65.012D | Laceration of ulnar artery at wrist and hand level of left arm, subsequent encounter |
| S65.012S | Laceration of ulnar artery at wrist and hand level of left arm, sequela |
| S65.019D | Laceration of ulnar artery at wrist and hand level of unspecified arm, subsequent encounter |
| S65.019S | Laceration of ulnar artery at wrist and hand level of unspecified arm, sequela |
| S65.091D | Other specified injury of ulnar artery at wrist and hand level of right arm, subsequent encounter |
| S65.091S | Other specified injury of ulnar artery at wrist and hand level of right arm, sequela |
| S65.092D | Other specified injury of ulnar artery at wrist and hand level of left arm, subsequent encounter |
| S65.092S | Other specified injury of ulnar artery at wrist and hand level of left arm, sequela |
| S65.099D | Other specified injury of ulnar artery at wrist and hand level of unspecified arm, subsequent encounter |
| S65.099S | Other specified injury of ulnar artery at wrist and hand level of unspecified arm, sequela |
| S65.101D | Unspecified injury of radial artery at wrist and hand level of right arm, subsequent encounter |
| S65.101S | Unspecified injury of radial artery at wrist and hand level of right arm, sequela |
| S65.102D | Unspecified injury of radial artery at wrist and hand level of left arm, subsequent encounter |
| S65.102S | Unspecified injury of radial artery at wrist and hand level of left arm, sequela |
| S65.109D | Unspecified injury of radial artery at wrist and hand level of unspecified arm, subsequent encounter |
| S65.109S | Unspecified injury of radial artery at wrist and hand level of unspecified arm, sequela |
| S65.111D | Laceration of radial artery at wrist and hand level of right arm, subsequent encounter |
| S65.111S | Laceration of radial artery at wrist and hand level of right arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S65.112D | Laceration of radial artery at wrist and hand level of left arm, subsequent encounter |
| S65.112S | Laceration of radial artery at wrist and hand level of left arm, sequela |
| S65.119D | Laceration of radial artery at wrist and hand level of unspecified arm, subsequent encounter |
| S65.119S | Laceration of radial artery at wrist and hand level of unspecified arm, sequela |
| S65.191D | Other specified injury of radial artery at wrist and hand level of right arm, subsequent encounter |
| S65.191S | Other specified injury of radial artery at wrist and hand level of right arm, sequela |
| S65.192D | Other specified injury of radial artery at wrist and hand level of left arm, subsequent encounter |
| S65.192S | Other specified injury of radial artery at wrist and hand level of left arm, sequela |
| S65.199D | Other specified injury of radial artery at wrist and hand level of unspecified arm, subsequent encounter |
| S65.199S | Other specified injury of radial artery at wrist and hand level of unspecified arm, sequela |
| S65.201D | Unspecified injury of superficial palmar arch of right hand, subsequent encounter |
| S65.201S | Unspecified injury of superficial palmar arch of right hand, sequela |
| S65.202D | Unspecified injury of superficial palmar arch of left hand, subsequent encounter |
| S65.202S | Unspecified injury of superficial palmar arch of left hand, sequela |
| S65.209D | Unspecified injury of superficial palmar arch of unspecified hand, subsequent encounter |
| S65.209S | Unspecified injury of superficial palmar arch of unspecified hand, sequela |
| S65.211D | Laceration of superficial palmar arch of right hand, subsequent encounter |
| S65.211S | Laceration of superficial palmar arch of right hand, sequela |
| S65.212D | Laceration of superficial palmar arch of left hand, subsequent encounter |
| S65.212S | Laceration of superficial palmar arch of left hand, sequela |
| S65.219D | Laceration of superficial palmar arch of unspecified hand, subsequent encounter |
| S65.219S | Laceration of superficial palmar arch of unspecified hand, sequela |
| S65.291D | Other specified injury of superficial palmar arch of right hand, subsequent encounter |
| S65.291S | Other specified injury of superficial palmar arch of right hand, sequela |
| S65.292D | Other specified injury of superficial palmar arch of left hand, subsequent encounter |
| S65.292S | Other specified injury of superficial palmar arch of left hand, sequela |
| S65.299D | Other specified injury of superficial palmar arch of unspecified hand, subsequent encounter |
| S65.299S | Other specified injury of superficial palmar arch of unspecified hand, sequela |
| S65.301D | Unspecified injury of deep palmar arch of right hand, subsequent encounter |
| S65.301S | Unspecified injury of deep palmar arch of right hand, sequela |
| S65.302D | Unspecified injury of deep palmar arch of left hand, subsequent encounter |
| S65.302S | Unspecified injury of deep palmar arch of left hand, sequela |
| S65.309D | Unspecified injury of deep palmar arch of unspecified hand, subsequent encounter |
| S65.309S | Unspecified injury of deep palmar arch of unspecified hand, sequela |
| S65.311D | Laceration of deep palmar arch of right hand, subsequent encounter |
| S65.311S | Laceration of deep palmar arch of right hand, sequela |
| S65.312D | Laceration of deep palmar arch of left hand, subsequent encounter |
| S65.312S | Laceration of deep palmar arch of left hand, sequela |
| S65.319D | Laceration of deep palmar arch of unspecified hand, subsequent encounter |
| S65.319S | Laceration of deep palmar arch of unspecified hand, sequela |
| S65.391D | Other specified injury of deep palmar arch of right hand, subsequent encounter |
| S65.391S | Other specified injury of deep palmar arch of right hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S65.392D | Other specified injury of deep palmar arch of left hand, subsequent encounter |
| S65.392S | Other specified injury of deep palmar arch of left hand, sequela |
| S65.399D | Other specified injury of deep palmar arch of unspecified hand, subsequent encounter |
| S65.399S | Other specified injury of deep palmar arch of unspecified hand, sequela |
| S65.401D | Unspecified injury of blood vessel of right thumb, subsequent encounter |
| S65.401S | Unspecified injury of blood vessel of right thumb, sequela |
| S65.402D | Unspecified injury of blood vessel of left thumb, subsequent encounter |
| S65.402S | Unspecified injury of blood vessel of left thumb, sequela |
| S65.409D | Unspecified injury of blood vessel of unspecified thumb, subsequent encounter |
| S65.409S | Unspecified injury of blood vessel of unspecified thumb, sequela |
| S65.411D | Laceration of blood vessel of right thumb, subsequent encounter |
| S65.411S | Laceration of blood vessel of right thumb, sequela |
| S65.412D | Laceration of blood vessel of left thumb, subsequent encounter |
| S65.412S | Laceration of blood vessel of left thumb, sequela |
| S65.419D | Laceration of blood vessel of unspecified thumb, subsequent encounter |
| S65.419S | Laceration of blood vessel of unspecified thumb, sequela |
| S65.491D | Other specified injury of blood vessel of right thumb, subsequent encounter |
| S65.491S | Other specified injury of blood vessel of right thumb, sequela |
| S65.492D | Other specified injury of blood vessel of left thumb, subsequent encounter |
| S65.492S | Other specified injury of blood vessel of left thumb, sequela |
| S65.499D | Other specified injury of blood vessel of unspecified thumb, subsequent encounter |
| S65.499S | Other specified injury of blood vessel of unspecified thumb, sequela |
| S65.500D | Unspecified injury of blood vessel of right index finger, subsequent encounter |
| S65.500S | Unspecified injury of blood vessel of right index finger, sequela |
| S65.501D | Unspecified injury of blood vessel of left index finger, subsequent encounter |
| S65.501S | Unspecified injury of blood vessel of left index finger, sequela |
| S65.502D | Unspecified injury of blood vessel of right middle finger, subsequent encounter |
| S65.502S | Unspecified injury of blood vessel of right middle finger, sequela |
| S65.503D | Unspecified injury of blood vessel of left middle finger, subsequent encounter |
| S65.503S | Unspecified injury of blood vessel of left middle finger, sequela |
| S65.504D | Unspecified injury of blood vessel of right ring finger, subsequent encounter |
| S65.504S | Unspecified injury of blood vessel of right ring finger, sequela |
| S65.505D | Unspecified injury of blood vessel of left ring finger, subsequent encounter |
| S65.505S | Unspecified injury of blood vessel of left ring finger, sequela |
| S65.506D | Unspecified injury of blood vessel of right little finger, subsequent encounter |
| S65.506S | Unspecified injury of blood vessel of right little finger, sequela |
| S65.507D | Unspecified injury of blood vessel of left little finger, subsequent encounter |
| S65.507S | Unspecified injury of blood vessel of left little finger, sequela |
| S65.508D | Unspecified injury of blood vessel of other finger, subsequent encounter |
| S65.508S | Unspecified injury of blood vessel of other finger, sequela |
| S65.509D | Unspecified injury of blood vessel of unspecified finger, subsequent encounter |
| S65.509S | Unspecified injury of blood vessel of unspecified finger, sequela |
| S65.510D | Laceration of blood vessel of right index finger, subsequent encounter |
| S65.510S | Laceration of blood vessel of right index finger, sequela |
| S65.511D | Laceration of blood vessel of left index finger, subsequent encounter |
| S65.511S | Laceration of blood vessel of left index finger, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S65.512D | Laceration of blood vessel of right middle finger, subsequent encounter |
| S65.512S | Laceration of blood vessel of right middle finger, sequela |
| S65.513D | Laceration of blood vessel of left middle finger, subsequent encounter |
| S65.513S | Laceration of blood vessel of left middle finger, sequela |
| S65.514D | Laceration of blood vessel of right ring finger, subsequent encounter |
| S65.514S | Laceration of blood vessel of right ring finger, sequela |
| S65.515D | Laceration of blood vessel of left ring finger, subsequent encounter |
| S65.515S | Laceration of blood vessel of left ring finger, sequela |
| S65.516D | Laceration of blood vessel of right little finger, subsequent encounter |
| S65.516S | Laceration of blood vessel of right little finger, sequela |
| S65.517D | Laceration of blood vessel of left little finger, subsequent encounter |
| S65.517S | Laceration of blood vessel of left little finger, sequela |
| S65.518D | Laceration of blood vessel of other finger, subsequent encounter |
| S65.518S | Laceration of blood vessel of other finger, sequela |
| S65.519D | Laceration of blood vessel of unspecified finger, subsequent encounter |
| S65.519S | Laceration of blood vessel of unspecified finger, sequela |
| S65.590D | Other specified injury of blood vessel of right index finger, subsequent encounter |
| S65.590S | Other specified injury of blood vessel of right index finger, sequela |
| S65.591D | Other specified injury of blood vessel of left index finger, subsequent encounter |
| S65.591S | Other specified injury of blood vessel of left index finger, sequela |
| S65.592D | Other specified injury of blood vessel of right middle finger, subsequent encounter |
| S65.592S | Other specified injury of blood vessel of right middle finger, sequela |
| S65.593D | Other specified injury of blood vessel of left middle finger, subsequent encounter |
| S65.593S | Other specified injury of blood vessel of left middle finger, sequela |
| S65.594D | Other specified injury of blood vessel of right ring finger, subsequent encounter |
| S65.594S | Other specified injury of blood vessel of right ring finger, sequela |
| S65.595D | Other specified injury of blood vessel of left ring finger, subsequent encounter |
| S65.595S | Other specified injury of blood vessel of left ring finger, sequela |
| S65.596D | Other specified injury of blood vessel of right little finger, subsequent encounter |
| S65.596S | Other specified injury of blood vessel of right little finger, sequela |
| S65.597D | Other specified injury of blood vessel of left little finger, subsequent encounter |
| S65.597S | Other specified injury of blood vessel of left little finger, sequela |
| S65.598D | Other specified injury of blood vessel of other finger, subsequent encounter |
| S65.598S | Other specified injury of blood vessel of other finger, sequela |
| S65.599D | Other specified injury of blood vessel of unspecified finger, subsequent encounter |
| S65.599S | Other specified injury of blood vessel of unspecified finger, sequela |
| S65.801D | Unspecified injury of other blood vessels at wrist and hand level of right arm, subsequent encounter |
| S65.801S | Unspecified injury of other blood vessels at wrist and hand level of right arm, sequela |
| S65.802D | Unspecified injury of other blood vessels at wrist and hand level of left arm, subsequent encounter |
| S65.802S | Unspecified injury of other blood vessels at wrist and hand level of left arm, sequela |
| S65.809D | Unspecified injury of other blood vessels at wrist and hand level of unspecified arm, subsequent encounter |
| S65.809S | Unspecified injury of other blood vessels at wrist and hand level of unspecified arm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S65.811D | Laceration of other blood vessels at wrist and hand level of right arm, subsequent encounter |
| S65.811S | Laceration of other blood vessels at wrist and hand level of right arm, sequela |
| S65.812D | Laceration of other blood vessels at wrist and hand level of left arm, subsequent encounter |
| S65.812S | Laceration of other blood vessels at wrist and hand level of left arm, sequela |
| S65.819D | Laceration of other blood vessels at wrist and hand level of unspecified arm, subsequent encounter |
| S65.819S | Laceration of other blood vessels at wrist and hand level of unspecified arm, sequela |
| S65.891D | Other specified injury of other blood vessels at wrist and hand level of right arm, subsequent encounter |
| S65.891S | Other specified injury of other blood vessels at wrist and hand level of right arm, sequela |
| S65.892D | Other specified injury of other blood vessels at wrist and hand level of left arm, subsequent encounter |
| S65.892S | Other specified injury of other blood vessels at wrist and hand level of left arm, sequela |
| S65.899D | Other specified injury of other blood vessels at wrist and hand level of unspecified arm, subsequent encounter |
| S65.899S | Other specified injury of other blood vessels at wrist and hand level of unspecified arm, sequela |
| S65.901D | Unspecified injury of unspecified blood vessel at wrist and hand level of right arm, subsequent encounter |
| S65.901S | Unspecified injury of unspecified blood vessel at wrist and hand level of right arm, sequela |
| S65.902D | Unspecified injury of unspecified blood vessel at wrist and hand level of left arm, subsequent encounter |
| S65.902S | Unspecified injury of unspecified blood vessel at wrist and hand level of left arm, sequela |
| S65.909D | Unspecified injury of unspecified blood vessel at wrist and hand level of unspecified arm, subsequent encounter |
| S65.909S | Unspecified injury of unspecified blood vessel at wrist and hand level of unspecified arm, sequela |
| S65.911D | Laceration of unspecified blood vessel at wrist and hand level of right arm, subsequent encounter |
| S65.911S | Laceration of unspecified blood vessel at wrist and hand level of right arm, sequela |
| S65.912D | Laceration of unspecified blood vessel at wrist and hand level of left arm, subsequent encounter |
| S65.912S | Laceration of unspecified blood vessel at wrist and hand level of left arm, sequela |
| S65.919D | Laceration of unspecified blood vessel at wrist and hand level of unspecified arm, subsequent encounter |
| S65.919S | Laceration of unspecified blood vessel at wrist and hand level of unspecified arm, sequela |
| S65.991D | Other specified injury of unspecified blood vessel at wrist and hand of right arm, subsequent encounter |
| S65.991S | Other specified injury of unspecified blood vessel at wrist and hand of right arm, sequela |
| S65.992D | Other specified injury of unspecified blood vessel at wrist and hand of left arm, subsequent encounter |
| S65.992S | Other specified injury of unspecified blood vessel at wrist and hand of left arm, sequela |
| S65.999D | Other specified injury of unspecified blood vessel at wrist and hand of unspecified arm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S65.999S | Other specified injury of unspecified blood vessel at wrist and hand of unspecified arm, sequela |
| S66.001D | Unspecified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.001S | Unspecified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.002D | Unspecified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.002S | Unspecified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.009D | Unspecified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.009S | Unspecified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.011D | Strain of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.011S | Strain of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.012D | Strain of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.012S | Strain of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.019D | Strain of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.019S | Strain of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.021D | Laceration of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.021S | Laceration of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.022D | Laceration of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.022S | Laceration of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.029D | Laceration of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.029S | Laceration of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.091D | Other specified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.091S | Other specified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.092D | Other specified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.092S | Other specified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.099D | Other specified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.099S | Other specified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.100D | Unspecified injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.100S | Unspecified injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.101D | Unspecified injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.101S | Unspecified injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.102D | Unspecified injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.102S | Unspecified injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.103D | Unspecified injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.103S | Unspecified injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.104D | Unspecified injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.104S | Unspecified injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.105D | Unspecified injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.105S | Unspecified injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.106D | Unspecified injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.106S | Unspecified injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.107D | Unspecified injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.107S | Unspecified injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.108D | Unspecified injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.108S | Unspecified injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.109D | Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.109S | Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.110D | Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.110S | Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.111D | Strain of flexor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.111S | Strain of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.112D | Strain of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.112S | Strain of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.113D | Strain of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.113S | Strain of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.114D | Strain of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.114S | Strain of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.115D | Strain of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.115S | Strain of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.116D | Strain of flexor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.116S | Strain of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.117D | Strain of flexor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.117S | Strain of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.118D | Strain of flexor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.118S | Strain of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.119D | Strain of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.119S | Strain of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.120D | Laceration of flexor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.120S | Laceration of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.121D | Laceration of flexor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.121S | Laceration of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.122D | Laceration of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.122S | Laceration of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.123D | Laceration of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.123S | Laceration of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.124D | Laceration of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.124S | Laceration of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.125D | Laceration of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.125S | Laceration of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.126D | Laceration of flexor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.126S | Laceration of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.127D | Laceration of flexor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.127S | Laceration of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.128D | Laceration of flexor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.128S | Laceration of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.129D | Laceration of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.129S | Laceration of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.190D | Other injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.190S | Other injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.191D | Other injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.191S | Other injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.192D | Other injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.192S | Other injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.193D | Other injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.193S | Other injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.194D | Other injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.194S | Other injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.195D | Other injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.195S | Other injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.196D | Other injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.196S | Other injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.197D | Other injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.197S | Other injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.198D | Other injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.198S | Other injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.199D | Other injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.199S | Other injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.201D | Unspecified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.201S | Unspecified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.202D | Unspecified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.202S | Unspecified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.209D | Unspecified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.209S | Unspecified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.211D | Strain of extensor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.211S | Strain of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.212D | Strain of extensor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.212S | Strain of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.219D | Strain of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.219S | Strain of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.221D | Laceration of extensor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.221S | Laceration of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.222D | Laceration of extensor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.222S | Laceration of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.229D | Laceration of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.229S | Laceration of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.291D | Other specified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.291S | Other specified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.292D | Other specified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.292S | Other specified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.299D | Other specified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.299S | Other specified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.300D | Unspecified injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.300S | Unspecified injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.301D | Unspecified injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.301S | Unspecified injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.302D | Unspecified injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.302S | Unspecified injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.303D | Unspecified injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.303S | Unspecified injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.304D | Unspecified injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.304S | Unspecified injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.305D | Unspecified injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.305S | Unspecified injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.306D | Unspecified injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.306S | Unspecified injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.307D | Unspecified injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.307S | Unspecified injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.308D | Unspecified injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.308S | Unspecified injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.309D | Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.309S | Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.310D | Strain of extensor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.310S | Strain of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.311D | Strain of extensor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.311S | Strain of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.312D | Strain of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.312S | Strain of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.313D | Strain of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.313S | Strain of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.314D | Strain of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.314S | Strain of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.315D | Strain of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.315S | Strain of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.316D | Strain of extensor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.316S | Strain of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.317D | Strain of extensor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.317S | Strain of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.318D | Strain of extensor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.318S | Strain of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.319D | Strain of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.319S | Strain of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.320D | Laceration of extensor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.320S | Laceration of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.321D | Laceration of extensor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.321S | Laceration of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.322D | Laceration of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.322S | Laceration of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.323D | Laceration of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.323S | Laceration of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.324D | Laceration of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.324S | Laceration of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.325D | Laceration of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.325S | Laceration of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.326D | Laceration of extensor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.326S | Laceration of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.327D | Laceration of extensor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.327S | Laceration of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.328D | Laceration of extensor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.328S | Laceration of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.329D | Laceration of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.329S | Laceration of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.390D | Other injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.390S | Other injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.391D | Other injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.391S | Other injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.392D | Other injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.392S | Other injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.393D | Other injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.393S | Other injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.394D | Other injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.394S | Other injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.395D | Other injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.395S | Other injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.396D | Other injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.396S | Other injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.397D | Other injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.397S | Other injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.398D | Other injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.398S | Other injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.399D | Other injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.399S | Other injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.401D | Unspecified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.401S | Unspecified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.402D | Unspecified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.402S | Unspecified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.409D | Unspecified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.409S | Unspecified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.411D | Strain of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.411S | Strain of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.412D | Strain of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.412S | Strain of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.419D | Strain of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.419S | Strain of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.421D | Laceration of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.421S | Laceration of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.422D | Laceration of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.422S | Laceration of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.429D | Laceration of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.429S | Laceration of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.491D | Other specified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter |
| S66.491S | Other specified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela |
| S66.492D | Other specified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter |
| S66.492S | Other specified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela |
| S66.499D | Other specified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter |
| S66.499S | Other specified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.500D | Unspecified injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.500S | Unspecified injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.501D | Unspecified injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.501S | Unspecified injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.502D | Unspecified injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.502S | Unspecified injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.503D | Unspecified injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.503S | Unspecified injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.504D | Unspecified injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.504S | Unspecified injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.505D | Unspecified injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.505S | Unspecified injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.506D | Unspecified injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.506S | Unspecified injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.507D | Unspecified injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.507S | Unspecified injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.508D | Unspecified injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.508S | Unspecified injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.509D | Unspecified injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.509S | Unspecified injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.510D | Strain of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.510S | Strain of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.511D | Strain of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.511S | Strain of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.512D | Strain of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.512S | Strain of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.513D | Strain of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.513S | Strain of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.514D | Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.514S | Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.515D | Strain of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.515S | Strain of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.516D | Strain of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.516S | Strain of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.517D | Strain of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.517S | Strain of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.518D | Strain of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.518S | Strain of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.519D | Strain of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.519S | Strain of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.520D | Laceration of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.520S | Laceration of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.521D | Laceration of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.521S | Laceration of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.522D | Laceration of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.522S | Laceration of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.523D | Laceration of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.523S | Laceration of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.524D | Laceration of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.524S | Laceration of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.525D | Laceration of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.525S | Laceration of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.526D | Laceration of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.526S | Laceration of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.527D | Laceration of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.527S | Laceration of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.528D | Laceration of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.528S | Laceration of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.529D | Laceration of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.529S | Laceration of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |
| S66.590D | Other injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter |
| S66.590S | Other injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela |
| S66.591D | Other injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter |
| S66.591S | Other injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela |
| S66.592D | Other injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter |
| S66.592S | Other injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela |
| S66.593D | Other injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter |
| S66.593S | Other injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela |
| S66.594D | Other injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| S66.594S | Other injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela |
| S66.595D | Other injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter |
| S66.595S | Other injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela |
| S66.596D | Other injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter |
| S66.596S | Other injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela |
| S66.597D | Other injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter |
| S66.597S | Other injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela |
| S66.598D | Other injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter |
| S66.598S | Other injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela |
| S66.599D | Other injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter |
| S66.599S | Other injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.801D | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, subsequent encounter |
| S66.801S | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela |
| S66.802D | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, subsequent encounter |
| S66.802S | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela |
| S66.809D | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, subsequent encounter |
| S66.809S | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela |
| S66.811D | Strain of other specified muscles, fascia and tendons at wrist and hand level, right hand, subsequent encounter |
| S66.811S | Strain of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela |
| S66.812D | Strain of other specified muscles, fascia and tendons at wrist and hand level, left hand, subsequent encounter |
| S66.812S | Strain of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela |
| S66.819D | Strain of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, subsequent encounter |
| S66.819S | Strain of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela |
| S66.821D | Laceration of other specified muscles, fascia and tendons at wrist and hand level, right hand, subsequent encounter |
| S66.821S | Laceration of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela |
| S66.822D | Laceration of other specified muscles, fascia and tendons at wrist and hand level, left hand, subsequent encounter |
| S66.822S | Laceration of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela |
| S66.829D | Laceration of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, subsequent encounter |
| S66.829S | Laceration of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela |
| S66.891D | Other injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, subsequent encounter |
| S66.891S | Other injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela |
| S66.892D | Other injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, subsequent encounter |
| S66.892S | Other injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela |
| S66.899D | Other injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, subsequent encounter |
| S66.899S | Other injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S66.901D | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, subsequent encounter |
| S66.901S | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela |
| S66.902D | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, subsequent encounter |
| S66.902S | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela |
| S66.909D | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, subsequent encounter |
| S66.909S | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela |
| S66.911D | Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, subsequent encounter |
| S66.911S | Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela |
| S66.912D | Strain of unspecified muscle, fascia and tendon at wrist and hand level, left hand, subsequent encounter |
| S66.912S | Strain of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela |
| S66.919D | Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, subsequent encounter |
| S66.919S | Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela |
| S66.921D | Laceration of unspecified muscle, fascia and tendon at wrist and hand level, right hand, subsequent encounter |
| S66.921S | Laceration of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela |
| S66.922D | Laceration of unspecified muscle, fascia and tendon at wrist and hand level, left hand, subsequent encounter |
| S66.922S | Laceration of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela |
| S66.929D | Laceration of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, subsequent encounter |
| S66.929S | Laceration of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela |
| S66.991D | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, subsequent encounter |
| S66.991S | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela |
| S66.992D | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, subsequent encounter |
| S66.992S | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela |
| S66.999D | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, subsequent encounter |
| S66.999S | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela |
| S67.00XD | Crushing injury of unspecified thumb, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S67.00XS | Crushing injury of unspecified thumb, sequela |
| S67.01XD | Crushing injury of right thumb, subsequent encounter |
| S67.01XS | Crushing injury of right thumb, sequela |
| S67.02XD | Crushing injury of left thumb, subsequent encounter |
| S67.02XS | Crushing injury of left thumb, sequela |
| S67.10XD | Crushing injury of unspecified finger(s), subsequent encounter |
| S67.10XS | Crushing injury of unspecified finger(s), sequela |
| S67.190D | Crushing injury of right index finger, subsequent encounter |
| S67.190S | Crushing injury of right index finger, sequela |
| S67.191D | Crushing injury of left index finger, subsequent encounter |
| S67.191S | Crushing injury of left index finger, sequela |
| S67.192D | Crushing injury of right middle finger, subsequent encounter |
| S67.192S | Crushing injury of right middle finger, sequela |
| S67.193D | Crushing injury of left middle finger, subsequent encounter |
| S67.193S | Crushing injury of left middle finger, sequela |
| S67.194D | Crushing injury of right ring finger, subsequent encounter |
| S67.194S | Crushing injury of right ring finger, sequela |
| S67.195D | Crushing injury of left ring finger, subsequent encounter |
| S67.195S | Crushing injury of left ring finger, sequela |
| S67.196D | Crushing injury of right little finger, subsequent encounter |
| S67.196S | Crushing injury of right little finger, sequela |
| S67.197D | Crushing injury of left little finger, subsequent encounter |
| S67.197S | Crushing injury of left little finger, sequela |
| S67.198D | Crushing injury of other finger, subsequent encounter |
| S67.198S | Crushing injury of other finger, sequela |
| S67.20XD | Crushing injury of unspecified hand, subsequent encounter |
| S67.20XS | Crushing injury of unspecified hand, sequela |
| S67.21XD | Crushing injury of right hand, subsequent encounter |
| S67.21XS | Crushing injury of right hand, sequela |
| S67.22XD | Crushing injury of left hand, subsequent encounter |
| S67.22XS | Crushing injury of left hand, sequela |
| S67.30XD | Crushing injury of unspecified wrist, subsequent encounter |
| S67.30XS | Crushing injury of unspecified wrist, sequela |
| S67.31XD | Crushing injury of right wrist, subsequent encounter |
| S67.31XS | Crushing injury of right wrist, sequela |
| S67.32XD | Crushing injury of left wrist, subsequent encounter |
| S67.32XS | Crushing injury of left wrist, sequela |
| S67.40XD | Crushing injury of unspecified wrist and hand, subsequent encounter |
| S67.40XS | Crushing injury of unspecified wrist and hand, sequela |
| S67.41XD | Crushing injury of right wrist and hand, subsequent encounter |
| S67.41XS | Crushing injury of right wrist and hand, sequela |
| S67.42XD | Crushing injury of left wrist and hand, subsequent encounter |
| S67.42XS | Crushing injury of left wrist and hand, sequela |
| S67.90XD | Crushing injury of unspecified part(s) of unspecified wrist, hand and fingers, subsequent encounter |
| S67.90XS | Crushing injury of unspecified part(s) of unspecified wrist, hand and fingers, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S67.91XD | Crushing injury of unspecified part(s) of right wrist, hand and fingers, subsequent encounter |
| S67.91XS | Crushing injury of unspecified part(s) of right wrist, hand and fingers, sequela |
| S67.92XD | Crushing injury of unspecified part(s) of left wrist, hand and fingers, subsequent encounter |
| S67.92XS | Crushing injury of unspecified part(s) of left wrist, hand and fingers, sequela |
| S68.011D | Complete traumatic metacarpophalangeal amputation of right thumb, subsequent encounter |
| S68.011S | Complete traumatic metacarpophalangeal amputation of right thumb, sequela |
| S68.012D | Complete traumatic metacarpophalangeal amputation of left thumb, subsequent encounter |
| S68.012S | Complete traumatic metacarpophalangeal amputation of left thumb, sequela |
| S68.019D | Complete traumatic metacarpophalangeal amputation of unspecified thumb, subsequent encounter |
| S68.019S | Complete traumatic metacarpophalangeal amputation of unspecified thumb, sequela |
| S68.021D | Partial traumatic metacarpophalangeal amputation of right thumb, subsequent encounter |
| S68.021S | Partial traumatic metacarpophalangeal amputation of right thumb, sequela |
| S68.022D | Partial traumatic metacarpophalangeal amputation of left thumb, subsequent encounter |
| S68.022S | Partial traumatic metacarpophalangeal amputation of left thumb, sequela |
| S68.029D | Partial traumatic metacarpophalangeal amputation of unspecified thumb, subsequent encounter |
| S68.029S | Partial traumatic metacarpophalangeal amputation of unspecified thumb, sequela |
| S68.110D | Complete traumatic metacarpophalangeal amputation of right index finger, subsequent encounter |
| S68.110S | Complete traumatic metacarpophalangeal amputation of right index finger, sequela |
| S68.111D | Complete traumatic metacarpophalangeal amputation of left index finger, subsequent encounter |
| S68.111S | Complete traumatic metacarpophalangeal amputation of left index finger, sequela |
| S68.112D | Complete traumatic metacarpophalangeal amputation of right middle finger, subsequent encounter |
| S68.112S | Complete traumatic metacarpophalangeal amputation of right middle finger, sequela |
| S68.113D | Complete traumatic metacarpophalangeal amputation of left middle finger, subsequent encounter |
| S68.113S | Complete traumatic metacarpophalangeal amputation of left middle finger, sequela |
| S68.114D | Complete traumatic metacarpophalangeal amputation of right ring finger, subsequent encounter |
| S68.114S | Complete traumatic metacarpophalangeal amputation of right ring finger, sequela |
| S68.115D | Complete traumatic metacarpophalangeal amputation of left ring finger, subsequent encounter |
| S68.115S | Complete traumatic metacarpophalangeal amputation of left ring finger, sequela |
| S68.116D | Complete traumatic metacarpophalangeal amputation of right little finger, subsequent encounter |
| S68.116S | Complete traumatic metacarpophalangeal amputation of right little finger, sequela |
| S68.117D | Complete traumatic metacarpophalangeal amputation of left little finger, subsequent encounter |
| S68.117S | Complete traumatic metacarpophalangeal amputation of left little finger, sequela |
| S68.118D | Complete traumatic metacarpophalangeal amputation of other finger, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S68.118S | Complete traumatic metacarpophalangeal amputation of other finger, sequela |
| S68.119D | Complete traumatic metacarpophalangeal amputation of unspecified finger, subsequent encounter |
| S68.119S | Complete traumatic metacarpophalangeal amputation of unspecified finger, sequela |
| S68.120D | Partial traumatic metacarpophalangeal amputation of right index finger, subsequent encounter |
| S68.120S | Partial traumatic metacarpophalangeal amputation of right index finger, sequela |
| S68.121D | Partial traumatic metacarpophalangeal amputation of left index finger, subsequent encounter |
| S68.121S | Partial traumatic metacarpophalangeal amputation of left index finger, sequela |
| S68.122D | Partial traumatic metacarpophalangeal amputation of right middle finger, subsequent encounter |
| S68.122S | Partial traumatic metacarpophalangeal amputation of right middle finger, sequela |
| S68.123D | Partial traumatic metacarpophalangeal amputation of left middle finger, subsequent encounter |
| S68.123S | Partial traumatic metacarpophalangeal amputation of left middle finger, sequela |
| S68.124D | Partial traumatic metacarpophalangeal amputation of right ring finger, subsequent encounter |
| S68.124S | Partial traumatic metacarpophalangeal amputation of right ring finger, sequela |
| S68.125D | Partial traumatic metacarpophalangeal amputation of left ring finger, subsequent encounter |
| S68.125S | Partial traumatic metacarpophalangeal amputation of left ring finger, sequela |
| S68.126D | Partial traumatic metacarpophalangeal amputation of right little finger, subsequent encounter |
| S68.126S | Partial traumatic metacarpophalangeal amputation of right little finger, sequela |
| S68.127D | Partial traumatic metacarpophalangeal amputation of left little finger, subsequent encounter |
| S68.127S | Partial traumatic metacarpophalangeal amputation of left little finger, sequela |
| S68.128D | Partial traumatic metacarpophalangeal amputation of other finger, subsequent encounter |
| S68.128S | Partial traumatic metacarpophalangeal amputation of other finger, sequela |
| S68.129D | Partial traumatic metacarpophalangeal amputation of unspecified finger, subsequent encounter |
| S68.129S | Partial traumatic metacarpophalangeal amputation of unspecified finger, sequela |
| S68.411D | Complete traumatic amputation of right hand at wrist level, subsequent encounter |
| S68.411S | Complete traumatic amputation of right hand at wrist level, sequela |
| S68.412D | Complete traumatic amputation of left hand at wrist level, subsequent encounter |
| S68.412S | Complete traumatic amputation of left hand at wrist level, sequela |
| S68.419D | Complete traumatic amputation of unspecified hand at wrist level, subsequent encounter |
| S68.419S | Complete traumatic amputation of unspecified hand at wrist level, sequela |
| S68.421D | Partial traumatic amputation of right hand at wrist level, subsequent encounter |
| S68.421S | Partial traumatic amputation of right hand at wrist level, sequela |
| S68.422D | Partial traumatic amputation of left hand at wrist level, subsequent encounter |
| S68.422S | Partial traumatic amputation of left hand at wrist level, sequela |
| S68.429D | Partial traumatic amputation of unspecified hand at wrist level, subsequent encounter |
| S68.429S | Partial traumatic amputation of unspecified hand at wrist level, sequela |
| S68.511D | Complete traumatic transphalangeal amputation of right thumb, subsequent encounter |
| S68.511S | Complete traumatic transphalangeal amputation of right thumb, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S68.512D | Complete traumatic transphalangeal amputation of left thumb, subsequent encounter |
| S68.512S | Complete traumatic transphalangeal amputation of left thumb, sequela |
| S68.519D | Complete traumatic transphalangeal amputation of unspecified thumb, subsequent encounter |
| S68.519S | Complete traumatic transphalangeal amputation of unspecified thumb, sequela |
| S68.521D | Partial traumatic transphalangeal amputation of right thumb, subsequent encounter |
| S68.521S | Partial traumatic transphalangeal amputation of right thumb, sequela |
| S68.522D | Partial traumatic transphalangeal amputation of left thumb, subsequent encounter |
| S68.522S | Partial traumatic transphalangeal amputation of left thumb, sequela |
| S68.529D | Partial traumatic transphalangeal amputation of unspecified thumb, subsequent encounter |
| S68.529S | Partial traumatic transphalangeal amputation of unspecified thumb, sequela |
| S68.610D | Complete traumatic transphalangeal amputation of right index finger, subsequent encounter |
| S68.610S | Complete traumatic transphalangeal amputation of right index finger, sequela |
| S68.611D | Complete traumatic transphalangeal amputation of left index finger, subsequent encounter |
| S68.611S | Complete traumatic transphalangeal amputation of left index finger, sequela |
| S68.612D | Complete traumatic transphalangeal amputation of right middle finger, subsequent encounter |
| S68.612S | Complete traumatic transphalangeal amputation of right middle finger, sequela |
| S68.613D | Complete traumatic transphalangeal amputation of left middle finger, subsequent encounter |
| S68.613S | Complete traumatic transphalangeal amputation of left middle finger, sequela |
| S68.614D | Complete traumatic transphalangeal amputation of right ring finger, subsequent encounter |
| S68.614S | Complete traumatic transphalangeal amputation of right ring finger, sequela |
| S68.615D | Complete traumatic transphalangeal amputation of left ring finger, subsequent encounter |
| S68.615S | Complete traumatic transphalangeal amputation of left ring finger, sequela |
| S68.616D | Complete traumatic transphalangeal amputation of right little finger, subsequent encounter |
| S68.616S | Complete traumatic transphalangeal amputation of right little finger, sequela |
| S68.617D | Complete traumatic transphalangeal amputation of left little finger, subsequent encounter |
| S68.617S | Complete traumatic transphalangeal amputation of left little finger, sequela |
| S68.618D | Complete traumatic transphalangeal amputation of other finger, subsequent encounter |
| S68.618S | Complete traumatic transphalangeal amputation of other finger, sequela |
| S68.619D | Complete traumatic transphalangeal amputation of unspecified finger, subsequent encounter |
| S68.619S | Complete traumatic transphalangeal amputation of unspecified finger, sequela |
| S68.620D | Partial traumatic transphalangeal amputation of right index finger, subsequent encounter |
| S68.620S | Partial traumatic transphalangeal amputation of right index finger, sequela |
| S68.621D | Partial traumatic transphalangeal amputation of left index finger, subsequent encounter |
| S68.621S | Partial traumatic transphalangeal amputation of left index finger, sequela |
| S68.622D | Partial traumatic transphalangeal amputation of right middle finger, subsequent encounter |
| S68.622S | Partial traumatic transphalangeal amputation of right middle finger, sequela |
| S68.623D | Partial traumatic transphalangeal amputation of left middle finger, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S68.623S | Partial traumatic transphalangeal amputation of left middle finger, sequela |
| S68.624D | Partial traumatic transphalangeal amputation of right ring finger, subsequent encounter |
| S68.624S | Partial traumatic transphalangeal amputation of right ring finger, sequela |
| S68.625D | Partial traumatic transphalangeal amputation of left ring finger, subsequent encounter |
| S68.625S | Partial traumatic transphalangeal amputation of left ring finger, sequela |
| S68.626D | Partial traumatic transphalangeal amputation of right little finger, subsequent encounter |
| S68.626S | Partial traumatic transphalangeal amputation of right little finger, sequela |
| S68.627D | Partial traumatic transphalangeal amputation of left little finger, subsequent encounter |
| S68.627S | Partial traumatic transphalangeal amputation of left little finger, sequela |
| S68.628D | Partial traumatic transphalangeal amputation of other finger, subsequent encounter |
| S68.628S | Partial traumatic transphalangeal amputation of other finger, sequela |
| S68.629D | Partial traumatic transphalangeal amputation of unspecified finger, subsequent encounter |
| S68.629S | Partial traumatic transphalangeal amputation of unspecified finger, sequela |
| S68.711D | Complete traumatic transmetacarpal amputation of right hand, subsequent encounter |
| S68.711S | Complete traumatic transmetacarpal amputation of right hand, sequela |
| S68.712D | Complete traumatic transmetacarpal amputation of left hand, subsequent encounter |
| S68.712S | Complete traumatic transmetacarpal amputation of left hand, sequela |
| S68.719D | Complete traumatic transmetacarpal amputation of unspecified hand, subsequent encounter |
| S68.719S | Complete traumatic transmetacarpal amputation of unspecified hand, sequela |
| S68.721D | Partial traumatic transmetacarpal amputation of right hand, subsequent encounter |
| S68.721S | Partial traumatic transmetacarpal amputation of right hand, sequela |
| S68.722D | Partial traumatic transmetacarpal amputation of left hand, subsequent encounter |
| S68.722S | Partial traumatic transmetacarpal amputation of left hand, sequela |
| S68.729D | Partial traumatic transmetacarpal amputation of unspecified hand, subsequent encounter |
| S68.729S | Partial traumatic transmetacarpal amputation of unspecified hand, sequela |
| S69.80XD | Other specified injuries of unspecified wrist, hand and finger(s), subsequent encounter |
| S69.80XS | Other specified injuries of unspecified wrist, hand and finger(s), sequela |
| S69.81XD | Other specified injuries of right wrist, hand and finger(s), subsequent encounter |
| S69.81XS | Other specified injuries of right wrist, hand and finger(s), sequela |
| S69.82XD | Other specified injuries of left wrist, hand and finger(s), subsequent encounter |
| S69.82XS | Other specified injuries of left wrist, hand and finger(s), sequela |
| S69.90XD | Unspecified injury of unspecified wrist, hand and finger(s), subsequent encounter |
| S69.90XS | Unspecified injury of unspecified wrist, hand and finger(s), sequela |
| S69.91XD | Unspecified injury of right wrist, hand and finger(s), subsequent encounter |
| S69.91XS | Unspecified injury of right wrist, hand and finger(s), sequela |
| S69.92XD | Unspecified injury of left wrist, hand and finger(s), subsequent encounter |
| S69.92XS | Unspecified injury of left wrist, hand and finger(s), sequela |
| S70.00XD | Contusion of unspecified hip, subsequent encounter |
| S70.00XS | Contusion of unspecified hip, sequela |
| S70.01XD | Contusion of right hip, subsequent encounter |
| S70.01XS | Contusion of right hip, sequela |
| S70.02XD | Contusion of left hip, subsequent encounter |
| S70.02XS | Contusion of left hip, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S70.10XD | Contusion of unspecified thigh, subsequent encounter |
| S70.10XS | Contusion of unspecified thigh, sequela |
| S70.11XD | Contusion of right thigh, subsequent encounter |
| S70.11XS | Contusion of right thigh, sequela |
| S70.12XD | Contusion of left thigh, subsequent encounter |
| S70.12XS | Contusion of left thigh, sequela |
| S70.211D | Abrasion, right hip, subsequent encounter |
| S70.211S | Abrasion, right hip, sequela |
| S70.212D | Abrasion, left hip, subsequent encounter |
| S70.212S | Abrasion, left hip, sequela |
| S70.219D | Abrasion, unspecified hip, subsequent encounter |
| S70.219S | Abrasion, unspecified hip, sequela |
| S70.221D | Blister (nonthermal), right hip, subsequent encounter |
| S70.221S | Blister (nonthermal), right hip, sequela |
| S70.222D | Blister (nonthermal), left hip, subsequent encounter |
| S70.222S | Blister (nonthermal), left hip, sequela |
| S70.229D | Blister (nonthermal), unspecified hip, subsequent encounter |
| S70.229S | Blister (nonthermal), unspecified hip, sequela |
| S70.241D | External constriction, right hip, subsequent encounter |
| S70.241S | External constriction, right hip, sequela |
| S70.242D | External constriction, left hip, subsequent encounter |
| S70.242S | External constriction, left hip, sequela |
| S70.249D | External constriction, unspecified hip, subsequent encounter |
| S70.249S | External constriction, unspecified hip, sequela |
| S70.251D | Superficial foreign body, right hip, subsequent encounter |
| S70.251S | Superficial foreign body, right hip, sequela |
| S70.252D | Superficial foreign body, left hip, subsequent encounter |
| S70.252S | Superficial foreign body, left hip, sequela |
| S70.259D | Superficial foreign body, unspecified hip, subsequent encounter |
| S70.259S | Superficial foreign body, unspecified hip, sequela |
| S70.261D | Insect bite (nonvenomous), right hip, subsequent encounter |
| S70.261S | Insect bite (nonvenomous), right hip, sequela |
| S70.262D | Insect bite (nonvenomous), left hip, subsequent encounter |
| S70.262S | Insect bite (nonvenomous), left hip, sequela |
| S70.269D | Insect bite (nonvenomous), unspecified hip, subsequent encounter |
| S70.269S | Insect bite (nonvenomous), unspecified hip, sequela |
| S70.271D | Other superficial bite of hip, right hip, subsequent encounter |
| S70.271S | Other superficial bite of hip, right hip, sequela |
| S70.272D | Other superficial bite of hip, left hip, subsequent encounter |
| S70.272S | Other superficial bite of hip, left hip, sequela |
| S70.279D | Other superficial bite of hip, unspecified hip, subsequent encounter |
| S70.279S | Other superficial bite of hip, unspecified hip, sequela |
| S70.311D | Abrasion, right thigh, subsequent encounter |
| S70.311S | Abrasion, right thigh, sequela |
| S70.312D | Abrasion, left thigh, subsequent encounter |
| S70.312S | Abrasion, left thigh, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S70.319D | Abrasion, unspecified thigh, subsequent encounter |
| S70.319S | Abrasion, unspecified thigh, sequela |
| S70.321D | Blister (nonthermal), right thigh, subsequent encounter |
| S70.321S | Blister (nonthermal), right thigh, sequela |
| S70.322D | Blister (nonthermal), left thigh, subsequent encounter |
| S70.322S | Blister (nonthermal), left thigh, sequela |
| S70.329D | Blister (nonthermal), unspecified thigh, subsequent encounter |
| S70.329S | Blister (nonthermal), unspecified thigh, sequela |
| S70.341D | External constriction, right thigh, subsequent encounter |
| S70.341S | External constriction, right thigh, sequela |
| S70.342D | External constriction, left thigh, subsequent encounter |
| S70.342S | External constriction, left thigh, sequela |
| S70.349D | External constriction, unspecified thigh, subsequent encounter |
| S70.349S | External constriction, unspecified thigh, sequela |
| S70.351D | Superficial foreign body, right thigh, subsequent encounter |
| S70.351S | Superficial foreign body, right thigh, sequela |
| S70.352D | Superficial foreign body, left thigh, subsequent encounter |
| S70.352S | Superficial foreign body, left thigh, sequela |
| S70.359D | Superficial foreign body, unspecified thigh, subsequent encounter |
| S70.359S | Superficial foreign body, unspecified thigh, sequela |
| S70.361D | Insect bite (nonvenomous), right thigh, subsequent encounter |
| S70.361S | Insect bite (nonvenomous), right thigh, sequela |
| S70.362D | Insect bite (nonvenomous), left thigh, subsequent encounter |
| S70.362S | Insect bite (nonvenomous), left thigh, sequela |
| S70.369D | Insect bite (nonvenomous), unspecified thigh, subsequent encounter |
| S70.369S | Insect bite (nonvenomous), unspecified thigh, sequela |
| S70.371D | Other superficial bite of right thigh, subsequent encounter |
| S70.371S | Other superficial bite of right thigh, sequela |
| S70.372D | Other superficial bite of left thigh, subsequent encounter |
| S70.372S | Other superficial bite of left thigh, sequela |
| S70.379D | Other superficial bite of unspecified thigh, subsequent encounter |
| S70.379S | Other superficial bite of unspecified thigh, sequela |
| S70.911D | Unspecified superficial injury of right hip, subsequent encounter |
| S70.911S | Unspecified superficial injury of right hip, sequela |
| S70.912D | Unspecified superficial injury of left hip, subsequent encounter |
| S70.912S | Unspecified superficial injury of left hip, sequela |
| S70.919D | Unspecified superficial injury of unspecified hip, subsequent encounter |
| S70.919S | Unspecified superficial injury of unspecified hip, sequela |
| S70.921D | Unspecified superficial injury of right thigh, subsequent encounter |
| S70.921S | Unspecified superficial injury of right thigh, sequela |
| S70.922D | Unspecified superficial injury of left thigh, subsequent encounter |
| S70.922S | Unspecified superficial injury of left thigh, sequela |
| S70.929D | Unspecified superficial injury of unspecified thigh, subsequent encounter |
| S70.929S | Unspecified superficial injury of unspecified thigh, sequela |
| S71.001D | Unspecified open wound, right hip, subsequent encounter |
| S71.001S | Unspecified open wound, right hip, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S71.002D | Unspecified open wound, left hip, subsequent encounter |
| S71.002S | Unspecified open wound, left hip, sequela |
| S71.009D | Unspecified open wound, unspecified hip, subsequent encounter |
| S71.009S | Unspecified open wound, unspecified hip, sequela |
| S71.011D | Laceration without foreign body, right hip, subsequent encounter |
| S71.011S | Laceration without foreign body, right hip, sequela |
| S71.012D | Laceration without foreign body, left hip, subsequent encounter |
| S71.012S | Laceration without foreign body, left hip, sequela |
| S71.019D | Laceration without foreign body, unspecified hip, subsequent encounter |
| S71.019S | Laceration without foreign body, unspecified hip, sequela |
| S71.021D | Laceration with foreign body, right hip, subsequent encounter |
| S71.021S | Laceration with foreign body, right hip, sequela |
| S71.022D | Laceration with foreign body, left hip, subsequent encounter |
| S71.022S | Laceration with foreign body, left hip, sequela |
| S71.029D | Laceration with foreign body, unspecified hip, subsequent encounter |
| S71.029S | Laceration with foreign body, unspecified hip, sequela |
| S71.031D | Puncture wound without foreign body, right hip, subsequent encounter |
| S71.031S | Puncture wound without foreign body, right hip, sequela |
| S71.032D | Puncture wound without foreign body, left hip, subsequent encounter |
| S71.032S | Puncture wound without foreign body, left hip, sequela |
| S71.039D | Puncture wound without foreign body, unspecified hip, subsequent encounter |
| S71.039S | Puncture wound without foreign body, unspecified hip, sequela |
| S71.041D | Puncture wound with foreign body, right hip, subsequent encounter |
| S71.041S | Puncture wound with foreign body, right hip, sequela |
| S71.042D | Puncture wound with foreign body, left hip, subsequent encounter |
| S71.042S | Puncture wound with foreign body, left hip, sequela |
| S71.049D | Puncture wound with foreign body, unspecified hip, subsequent encounter |
| S71.049S | Puncture wound with foreign body, unspecified hip, sequela |
| S71.051D | Open bite, right hip, subsequent encounter |
| S71.051S | Open bite, right hip, sequela |
| S71.052D | Open bite, left hip, subsequent encounter |
| S71.052S | Open bite, left hip, sequela |
| S71.059D | Open bite, unspecified hip, subsequent encounter |
| S71.059S | Open bite, unspecified hip, sequela |
| S71.101D | Unspecified open wound, right thigh, subsequent encounter |
| S71.101S | Unspecified open wound, right thigh, sequela |
| S71.102D | Unspecified open wound, left thigh, subsequent encounter |
| S71.102S | Unspecified open wound, left thigh, sequela |
| S71.109D | Unspecified open wound, unspecified thigh, subsequent encounter |
| S71.109S | Unspecified open wound, unspecified thigh, sequela |
| S71.111D | Laceration without foreign body, right thigh, subsequent encounter |
| S71.111S | Laceration without foreign body, right thigh, sequela |
| S71.112D | Laceration without foreign body, left thigh, subsequent encounter |
| S71.112S | Laceration without foreign body, left thigh, sequela |
| S71.119D | Laceration without foreign body, unspecified thigh, subsequent encounter |
| S71.119S | Laceration without foreign body, unspecified thigh, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S71.121D | Laceration with foreign body, right thigh, subsequent encounter |
| S71.121S | Laceration with foreign body, right thigh, sequela |
| S71.122D | Laceration with foreign body, left thigh, subsequent encounter |
| S71.122S | Laceration with foreign body, left thigh, sequela |
| S71.129D | Laceration with foreign body, unspecified thigh, subsequent encounter |
| S71.129S | Laceration with foreign body, unspecified thigh, sequela |
| S71.131D | Puncture wound without foreign body, right thigh, subsequent encounter |
| S71.131S | Puncture wound without foreign body, right thigh, sequela |
| S71.132D | Puncture wound without foreign body, left thigh, subsequent encounter |
| S71.132S | Puncture wound without foreign body, left thigh, sequela |
| S71.139D | Puncture wound without foreign body, unspecified thigh, subsequent encounter |
| S71.139S | Puncture wound without foreign body, unspecified thigh, sequela |
| S71.141D | Puncture wound with foreign body, right thigh, subsequent encounter |
| S71.141S | Puncture wound with foreign body, right thigh, sequela |
| S71.142D | Puncture wound with foreign body, left thigh, subsequent encounter |
| S71.142S | Puncture wound with foreign body, left thigh, sequela |
| S71.149D | Puncture wound with foreign body, unspecified thigh, subsequent encounter |
| S71.149S | Puncture wound with foreign body, unspecified thigh, sequela |
| S71.151D | Open bite, right thigh, subsequent encounter |
| S71.151S | Open bite, right thigh, sequela |
| S71.152D | Open bite, left thigh, subsequent encounter |
| S71.152S | Open bite, left thigh, sequela |
| S71.159D | Open bite, unspecified thigh, subsequent encounter |
| S71.159S | Open bite, unspecified thigh, sequela |
| S72.001C | Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.001D | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.001E | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.001F | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.001G | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.001H | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.001J | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.001K | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.001M | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.001N | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.001P | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.001Q | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.001R | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.001S | Fracture of unspecified part of neck of right femur, sequela |
| S72.002C | Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.002D | Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.002E | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.002F | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.002G | Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.002H | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.002J | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.002K | Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.002M | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.002N | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.002P | Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.002Q | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.002R | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.002S | Fracture of unspecified part of neck of left femur, sequela |
| S72.009C | Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.009D | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.009E | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.009F | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.009G | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.009H | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.009J | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.009K | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.009M | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.009N | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.009P | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.009Q | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.009R | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.009S | Fracture of unspecified part of neck of unspecified femur, sequela |
| S72.011C | Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.011D | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.011E | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.011F | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.011G | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.011H | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.011J | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.011K | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.011M | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.011N | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.011P | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.011Q | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.011R | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.011S | Unspecified intracapsular fracture of right femur, sequela |
| S72.012C | Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.012D | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.012E | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.012F | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.012G | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.012H | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.012J | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.012K | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.012M | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.012N | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.012P | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.012Q | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.012R | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.012S | Unspecified intracapsular fracture of left femur, sequela |
| S72.019C | Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.019D | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.019E | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.019F | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.019G | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.019H | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.019J | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.019K | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.019M | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.019N | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.019P | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.019Q | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.019R | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.019S | Unspecified intracapsular fracture of unspecified femur, sequela |
| S72.021C | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.021D | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.021E | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.021F | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.021G | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.021H | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.021J | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.021K | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion |
| S72.021M | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.021N | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.021P | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion |
| S72.021Q | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.021R | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.021S | Displaced fracture of epiphysis (separation) (upper) of right femur, sequela |
| S72.022C | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.022D | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing |
| S72.022E | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.022F | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.022G | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.022H | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.022J | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.022K | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion |
| S72.022M | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.022N | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.022P | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion |
| S72.022Q | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.022R | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.022S | Displaced fracture of epiphysis (separation) (upper) of left femur, sequela |
| S72.023C | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.023D | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.023E | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.023F | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.023G | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.023H | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.023J | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.023K | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.023M | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.023N | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.023P | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.023Q | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.023R | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.023S | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela |
| S72.024C | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.024D | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing |
| S72.024E | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.024F | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.024G | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.024H | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.024J | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.024K | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion |
| S72.024M | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.024N | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.024P | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion |
| S72.024Q | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.024R | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.024S | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, sequela |
| S72.025C | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.025D | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing |
| S72.025E | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.025F | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.025G | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.025H | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.025J | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.025K | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion |
| S72.025M | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.025N | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.025P | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion |
| S72.025Q | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.025R | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.025S | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, sequela |
| S72.026C | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.026D | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.026E | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.026F | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.026G | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.026H | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.026J | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.026K | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.026M | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.026N | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.026P | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.026Q | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.026R | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.026S | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela |
| S72.031C | Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.031D | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.031E | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.031F | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.031G | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.031H | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.031J | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.031K | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.031M | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.031N | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.031P | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.031Q | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.031R | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.031S | Displaced midcervical fracture of right femur, sequela |
| S72.032C | Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.032D | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.032E | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.032F | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.032G | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.032H | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.032J | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.032K | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.032M | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.032N | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.032P | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.032Q | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.032R | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.032S | Displaced midcervical fracture of left femur, sequela |
| S72.033C | Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.033D | Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.033E | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.033F | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.033G | Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.033H | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.033J | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.033K | Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.033M | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.033N | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.033P | Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.033Q | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.033R | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.033S | Displaced midcervical fracture of unspecified femur, sequela |
| S72.034C | Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.034D | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.034E | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.034F | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.034G | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.034H | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.034J | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.034K | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.034M | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.034N | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.034P | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.034Q | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.034R | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.034S | Nondisplaced midcervical fracture of right femur, sequela |
| S72.035C | Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.035D | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.035E | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.035F | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.035G | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.035H | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.035J | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.035K | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.035M | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.035N | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.035P | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.035Q | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.035R | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.035S | Nondisplaced midcervical fracture of left femur, sequela |
| S72.036C | Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.036D | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.036E | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.036F | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.036G | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.036H | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.036J | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.036K | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.036M | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.036N | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.036P | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.036Q | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.036R | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.036S | Nondisplaced midcervical fracture of unspecified femur, sequela |
| S72.041C | Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.041D | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.041E | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.041F | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.041G | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.041H | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.041J | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.041K | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.041M | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.041N | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.041P | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion |
| S72.041Q | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.041R | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.041S | Displaced fracture of base of neck of right femur, sequela |
| S72.042C | Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.042D | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.042E | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.042F | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.042G | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.042H | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.042J | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.042K | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.042M | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.042N | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.042P | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.042Q | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.042R | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.042S | Displaced fracture of base of neck of left femur, sequela |
| S72.043C | Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.043D | Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.043E | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.043F | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.043G | Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.043H | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.043J | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.043K | Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.043M | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.043N | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.043P | Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.043Q | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.043R | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.043S | Displaced fracture of base of neck of unspecified femur, sequela |
| S72.044C | Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.044D | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.044E | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.044F | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.044G | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.044H | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.044J | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.044K | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.044M | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.044N | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.044P | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion |
| S72.044Q | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.044R | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.044S | Nondisplaced fracture of base of neck of right femur, sequela |
| S72.045C | Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.045D | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.045E | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.045F | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.045G | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.045H | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.045J | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.045K | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.045M | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.045N | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.045P | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.045Q | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.045R | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.045S | Nondisplaced fracture of base of neck of left femur, sequela |
| S72.046C | Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.046D | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.046E | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.046F | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.046G | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.046H | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.046J | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.046K | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.046M | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.046N | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.046P | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.046Q | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.046R | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.046S | Nondisplaced fracture of base of neck of unspecified femur, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.051C | Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.051D | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with routine healing |
| S72.051E | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.051F | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.051G | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.051H | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.051J | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.051K | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with nonunion |
| S72.051M | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.051N | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.051P | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with malunion |
| S72.051Q | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.051R | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.051S | Unspecified fracture of head of right femur, sequela |
| S72.052C | Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.052D | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with routine healing |
| S72.052E | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.052F | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.052G | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.052H | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.052J | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.052K | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with nonunion |
| S72.052M | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.052N | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.052P | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.052Q | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.052R | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.052S | Unspecified fracture of head of left femur, sequela |
| S72.059C | Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.059D | Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.059E | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.059F | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.059G | Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.059H | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.059J | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.059K | Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.059M | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.059N | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.059P | Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.059Q | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.059R | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.059S | Unspecified fracture of head of unspecified femur, sequela |
| S72.061C | Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.061D | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing |
| S72.061E | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.061F | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.061G | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.061H | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.061J | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.061K | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.061M | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.061N | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.061P | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion |
| S72.061Q | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.061R | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.061S | Displaced articular fracture of head of right femur, sequela |
| S72.062C | Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.062D | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing |
| S72.062E | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.062F | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.062G | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.062H | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.062J | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.062K | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion |
| S72.062M | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.062N | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.062P | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion |
| S72.062Q | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.062R | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.062S | Displaced articular fracture of head of left femur, sequela |
| S72.063C | Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.063D | Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.063E | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.063F | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.063G | Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.063H | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.063J | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.063K | Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.063M | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.063N | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.063P | Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.063Q | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.063R | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.063S | Displaced articular fracture of head of unspecified femur, sequela |
| S72.064C | Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.064D | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing |
| S72.064E | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.064F | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.064G | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.064H | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.064J | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.064K | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion |
| S72.064M | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.064N | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.064P | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion |
| S72.064Q | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.064R | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.064S | Nondisplaced articular fracture of head of right femur, sequela |
| S72.065C | Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.065D | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.065E | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.065F | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.065G | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.065H | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.065J | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.065K | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion |
| S72.065M | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.065N | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.065P | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion |
| S72.065Q | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.065R | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.065S | Nondisplaced articular fracture of head of left femur, sequela |
| S72.066C | Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.066D | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.066E | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.066F | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.066G | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.066H | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.066J | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.066K | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.066M | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.066N | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.066P | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.066Q | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.066R | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.066S | Nondisplaced articular fracture of head of unspecified femur, sequela |
| S72.091C | Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.091D | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.091E | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.091F | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.091G | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.091H | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.091J | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.091K | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.091M | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.091N | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.091P | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with malunion |
| S72.091Q | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.091R | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.091S | Other fracture of head and neck of right femur, sequela |
| S72.092C | Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.092D | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.092E | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.092F | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.092G | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.092H | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.092J | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.092K | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.092M | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.092N | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.092P | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.092Q | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.092R | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.092S | Other fracture of head and neck of left femur, sequela |
| S72.099C | Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.099D | Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.099E | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.099F | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.099G | Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.099H | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.099J | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.099K | Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.099M | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.099N | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.099P | Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.099Q | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.099R | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.099S | Other fracture of head and neck of unspecified femur, sequela |
| S72.101C | Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.101D | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.101E | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.101F | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.101G | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.101H | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.101J | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.101K | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.101M | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.101N | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.101P | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.101Q | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.101R | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.101S | Unspecified trochanteric fracture of right femur, sequela |
| S72.102C | Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.102D | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.102E | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.102F | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.102G | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.102H | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.102J | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.102K | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.102M | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.102N | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.102P | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.102Q | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.102R | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.102S | Unspecified trochanteric fracture of left femur, sequela |
| S72.109C | Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.109D | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.109E | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.109F | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.109G | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.109H | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.109J | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.109K | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.109M | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.109N | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.109P | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.109Q | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.109R | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.109S | Unspecified trochanteric fracture of unspecified femur, sequela |
| S72.111C | Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.111D | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.111E | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.111F | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.111G | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.111H | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.111J | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.111K | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.111M | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.111N | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.111P | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.111Q | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.111R | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.111S | Displaced fracture of greater trochanter of right femur, sequela |
| S72.112C | Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.112D | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.112E | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.112F | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.112G | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.112H | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.112J | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.112K | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.112M | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.112N | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.112P | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.112Q | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.112R | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.112S | Displaced fracture of greater trochanter of left femur, sequela |
| S72.113C | Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.113D | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.113E | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.113F | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.113G | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.113H | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.113J | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.113K | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.113M | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.113N | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.113P | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.113Q | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.113R | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.113S | Displaced fracture of greater trochanter of unspecified femur, sequela |
| S72.114C | Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.114D | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.114E | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.114F | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.114G | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.114H | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.114J | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.114K | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.114M | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.114N | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.114P | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.114Q | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.114R | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.114S | Nondisplaced fracture of greater trochanter of right femur, sequela |
| S72.115C | Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.115D | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.115E | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.115F | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.115G | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.115H | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.115J | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.115K | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.115M | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.115N | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.115P | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.115Q | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.115R | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.115S | Nondisplaced fracture of greater trochanter of left femur, sequela |
| S72.116C | Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.116D | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.116E | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.116F | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.116G | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.116H | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.116J | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.116K | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.116M | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.116N | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.116P | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.116Q | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.116R | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.116S | Nondisplaced fracture of greater trochanter of unspecified femur, sequela |
| S72.121C | Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.121D | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.121E | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.121F | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.121G | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.121H | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.121J | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.121K | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.121M | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.121N | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.121P | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.121Q | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.121R | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.121S | Displaced fracture of lesser trochanter of right femur, sequela |
| S72.122C | Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.122D | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.122E | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.122F | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.122G | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.122H | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.122J | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.122K | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.122M | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.122N | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.122P | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.122Q | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.122R | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.122S | Displaced fracture of lesser trochanter of left femur, sequela |
| S72.123C | Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.123D | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.123E | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.123F | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.123G | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.123H | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.123J | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.123K | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.123M | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.123N | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.123P | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.123Q | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.123R | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.123S | Displaced fracture of lesser trochanter of unspecified femur, sequela |
| S72.124C | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.124D | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.124E | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.124F | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.124G | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.124H | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.124J | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.124K | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.124M | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.124N | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.124P | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.124Q | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.124R | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.124S | Nondisplaced fracture of lesser trochanter of right femur, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.125C | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.125D | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.125E | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.125F | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.125G | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.125H | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.125J | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.125K | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.125M | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.125N | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.125P | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.125Q | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.125R | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.125S | Nondisplaced fracture of lesser trochanter of left femur, sequela |
| S72.126C | Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.126D | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.126E | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.126F | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.126G | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.126H | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.126J | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.126K | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.126M | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.126N | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.126P | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.126Q | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.126R | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.126S | Nondisplaced fracture of lesser trochanter of unspecified femur, sequela |
| S72.131C | Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.131D | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.131E | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.131F | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.131G | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.131H | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.131J | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.131K | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.131M | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.131N | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.131P | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.131Q | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.131R | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.131S | Displaced apophyseal fracture of right femur, sequela |
| S72.132C | Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.132D | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.132E | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.132F | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.132G | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.132H | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.132J | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.132K | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.132M | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.132N | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.132P | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.132Q | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.132R | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.132S | Displaced apophyseal fracture of left femur, sequela |
| S72.133C | Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.133D | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.133E | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.133F | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.133G | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.133H | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.133J | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.133K | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.133M | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.133N | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.133P | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.133Q | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.133R | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.133S | Displaced apophyseal fracture of unspecified femur, sequela |
| S72.134C | Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.134D | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.134E | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.134F | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.134G | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.134H | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.134J | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.134K | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.134M | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.134N | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.134P | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.134Q | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.134R | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.134S | Nondisplaced apophyseal fracture of right femur, sequela |
| S72.135C | Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.135D | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.135E | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.135F | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.135G | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.135H | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.135J | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.135K | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.135M | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.135N | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.135P | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.135Q | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.135R | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.135S | Nondisplaced apophyseal fracture of left femur, sequela |
| S72.136C | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.136D | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.136E | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.136F | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.136G | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.136H | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.136J | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.136K | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.136M | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.136N | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.136P | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.136Q | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.136R | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.136S | Nondisplaced apophyseal fracture of unspecified femur, sequela |
| S72.141C | Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.141D | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.141E | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.141F | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.141G | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.141H | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.141J | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.141K | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.141M | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.141N | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.141P | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.141Q | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.141R | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.141S | Displaced intertrochanteric fracture of right femur, sequela |
| S72.142C | Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.142D | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.142E | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.142F | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.142G | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.142H | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.142J | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.142K | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.142M | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.142N | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.142P | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.142Q | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.142R | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.142S | Displaced intertrochanteric fracture of left femur, sequela |
| S72.143C | Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.143D | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.143E | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.143F | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.143G | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.143H | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.143J | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.143K | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.143M | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.143N | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.143P | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.143Q | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.143R | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.143S | Displaced intertrochanteric fracture of unspecified femur, sequela |
| S72.144C | Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.144D | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.144E | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.144F | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.144G | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.144H | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.144J | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.144K | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.144M | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.144N | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.144P | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.144Q | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.144R | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.144S | Nondisplaced intertrochanteric fracture of right femur, sequela |
| S72.145C | Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.145D | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.145E | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.145F | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.145G | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.145H | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.145J | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.145K | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.145M | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.145N | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.145P | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.145Q | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.145R | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.145S | Nondisplaced intertrochanteric fracture of left femur, sequela |
| S72.146C | Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.146D | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.146E | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.146F | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.146G | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.146H | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.146J | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.146K | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.146M | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.146N | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.146P | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.146Q | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.146R | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.146S | Nondisplaced intertrochanteric fracture of unspecified femur, sequela |
| S72.21XC | Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.21XD | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.21XE | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.21XF | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.21XG | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.21XH | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.21XJ | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.21XK | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.21XM | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.21XN | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.21XP | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.21XQ | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.21XR | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.21XS | Displaced subtrochanteric fracture of right femur, sequela |
| S72.22XC | Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.22XD | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.22XE | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.22XF | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.22XG | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.22XH | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.22XJ | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.22XK | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.22XM | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.22XN | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.22XP | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.22XQ | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.22XR | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.22XS | Displaced subtrochanteric fracture of left femur, sequela |
| S72.23XC | Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.23XD | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.23XE | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.23XF | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.23XG | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.23XH | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.23XJ | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.23XK | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.23XM | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.23XN | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.23XP | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.23XQ | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.23XR | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.23XS | Displaced subtrochanteric fracture of unspecified femur, sequela |
| S72.24XC | Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.24XD | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.24XE | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.24XF | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.24XG | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.24XH | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.24XJ | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.24XK | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.24XM | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.24XN | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.24XP | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.24XQ | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.24XR | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.24XS | Nondisplaced subtrochanteric fracture of right femur, sequela |
| S72.25XC | Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.25XD | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.25XE | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.25XF | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.25XG | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.25XH | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.25XJ | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.25XK | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.25XM | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.25XN | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.25XP | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.25XQ | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.25XR | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.25XS | Nondisplaced subtrochanteric fracture of left femur, sequela |
| S72.26XC | Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.26XD | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.26XE | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.26XF | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.26XG | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.26XH | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.26XJ | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.26XK | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.26XM | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.26XN | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.26XP | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.26XQ | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.26XR | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.26XS | Nondisplaced subtrochanteric fracture of unspecified femur, sequela |
| S72.301C | Unspecified fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.301D | Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.301E | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.301F | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.301G | Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.301H | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.301J | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.301K | Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.301M | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.301N | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.301P | Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.301Q | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.301R | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.301S | Unspecified fracture of shaft of right femur, sequela |
| S72.302C | Unspecified fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.302D | Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.302E | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.302F | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.302G | Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.302H | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.302J | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.302K | Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.302M | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.302N | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.302P | Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.302Q | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.302R | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.302S | Unspecified fracture of shaft of left femur, sequela |
| S72.309C | Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.309D | Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.309E | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.309F | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.309G | Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.309H | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.309J | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.309K | Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.309M | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.309N | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.309P | Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.309Q | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.309R | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.309S | Unspecified fracture of shaft of unspecified femur, sequela |
| S72.321C | Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.321D | Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.321E | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.321F | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.321G | Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.321H | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.321J | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.321K | Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.321M | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.321N | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.321P | Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.321Q | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.321R | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.321S | Displaced transverse fracture of shaft of right femur, sequela |
| S72.322C | Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.322D | Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.322E | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.322F | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.322G | Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.322H | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.322J | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.322K | Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.322M | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.322N | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.322P | Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.322Q | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.322R | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.322S | Displaced transverse fracture of shaft of left femur, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.323C | Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.323D | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.323E | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.323F | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.323G | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.323H | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.323J | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.323K | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.323M | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.323N | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.323P | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.323Q | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.323R | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.323S | Displaced transverse fracture of shaft of unspecified femur, sequela |
| S72.324C | Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.324D | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.324E | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.324F | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.324G | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.324H | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.324J | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.324K | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.324M | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.324N | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.324P | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.324Q | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.324R | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.324S | Nondisplaced transverse fracture of shaft of right femur, sequela |
| S72.325C | Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.325D | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.325E | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.325F | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.325G | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.325H | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.325J | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.325K | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.325M | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.325N | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.325P | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.325Q | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.325R | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.325S | Nondisplaced transverse fracture of shaft of left femur, sequela |
| S72.326C | Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.326D | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.326E | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.326F | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.326G | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.326H | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.326J | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.326K | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.326M | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.326N | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.326P | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.326Q | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.326R | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.326S | Nondisplaced transverse fracture of shaft of unspecified femur, sequela |
| S72.331C | Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.331D | Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.331E | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.331F | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.331G | Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.331H | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.331J | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.331K | Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.331M | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.331N | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.331P | Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.331Q | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.331R | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.331S | Displaced oblique fracture of shaft of right femur, sequela |
| S72.332C | Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.332D | Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.332E | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.332F | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.332G | Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.332H | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.332J | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.332K | Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.332M | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.332N | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.332P | Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.332Q | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.332R | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.332S | Displaced oblique fracture of shaft of left femur, sequela |
| S72.333C | Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.333D | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.333E | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.333F | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.333G | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.333H | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.333J | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.333K | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.333M | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.333N | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.333P | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.333Q | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.333R | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.333S | Displaced oblique fracture of shaft of unspecified femur, sequela |
| S72.334C | Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.334D | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.334E | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.334F | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.334G | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.334H | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.334J | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.334K | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.334M | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.334N | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.334P | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.334Q | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.334R | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.334S | Nondisplaced oblique fracture of shaft of right femur, sequela |
| S72.335C | Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.335D | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.335E | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.335F | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.335G | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.335H | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.335J | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.335K | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.335M | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.335N | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.335P | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.335Q | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.335R | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.335S | Nondisplaced oblique fracture of shaft of left femur, sequela |
| S72.336C | Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.336D | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.336E | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.336F | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.336G | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.336H | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.336J | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.336K | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.336M | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.336N | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.336P | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.336Q | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.336R | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.336S | Nondisplaced oblique fracture of shaft of unspecified femur, sequela |
| S72.341C | Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.341D | Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.341E | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.341F | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.341G | Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.341H | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.341J | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.341K | Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.341M | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.341N | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.341P | Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.341Q | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.341R | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.341S | Displaced spiral fracture of shaft of right femur, sequela |
| S72.342C | Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.342D | Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.342E | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.342F | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.342G | Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.342H | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.342J | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.342K | Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.342M | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.342N | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.342P | Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.342Q | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.342R | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.342S | Displaced spiral fracture of shaft of left femur, sequela |
| S72.343C | Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.343D | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.343E | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.343F | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.343G | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.343H | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.343J | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.343K | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.343M | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.343N | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.343P | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.343Q | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.343R | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.343S | Displaced spiral fracture of shaft of unspecified femur, sequela |
| S72.344C | Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.344D | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.344E | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.344F | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.344G | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.344H | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.344J | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.344K | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.344M | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.344N | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.344P | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.344Q | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.344R | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.344S | Nondisplaced spiral fracture of shaft of right femur, sequela |
| S72.345C | Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.345D | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.345E | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.345F | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.345G | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.345H | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.345J | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.345K | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.345M | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.345N | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.345P | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.345Q | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.345R | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.345S | Nondisplaced spiral fracture of shaft of left femur, sequela |
| S72.346C | Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.346D | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.346E | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.346F | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.346G | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.346H | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.346J | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.346K | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.346M | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.346N | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.346P | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.346Q | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.346R | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.346S | Nondisplaced spiral fracture of shaft of unspecified femur, sequela |
| S72.351C | Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.351D | Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.351E | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.351F | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.351G | Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.351H | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.351J | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.351K | Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.351M | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.351N | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.351P | Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.351Q | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.351R | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.351S | Displaced comminuted fracture of shaft of right femur, sequela |
| S72.352C | Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.352D | Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.352E | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.352F | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.352G | Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.352H | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.352J | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.352K | Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.352M | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.352N | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.352P | Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.352Q | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.352R | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.352S | Displaced comminuted fracture of shaft of left femur, sequela |
| S72.353C | Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.353D | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.353E | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.353F | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.353G | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.353H | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.353J | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.353K | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.353M | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.353N | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.353P | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.353Q | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.353R | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.353S | Displaced comminuted fracture of shaft of unspecified femur, sequela |
| S72.354C | Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.354D | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.354E | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.354F | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.354G | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.354H | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.354J | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.354K | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.354M | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.354N | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.354P | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.354Q | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.354R | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.354S | Nondisplaced comminuted fracture of shaft of right femur, sequela |
| S72.355C | Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.355D | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.355E | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.355F | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.355G | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.355H | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.355J | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.355K | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.355M | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.355N | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.355P | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.355Q | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.355R | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.355S | Nondisplaced comminuted fracture of shaft of left femur, sequela |
| S72.356C | Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.356D | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.356E | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.356F | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.356G | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.356H | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.356J | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.356K | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.356M | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.356N | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.356P | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.356Q | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.356R | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.356S | Nondisplaced comminuted fracture of shaft of unspecified femur, sequela |
| S72.361C | Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.361D | Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.361E | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.361F | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.361G | Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.361H | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.361J | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.361K | Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.361M | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.361N | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.361P | Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.361Q | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.361R | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.361S | Displaced segmental fracture of shaft of right femur, sequela |
| S72.362C | Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.362D | Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.362E | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.362F | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.362G | Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.362H | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.362J | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.362K | Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.362M | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.362N | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.362P | Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.362Q | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.362R | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.362S | Displaced segmental fracture of shaft of left femur, sequela |
| S72.363C | Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.363D | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.363E | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.363F | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.363G | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.363H | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.363J | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.363K | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.363M | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.363N | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.363P | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.363Q | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.363R | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.363S | Displaced segmental fracture of shaft of unspecified femur, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.364C | Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.364D | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.364E | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.364F | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.364G | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.364H | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.364J | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.364K | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |
| S72.364M | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.364N | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.364P | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.364Q | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.364R | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.364S | Nondisplaced segmental fracture of shaft of right femur, sequela |
| S72.365C | Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.365D | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.365E | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.365F | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.365G | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.365H | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.365J | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.365K | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.365M | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.365N | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.365P | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.365Q | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.365R | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.365S | Nondisplaced segmental fracture of shaft of left femur, sequela |
| S72.366C | Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.366D | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.366E | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.366F | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.366G | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.366H | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.366J | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.366K | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.366M | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.366N | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.366P | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.366Q | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.366R | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.366S | Nondisplaced segmental fracture of shaft of unspecified femur, sequela |
| S72.391C | Other fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.391D | Other fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing |
| S72.391E | Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.391F | Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.391G | Other fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.391H | Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.391J | Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.391K | Other fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.391M | Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.391N | Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.391P | Other fracture of shaft of right femur, subsequent encounter for closed fracture with malunion |
| S72.391Q | Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.391R | Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.391S | Other fracture of shaft of right femur, sequela |
| S72.392C | Other fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.392D | Other fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing |
| S72.392E | Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.392F | Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.392G | Other fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.392H | Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.392J | Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.392K | Other fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion |
| S72.392M | Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.392N | Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.392P | Other fracture of shaft of left femur, subsequent encounter for closed fracture with malunion |
| S72.392Q | Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.392R | Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.392S | Other fracture of shaft of left femur, sequela |
| S72.399C | Other fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.399D | Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.399E | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.399F | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.399G | Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.399H | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.399J | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.399K | Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.399M | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.399N | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.399P | Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.399Q | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.399R | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.399S | Other fracture of shaft of unspecified femur, sequela |
| S72.401C | Unspecified fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.401D | Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing |
| S72.401E | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.401F | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.401G | Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.401H | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.401J | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.401K | Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion |
| S72.401M | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.401N | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.401P | Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with malunion |
| S72.401Q | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.401R | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.401S | Unspecified fracture of lower end of right femur, sequela |
| S72.402C | Unspecified fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.402D | Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.402E | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.402F | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.402G | Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.402H | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.402J | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.402K | Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion |
| S72.402M | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.402N | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.402P | Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with malunion |
| S72.402Q | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.402R | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.402S | Unspecified fracture of lower end of left femur, sequela |
| S72.409C | Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.409D | Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.409E | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.409F | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.409G | Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.409H | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.409J | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.409K | Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.409M | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.409N | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.409P | Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.409Q | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.409R | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.409S | Unspecified fracture of lower end of unspecified femur, sequela |
| S72.411C | Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.411D | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing |
| S72.411E | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.411F | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.411G | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.411H | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.411J | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.411K | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion |
| S72.411M | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.411N | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.411P | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with malunion |
| S72.411Q | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.411R | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.411S | Displaced unspecified condyle fracture of lower end of right femur, sequela |
| S72.412C | Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.412D | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing |
| S72.412E | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.412F | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.412G | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.412H | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.412J | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.412K | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion |
| S72.412M | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.412N | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.412P | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with malunion |
| S72.412Q | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.412R | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.412S | Displaced unspecified condyle fracture of lower end of left femur, sequela |
| S72.413C | Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.413D | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.413E | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.413F | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.413G | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.413H | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.413J | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.413K | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.413M | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.413N | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.413P | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.413Q | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.413R | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.413S | Displaced unspecified condyle fracture of lower end of unspecified femur, sequela |
| S72.414C | Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.414D | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing |
| S72.414E | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.414F | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.414G | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.414H | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.414J | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.414K | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion |
| S72.414M | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.414N | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.414P | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with malunion |
| S72.414Q | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.414R | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.414S | Nondisplaced unspecified condyle fracture of lower end of right femur, sequela |
| S72.415C | Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.415D | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing |
| S72.415E | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.415F | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.415G | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.415H | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.415J | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.415K | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion |
| S72.415M | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.415N | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.415P | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with malunion |
| S72.415Q | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.415R | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.415S | Nondisplaced unspecified condyle fracture of lower end of left femur, sequela |
| S72.416C | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.416D | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.416E | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.416F | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.416G | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.416H | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.416J | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.416K | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.416M | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.416N | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.416P | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.416Q | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.416R | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.416S | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, sequela |
| S72.421C | Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.421D | Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing |
| S72.421E | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.421F | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.421G | Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.421H | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.421J | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.421K | Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with nonunion |
| S72.421M | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.421N | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.421P | Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with malunion |
| S72.421Q | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.421R | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.421S | Displaced fracture of lateral condyle of right femur, sequela |
| S72.422C | Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.422D | Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing |
| S72.422E | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.422F | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.422G | Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.422H | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.422J | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.422K | Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with nonunion |
| S72.422M | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.422N | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.422P | Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with malunion |
| S72.422Q | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.422R | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.422S | Displaced fracture of lateral condyle of left femur, sequela |
| S72.423C | Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.423D | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.423E | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.423F | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.423G | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.423H | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.423J | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.423K | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.423M | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.423N | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.423P | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.423Q | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.423R | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.423S | Displaced fracture of lateral condyle of unspecified femur, sequela |
| S72.424C | Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.424D | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing |
| S72.424E | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.424F | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.424G | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.424H | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.424J | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.424K | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with nonunion |
| S72.424M | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.424N | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.424P | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with malunion |
| S72.424Q | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.424R | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.424S | Nondisplaced fracture of lateral condyle of right femur, sequela |
| S72.425C | Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.425D | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing |
| S72.425E | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.425F | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.425G | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.425H | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.425J | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.425K | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with nonunion |
| S72.425M | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.425N | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.425P | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with malunion |
| S72.425Q | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.425R | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.425S | Nondisplaced fracture of lateral condyle of left femur, sequela |
| S72.426C | Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.426D | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.426E | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.426F | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.426G | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.426H | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.426J | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.426K | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.426M | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.426N | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.426P | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.426Q | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.426R | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.426S | Nondisplaced fracture of lateral condyle of unspecified femur, sequela |
| S72.431C | Displaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.431D | Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing |
| S72.431E | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.431F | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.431G | Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.431H | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.431J | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.431K | Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with nonunion |
| S72.431M | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.431N | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.431P | Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with malunion |
| S72.431Q | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.431R | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.431S | Displaced fracture of medial condyle of right femur, sequela |
| S72.432C | Displaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.432D | Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing |
| S72.432E | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.432F | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.432G | Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.432H | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.432J | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.432K | Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with nonunion |
| S72.432M | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.432N | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.432P | Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with malunion |
| S72.432Q | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.432R | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.432S | Displaced fracture of medial condyle of left femur, sequela |
| S72.433C | Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.433D | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.433E | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.433F | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.433G | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.433H | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.433J | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.433K | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.433M | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.433N | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.433P | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.433Q | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.433R | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.433S | Displaced fracture of medial condyle of unspecified femur, sequela |
| S72.434C | Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.434D | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing |
| S72.434E | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.434F | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.434G | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.434H | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.434J | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.434K | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with nonunion |
| S72.434M | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.434N | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.434P | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with malunion |
| S72.434Q | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.434R | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.434S | Nondisplaced fracture of medial condyle of right femur, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.435C | Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.435D | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing |
| S72.435E | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.435F | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.435G | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.435H | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.435J | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.435K | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with nonunion |
| S72.435M | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.435N | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.435P | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with malunion |
| S72.435Q | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.435R | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.435S | Nondisplaced fracture of medial condyle of left femur, sequela |
| S72.436C | Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.436D | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.436E | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.436F | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.436G | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.436H | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.436J | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.436K | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.436M | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.436N | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.436P | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.436Q | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.436R | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.436S | Nondisplaced fracture of medial condyle of unspecified femur, sequela |
| S72.441C | Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.441D | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing |
| S72.441E | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.441F | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.441G | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.441H | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.441J | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.441K | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with nonunion |
| S72.441M | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.441N | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.441P | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with malunion |
| S72.441Q | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.441R | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.441S | Displaced fracture of lower epiphysis (separation) of right femur, sequela |
| S72.442C | Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.442D | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing |
| S72.442E | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.442F | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.442G | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.442H | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.442J | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.442K | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.442M | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.442N | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.442P | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with malunion |
| S72.442Q | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.442R | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.442S | Displaced fracture of lower epiphysis (separation) of left femur, sequela |
| S72.443C | Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.443D | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.443E | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.443F | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.443G | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.443H | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.443J | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.443K | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.443M | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.443N | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.443P | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.443Q | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.443R | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.443S | Displaced fracture of lower epiphysis (separation) of unspecified femur, sequela |
| S72.444C | Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.444D | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing |
| S72.444E | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.444F | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.444G | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.444H | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.444J | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.444K | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with nonunion |
| S72.444M | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.444N | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.444P | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with malunion |
| S72.444Q | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.444R | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.444S | Nondisplaced fracture of lower epiphysis (separation) of right femur, sequela |
| S72.445C | Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.445D | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing |
| S72.445E | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.445F | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.445G | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.445H | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.445J | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.445K | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with nonunion |
| S72.445M | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.445N | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.445P | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with malunion |
| S72.445Q | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.445R | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.445S | Nondisplaced fracture of lower epiphysis (separation) of left femur, sequela |
| S72.446C | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.446D | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.446E | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.446F | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.446G | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.446H | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.446J | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.446K | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.446M | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.446N | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.446P | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.446Q | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.446R | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.446S | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, sequela |
| S72.451C | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.451D | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing |
| S72.451E | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.451F | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.451G | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.451H | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.451J | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.451K | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion |
| S72.451M | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.451N | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.451P | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion |
| S72.451Q | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.451R | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.451S | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, sequela |
| S72.452C | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.452D | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing |
| S72.452E | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.452F | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.452G | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.452H | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.452J | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.452K | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion |
| S72.452M | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.452N | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.452P | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion |
| S72.452Q | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.452R | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.452S | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, sequela |
| S72.453C | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.453D | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.453E | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.453F | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.453G | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.453H | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.453J | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.453K | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.453M | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.453N | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.453P | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.453Q | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.453R | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.453S | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, sequela |
| S72.454C | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.454D | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing |
| S72.454E | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.454F | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.454G | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.454H | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.454J | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.454K | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion |
| S72.454M | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.454N | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.454P | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion |
| S72.454Q | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.454R | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.454S | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, sequela |
| S72.455C | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.455D | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.455E | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.455F | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.455G | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.455H | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.455J | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.455K | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion |
| S72.455M | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.455N | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.455P | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion |
| S72.455Q | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.455R | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.455S | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, sequela |
| S72.456C | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.456D | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.456E | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.456F | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.456G | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.456H | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.456J | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.456K | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.456M | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.456N | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.456P | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.456Q | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.456R | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.456S | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, sequela |
| S72.461C | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.461D | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing |
| S72.461E | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.461F | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.461G | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.461H | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.461J | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.461K | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion |
| S72.461M | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.461N | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.461P | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion |
| S72.461Q | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.461R | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.461S | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, sequela |
| S72.462C | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.462D | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing |
| S72.462E | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.462F | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.462G | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.462H | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.462J | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.462K | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion |
| S72.462M | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.462N | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.462P | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion |
| S72.462Q | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.462R | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.462S | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, sequela |
| S72.463C | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.463D | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.463E | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.463F | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.463G | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.463H | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.463J | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.463K | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.463M | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.463N | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.463P | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.463Q | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.463R | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.463S | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, sequela |
| S72.464C | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.464D | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing |
| S72.464E | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.464F | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.464G | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.464H | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.464J | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.464K | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion |
| S72.464M | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.464N | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.464P | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion |
| S72.464Q | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.464R | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.464S | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, sequela |
| S72.465C | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.465D | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing |
| S72.465E | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.465F | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.465G | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.465H | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.465J | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.465K | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion |
| S72.465M | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.465N | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.465P | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion |
| S72.465Q | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.465R | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.465S | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, sequela |
| S72.466C | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.466D | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.466E | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.466F | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.466G | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.466H | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.466J | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.466K | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.466M | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.466N | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.466P | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.466Q | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.466R | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.466S | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, sequela |
| S72.471D | Torus fracture of lower end of right femur, subsequent encounter for fracture with routine healing |
| S72.471G | Torus fracture of lower end of right femur, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.471K | Torus fracture of lower end of right femur, subsequent encounter for fracture with nonunion |
| S72.471P | Torus fracture of lower end of right femur, subsequent encounter for fracture with malunion |
| S72.471S | Torus fracture of lower end of right femur, sequela |
| S72.472D | Torus fracture of lower end of left femur, subsequent encounter for fracture with routine healing |
| S72.472G | Torus fracture of lower end of left femur, subsequent encounter for fracture with delayed healing |
| S72.472K | Torus fracture of lower end of left femur, subsequent encounter for fracture with nonunion |
| S72.472P | Torus fracture of lower end of left femur, subsequent encounter for fracture with malunion |
| S72.472S | Torus fracture of lower end of left femur, sequela |
| S72.479D | Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing |
| S72.479G | Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S72.479K | Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion |
| S72.479P | Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion |
| S72.479S | Torus fracture of lower end of unspecified femur, sequela |
| S72.491C | Other fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.491D | Other fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing |
| S72.491E | Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.491F | Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.491G | Other fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.491H | Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.491J | Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.491K | Other fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion |
| S72.491M | Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.491N | Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.491P | Other fracture of lower end of right femur, subsequent encounter for closed fracture with malunion |
| S72.491Q | Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.491R | Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.491S | Other fracture of lower end of right femur, sequela |
| S72.492C | Other fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.492D | Other fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing |
| S72.492E | Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.492F | Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.492G | Other fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.492H | Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.492J | Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.492K | Other fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion |
| S72.492M | Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.492N | Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.492P | Other fracture of lower end of left femur, subsequent encounter for closed fracture with malunion |
| S72.492Q | Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.492R | Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.492S | Other fracture of lower end of left femur, sequela |
| S72.499C | Other fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.499D | Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.499E | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.499F | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.499G | Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.499H | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.499J | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.499K | Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.499M | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.499N | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.499P | Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.499Q | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.499R | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.499S | Other fracture of lower end of unspecified femur, sequela |
| S72.8X1C | Other fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.8X1D | Other fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.8X1E | Other fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.8X1F | Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.8X1G | Other fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.8X1H | Other fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.8X1J | Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.8X1K | Other fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.8X1M | Other fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.8X1N | Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.8X1P | Other fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.8X1Q | Other fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.8X1R | Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.8X1S | Other fracture of right femur, sequela |
| S72.8X2C | Other fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.8X2D | Other fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.8X2E | Other fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.8X2F | Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.8X2G | Other fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.8X2H | Other fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.8X2J | Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.8X2K | Other fracture of left femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.8X2M | Other fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.8X2N | Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.8X2P | Other fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.8X2Q | Other fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.8X2R | Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.8X2S | Other fracture of left femur, sequela |
| S72.8X9C | Other fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.8X9D | Other fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.8X9E | Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.8X9F | Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.8X9G | Other fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.8X9H | Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.8X9J | Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.8X9K | Other fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.8X9M | Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.8X9N | Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.8X9P | Other fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.8X9Q | Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.8X9R | Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.8X9S | Other fracture of unspecified femur, sequela |
| S72.90XC | Unspecified fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.90XD | Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.90XE | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.90XF | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.90XG | Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.90XH | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.90XJ | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.90XK | Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.90XM | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.90XN | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.90XP | Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.90XQ | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.90XR | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.90XS | Unspecified fracture of unspecified femur, sequela |
| S72.91XC | Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.91XD | Unspecified fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.91XE | Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.91XF | Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.91XG | Unspecified fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.91XH | Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.91XJ | Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.91XK | Unspecified fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.91XM | Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.91XN | Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.91XP | Unspecified fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.91XQ | Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.91XR | Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.91XS | Unspecified fracture of right femur, sequela |
| S72.92XC | Unspecified fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.92XD | Unspecified fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.92XE | Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.92XF | Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S72.92XG | Unspecified fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.92XH | Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.92XJ | Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.92XK | Unspecified fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.92XM | Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.92XN | Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.92XP | Unspecified fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.92XQ | Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.92XR | Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.92XS | Unspecified fracture of left femur, sequela |
| S73.001D | Unspecified subluxation of right hip, subsequent encounter |
| S73.001S | Unspecified subluxation of right hip, sequela |
| S73.002D | Unspecified subluxation of left hip, subsequent encounter |
| S73.002S | Unspecified subluxation of left hip, sequela |
| S73.003D | Unspecified subluxation of unspecified hip, subsequent encounter |
| S73.003S | Unspecified subluxation of unspecified hip, sequela |
| S73.004D | Unspecified dislocation of right hip, subsequent encounter |
| S73.004S | Unspecified dislocation of right hip, sequela |
| S73.005D | Unspecified dislocation of left hip, subsequent encounter |
| S73.005S | Unspecified dislocation of left hip, sequela |
| S73.006D | Unspecified dislocation of unspecified hip, subsequent encounter |
| S73.006S | Unspecified dislocation of unspecified hip, sequela |
| S73.011D | Posterior subluxation of right hip, subsequent encounter |
| S73.011S | Posterior subluxation of right hip, sequela |
| S73.012D | Posterior subluxation of left hip, subsequent encounter |
| S73.012S | Posterior subluxation of left hip, sequela |
| S73.013D | Posterior subluxation of unspecified hip, subsequent encounter |
| S73.013S | Posterior subluxation of unspecified hip, sequela |
| S73.014D | Posterior dislocation of right hip, subsequent encounter |
| S73.014S | Posterior dislocation of right hip, sequela |
| S73.015D | Posterior dislocation of left hip, subsequent encounter |
| S73.015S | Posterior dislocation of left hip, sequela |
| S73.016D | Posterior dislocation of unspecified hip, subsequent encounter |
| S73.016S | Posterior dislocation of unspecified hip, sequela |
| S73.021D | Obturator subluxation of right hip, subsequent encounter |
| S73.021S | Obturator subluxation of right hip, sequela |
| S73.022D | Obturator subluxation of left hip, subsequent encounter |
| S73.022S | Obturator subluxation of left hip, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S73.023D | Obturator subluxation of unspecified hip, subsequent encounter |
| S73.023S | Obturator subluxation of unspecified hip, sequela |
| S73.024D | Obturator dislocation of right hip, subsequent encounter |
| S73.024S | Obturator dislocation of right hip, sequela |
| S73.025D | Obturator dislocation of left hip, subsequent encounter |
| S73.025S | Obturator dislocation of left hip, sequela |
| S73.026D | Obturator dislocation of unspecified hip, subsequent encounter |
| S73.026S | Obturator dislocation of unspecified hip, sequela |
| S73.031D | Other anterior subluxation of right hip, subsequent encounter |
| S73.031S | Other anterior subluxation of right hip, sequela |
| S73.032D | Other anterior subluxation of left hip, subsequent encounter |
| S73.032S | Other anterior subluxation of left hip, sequela |
| S73.033D | Other anterior subluxation of unspecified hip, subsequent encounter |
| S73.033S | Other anterior subluxation of unspecified hip, sequela |
| S73.034D | Other anterior dislocation of right hip, subsequent encounter |
| S73.034S | Other anterior dislocation of right hip, sequela |
| S73.035D | Other anterior dislocation of left hip, subsequent encounter |
| S73.035S | Other anterior dislocation of left hip, sequela |
| S73.036D | Other anterior dislocation of unspecified hip, subsequent encounter |
| S73.036S | Other anterior dislocation of unspecified hip, sequela |
| S73.041D | Central subluxation of right hip, subsequent encounter |
| S73.041S | Central subluxation of right hip, sequela |
| S73.042D | Central subluxation of left hip, subsequent encounter |
| S73.042S | Central subluxation of left hip, sequela |
| S73.043D | Central subluxation of unspecified hip, subsequent encounter |
| S73.043S | Central subluxation of unspecified hip, sequela |
| S73.044D | Central dislocation of right hip, subsequent encounter |
| S73.044S | Central dislocation of right hip, sequela |
| S73.045D | Central dislocation of left hip, subsequent encounter |
| S73.045S | Central dislocation of left hip, sequela |
| S73.046D | Central dislocation of unspecified hip, subsequent encounter |
| S73.046S | Central dislocation of unspecified hip, sequela |
| S73.101D | Unspecified sprain of right hip, subsequent encounter |
| S73.101S | Unspecified sprain of right hip, sequela |
| S73.102D | Unspecified sprain of left hip, subsequent encounter |
| S73.102S | Unspecified sprain of left hip, sequela |
| S73.109D | Unspecified sprain of unspecified hip, subsequent encounter |
| S73.109S | Unspecified sprain of unspecified hip, sequela |
| S73.111D | Iliofemoral ligament sprain of right hip, subsequent encounter |
| S73.111S | Iliofemoral ligament sprain of right hip, sequela |
| S73.112D | Iliofemoral ligament sprain of left hip, subsequent encounter |
| S73.112S | Iliofemoral ligament sprain of left hip, sequela |
| S73.119D | Iliofemoral ligament sprain of unspecified hip, subsequent encounter |
| S73.119S | Iliofemoral ligament sprain of unspecified hip, sequela |
| S73.121D | Ischiocapsular ligament sprain of right hip, subsequent encounter |
| S73.121S | Ischiocapsular ligament sprain of right hip, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S73.122D | Ischiocapsular ligament sprain of left hip, subsequent encounter |
| S73.122S | Ischiocapsular ligament sprain of left hip, sequela |
| S73.129D | Ischiocapsular ligament sprain of unspecified hip, subsequent encounter |
| S73.129S | Ischiocapsular ligament sprain of unspecified hip, sequela |
| S73.191D | Other sprain of right hip, subsequent encounter |
| S73.191S | Other sprain of right hip, sequela |
| S73.192D | Other sprain of left hip, subsequent encounter |
| S73.192S | Other sprain of left hip, sequela |
| S73.199D | Other sprain of unspecified hip, subsequent encounter |
| S73.199S | Other sprain of unspecified hip, sequela |
| S74.00XD | Injury of sciatic nerve at hip and thigh level, unspecified leg, subsequent encounter |
| S74.00XS | Injury of sciatic nerve at hip and thigh level, unspecified leg, sequela |
| S74.01XD | Injury of sciatic nerve at hip and thigh level, right leg, subsequent encounter |
| S74.01XS | Injury of sciatic nerve at hip and thigh level, right leg, sequela |
| S74.02XD | Injury of sciatic nerve at hip and thigh level, left leg, subsequent encounter |
| S74.02XS | Injury of sciatic nerve at hip and thigh level, left leg, sequela |
| S74.10XD | Injury of femoral nerve at hip and thigh level, unspecified leg, subsequent encounter |
| S74.10XS | Injury of femoral nerve at hip and thigh level, unspecified leg, sequela |
| S74.11XD | Injury of femoral nerve at hip and thigh level, right leg, subsequent encounter |
| S74.11XS | Injury of femoral nerve at hip and thigh level, right leg, sequela |
| S74.12XD | Injury of femoral nerve at hip and thigh level, left leg, subsequent encounter |
| S74.12XS | Injury of femoral nerve at hip and thigh level, left leg, sequela |
| S74.20XD | Injury of cutaneous sensory nerve at hip and thigh level, unspecified leg, subsequent encounter |
| S74.20XS | Injury of cutaneous sensory nerve at hip and thigh level, unspecified leg, sequela |
| S74.21XD | Injury of cutaneous sensory nerve at hip and high level, right leg, subsequent encounter |
| S74.21XS | Injury of cutaneous sensory nerve at hip and high level, right leg, sequela |
| S74.22XD | Injury of cutaneous sensory nerve at hip and thigh level, left leg, subsequent encounter |
| S74.22XS | Injury of cutaneous sensory nerve at hip and thigh level, left leg, sequela |
| S74.8X1D | Injury of other nerves at hip and thigh level, right leg, subsequent encounter |
| S74.8X1S | Injury of other nerves at hip and thigh level, right leg, sequela |
| S74.8X2D | Injury of other nerves at hip and thigh level, left leg, subsequent encounter |
| S74.8X2S | Injury of other nerves at hip and thigh level, left leg, sequela |
| S74.8X9D | Injury of other nerves at hip and thigh level, unspecified leg, subsequent encounter |
| S74.8X9S | Injury of other nerves at hip and thigh level, unspecified leg, sequela |
| S74.90XD | Injury of unspecified nerve at hip and thigh level, unspecified leg, subsequent encounter |
| S74.90XS | Injury of unspecified nerve at hip and thigh level, unspecified leg, sequela |
| S74.91XD | Injury of unspecified nerve at hip and thigh level, right leg, subsequent encounter |
| S74.91XS | Injury of unspecified nerve at hip and thigh level, right leg, sequela |
| S74.92XD | Injury of unspecified nerve at hip and thigh level, left leg, subsequent encounter |
| S74.92XS | Injury of unspecified nerve at hip and thigh level, left leg, sequela |
| S75.001D | Unspecified injury of femoral artery, right leg, subsequent encounter |
| S75.001S | Unspecified injury of femoral artery, right leg, sequela |
| S75.002D | Unspecified injury of femoral artery, left leg, subsequent encounter |
| S75.002S | Unspecified injury of femoral artery, left leg, sequela |
| S75.009D | Unspecified injury of femoral artery, unspecified leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S75.009S | Unspecified injury of femoral artery, unspecified leg, sequela |
| S75.011D | Minor laceration of femoral artery, right leg, subsequent encounter |
| S75.011S | Minor laceration of femoral artery, right leg, sequela |
| S75.012D | Minor laceration of femoral artery, left leg, subsequent encounter |
| S75.012S | Minor laceration of femoral artery, left leg, sequela |
| S75.019D | Minor laceration of femoral artery, unspecified leg, subsequent encounter |
| S75.019S | Minor laceration of femoral artery, unspecified leg, sequela |
| S75.021D | Major laceration of femoral artery, right leg, subsequent encounter |
| S75.021S | Major laceration of femoral artery, right leg, sequela |
| S75.022D | Major laceration of femoral artery, left leg, subsequent encounter |
| S75.022S | Major laceration of femoral artery, left leg, sequela |
| S75.029D | Major laceration of femoral artery, unspecified leg, subsequent encounter |
| S75.029S | Major laceration of femoral artery, unspecified leg, sequela |
| S75.091D | Other specified injury of femoral artery, right leg, subsequent encounter |
| S75.091S | Other specified injury of femoral artery, right leg, sequela |
| S75.092D | Other specified injury of femoral artery, left leg, subsequent encounter |
| S75.092S | Other specified injury of femoral artery, left leg, sequela |
| S75.099D | Other specified injury of femoral artery, unspecified leg, subsequent encounter |
| S75.099S | Other specified injury of femoral artery, unspecified leg, sequela |
| S75.101D | Unspecified injury of femoral vein at hip and thigh level, right leg, subsequent encounter |
| S75.101S | Unspecified injury of femoral vein at hip and thigh level, right leg, sequela |
| S75.102D | Unspecified injury of femoral vein at hip and thigh level, left leg, subsequent encounter |
| S75.102S | Unspecified injury of femoral vein at hip and thigh level, left leg, sequela |
| S75.109D | Unspecified injury of femoral vein at hip and thigh level, unspecified leg, subsequent encounter |
| S75.109S | Unspecified injury of femoral vein at hip and thigh level, unspecified leg, sequela |
| S75.111D | Minor laceration of femoral vein at hip and thigh level, right leg, subsequent encounter |
| S75.111S | Minor laceration of femoral vein at hip and thigh level, right leg, sequela |
| S75.112D | Minor laceration of femoral vein at hip and thigh level, left leg, subsequent encounter |
| S75.112S | Minor laceration of femoral vein at hip and thigh level, left leg, sequela |
| S75.119D | Minor laceration of femoral vein at hip and thigh level, unspecified leg, subsequent encounter |
| S75.119S | Minor laceration of femoral vein at hip and thigh level, unspecified leg, sequela |
| S75.121D | Major laceration of femoral vein at hip and thigh level, right leg, subsequent encounter |
| S75.121S | Major laceration of femoral vein at hip and thigh level, right leg, sequela |
| S75.122D | Major laceration of femoral vein at hip and thigh level, left leg, subsequent encounter |
| S75.122S | Major laceration of femoral vein at hip and thigh level, left leg, sequela |
| S75.129D | Major laceration of femoral vein at hip and thigh level, unspecified leg, subsequent encounter |
| S75.129S | Major laceration of femoral vein at hip and thigh level, unspecified leg, sequela |
| S75.191D | Other specified injury of femoral vein at hip and thigh level, right leg, subsequent encounter |
| S75.191S | Other specified injury of femoral vein at hip and thigh level, right leg, sequela |
| S75.192D | Other specified injury of femoral vein at hip and thigh level, left leg, subsequent encounter |
| S75.192S | Other specified injury of femoral vein at hip and thigh level, left leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S75.199D | Other specified injury of femoral vein at hip and thigh level, unspecified leg, subsequent encounter |
| S75.199S | Other specified injury of femoral vein at hip and thigh level, unspecified leg, sequela |
| S75.201D | Unspecified injury of greater saphenous vein at hip and thigh level, right leg, subsequent encounter |
| S75.201S | Unspecified injury of greater saphenous vein at hip and thigh level, right leg, sequela |
| S75.202D | Unspecified injury of greater saphenous vein at hip and thigh level, left leg, subsequent encounter |
| S75.202S | Unspecified injury of greater saphenous vein at hip and thigh level, left leg, sequela |
| S75.209D | Unspecified injury of greater saphenous vein at hip and thigh level, unspecified leg, subsequent encounter |
| S75.209S | Unspecified injury of greater saphenous vein at hip and thigh level, unspecified leg, sequela |
| S75.211D | Minor laceration of greater saphenous vein at hip and thigh level, right leg, subsequent encounter |
| S75.211S | Minor laceration of greater saphenous vein at hip and thigh level, right leg, sequela |
| S75.212D | Minor laceration of greater saphenous vein at hip and thigh level, left leg, subsequent encounter |
| S75.212S | Minor laceration of greater saphenous vein at hip and thigh level, left leg, sequela |
| S75.219D | Minor laceration of greater saphenous vein at hip and thigh level, unspecified leg, subsequent encounter |
| S75.219S | Minor laceration of greater saphenous vein at hip and thigh level, unspecified leg, sequela |
| S75.221D | Major laceration of greater saphenous vein at hip and thigh level, right leg, subsequent encounter |
| S75.221S | Major laceration of greater saphenous vein at hip and thigh level, right leg, sequela |
| S75.222D | Major laceration of greater saphenous vein at hip and thigh level, left leg, subsequent encounter |
| S75.222S | Major laceration of greater saphenous vein at hip and thigh level, left leg, sequela |
| S75.229D | Major laceration of greater saphenous vein at hip and thigh level, unspecified leg, subsequent encounter |
| S75.229S | Major laceration of greater saphenous vein at hip and thigh level, unspecified leg, sequela |
| S75.291D | Other specified injury of greater saphenous vein at hip and thigh level, right leg, subsequent encounter |
| S75.291S | Other specified injury of greater saphenous vein at hip and thigh level, right leg, sequela |
| S75.292D | Other specified injury of greater saphenous vein at hip and thigh level, left leg, subsequent encounter |
| S75.292S | Other specified injury of greater saphenous vein at hip and thigh level, left leg, sequela |
| S75.299D | Other specified injury of greater saphenous vein at hip and thigh level, unspecified leg, subsequent encounter |
| S75.299S | Other specified injury of greater saphenous vein at hip and thigh level, unspecified leg, sequela |
| S75.801D | Unspecified injury of other blood vessels at hip and thigh level, right leg, subsequent encounter |
| S75.801S | Unspecified injury of other blood vessels at hip and thigh level, right leg, sequela |
| S75.802D | Unspecified injury of other blood vessels at hip and thigh level, left leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S75.802S | Unspecified injury of other blood vessels at hip and thigh level, left leg, sequela |
| S75.809D | Unspecified injury of other blood vessels at hip and thigh level, unspecified leg, subsequent encounter |
| S75.809S | Unspecified injury of other blood vessels at hip and thigh level, unspecified leg, sequela |
| S75.811D | Laceration of other blood vessels at hip and thigh level, right leg, subsequent encounter |
| S75.811S | Laceration of other blood vessels at hip and thigh level, right leg, sequela |
| S75.812D | Laceration of other blood vessels at hip and thigh level, left leg, subsequent encounter |
| S75.812S | Laceration of other blood vessels at hip and thigh level, left leg, sequela |
| S75.819D | Laceration of other blood vessels at hip and thigh level, unspecified leg, subsequent encounter |
| S75.819S | Laceration of other blood vessels at hip and thigh level, unspecified leg, sequela |
| S75.891D | Other specified injury of other blood vessels at hip and thigh level, right leg, subsequent encounter |
| S75.891S | Other specified injury of other blood vessels at hip and thigh level, right leg, sequela |
| S75.892D | Other specified injury of other blood vessels at hip and thigh level, left leg, subsequent encounter |
| S75.892S | Other specified injury of other blood vessels at hip and thigh level, left leg, sequela |
| S75.899D | Other specified injury of other blood vessels at hip and thigh level, unspecified leg, subsequent encounter |
| S75.899S | Other specified injury of other blood vessels at hip and thigh level, unspecified leg, sequela |
| S75.901D | Unspecified injury of unspecified blood vessel at hip and thigh level, right leg, subsequent encounter |
| S75.901S | Unspecified injury of unspecified blood vessel at hip and thigh level, right leg, sequela |
| S75.902D | Unspecified injury of unspecified blood vessel at hip and thigh level, left leg, subsequent encounter |
| S75.902S | Unspecified injury of unspecified blood vessel at hip and thigh level, left leg, sequela |
| S75.909D | Unspecified injury of unspecified blood vessel at hip and thigh level, unspecified leg, subsequent encounter |
| S75.909S | Unspecified injury of unspecified blood vessel at hip and thigh level, unspecified leg, sequela |
| S75.911D | Laceration of unspecified blood vessel at hip and thigh level, right leg, subsequent encounter |
| S75.911S | Laceration of unspecified blood vessel at hip and thigh level, right leg, sequela |
| S75.912D | Laceration of unspecified blood vessel at hip and thigh level, left leg, subsequent encounter |
| S75.912S | Laceration of unspecified blood vessel at hip and thigh level, left leg, sequela |
| S75.919D | Laceration of unspecified blood vessel at hip and thigh level, unspecified leg, subsequent encounter |
| S75.919S | Laceration of unspecified blood vessel at hip and thigh level, unspecified leg, sequela |
| S75.991D | Other specified injury of unspecified blood vessel at hip and thigh level, right leg, subsequent encounter |
| S75.991S | Other specified injury of unspecified blood vessel at hip and thigh level, right leg, sequela |
| S75.992D | Other specified injury of unspecified blood vessel at hip and thigh level, left leg, subsequent encounter |
| S75.992S | Other specified injury of unspecified blood vessel at hip and thigh level, left leg, sequela |
| S75.999D | Other specified injury of unspecified blood vessel at hip and thigh level, unspecified leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S75.999S | Other specified injury of unspecified blood vessel at hip and thigh level, unspecified leg, sequela |
| S76.001D | Unspecified injury of muscle, fascia and tendon of right hip, subsequent encounter |
| S76.001S | Unspecified injury of muscle, fascia and tendon of right hip, sequela |
| S76.002D | Unspecified injury of muscle, fascia and tendon of left hip, subsequent encounter |
| S76.002S | Unspecified injury of muscle, fascia and tendon of left hip, sequela |
| S76.009D | Unspecified injury of muscle, fascia and tendon of unspecified hip, subsequent encounter |
| S76.009S | Unspecified injury of muscle, fascia and tendon of unspecified hip, sequela |
| S76.011D | Strain of muscle, fascia and tendon of right hip, subsequent encounter |
| S76.011S | Strain of muscle, fascia and tendon of right hip, sequela |
| S76.012D | Strain of muscle, fascia and tendon of left hip, subsequent encounter |
| S76.012S | Strain of muscle, fascia and tendon of left hip, sequela |
| S76.019D | Strain of muscle, fascia and tendon of unspecified hip, subsequent encounter |
| S76.019S | Strain of muscle, fascia and tendon of unspecified hip, sequela |
| S76.021D | Laceration of muscle, fascia and tendon of right hip, subsequent encounter |
| S76.021S | Laceration of muscle, fascia and tendon of right hip, sequela |
| S76.022D | Laceration of muscle, fascia and tendon of left hip, subsequent encounter |
| S76.022S | Laceration of muscle, fascia and tendon of left hip, sequela |
| S76.029D | Laceration of muscle, fascia and tendon of unspecified hip, subsequent encounter |
| S76.029S | Laceration of muscle, fascia and tendon of unspecified hip, sequela |
| S76.091D | Other specified injury of muscle, fascia and tendon of right hip, subsequent encounter |
| S76.091S | Other specified injury of muscle, fascia and tendon of right hip, sequela |
| S76.092D | Other specified injury of muscle, fascia and tendon of left hip, subsequent encounter |
| S76.092S | Other specified injury of muscle, fascia and tendon of left hip, sequela |
| S76.099D | Other specified injury of muscle, fascia and tendon of unspecified hip, subsequent encounter |
| S76.099S | Other specified injury of muscle, fascia and tendon of unspecified hip, sequela |
| S76.101D | Unspecified injury of right quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.101S | Unspecified injury of right quadriceps muscle, fascia and tendon, sequela |
| S76.102D | Unspecified injury of left quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.102S | Unspecified injury of left quadriceps muscle, fascia and tendon, sequela |
| S76.109D | Unspecified injury of unspecified quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.109S | Unspecified injury of unspecified quadriceps muscle, fascia and tendon, sequela |
| S76.111D | Strain of right quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.111S | Strain of right quadriceps muscle, fascia and tendon, sequela |
| S76.112D | Strain of left quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.112S | Strain of left quadriceps muscle, fascia and tendon, sequela |
| S76.119D | Strain of unspecified quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.119S | Strain of unspecified quadriceps muscle, fascia and tendon, sequela |
| S76.121D | Laceration of right quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.121S | Laceration of right quadriceps muscle, fascia and tendon, sequela |
| S76.122D | Laceration of left quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.122S | Laceration of left quadriceps muscle, fascia and tendon, sequela |
| S76.129D | Laceration of unspecified quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.129S | Laceration of unspecified quadriceps muscle, fascia and tendon, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S76.191D | Other specified injury of right quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.191S | Other specified injury of right quadriceps muscle, fascia and tendon, sequela |
| S76.192D | Other specified injury of left quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.192S | Other specified injury of left quadriceps muscle, fascia and tendon, sequela |
| S76.199D | Other specified injury of unspecified quadriceps muscle, fascia and tendon, subsequent encounter |
| S76.199S | Other specified injury of unspecified quadriceps muscle, fascia and tendon, sequela |
| S76.201D | Unspecified injury of adductor muscle, fascia and tendon of right thigh, subsequent encounter |
| S76.201S | Unspecified injury of adductor muscle, fascia and tendon of right thigh, sequela |
| S76.202D | Unspecified injury of adductor muscle, fascia and tendon of left thigh, subsequent encounter |
| S76.202S | Unspecified injury of adductor muscle, fascia and tendon of left thigh, sequela |
| S76.209D | Unspecified injury of adductor muscle, fascia and tendon of unspecified thigh, subsequent encounter |
| S76.209S | Unspecified injury of adductor muscle, fascia and tendon of unspecified thigh, sequela |
| S76.211D | Strain of adductor muscle, fascia and tendon of right thigh, subsequent encounter |
| S76.211S | Strain of adductor muscle, fascia and tendon of right thigh, sequela |
| S76.212D | Strain of adductor muscle, fascia and tendon of left thigh, subsequent encounter |
| S76.212S | Strain of adductor muscle, fascia and tendon of left thigh, sequela |
| S76.219D | Strain of adductor muscle, fascia and tendon of unspecified thigh, subsequent encounter |
| S76.219S | Strain of adductor muscle, fascia and tendon of unspecified thigh, sequela |
| S76.221D | Laceration of adductor muscle, fascia and tendon of right thigh, subsequent encounter |
| S76.221S | Laceration of adductor muscle, fascia and tendon of right thigh, sequela |
| S76.222D | Laceration of adductor muscle, fascia and tendon of left thigh, subsequent encounter |
| S76.222S | Laceration of adductor muscle, fascia and tendon of left thigh, sequela |
| S76.229D | Laceration of adductor muscle, fascia and tendon of unspecified thigh, subsequent encounter |
| S76.229S | Laceration of adductor muscle, fascia and tendon of unspecified thigh, sequela |
| S76.291D | Other injury of adductor muscle, fascia and tendon of right thigh, subsequent encounter |
| S76.291S | Other injury of adductor muscle, fascia and tendon of right thigh, sequela |
| S76.292D | Other injury of adductor muscle, fascia and tendon of left thigh, subsequent encounter |
| S76.292S | Other injury of adductor muscle, fascia and tendon of left thigh, sequela |
| S76.299D | Other injury of adductor muscle, fascia and tendon of unspecified thigh, subsequent encounter |
| S76.299S | Other injury of adductor muscle, fascia and tendon of unspecified thigh, sequela |
| S76.301D | Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, subsequent encounter |
| S76.301S | Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela |
| S76.302D | Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, subsequent encounter |
| S76.302S | Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S76.309D | Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, subsequent encounter |
| S76.309S | Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela |
| S76.311D | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, subsequent encounter |
| S76.311S | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela |
| S76.312D | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, subsequent encounter |
| S76.312S | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela |
| S76.319D | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, subsequent encounter |
| S76.319S | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela |
| S76.321D | Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, subsequent encounter |
| S76.321S | Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela |
| S76.322D | Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, subsequent encounter |
| S76.322S | Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela |
| S76.329D | Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, subsequent encounter |
| S76.329S | Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela |
| S76.391D | Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, subsequent encounter |
| S76.391S | Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela |
| S76.392D | Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, subsequent encounter |
| S76.392S | Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela |
| S76.399D | Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, subsequent encounter |
| S76.399S | Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela |
| S76.801D | Unspecified injury of other specified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter |
| S76.801S | Unspecified injury of other specified muscles, fascia and tendons at thigh level, right thigh, sequela |
| S76.802D | Unspecified injury of other specified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter |
| S76.802S | Unspecified injury of other specified muscles, fascia and tendons at thigh level, left thigh, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S76.809D | Unspecified injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter |
| S76.809S | Unspecified injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela |
| S76.811D | Strain of other specified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter |
| S76.811S | Strain of other specified muscles, fascia and tendons at thigh level, right thigh, sequela |
| S76.812D | Strain of other specified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter |
| S76.812S | Strain of other specified muscles, fascia and tendons at thigh level, left thigh, sequela |
| S76.819D | Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter |
| S76.819S | Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela |
| S76.821D | Laceration of other specified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter |
| S76.821S | Laceration of other specified muscles, fascia and tendons at thigh level, right thigh, sequela |
| S76.822D | Laceration of other specified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter |
| S76.822S | Laceration of other specified muscles, fascia and tendons at thigh level, left thigh, sequela |
| S76.829D | Laceration of other specified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter |
| S76.829S | Laceration of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela |
| S76.891D | Other injury of other specified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter |
| S76.891S | Other injury of other specified muscles, fascia and tendons at thigh level, right thigh, sequela |
| S76.892D | Other injury of other specified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter |
| S76.892S | Other injury of other specified muscles, fascia and tendons at thigh level, left thigh, sequela |
| S76.899D | Other injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter |
| S76.899S | Other injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela |
| S76.901D | Unspecified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter |
| S76.901S | Unspecified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela |
| S76.902D | Unspecified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter |
| S76.902S | Unspecified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela |
| S76.909D | Unspecified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S76.909S | Unspecified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela |
| S76.911D | Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter |
| S76.911S | Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela |
| S76.912D | Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter |
| S76.912S | Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela |
| S76.919D | Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter |
| S76.919S | Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela |
| S76.921D | Laceration of unspecified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter |
| S76.921S | Laceration of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela |
| S76.922D | Laceration of unspecified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter |
| S76.922S | Laceration of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela |
| S76.929D | Laceration of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter |
| S76.929S | Laceration of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela |
| S76.991D | Other specified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter |
| S76.991S | Other specified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela |
| S76.992D | Other specified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter |
| S76.992S | Other specified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela |
| S76.999D | Other specified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter |
| S76.999S | Other specified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela |
| S77.00XD | Crushing injury of unspecified hip, subsequent encounter |
| S77.00XS | Crushing injury of unspecified hip, sequela |
| S77.01XD | Crushing injury of right hip, subsequent encounter |
| S77.01XS | Crushing injury of right hip, sequela |
| S77.02XD | Crushing injury of left hip, subsequent encounter |
| S77.02XS | Crushing injury of left hip, sequela |
| S77.10XD | Crushing injury of unspecified thigh, subsequent encounter |
| S77.10XS | Crushing injury of unspecified thigh, sequela |
| S77.11XD | Crushing injury of right thigh, subsequent encounter |
| S77.11XS | Crushing injury of right thigh, sequela |
| S77.12XD | Crushing injury of left thigh, subsequent encounter |
| S77.12XS | Crushing injury of left thigh, sequela |
| S77.20XD | Crushing injury of unspecified hip with thigh, subsequent encounter |
| S77.20XS | Crushing injury of unspecified hip with thigh, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S77.21XD | Crushing injury of right hip with thigh, subsequent encounter |
| S77.21XS | Crushing injury of right hip with thigh, sequela |
| S77.22XD | Crushing injury of left hip with thigh, subsequent encounter |
| S77.22XS | Crushing injury of left hip with thigh, sequela |
| S78.011D | Complete traumatic amputation at right hip joint, subsequent encounter |
| S78.011S | Complete traumatic amputation at right hip joint, sequela |
| S78.012D | Complete traumatic amputation at left hip joint, subsequent encounter |
| S78.012S | Complete traumatic amputation at left hip joint, sequela |
| S78.019D | Complete traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.019S | Complete traumatic amputation at unspecified hip joint, sequela |
| S78.021D | Partial traumatic amputation at right hip joint, subsequent encounter |
| S78.021S | Partial traumatic amputation at right hip joint, sequela |
| S78.022D | Partial traumatic amputation at left hip joint, subsequent encounter |
| S78.022S | Partial traumatic amputation at left hip joint, sequela |
| S78.029D | Partial traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.029S | Partial traumatic amputation at unspecified hip joint, sequela |
| S78.111D | Complete traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.111S | Complete traumatic amputation at level between right hip and knee, sequela |
| S78.112D | Complete traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.112S | Complete traumatic amputation at level between left hip and knee, sequela |
| S78.119D | Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.119S | Complete traumatic amputation at level between unspecified hip and knee, sequela |
| S78.121D | Partial traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.121S | Partial traumatic amputation at level between right hip and knee, sequela |
| S78.122D | Partial traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.122S | Partial traumatic amputation at level between left hip and knee, sequela |
| S78.129D | Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.129S | Partial traumatic amputation at level between unspecified hip and knee, sequela |
| S78.911D | Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.911S | Complete traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.912D | Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.912S | Complete traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.919D | Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.919S | Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S78.921D | Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.921S | Partial traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.922D | Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.922S | Partial traumatic amputation of left hip and thigh, level unspecified, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S78.929D | Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.929S | Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S79.001D | Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing |
| S79.001G | Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing |
| S79.001K | Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion |
| S79.001P | Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion |
| S79.001S | Unspecified physeal fracture of upper end of right femur, sequela |
| S79.002D | Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing |
| S79.002G | Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing |
| S79.002K | Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion |
| S79.002P | Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion |
| S79.002S | Unspecified physeal fracture of upper end of left femur, sequela |
| S79.009D | Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.009G | Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.009K | Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion |
| S79.009P | Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion |
| S79.009S | Unspecified physeal fracture of upper end of unspecified femur, sequela |
| S79.011D | Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing |
| S79.011G | Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing |
| S79.011K | Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion |
| S79.011P | Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion |
| S79.011S | Salter-Harris Type I physeal fracture of upper end of right femur, sequela |
| S79.012D | Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing |
| S79.012G | Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing |
| S79.012K | Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion |
| S79.012P | Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion |
| S79.012S | Salter-Harris Type I physeal fracture of upper end of left femur, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S79.019D | Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.019G | Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.019K | Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion |
| S79.019P | Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion |
| S79.019S | Salter-Harris Type I physeal fracture of upper end of unspecified femur, sequela |
| S79.091D | Other physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing |
| S79.091G | Other physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing |
| S79.091K | Other physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion |
| S79.091P | Other physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion |
| S79.091S | Other physeal fracture of upper end of right femur, sequela |
| S79.092D | Other physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing |
| S79.092G | Other physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing |
| S79.092K | Other physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion |
| S79.092P | Other physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion |
| S79.092S | Other physeal fracture of upper end of left femur, sequela |
| S79.099D | Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.099G | Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.099K | Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion |
| S79.099P | Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion |
| S79.099S | Other physeal fracture of upper end of unspecified femur, sequela |
| S79.101D | Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing |
| S79.101G | Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing |
| S79.101K | Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion |
| S79.101P | Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion |
| S79.101S | Unspecified physeal fracture of lower end of right femur, sequela |
| S79.102D | Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S79.102G | Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing |
| S79.102K | Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion |
| S79.102P | Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion |
| S79.102S | Unspecified physeal fracture of lower end of left femur, sequela |
| S79.109D | Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.109G | Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.109K | Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion |
| S79.109P | Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion |
| S79.109S | Unspecified physeal fracture of lower end of unspecified femur, sequela |
| S79.111D | Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing |
| S79.111G | Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing |
| S79.111K | Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion |
| S79.111P | Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion |
| S79.111S | Salter-Harris Type I physeal fracture of lower end of right femur, sequela |
| S79.112D | Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing |
| S79.112G | Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing |
| S79.112K | Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion |
| S79.112P | Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion |
| S79.112S | Salter-Harris Type I physeal fracture of lower end of left femur, sequela |
| S79.119D | Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.119G | Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.119K | Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion |
| S79.119P | Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion |
| S79.119S | Salter-Harris Type I physeal fracture of lower end of unspecified femur, sequela |
| S79.121D | Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing |
| S79.121G | Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S79.121K | Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion |
| S79.121P | Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion |
| S79.121S | Salter-Harris Type II physeal fracture of lower end of right femur, sequela |
| S79.122D | Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing |
| S79.122G | Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing |
| S79.122K | Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion |
| S79.122P | Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion |
| S79.122S | Salter-Harris Type II physeal fracture of lower end of left femur, sequela |
| S79.129D | Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.129G | Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.129K | Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion |
| S79.129P | Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion |
| S79.129S | Salter-Harris Type II physeal fracture of lower end of unspecified femur, sequela |
| S79.131D | Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing |
| S79.131G | Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing |
| S79.131K | Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion |
| S79.131P | Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion |
| S79.131S | Salter-Harris Type III physeal fracture of lower end of right femur, sequela |
| S79.132D | Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing |
| S79.132G | Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing |
| S79.132K | Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion |
| S79.132P | Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion |
| S79.132S | Salter-Harris Type III physeal fracture of lower end of left femur, sequela |
| S79.139D | Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.139G | Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.139K | Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S79.139P | Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion |
| S79.139S | Salter-Harris Type III physeal fracture of lower end of unspecified femur, sequela |
| S79.141D | Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing |
| S79.141G | Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing |
| S79.141K | Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion |
| S79.141P | Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion |
| S79.141S | Salter-Harris Type IV physeal fracture of lower end of right femur, sequela |
| S79.142D | Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing |
| S79.142G | Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing |
| S79.142K | Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion |
| S79.142P | Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion |
| S79.142S | Salter-Harris Type IV physeal fracture of lower end of left femur, sequela |
| S79.149D | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.149G | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.149K | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion |
| S79.149P | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion |
| S79.149S | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, sequela |
| S79.191D | Other physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing |
| S79.191G | Other physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing |
| S79.191K | Other physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion |
| S79.191P | Other physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion |
| S79.191S | Other physeal fracture of lower end of right femur, sequela |
| S79.192D | Other physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing |
| S79.192G | Other physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing |
| S79.192K | Other physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion |
| S79.192P | Other physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion |
| S79.192S | Other physeal fracture of lower end of left femur, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S79.199D | Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.199G | Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.199K | Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion |
| S79.199P | Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion |
| S79.199S | Other physeal fracture of lower end of unspecified femur, sequela |
| S79.811D | Other specified injuries of right hip, subsequent encounter |
| S79.811S | Other specified injuries of right hip, sequela |
| S79.812D | Other specified injuries of left hip, subsequent encounter |
| S79.812S | Other specified injuries of left hip, sequela |
| S79.819D | Other specified injuries of unspecified hip, subsequent encounter |
| S79.819S | Other specified injuries of unspecified hip, sequela |
| S79.821D | Other specified injuries of right thigh, subsequent encounter |
| S79.821S | Other specified injuries of right thigh, sequela |
| S79.822D | Other specified injuries of left thigh, subsequent encounter |
| S79.822S | Other specified injuries of left thigh, sequela |
| S79.829D | Other specified injuries of unspecified thigh, subsequent encounter |
| S79.829S | Other specified injuries of unspecified thigh, sequela |
| S79.911D | Unspecified injury of right hip, subsequent encounter |
| S79.911S | Unspecified injury of right hip, sequela |
| S79.912D | Unspecified injury of left hip, subsequent encounter |
| S79.912S | Unspecified injury of left hip, sequela |
| S79.919D | Unspecified injury of unspecified hip, subsequent encounter |
| S79.919S | Unspecified injury of unspecified hip, sequela |
| S79.921D | Unspecified injury of right thigh, subsequent encounter |
| S79.921S | Unspecified injury of right thigh, sequela |
| S79.922D | Unspecified injury of left thigh, subsequent encounter |
| S79.922S | Unspecified injury of left thigh, sequela |
| S79.929D | Unspecified injury of unspecified thigh, subsequent encounter |
| S79.929S | Unspecified injury of unspecified thigh, sequela |
| S80.00XD | Contusion of unspecified knee, subsequent encounter |
| S80.00XS | Contusion of unspecified knee, sequela |
| S80.01XD | Contusion of right knee, subsequent encounter |
| S80.01XS | Contusion of right knee, sequela |
| S80.02XD | Contusion of left knee, subsequent encounter |
| S80.02XS | Contusion of left knee, sequela |
| S80.10XD | Contusion of unspecified lower leg, subsequent encounter |
| S80.10XS | Contusion of unspecified lower leg, sequela |
| S80.11XD | Contusion of right lower leg, subsequent encounter |
| S80.11XS | Contusion of right lower leg, sequela |
| S80.12XD | Contusion of left lower leg, subsequent encounter |
| S80.12XS | Contusion of left lower leg, sequela |
| S80.211D | Abrasion, right knee, subsequent encounter |
| S80.211S | Abrasion, right knee, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S80.212D | Abrasion, left knee, subsequent encounter |
| S80.212S | Abrasion, left knee, sequela |
| S80.219D | Abrasion, unspecified knee, subsequent encounter |
| S80.219S | Abrasion, unspecified knee, sequela |
| S80.221D | Blister (nonthermal), right knee, subsequent encounter |
| S80.221S | Blister (nonthermal), right knee, sequela |
| S80.222D | Blister (nonthermal), left knee, subsequent encounter |
| S80.222S | Blister (nonthermal), left knee, sequela |
| S80.229D | Blister (nonthermal), unspecified knee, subsequent encounter |
| S80.229S | Blister (nonthermal), unspecified knee, sequela |
| S80.241D | External constriction, right knee, subsequent encounter |
| S80.241S | External constriction, right knee, sequela |
| S80.242D | External constriction, left knee, subsequent encounter |
| S80.242S | External constriction, left knee, sequela |
| S80.249D | External constriction, unspecified knee, subsequent encounter |
| S80.249S | External constriction, unspecified knee, sequela |
| S80.251D | Superficial foreign body, right knee, subsequent encounter |
| S80.251S | Superficial foreign body, right knee, sequela |
| S80.252D | Superficial foreign body, left knee, subsequent encounter |
| S80.252S | Superficial foreign body, left knee, sequela |
| S80.259D | Superficial foreign body, unspecified knee, subsequent encounter |
| S80.259S | Superficial foreign body, unspecified knee, sequela |
| S80.261D | Insect bite (nonvenomous), right knee, subsequent encounter |
| S80.261S | Insect bite (nonvenomous), right knee, sequela |
| S80.262D | Insect bite (nonvenomous), left knee, subsequent encounter |
| S80.262S | Insect bite (nonvenomous), left knee, sequela |
| S80.269D | Insect bite (nonvenomous), unspecified knee, subsequent encounter |
| S80.269S | Insect bite (nonvenomous), unspecified knee, sequela |
| S80.271D | Other superficial bite of right knee, subsequent encounter |
| S80.271S | Other superficial bite of right knee, sequela |
| S80.272D | Other superficial bite of left knee, subsequent encounter |
| S80.272S | Other superficial bite of left knee, sequela |
| S80.279D | Other superficial bite of unspecified knee, subsequent encounter |
| S80.279S | Other superficial bite of unspecified knee, sequela |
| S80.811D | Abrasion, right lower leg, subsequent encounter |
| S80.811S | Abrasion, right lower leg, sequela |
| S80.812D | Abrasion, left lower leg, subsequent encounter |
| S80.812S | Abrasion, left lower leg, sequela |
| S80.819D | Abrasion, unspecified lower leg, subsequent encounter |
| S80.819S | Abrasion, unspecified lower leg, sequela |
| S80.821D | Blister (nonthermal), right lower leg, subsequent encounter |
| S80.821S | Blister (nonthermal), right lower leg, sequela |
| S80.822D | Blister (nonthermal), left lower leg, subsequent encounter |
| S80.822S | Blister (nonthermal), left lower leg, sequela |
| S80.829D | Blister (nonthermal), unspecified lower leg, subsequent encounter |
| S80.829S | Blister (nonthermal), unspecified lower leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S80.841D | External constriction, right lower leg, subsequent encounter |
| S80.841S | External constriction, right lower leg, sequela |
| S80.842D | External constriction, left lower leg, subsequent encounter |
| S80.842S | External constriction, left lower leg, sequela |
| S80.849D | External constriction, unspecified lower leg, subsequent encounter |
| S80.849S | External constriction, unspecified lower leg, sequela |
| S80.851D | Superficial foreign body, right lower leg, subsequent encounter |
| S80.851S | Superficial foreign body, right lower leg, sequela |
| S80.852D | Superficial foreign body, left lower leg, subsequent encounter |
| S80.852S | Superficial foreign body, left lower leg, sequela |
| S80.859D | Superficial foreign body, unspecified lower leg, subsequent encounter |
| S80.859S | Superficial foreign body, unspecified lower leg, sequela |
| S80.861D | Insect bite (nonvenomous), right lower leg, subsequent encounter |
| S80.861S | Insect bite (nonvenomous), right lower leg, sequela |
| S80.862D | Insect bite (nonvenomous), left lower leg, subsequent encounter |
| S80.862S | Insect bite (nonvenomous), left lower leg, sequela |
| S80.869D | Insect bite (nonvenomous), unspecified lower leg, subsequent encounter |
| S80.869S | Insect bite (nonvenomous), unspecified lower leg, sequela |
| S80.871D | Other superficial bite, right lower leg, subsequent encounter |
| S80.871S | Other superficial bite, right lower leg, sequela |
| S80.872D | Other superficial bite, left lower leg, subsequent encounter |
| S80.872S | Other superficial bite, left lower leg, sequela |
| S80.879D | Other superficial bite, unspecified lower leg, subsequent encounter |
| S80.879S | Other superficial bite, unspecified lower leg, sequela |
| S80.911D | Unspecified superficial injury of right knee, subsequent encounter |
| S80.911S | Unspecified superficial injury of right knee, sequela |
| S80.912D | Unspecified superficial injury of left knee, subsequent encounter |
| S80.912S | Unspecified superficial injury of left knee, sequela |
| S80.919D | Unspecified superficial injury of unspecified knee, subsequent encounter |
| S80.919S | Unspecified superficial injury of unspecified knee, sequela |
| S80.921D | Unspecified superficial injury of right lower leg, subsequent encounter |
| S80.921S | Unspecified superficial injury of right lower leg, sequela |
| S80.922D | Unspecified superficial injury of left lower leg, subsequent encounter |
| S80.922S | Unspecified superficial injury of left lower leg, sequela |
| S80.929D | Unspecified superficial injury of unspecified lower leg, subsequent encounter |
| S80.929S | Unspecified superficial injury of unspecified lower leg, sequela |
| S81.001D | Unspecified open wound, right knee, subsequent encounter |
| S81.001S | Unspecified open wound, right knee, sequela |
| S81.002D | Unspecified open wound, left knee, subsequent encounter |
| S81.002S | Unspecified open wound, left knee, sequela |
| S81.009D | Unspecified open wound, unspecified knee, subsequent encounter |
| S81.009S | Unspecified open wound, unspecified knee, sequela |
| S81.011D | Laceration without foreign body, right knee, subsequent encounter |
| S81.011S | Laceration without foreign body, right knee, sequela |
| S81.012D | Laceration without foreign body, left knee, subsequent encounter |
| S81.012S | Laceration without foreign body, left knee, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S81.019D | Laceration without foreign body, unspecified knee, subsequent encounter |
| S81.019S | Laceration without foreign body, unspecified knee, sequela |
| S81.021D | Laceration with foreign body, right knee, subsequent encounter |
| S81.021S | Laceration with foreign body, right knee, sequela |
| S81.022D | Laceration with foreign body, left knee, subsequent encounter |
| S81.022S | Laceration with foreign body, left knee, sequela |
| S81.029D | Laceration with foreign body, unspecified knee, subsequent encounter |
| S81.029S | Laceration with foreign body, unspecified knee, sequela |
| S81.031D | Puncture wound without foreign body, right knee, subsequent encounter |
| S81.031S | Puncture wound without foreign body, right knee, sequela |
| S81.032D | Puncture wound without foreign body, left knee, subsequent encounter |
| S81.032S | Puncture wound without foreign body, left knee, sequela |
| S81.039D | Puncture wound without foreign body, unspecified knee, subsequent encounter |
| S81.039S | Puncture wound without foreign body, unspecified knee, sequela |
| S81.041D | Puncture wound with foreign body, right knee, subsequent encounter |
| S81.041S | Puncture wound with foreign body, right knee, sequela |
| S81.042D | Puncture wound with foreign body, left knee, subsequent encounter |
| S81.042S | Puncture wound with foreign body, left knee, sequela |
| S81.049D | Puncture wound with foreign body, unspecified knee, subsequent encounter |
| S81.049S | Puncture wound with foreign body, unspecified knee, sequela |
| S81.051D | Open bite, right knee, subsequent encounter |
| S81.051S | Open bite, right knee, sequela |
| S81.052D | Open bite, left knee, subsequent encounter |
| S81.052S | Open bite, left knee, sequela |
| S81.059D | Open bite, unspecified knee, subsequent encounter |
| S81.059S | Open bite, unspecified knee, sequela |
| S81.801D | Unspecified open wound, right lower leg, subsequent encounter |
| S81.801S | Unspecified open wound, right lower leg, sequela |
| S81.802D | Unspecified open wound, left lower leg, subsequent encounter |
| S81.802S | Unspecified open wound, left lower leg, sequela |
| S81.809D | Unspecified open wound, unspecified lower leg, subsequent encounter |
| S81.809S | Unspecified open wound, unspecified lower leg, sequela |
| S81.811D | Laceration without foreign body, right lower leg, subsequent encounter |
| S81.811S | Laceration without foreign body, right lower leg, sequela |
| S81.812D | Laceration without foreign body, left lower leg, subsequent encounter |
| S81.812S | Laceration without foreign body, left lower leg, sequela |
| S81.819D | Laceration without foreign body, unspecified lower leg, subsequent encounter |
| S81.819S | Laceration without foreign body, unspecified lower leg, sequela |
| S81.821D | Laceration with foreign body, right lower leg, subsequent encounter |
| S81.821S | Laceration with foreign body, right lower leg, sequela |
| S81.822D | Laceration with foreign body, left lower leg, subsequent encounter |
| S81.822S | Laceration with foreign body, left lower leg, sequela |
| S81.829D | Laceration with foreign body, unspecified lower leg, subsequent encounter |
| S81.829S | Laceration with foreign body, unspecified lower leg, sequela |
| S81.831D | Puncture wound without foreign body, right lower leg, subsequent encounter |
| S81.831S | Puncture wound without foreign body, right lower leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S81.832D | Puncture wound without foreign body, left lower leg, subsequent encounter |
| S81.832S | Puncture wound without foreign body, left lower leg, sequela |
| S81.839D | Puncture wound without foreign body, unspecified lower leg, subsequent encounter |
| S81.839S | Puncture wound without foreign body, unspecified lower leg, sequela |
| S81.841D | Puncture wound with foreign body, right lower leg, subsequent encounter |
| S81.841S | Puncture wound with foreign body, right lower leg, sequela |
| S81.842D | Puncture wound with foreign body, left lower leg, subsequent encounter |
| S81.842S | Puncture wound with foreign body, left lower leg, sequela |
| S81.849D | Puncture wound with foreign body, unspecified lower leg, subsequent encounter |
| S81.849S | Puncture wound with foreign body, unspecified lower leg, sequela |
| S81.851D | Open bite, right lower leg, subsequent encounter |
| S81.851S | Open bite, right lower leg, sequela |
| S81.852D | Open bite, left lower leg, subsequent encounter |
| S81.852S | Open bite, left lower leg, sequela |
| S81.859D | Open bite, unspecified lower leg, subsequent encounter |
| S81.859S | Open bite, unspecified lower leg, sequela |
| S82.001C | Unspecified fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.001D | Unspecified fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.001E | Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.001F | Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.001G | Unspecified fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.001H | Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.001J | Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.001K | Unspecified fracture of right patella, subsequent encounter for closed fracture with nonunion |
| S82.001M | Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.001N | Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.001P | Unspecified fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.001Q | Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.001R | Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.001S | Unspecified fracture of right patella, sequela |
| S82.002C | Unspecified fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.002D | Unspecified fracture of left patella, subsequent encounter for closed fracture with routine healing |
| S82.002E | Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.002F | Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.002G | Unspecified fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.002H | Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.002J | Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.002K | Unspecified fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.002M | Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.002N | Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.002P | Unspecified fracture of left patella, subsequent encounter for closed fracture with malunion |
| S82.002Q | Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.002R | Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.002S | Unspecified fracture of left patella, sequela |
| S82.009C | Unspecified fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.009D | Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.009E | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.009F | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.009G | Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |
| S82.009H | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.009J | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.009K | Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.009M | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.009N | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.009P | Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.009Q | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |
| S82.009R | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.009S | Unspecified fracture of unspecified patella, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.011C | Displaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.011D | Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.011E | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.011F | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.011G | Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.011H | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.011J | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.011K | Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with nonunion |
| S82.011M | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.011N | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.011P | Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.011Q | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.011R | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.011S | Displaced osteochondral fracture of right patella, sequela |
| S82.012C | Displaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.012D | Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing |
| S82.012E | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.012F | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.012G | Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.012H | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.012J | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.012K | Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.012M | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.012N | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.012P | Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.012Q | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.012R | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.012S | Displaced osteochondral fracture of left patella, sequela |
| S82.013C | Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.013D | Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.013E | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.013F | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.013G | Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |
| S82.013H | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.013J | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.013K | Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.013M | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.013N | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.013P | Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.013Q | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |
| S82.013R | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.013S | Displaced osteochondral fracture of unspecified patella, sequela |
| S82.014C | Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.014D | Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.014E | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.014F | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.014G | Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.014H | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.014J | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.014K | Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.014M | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.014N | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.014P | Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.014Q | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.014R | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.014S | Nondisplaced osteochondral fracture of right patella, sequela |
| S82.015C | Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.015D | Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing |
| S82.015E | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.015F | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.015G | Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.015H | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.015J | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.015K | Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.015M | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.015N | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.015P | Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with malunion |
| S82.015Q | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.015R | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.015S | Nondisplaced osteochondral fracture of left patella, sequela |
| S82.016C | Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.016D | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.016E | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.016F | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.016G | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.016H | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.016J | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.016K | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.016M | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.016N | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.016P | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.016Q | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |
| S82.016R | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.016S | Nondisplaced osteochondral fracture of unspecified patella, sequela |
| S82.021C | Displaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.021D | Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.021E | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.021F | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.021G | Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.021H | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.021J | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.021K | Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with nonunion |
| S82.021M | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.021N | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.021P | Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.021Q | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.021R | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.021S | Displaced longitudinal fracture of right patella, sequela |
| S82.022C | Displaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.022D | Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.022E | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.022F | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.022G | Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.022H | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.022J | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.022K | Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.022M | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.022N | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.022P | Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with malunion |
| S82.022Q | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.022R | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.022S | Displaced longitudinal fracture of left patella, sequela |
| S82.023C | Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.023D | Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.023E | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.023F | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.023G | Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |
| S82.023H | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.023J | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.023K | Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.023M | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.023N | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.023P | Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.023Q | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |
| S82.023R | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.023S | Displaced longitudinal fracture of unspecified patella, sequela |
| S82.024C | Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.024D | Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.024E | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.024F | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.024G | Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.024H | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.024J | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.024K | Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with nonunion |
| S82.024M | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.024N | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.024P | Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.024Q | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.024R | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.024S | Nondisplaced longitudinal fracture of right patella, sequela |
| S82.025C | Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.025D | Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing |
| S82.025E | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.025F | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.025G | Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.025H | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.025J | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.025K | Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.025M | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.025N | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.025P | Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with malunion |
| S82.025Q | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.025R | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.025S | Nondisplaced longitudinal fracture of left patella, sequela |
| S82.026C | Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.026D | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.026E | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.026F | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.026G | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |
| S82.026H | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.026J | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.026K | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.026M | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.026N | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.026P | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.026Q | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |
| S82.026R | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.026S | Nondisplaced longitudinal fracture of unspecified patella, sequela |
| S82.031C | Displaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.031D | Displaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.031E | Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.031F | Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.031G | Displaced transverse fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.031H | Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.031J | Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.031K | Displaced transverse fracture of right patella, subsequent encounter for closed fracture with nonunion |
| S82.031M | Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.031N | Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.031P | Displaced transverse fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.031Q | Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.031R | Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.031S | Displaced transverse fracture of right patella, sequela |
| S82.032C | Displaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.032D | Displaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing |
| S82.032E | Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.032F | Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.032G | Displaced transverse fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.032H | Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.032J | Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.032K | Displaced transverse fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.032M | Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.032N | Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.032P | Displaced transverse fracture of left patella, subsequent encounter for closed fracture with malunion |
| S82.032Q | Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.032R | Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.032S | Displaced transverse fracture of left patella, sequela |
| S82.033C | Displaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.033D | Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.033E | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.033F | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.033G | Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |
| S82.033H | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.033J | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.033K | Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.033M | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.033N | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.033P | Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.033Q | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |
| S82.033R | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.033S | Displaced transverse fracture of unspecified patella, sequela |
| S82.034C | Nondisplaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.034D | Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.034E | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.034F | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.034G | Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.034H | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.034J | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.034K | Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with nonunion |
| S82.034M | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.034N | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.034P | Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.034Q | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.034R | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.034S | Nondisplaced transverse fracture of right patella, sequela |
| S82.035C | Nondisplaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.035D | Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing |
| S82.035E | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.035F | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.035G | Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.035H | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.035J | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.035K | Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.035M | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.035N | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.035P | Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with malunion |
| S82.035Q | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.035R | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.035S | Nondisplaced transverse fracture of left patella, sequela |
| S82.036C | Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.036D | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.036E | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.036F | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.036G | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |
| S82.036H | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.036J | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.036K | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.036M | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.036N | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.036P | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.036Q | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.036R | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.036S | Nondisplaced transverse fracture of unspecified patella, sequela |
| S82.041C | Displaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.041D | Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.041E | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.041F | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.041G | Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.041H | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.041J | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.041K | Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with nonunion |
| S82.041M | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.041N | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.041P | Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.041Q | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.041R | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.041S | Displaced comminuted fracture of right patella, sequela |
| S82.042C | Displaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.042D | Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing |
| S82.042E | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.042F | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.042G | Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.042H | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.042J | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.042K | Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.042M | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.042N | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.042P | Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with malunion |
| S82.042Q | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.042R | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.042S | Displaced comminuted fracture of left patella, sequela |
| S82.043C | Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.043D | Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.043E | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.043F | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.043G | Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |
| S82.043H | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.043J | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.043K | Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.043M | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.043N | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.043P | Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.043Q | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |
| S82.043R | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.043S | Displaced comminuted fracture of unspecified patella, sequela |
| S82.044C | Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.044D | Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.044E | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.044F | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.044G | Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.044H | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.044J | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.044K | Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with nonunion |
| S82.044M | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.044N | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.044P | Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.044Q | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.044R | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.044S | Nondisplaced comminuted fracture of right patella, sequela |
| S82.045C | Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.045D | Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing |
| S82.045E | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.045F | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.045G | Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.045H | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.045J | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.045K | Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.045M | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.045N | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.045P | Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with malunion |
| S82.045Q | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.045R | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.045S | Nondisplaced comminuted fracture of left patella, sequela |
| S82.046C | Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.046D | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.046E | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.046F | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.046G | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |
| S82.046H | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.046J | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.046K | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.046M | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.046N | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.046P | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.046Q | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |
| S82.046R | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.046S | Nondisplaced comminuted fracture of unspecified patella, sequela |
| S82.091C | Other fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.091D | Other fracture of right patella, subsequent encounter for closed fracture with routine healing |
| S82.091E | Other fracture of right patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.091F | Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.091G | Other fracture of right patella, subsequent encounter for closed fracture with delayed healing |
| S82.091H | Other fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.091J | Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.091K | Other fracture of right patella, subsequent encounter for closed fracture with nonunion |
| S82.091M | Other fracture of right patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.091N | Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.091P | Other fracture of right patella, subsequent encounter for closed fracture with malunion |
| S82.091Q | Other fracture of right patella, subsequent encounter for open fracture type I or II with malunion |
| S82.091R | Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.091S | Other fracture of right patella, sequela |
| S82.092C | Other fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.092D | Other fracture of left patella, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.092E | Other fracture of left patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.092F | Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.092G | Other fracture of left patella, subsequent encounter for closed fracture with delayed healing |
| S82.092H | Other fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.092J | Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.092K | Other fracture of left patella, subsequent encounter for closed fracture with nonunion |
| S82.092M | Other fracture of left patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.092N | Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.092P | Other fracture of left patella, subsequent encounter for closed fracture with malunion |
| S82.092Q | Other fracture of left patella, subsequent encounter for open fracture type I or II with malunion |
| S82.092R | Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.092S | Other fracture of left patella, sequela |
| S82.099C | Other fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.099D | Other fracture of unspecified patella, subsequent encounter for closed fracture with routine healing |
| S82.099E | Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing |
| S82.099F | Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.099G | Other fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing |
| S82.099H | Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing |
| S82.099J | Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.099K | Other fracture of unspecified patella, subsequent encounter for closed fracture with nonunion |
| S82.099M | Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion |
| S82.099N | Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.099P | Other fracture of unspecified patella, subsequent encounter for closed fracture with malunion |
| S82.099Q | Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion |
| S82.099R | Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.099S | Other fracture of unspecified patella, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.101C | Unspecified fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.101D | Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.101E | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.101F | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.101G | Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.101H | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.101J | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.101K | Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.101M | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.101N | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.101P | Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with malunion |
| S82.101Q | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.101R | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.101S | Unspecified fracture of upper end of right tibia, sequela |
| S82.102C | Unspecified fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.102D | Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.102E | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.102F | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.102G | Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.102H | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.102J | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.102K | Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.102M | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.102N | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.102P | Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.102Q | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.102R | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.102S | Unspecified fracture of upper end of left tibia, sequela |
| S82.109C | Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.109D | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.109E | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.109F | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.109G | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.109H | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.109J | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.109K | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.109M | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.109N | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.109P | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.109Q | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.109R | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.109S | Unspecified fracture of upper end of unspecified tibia, sequela |
| S82.111C | Displaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.111D | Displaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing |
| S82.111E | Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with routine healing |
| S82.111F | Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.111G | Displaced fracture of right tibial spine, subsequent encounter for closed fracture with delayed healing |
| S82.111H | Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with delayed healing |
| S82.111J | Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.111K | Displaced fracture of right tibial spine, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.111M | Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with nonunion |
| S82.111N | Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.111P | Displaced fracture of right tibial spine, subsequent encounter for closed fracture with malunion |
| S82.111Q | Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with malunion |
| S82.111R | Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.111S | Displaced fracture of right tibial spine, sequela |
| S82.112C | Displaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.112D | Displaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing |
| S82.112E | Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with routine healing |
| S82.112F | Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.112G | Displaced fracture of left tibial spine, subsequent encounter for closed fracture with delayed healing |
| S82.112H | Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with delayed healing |
| S82.112J | Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.112K | Displaced fracture of left tibial spine, subsequent encounter for closed fracture with nonunion |
| S82.112M | Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with nonunion |
| S82.112N | Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.112P | Displaced fracture of left tibial spine, subsequent encounter for closed fracture with malunion |
| S82.112Q | Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with malunion |
| S82.112R | Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.112S | Displaced fracture of left tibial spine, sequela |
| S82.113C | Displaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.113D | Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with routine healing |
| S82.113E | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with routine healing |
| S82.113F | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.113G | Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.113H | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with delayed healing |
| S82.113J | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.113K | Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with nonunion |
| S82.113M | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with nonunion |
| S82.113N | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.113P | Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with malunion |
| S82.113Q | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with malunion |
| S82.113R | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.113S | Displaced fracture of unspecified tibial spine, sequela |
| S82.114C | Nondisplaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.114D | Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing |
| S82.114E | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with routine healing |
| S82.114F | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.114G | Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with delayed healing |
| S82.114H | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with delayed healing |
| S82.114J | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.114K | Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with nonunion |
| S82.114M | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with nonunion |
| S82.114N | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.114P | Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with malunion |
| S82.114Q | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with malunion |
| S82.114R | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.114S | Nondisplaced fracture of right tibial spine, sequela |
| S82.115C | Nondisplaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.115D | Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.115E | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with routine healing |
| S82.115F | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.115G | Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with delayed healing |
| S82.115H | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with delayed healing |
| S82.115J | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.115K | Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with nonunion |
| S82.115M | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with nonunion |
| S82.115N | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.115P | Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with malunion |
| S82.115Q | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with malunion |
| S82.115R | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.115S | Nondisplaced fracture of left tibial spine, sequela |
| S82.116C | Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.116D | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with routine healing |
| S82.116E | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with routine healing |
| S82.116F | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.116G | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with delayed healing |
| S82.116H | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with delayed healing |
| S82.116J | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.116K | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with nonunion |
| S82.116M | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with nonunion |
| S82.116N | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.116P | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with malunion |
| S82.116Q | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with malunion |
| S82.116R | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.116S | Nondisplaced fracture of unspecified tibial spine, sequela |
| S82.121C | Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.121D | Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.121E | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.121F | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.121G | Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.121H | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.121J | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.121K | Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.121M | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.121N | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.121P | Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with malunion |
| S82.121Q | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.121R | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.121S | Displaced fracture of lateral condyle of right tibia, sequela |
| S82.122C | Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.122D | Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.122E | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.122F | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.122G | Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.122H | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.122J | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.122K | Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.122M | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.122N | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.122P | Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with malunion |
| S82.122Q | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.122R | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.122S | Displaced fracture of lateral condyle of left tibia, sequela |
| S82.123C | Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.123D | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.123E | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.123F | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.123G | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.123H | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.123J | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.123K | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.123M | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.123N | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.123P | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.123Q | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.123R | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.123S | Displaced fracture of lateral condyle of unspecified tibia, sequela |
| S82.124C | Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.124D | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.124E | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.124F | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.124G | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.124H | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.124J | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.124K | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.124M | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.124N | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.124P | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with malunion |
| S82.124Q | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.124R | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.124S | Nondisplaced fracture of lateral condyle of right tibia, sequela |
| S82.125C | Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.125D | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.125E | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.125F | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.125G | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.125H | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.125J | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.125K | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.125M | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.125N | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.125P | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with malunion |
| S82.125Q | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.125R | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.125S | Nondisplaced fracture of lateral condyle of left tibia, sequela |
| S82.126C | Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.126D | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.126E | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.126F | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.126G | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.126H | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.126J | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.126K | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.126M | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.126N | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.126P | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.126Q | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.126R | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.126S | Nondisplaced fracture of lateral condyle of unspecified tibia, sequela |
| S82.131C | Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.131D | Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.131E | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.131F | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.131G | Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.131H | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.131J | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.131K | Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.131M | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.131N | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.131P | Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with malunion |
| S82.131Q | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.131R | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.131S | Displaced fracture of medial condyle of right tibia, sequela |
| S82.132C | Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.132D | Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.132E | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.132F | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.132G | Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.132H | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.132J | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.132K | Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.132M | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.132N | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.132P | Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with malunion |
| S82.132Q | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.132R | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.132S | Displaced fracture of medial condyle of left tibia, sequela |
| S82.133C | Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.133D | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.133E | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.133F | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.133G | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.133H | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.133J | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.133K | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.133M | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.133N | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.133P | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.133Q | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.133R | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.133S | Displaced fracture of medial condyle of unspecified tibia, sequela |
| S82.134C | Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.134D | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.134E | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.134F | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.134G | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.134H | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.134J | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.134K | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.134M | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.134N | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.134P | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with malunion |
| S82.134Q | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.134R | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.134S | Nondisplaced fracture of medial condyle of right tibia, sequela |
| S82.135C | Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.135D | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.135E | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.135F | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.135G | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.135H | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.135J | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.135K | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.135M | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.135N | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.135P | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with malunion |
| S82.135Q | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.135R | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.135S | Nondisplaced fracture of medial condyle of left tibia, sequela |
| S82.136C | Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.136D | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.136E | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.136F | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.136G | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.136H | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.136J | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.136K | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.136M | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.136N | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.136P | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.136Q | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.136R | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.136S | Nondisplaced fracture of medial condyle of unspecified tibia, sequela |
| S82.141C | Displaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.141D | Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.141E | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.141F | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.141G | Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.141H | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.141J | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.141K | Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.141M | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.141N | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.141P | Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with malunion |
| S82.141Q | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.141R | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.141S | Displaced bicondylar fracture of right tibia, sequela |
| S82.142C | Displaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.142D | Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.142E | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.142F | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.142G | Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.142H | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.142J | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.142K | Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.142M | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.142N | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.142P | Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with malunion |
| S82.142Q | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.142R | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.142S | Displaced bicondylar fracture of left tibia, sequela |
| S82.143C | Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.143D | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.143E | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.143F | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.143G | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.143H | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.143J | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.143K | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.143M | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.143N | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.143P | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.143Q | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.143R | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.143S | Displaced bicondylar fracture of unspecified tibia, sequela |
| S82.144C | Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.144D | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.144E | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.144F | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.144G | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.144H | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.144J | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.144K | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.144M | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.144N | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.144P | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with malunion |
| S82.144Q | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.144R | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.144S | Nondisplaced bicondylar fracture of right tibia, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.145C | Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.145D | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.145E | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.145F | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.145G | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.145H | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.145J | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.145K | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.145M | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.145N | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.145P | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with malunion |
| S82.145Q | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.145R | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.145S | Nondisplaced bicondylar fracture of left tibia, sequela |
| S82.146C | Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.146D | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.146E | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.146F | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.146G | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.146H | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.146J | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.146K | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.146M | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.146N | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.146P | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.146Q | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.146R | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.146S | Nondisplaced bicondylar fracture of unspecified tibia, sequela |
| S82.151C | Displaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.151D | Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing |
| S82.151E | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing |
| S82.151F | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.151G | Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with delayed healing |
| S82.151H | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing |
| S82.151J | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.151K | Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with nonunion |
| S82.151M | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion |
| S82.151N | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.151P | Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with malunion |
| S82.151Q | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with malunion |
| S82.151R | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.151S | Displaced fracture of right tibial tuberosity, sequela |
| S82.152C | Displaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.152D | Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing |
| S82.152E | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing |
| S82.152F | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.152G | Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with delayed healing |
| S82.152H | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing |
| S82.152J | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.152K | Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.152M | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion |
| S82.152N | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.152P | Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with malunion |
| S82.152Q | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with malunion |
| S82.152R | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.152S | Displaced fracture of left tibial tuberosity, sequela |
| S82.153C | Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.153D | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with routine healing |
| S82.153E | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing |
| S82.153F | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.153G | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with delayed healing |
| S82.153H | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing |
| S82.153J | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.153K | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with nonunion |
| S82.153M | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion |
| S82.153N | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.153P | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with malunion |
| S82.153Q | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with malunion |
| S82.153R | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.153S | Displaced fracture of unspecified tibial tuberosity, sequela |
| S82.154C | Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.154D | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing |
| S82.154E | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing |
| S82.154F | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.154G | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.154H | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing |
| S82.154J | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.154K | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with nonunion |
| S82.154M | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion |
| S82.154N | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.154P | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with malunion |
| S82.154Q | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with malunion |
| S82.154R | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.154S | Nondisplaced fracture of right tibial tuberosity, sequela |
| S82.155C | Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.155D | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing |
| S82.155E | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing |
| S82.155F | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.155G | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with delayed healing |
| S82.155H | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing |
| S82.155J | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.155K | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with nonunion |
| S82.155M | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion |
| S82.155N | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.155P | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with malunion |
| S82.155Q | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with malunion |
| S82.155R | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.155S | Nondisplaced fracture of left tibial tuberosity, sequela |
| S82.156C | Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.156D | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.156E | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing |
| S82.156F | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.156G | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with delayed healing |
| S82.156H | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing |
| S82.156J | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.156K | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with nonunion |
| S82.156M | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion |
| S82.156N | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.156P | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with malunion |
| S82.156Q | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with malunion |
| S82.156R | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.156S | Nondisplaced fracture of unspecified tibial tuberosity, sequela |
| S82.161D | Torus fracture of upper end of right tibia, subsequent encounter for fracture with routine healing |
| S82.161G | Torus fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing |
| S82.161K | Torus fracture of upper end of right tibia, subsequent encounter for fracture with nonunion |
| S82.161P | Torus fracture of upper end of right tibia, subsequent encounter for fracture with malunion |
| S82.161S | Torus fracture of upper end of right tibia, sequela |
| S82.162D | Torus fracture of upper end of left tibia, subsequent encounter for fracture with routine healing |
| S82.162G | Torus fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing |
| S82.162K | Torus fracture of upper end of left tibia, subsequent encounter for fracture with nonunion |
| S82.162P | Torus fracture of upper end of left tibia, subsequent encounter for fracture with malunion |
| S82.162S | Torus fracture of upper end of left tibia, sequela |
| S82.169D | Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S82.169G | Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S82.169K | Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S82.169P | Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion |
| S82.169S | Torus fracture of upper end of unspecified tibia, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.191C | Other fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.191D | Other fracture of upper end of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.191E | Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.191F | Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.191G | Other fracture of upper end of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.191H | Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.191J | Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.191K | Other fracture of upper end of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.191M | Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.191N | Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.191P | Other fracture of upper end of right tibia, subsequent encounter for closed fracture with malunion |
| S82.191Q | Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.191R | Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.191S | Other fracture of upper end of right tibia, sequela |
| S82.192C | Other fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.192D | Other fracture of upper end of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.192E | Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.192F | Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.192G | Other fracture of upper end of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.192H | Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.192J | Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.192K | Other fracture of upper end of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.192M | Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.192N | Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.192P | Other fracture of upper end of left tibia, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.192Q | Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.192R | Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.192S | Other fracture of upper end of left tibia, sequela |
| S82.199C | Other fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.199D | Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.199E | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.199F | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.199G | Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.199H | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.199J | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.199K | Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.199M | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.199N | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.199P | Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.199Q | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.199R | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.199S | Other fracture of upper end of unspecified tibia, sequela |
| S82.201C | Unspecified fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.201D | Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.201E | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.201F | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.201G | Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.201H | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.201J | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.201K | Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.201M | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.201N | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.201P | Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.201Q | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.201R | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.201S | Unspecified fracture of shaft of right tibia, sequela |
| S82.202C | Unspecified fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.202D | Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.202E | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.202F | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.202G | Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.202H | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.202J | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.202K | Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.202M | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.202N | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.202P | Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.202Q | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.202R | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.202S | Unspecified fracture of shaft of left tibia, sequela |
| S82.209C | Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.209D | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.209E | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.209F | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.209G | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.209H | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.209J | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.209K | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.209M | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.209N | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.209P | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.209Q | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.209R | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.209S | Unspecified fracture of shaft of unspecified tibia, sequela |
| S82.221C | Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.221D | Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.221E | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.221F | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.221G | Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.221H | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.221J | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.221K | Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.221M | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.221N | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.221P | Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.221Q | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.221R | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.221S | Displaced transverse fracture of shaft of right tibia, sequela |
| S82.222C | Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.222D | Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.222E | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.222F | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.222G | Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.222H | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.222J | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.222K | Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.222M | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.222N | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.222P | Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.222Q | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.222R | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.222S | Displaced transverse fracture of shaft of left tibia, sequela |
| S82.223C | Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.223D | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.223E | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.223F | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.223G | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.223H | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.223J | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.223K | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.223M | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.223N | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.223P | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.223Q | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.223R | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.223S | Displaced transverse fracture of shaft of unspecified tibia, sequela |
| S82.224C | Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.224D | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.224E | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.224F | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.224G | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.224H | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.224J | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.224K | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.224M | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.224N | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.224P | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.224Q | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.224R | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.224S | Nondisplaced transverse fracture of shaft of right tibia, sequela |
| S82.225C | Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.225D | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.225E | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.225F | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.225G | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.225H | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.225J | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.225K | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.225M | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.225N | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.225P | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.225Q | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.225R | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.225S | Nondisplaced transverse fracture of shaft of left tibia, sequela |
| S82.226C | Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.226D | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.226E | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.226F | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.226G | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.226H | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.226J | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.226K | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.226M | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.226N | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.226P | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.226Q | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.226R | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.226S | Nondisplaced transverse fracture of shaft of unspecified tibia, sequela |
| S82.231C | Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.231D | Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.231E | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.231F | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.231G | Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.231H | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.231J | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.231K | Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.231M | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.231N | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.231P | Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.231Q | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.231R | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.231S | Displaced oblique fracture of shaft of right tibia, sequela |
| S82.232C | Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.232D | Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.232E | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.232F | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.232G | Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.232H | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.232J | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.232K | Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.232M | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.232N | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.232P | Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.232Q | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.232R | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.232S | Displaced oblique fracture of shaft of left tibia, sequela |
| S82.233C | Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.233D | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.233E | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.233F | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.233G | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.233H | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.233J | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.233K | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.233M | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.233N | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.233P | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.233Q | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.233R | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.233S | Displaced oblique fracture of shaft of unspecified tibia, sequela |
| S82.234C | Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.234D | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.234E | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.234F | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.234G | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.234H | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.234J | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.234K | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.234M | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.234N | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.234P | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.234Q | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.234R | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.234S | Nondisplaced oblique fracture of shaft of right tibia, sequela |
| S82.235C | Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.235D | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.235E | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.235F | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.235G | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.235H | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.235J | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.235K | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.235M | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.235N | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.235P | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.235Q | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.235R | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.235S | Nondisplaced oblique fracture of shaft of left tibia, sequela |
| S82.236C | Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.236D | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.236E | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.236F | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.236G | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.236H | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.236J | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.236K | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.236M | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.236N | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.236P | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.236Q | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.236R | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.236S | Nondisplaced oblique fracture of shaft of unspecified tibia, sequela |
| S82.241C | Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.241D | Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.241E | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.241F | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.241G | Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.241H | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.241J | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.241K | Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.241M | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.241N | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.241P | Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.241Q | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.241R | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.241S | Displaced spiral fracture of shaft of right tibia, sequela |
| S82.242C | Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.242D | Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.242E | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.242F | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.242G | Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.242H | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.242J | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.242K | Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.242M | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.242N | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.242P | Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.242Q | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.242R | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.242S | Displaced spiral fracture of shaft of left tibia, sequela |
| S82.243C | Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.243D | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.243E | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.243F | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.243G | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.243H | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.243J | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.243K | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.243M | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.243N | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.243P | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.243Q | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.243R | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.243S | Displaced spiral fracture of shaft of unspecified tibia, sequela |
| S82.244C | Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.244D | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.244E | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.244F | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.244G | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.244H | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.244J | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.244K | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.244M | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.244N | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.244P | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.244Q | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.244R | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.244S | Nondisplaced spiral fracture of shaft of right tibia, sequela |
| S82.245C | Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.245D | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.245E | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.245F | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.245G | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.245H | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.245J | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.245K | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.245M | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.245N | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.245P | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.245Q | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.245R | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.245S | Nondisplaced spiral fracture of shaft of left tibia, sequela |
| S82.246C | Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.246D | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.246E | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.246F | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.246G | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.246H | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.246J | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.246K | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.246M | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.246N | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.246P | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.246Q | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.246R | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.246S | Nondisplaced spiral fracture of shaft of unspecified tibia, sequela |
| S82.251C | Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.251D | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.251E | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.251F | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.251G | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.251H | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.251J | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.251K | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.251M | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.251N | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.251P | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.251Q | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.251R | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.251S | Displaced comminuted fracture of shaft of right tibia, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.252C | Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.252D | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.252E | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.252F | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.252G | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.252H | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.252J | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.252K | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.252M | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.252N | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.252P | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.252Q | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.252R | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.252S | Displaced comminuted fracture of shaft of left tibia, sequela |
| S82.253C | Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.253D | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.253E | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.253F | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.253G | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.253H | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.253J | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.253K | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.253M | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.253N | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.253P | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.253Q | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.253R | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.253S | Displaced comminuted fracture of shaft of unspecified tibia, sequela |
| S82.254C | Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.254D | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.254E | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.254F | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.254G | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.254H | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.254J | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.254K | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.254M | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.254N | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.254P | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.254Q | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.254R | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.254S | Nondisplaced comminuted fracture of shaft of right tibia, sequela |
| S82.255C | Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.255D | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.255E | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.255F | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.255G | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.255H | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.255J | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.255K | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.255M | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.255N | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.255P | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.255Q | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.255R | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.255S | Nondisplaced comminuted fracture of shaft of left tibia, sequela |
| S82.256C | Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.256D | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.256E | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.256F | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.256G | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.256H | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.256J | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.256K | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.256M | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.256N | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.256P | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.256Q | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.256R | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.256S | Nondisplaced comminuted fracture of shaft of unspecified tibia, sequela |
| S82.261C | Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.261D | Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.261E | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.261F | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.261G | Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.261H | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.261J | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.261K | Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.261M | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.261N | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.261P | Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.261Q | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.261R | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.261S | Displaced segmental fracture of shaft of right tibia, sequela |
| S82.262C | Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.262D | Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.262E | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.262F | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.262G | Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.262H | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.262J | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.262K | Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.262M | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.262N | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.262P | Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.262Q | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.262R | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.262S | Displaced segmental fracture of shaft of left tibia, sequela |
| S82.263C | Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.263D | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.263E | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.263F | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.263G | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.263H | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.263J | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.263K | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.263M | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.263N | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.263P | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.263Q | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.263R | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.263S | Displaced segmental fracture of shaft of unspecified tibia, sequela |
| S82.264C | Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.264D | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.264E | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.264F | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.264G | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.264H | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.264J | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.264K | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.264M | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.264N | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.264P | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.264Q | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.264R | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.264S | Nondisplaced segmental fracture of shaft of right tibia, sequela |
| S82.265C | Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.265D | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.265E | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.265F | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.265G | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.265H | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.265J | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.265K | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.265M | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.265N | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.265P | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.265Q | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.265R | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.265S | Nondisplaced segmental fracture of shaft of left tibia, sequela |
| S82.266C | Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.266D | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.266E | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.266F | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.266G | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.266H | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.266J | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.266K | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.266M | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.266N | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.266P | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.266Q | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.266R | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.266S | Nondisplaced segmental fracture of shaft of unspecified tibia, sequela |
| S82.291C | Other fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.291D | Other fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.291E | Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.291F | Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.291G | Other fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.291H | Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.291J | Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.291K | Other fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.291M | Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.291N | Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.291P | Other fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion |
| S82.291Q | Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.291R | Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.291S | Other fracture of shaft of right tibia, sequela |
| S82.292C | Other fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.292D | Other fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.292E | Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.292F | Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.292G | Other fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.292H | Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.292J | Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.292K | Other fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.292M | Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.292N | Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.292P | Other fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion |
| S82.292Q | Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.292R | Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.292S | Other fracture of shaft of left tibia, sequela |
| S82.299C | Other fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.299D | Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.299E | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.299F | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.299G | Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.299H | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.299J | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.299K | Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.299M | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.299N | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.299P | Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.299Q | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.299R | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.299S | Other fracture of shaft of unspecified tibia, sequela |
| S82.301C | Unspecified fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.301D | Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.301E | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.301F | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.301G | Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.301H | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.301J | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.301K | Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.301M | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.301N | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.301P | Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with malunion |
| S82.301Q | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.301R | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.301S | Unspecified fracture of lower end of right tibia, sequela |
| S82.302C | Unspecified fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.302D | Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.302E | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.302F | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.302G | Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.302H | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.302J | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.302K | Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.302M | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.302N | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.302P | Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with malunion |
| S82.302Q | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.302R | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.302S | Unspecified fracture of lower end of left tibia, sequela |
| S82.309C | Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.309D | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.309E | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.309F | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.309G | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.309H | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.309J | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.309K | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.309M | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.309N | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.309P | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.309Q | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.309R | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.309S | Unspecified fracture of lower end of unspecified tibia, sequela |
| S82.311D | Torus fracture of lower end of right tibia, subsequent encounter for fracture with routine healing |
| S82.311G | Torus fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing |
| S82.311K | Torus fracture of lower end of right tibia, subsequent encounter for fracture with nonunion |
| S82.311P | Torus fracture of lower end of right tibia, subsequent encounter for fracture with malunion |
| S82.311S | Torus fracture of lower end of right tibia, sequela |
| S82.312D | Torus fracture of lower end of left tibia, subsequent encounter for fracture with routine healing |
| S82.312G | Torus fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing |
| S82.312K | Torus fracture of lower end of left tibia, subsequent encounter for fracture with nonunion |
| S82.312P | Torus fracture of lower end of left tibia, subsequent encounter for fracture with malunion |
| S82.312S | Torus fracture of lower end of left tibia, sequela |
| S82.319D | Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S82.319G | Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S82.319K | Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S82.319P | Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion |
| S82.319S | Torus fracture of lower end of unspecified tibia, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.391C | Other fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.391D | Other fracture of lower end of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.391E | Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.391F | Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.391G | Other fracture of lower end of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.391H | Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.391J | Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.391K | Other fracture of lower end of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.391M | Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.391N | Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.391P | Other fracture of lower end of right tibia, subsequent encounter for closed fracture with malunion |
| S82.391Q | Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.391R | Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.391S | Other fracture of lower end of right tibia, sequela |
| S82.392C | Other fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.392D | Other fracture of lower end of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.392E | Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.392F | Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.392G | Other fracture of lower end of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.392H | Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.392J | Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.392K | Other fracture of lower end of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.392M | Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.392N | Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.392P | Other fracture of lower end of left tibia, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.392Q | Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.392R | Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.392S | Other fracture of lower end of left tibia, sequela |
| S82.399C | Other fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.399D | Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.399E | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.399F | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.399G | Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.399H | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.399J | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.399K | Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.399M | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.399N | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.399P | Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.399Q | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.399R | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.399S | Other fracture of lower end of unspecified tibia, sequela |
| S82.401C | Unspecified fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.401D | Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.401E | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.401F | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.401G | Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.401H | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.401J | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.401K | Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.401M | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.401N | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.401P | Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.401Q | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.401R | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.401S | Unspecified fracture of shaft of right fibula, sequela |
| S82.402C | Unspecified fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.402D | Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.402E | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.402F | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.402G | Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.402H | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.402J | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.402K | Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.402M | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.402N | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.402P | Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.402Q | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.402R | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.402S | Unspecified fracture of shaft of left fibula, sequela |
| S82.409C | Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.409D | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.409E | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.409F | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.409G | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.409H | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.409J | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.409K | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.409M | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.409N | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.409P | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.409Q | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.409R | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.409S | Unspecified fracture of shaft of unspecified fibula, sequela |
| S82.421C | Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.421D | Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.421E | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.421F | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.421G | Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.421H | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.421J | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.421K | Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.421M | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.421N | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.421P | Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.421Q | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.421R | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.421S | Displaced transverse fracture of shaft of right fibula, sequela |
| S82.422C | Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.422D | Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.422E | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.422F | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.422G | Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.422H | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.422J | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.422K | Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.422M | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.422N | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.422P | Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.422Q | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.422R | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.422S | Displaced transverse fracture of shaft of left fibula, sequela |
| S82.423C | Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.423D | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.423E | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.423F | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.423G | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.423H | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.423J | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.423K | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.423M | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.423N | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.423P | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.423Q | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.423R | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.423S | Displaced transverse fracture of shaft of unspecified fibula, sequela |
| S82.424C | Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.424D | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.424E | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.424F | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.424G | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.424H | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.424J | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.424K | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.424M | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.424N | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.424P | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.424Q | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.424R | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.424S | Nondisplaced transverse fracture of shaft of right fibula, sequela |
| S82.425C | Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.425D | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.425E | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.425F | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.425G | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.425H | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.425J | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.425K | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.425M | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.425N | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.425P | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.425Q | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.425R | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.425S | Nondisplaced transverse fracture of shaft of left fibula, sequela |
| S82.426C | Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.426D | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.426E | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.426F | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.426G | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.426H | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.426J | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.426K | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.426M | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.426N | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.426P | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.426Q | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.426R | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.426S | Nondisplaced transverse fracture of shaft of unspecified fibula, sequela |
| S82.431C | Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.431D | Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.431E | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.431F | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.431G | Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.431H | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.431J | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.431K | Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.431M | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.431N | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.431P | Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.431Q | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.431R | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.431S | Displaced oblique fracture of shaft of right fibula, sequela |
| S82.432C | Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.432D | Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.432E | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.432F | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.432G | Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.432H | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.432J | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.432K | Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.432M | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.432N | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.432P | Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.432Q | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.432R | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.432S | Displaced oblique fracture of shaft of left fibula, sequela |
| S82.433C | Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.433D | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.433E | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.433F | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.433G | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.433H | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.433J | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.433K | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.433M | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.433N | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.433P | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.433Q | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.433R | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.433S | Displaced oblique fracture of shaft of unspecified fibula, sequela |
| S82.434C | Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.434D | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.434E | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.434F | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.434G | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.434H | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.434J | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.434K | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.434M | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.434N | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.434P | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.434Q | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.434R | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.434S | Nondisplaced oblique fracture of shaft of right fibula, sequela |
| S82.435C | Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.435D | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.435E | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.435F | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.435G | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.435H | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.435J | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.435K | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.435M | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.435N | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.435P | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.435Q | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.435R | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.435S | Nondisplaced oblique fracture of shaft of left fibula, sequela |
| S82.436C | Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.436D | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.436E | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.436F | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.436G | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.436H | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.436J | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.436K | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.436M | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.436N | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.436P | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.436Q | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.436R | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.436S | Nondisplaced oblique fracture of shaft of unspecified fibula, sequela |
| S82.441C | Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.441D | Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.441E | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.441F | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.441G | Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.441H | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.441J | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.441K | Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.441M | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.441N | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.441P | Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.441Q | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.441R | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.441S | Displaced spiral fracture of shaft of right fibula, sequela |
| S82.442C | Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.442D | Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.442E | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.442F | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.442G | Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.442H | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.442J | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.442K | Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.442M | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.442N | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.442P | Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.442Q | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.442R | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.442S | Displaced spiral fracture of shaft of left fibula, sequela |
| S82.443C | Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.443D | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.443E | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.443F | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.443G | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.443H | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.443J | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.443K | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.443M | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.443N | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.443P | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.443Q | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.443R | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.443S | Displaced spiral fracture of shaft of unspecified fibula, sequela |
| S82.444C | Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.444D | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.444E | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.444F | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.444G | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.444H | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.444J | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.444K | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.444M | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.444N | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.444P | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.444Q | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.444R | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.444S | Nondisplaced spiral fracture of shaft of right fibula, sequela |
| S82.445C | Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.445D | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.445E | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.445F | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.445G | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.445H | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.445J | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.445K | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.445M | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.445N | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.445P | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.445Q | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.445R | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.445S | Nondisplaced spiral fracture of shaft of left fibula, sequela |
| S82.446C | Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.446D | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.446E | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.446F | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.446G | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.446H | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.446J | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.446K | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.446M | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.446N | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.446P | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.446Q | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.446R | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.446S | Nondisplaced spiral fracture of shaft of unspecified fibula, sequela |
| S82.451C | Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.451D | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.451E | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.451F | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.451G | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.451H | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.451J | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.451K | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.451M | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.451N | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.451P | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.451Q | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.451R | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.451S | Displaced comminuted fracture of shaft of right fibula, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.452C | Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.452D | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.452E | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.452F | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.452G | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.452H | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.452J | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.452K | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.452M | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.452N | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.452P | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.452Q | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.452R | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.452S | Displaced comminuted fracture of shaft of left fibula, sequela |
| S82.453C | Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.453D | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.453E | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.453F | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.453G | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.453H | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.453J | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.453K | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.453M | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.453N | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.453P | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.453Q | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.453R | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.453S | Displaced comminuted fracture of shaft of unspecified fibula, sequela |
| S82.454C | Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.454D | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.454E | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.454F | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.454G | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.454H | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.454J | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.454K | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.454M | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.454N | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.454P | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.454Q | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.454R | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.454S | Nondisplaced comminuted fracture of shaft of right fibula, sequela |
| S82.455C | Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.455D | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.455E | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.455F | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.455G | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.455H | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.455J | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.455K | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.455M | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.455N | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.455P | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.455Q | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.455R | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.455S | Nondisplaced comminuted fracture of shaft of left fibula, sequela |
| S82.456C | Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.456D | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.456E | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.456F | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.456G | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.456H | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.456J | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.456K | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.456M | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.456N | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.456P | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.456Q | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.456R | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.456S | Nondisplaced comminuted fracture of shaft of unspecified fibula, sequela |
| S82.461C | Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.461D | Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.461E | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.461F | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.461G | Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.461H | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.461J | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.461K | Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.461M | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.461N | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.461P | Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.461Q | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.461R | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.461S | Displaced segmental fracture of shaft of right fibula, sequela |
| S82.462C | Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.462D | Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.462E | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.462F | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.462G | Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.462H | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.462J | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.462K | Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.462M | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.462N | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.462P | Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.462Q | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.462R | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.462S | Displaced segmental fracture of shaft of left fibula, sequela |
| S82.463C | Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.463D | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.463E | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.463F | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.463G | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.463H | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.463J | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.463K | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.463M | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.463N | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.463P | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.463Q | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.463R | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.463S | Displaced segmental fracture of shaft of unspecified fibula, sequela |
| S82.464C | Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.464D | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.464E | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.464F | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.464G | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.464H | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.464J | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.464K | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.464M | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.464N | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.464P | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.464Q | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.464R | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.464S | Nondisplaced segmental fracture of shaft of right fibula, sequela |
| S82.465C | Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.465D | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.465E | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.465F | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.465G | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.465H | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.465J | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.465K | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.465M | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.465N | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.465P | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.465Q | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.465R | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.465S | Nondisplaced segmental fracture of shaft of left fibula, sequela |
| S82.466C | Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.466D | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.466E | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.466F | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.466G | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.466H | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.466J | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.466K | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.466M | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.466N | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.466P | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.466Q | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.466R | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.466S | Nondisplaced segmental fracture of shaft of unspecified fibula, sequela |
| S82.491C | Other fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.491D | Other fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.491E | Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.491F | Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.491G | Other fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.491H | Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.491J | Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.491K | Other fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.491M | Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.491N | Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.491P | Other fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion |
| S82.491Q | Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.491R | Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.491S | Other fracture of shaft of right fibula, sequela |
| S82.492C | Other fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.492D | Other fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.492E | Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.492F | Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.492G | Other fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.492H | Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.492J | Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.492K | Other fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.492M | Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.492N | Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.492P | Other fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion |
| S82.492Q | Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.492R | Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.492S | Other fracture of shaft of left fibula, sequela |
| S82.499C | Other fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.499D | Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.499E | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.499F | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.499G | Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.499H | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.499J | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.499K | Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.499M | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.499N | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.499P | Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.499Q | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.499R | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.499S | Other fracture of shaft of unspecified fibula, sequela |
| S82.51XC | Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.51XD | Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.51XE | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.51XF | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.51XG | Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.51XH | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.51XJ | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.51XK | Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.51XM | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.51XN | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.51XP | Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with malunion |
| S82.51XQ | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.51XR | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.51XS | Displaced fracture of medial malleolus of right tibia, sequela |
| S82.52XC | Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.52XD | Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.52XE | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.52XF | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.52XG | Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.52XH | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.52XJ | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.52XK | Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.52XM | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.52XN | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.52XP | Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with malunion |
| S82.52XQ | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.52XR | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.52XS | Displaced fracture of medial malleolus of left tibia, sequela |
| S82.53XC | Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.53XD | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.53XE | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.53XF | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.53XG | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.53XH | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.53XJ | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.53XK | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.53XM | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.53XN | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.53XP | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.53XQ | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.53XR | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.53XS | Displaced fracture of medial malleolus of unspecified tibia, sequela |
| S82.54XC | Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.54XD | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.54XE | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.54XF | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.54XG | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.54XH | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.54XJ | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.54XK | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.54XM | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.54XN | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.54XP | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with malunion |
| S82.54XQ | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.54XR | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.54XS | Nondisplaced fracture of medial malleolus of right tibia, sequela |
| S82.55XC | Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.55XD | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.55XE | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.55XF | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.55XG | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.55XH | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.55XJ | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.55XK | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.55XM | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.55XN | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.55XP | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with malunion |
| S82.55XQ | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.55XR | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.55XS | Nondisplaced fracture of medial malleolus of left tibia, sequela |
| S82.56XC | Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.56XD | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.56XE | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.56XF | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.56XG | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.56XH | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.56XJ | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.56XK | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.56XM | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.56XN | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.56XP | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.56XQ | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.56XR | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.56XS | Nondisplaced fracture of medial malleolus of unspecified tibia, sequela |
| S82.61XC | Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.61XD | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.61XE | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.61XF | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.61XG | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.61XH | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.61XJ | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.61XK | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.61XM | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.61XN | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.61XP | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with malunion |
| S82.61XQ | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.61XR | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.61XS | Displaced fracture of lateral malleolus of right fibula, sequela |
| S82.62XC | Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.62XD | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.62XE | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.62XF | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.62XG | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.62XH | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.62XJ | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.62XK | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.62XM | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.62XN | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.62XP | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with malunion |
| S82.62XQ | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.62XR | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.62XS | Displaced fracture of lateral malleolus of left fibula, sequela |
| S82.63XC | Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.63XD | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.63XE | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.63XF | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.63XG | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.63XH | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.63XJ | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.63XK | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.63XM | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.63XN | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.63XP | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.63XQ | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.63XR | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.63XS | Displaced fracture of lateral malleolus of unspecified fibula, sequela |
| S82.64XC | Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.64XD | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.64XE | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.64XF | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.64XG | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.64XH | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.64XJ | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.64XK | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.64XM | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.64XN | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.64XP | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with malunion |
| S82.64XQ | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.64XR | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.64XS | Nondisplaced fracture of lateral malleolus of right fibula, sequela |
| S82.65XC | Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.65XD | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.65XE | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.65XF | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.65XG | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.65XH | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.65XJ | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.65XK | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.65XM | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.65XN | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.65XP | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with malunion |
| S82.65XQ | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.65XR | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.65XS | Nondisplaced fracture of lateral malleolus of left fibula, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.66XC | Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.66XD | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.66XE | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.66XF | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.66XG | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.66XH | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.66XJ | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.66XK | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.66XM | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.66XN | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.66XP | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.66XQ | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.66XR | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.66XS | Nondisplaced fracture of lateral malleolus of unspecified fibula, sequela |
| S82.811D | Torus fracture of upper end of right fibula, subsequent encounter for fracture with routine healing |
| S82.811G | Torus fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing |
| S82.811K | Torus fracture of upper end of right fibula, subsequent encounter for fracture with nonunion |
| S82.811P | Torus fracture of upper end of right fibula, subsequent encounter for fracture with malunion |
| S82.811S | Torus fracture of upper end of right fibula, sequela |
| S82.812D | Torus fracture of upper end of left fibula, subsequent encounter for fracture with routine healing |
| S82.812G | Torus fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing |
| S82.812K | Torus fracture of upper end of left fibula, subsequent encounter for fracture with nonunion |
| S82.812P | Torus fracture of upper end of left fibula, subsequent encounter for fracture with malunion |
| S82.812S | Torus fracture of upper end of left fibula, sequela |
| S82.819D | Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.819G | Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S82.819K | Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S82.819P | Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion |
| S82.819S | Torus fracture of upper end of unspecified fibula, sequela |
| S82.821D | Torus fracture of lower end of right fibula, subsequent encounter for fracture with routine healing |
| S82.821G | Torus fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing |
| S82.821K | Torus fracture of lower end of right fibula, subsequent encounter for fracture with nonunion |
| S82.821P | Torus fracture of lower end of right fibula, subsequent encounter for fracture with malunion |
| S82.821S | Torus fracture of lower end of right fibula, sequela |
| S82.822D | Torus fracture of lower end of left fibula, subsequent encounter for fracture with routine healing |
| S82.822G | Torus fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing |
| S82.822K | Torus fracture of lower end of left fibula, subsequent encounter for fracture with nonunion |
| S82.822P | Torus fracture of lower end of left fibula, subsequent encounter for fracture with malunion |
| S82.822S | Torus fracture of lower end of left fibula, sequela |
| S82.829D | Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S82.829G | Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S82.829K | Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S82.829P | Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion |
| S82.829S | Torus fracture of lower end of unspecified fibula, sequela |
| S82.831C | Other fracture of upper and lower end of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.831D | Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with routine healing |
| S82.831E | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.831F | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.831G | Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with delayed healing |
| S82.831H | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.831J | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.831K | Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with nonunion |
| S82.831M | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.831N | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.831P | Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with malunion |
| S82.831Q | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.831R | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.831S | Other fracture of upper and lower end of right fibula, sequela |
| S82.832C | Other fracture of upper and lower end of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.832D | Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with routine healing |
| S82.832E | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.832F | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.832G | Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with delayed healing |
| S82.832H | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.832J | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.832K | Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with nonunion |
| S82.832M | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.832N | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.832P | Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with malunion |
| S82.832Q | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.832R | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.832S | Other fracture of upper and lower end of left fibula, sequela |
| S82.839C | Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.839D | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with routine healing |
| S82.839E | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing |
| S82.839F | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.839G | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with delayed healing |
| S82.839H | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing |
| S82.839J | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.839K | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with nonunion |
| S82.839M | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion |
| S82.839N | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.839P | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with malunion |
| S82.839Q | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with malunion |
| S82.839R | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.839S | Other fracture of upper and lower end of unspecified fibula, sequela |
| S82.841C | Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.841D | Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing |
| S82.841E | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.841F | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.841G | Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.841H | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.841J | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.841K | Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion |
| S82.841M | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.841N | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.841P | Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion |
| S82.841Q | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.841R | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.841S | Displaced bimalleolar fracture of right lower leg, sequela |
| S82.842C | Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.842D | Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing |
| S82.842E | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.842F | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.842G | Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.842H | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.842J | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.842K | Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion |
| S82.842M | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.842N | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.842P | Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion |
| S82.842Q | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.842R | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.842S | Displaced bimalleolar fracture of left lower leg, sequela |
| S82.843C | Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.843D | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing |
| S82.843E | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.843F | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.843G | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.843H | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.843J | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.843K | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion |
| S82.843M | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.843N | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.843P | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion |
| S82.843Q | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.843R | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.843S | Displaced bimalleolar fracture of unspecified lower leg, sequela |
| S82.844C | Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.844D | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing |
| S82.844E | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.844F | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.844G | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.844H | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.844J | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.844K | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion |
| S82.844M | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.844N | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.844P | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion |
| S82.844Q | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.844R | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.844S | Nondisplaced bimalleolar fracture of right lower leg, sequela |
| S82.845C | Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.845D | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing |
| S82.845E | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.845F | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.845G | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.845H | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.845J | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.845K | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion |
| S82.845M | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.845N | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.845P | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion |
| S82.845Q | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.845R | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.845S | Nondisplaced bimalleolar fracture of left lower leg, sequela |
| S82.846C | Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.846D | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing |
| S82.846E | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.846F | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.846G | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.846H | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.846J | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.846K | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion |
| S82.846M | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.846N | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.846P | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion |
| S82.846Q | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.846R | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.846S | Nondisplaced bimalleolar fracture of unspecified lower leg, sequela |
| S82.851C | Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.851D | Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing |
| S82.851E | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.851F | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.851G | Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.851H | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.851J | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.851K | Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion |
| S82.851M | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.851N | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.851P | Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion |
| S82.851Q | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.851R | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.851S | Displaced trimalleolar fracture of right lower leg, sequela |
| S82.852C | Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.852D | Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing |
| S82.852E | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.852F | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.852G | Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.852H | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.852J | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.852K | Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion |
| S82.852M | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.852N | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.852P | Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion |
| S82.852Q | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.852R | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.852S | Displaced trimalleolar fracture of left lower leg, sequela |
| S82.853C | Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.853D | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing |
| S82.853E | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.853F | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.853G | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.853H | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.853J | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.853K | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion |
| S82.853M | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.853N | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.853P | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion |
| S82.853Q | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.853R | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.853S | Displaced trimalleolar fracture of unspecified lower leg, sequela |
| S82.854C | Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.854D | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing |
| S82.854E | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.854F | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.854G | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.854H | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.854J | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.854K | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion |
| S82.854M | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.854N | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.854P | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion |
| S82.854Q | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.854R | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.854S | Nondisplaced trimalleolar fracture of right lower leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.855C | Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.855D | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing |
| S82.855E | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.855F | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.855G | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.855H | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.855J | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.855K | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion |
| S82.855M | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.855N | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.855P | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion |
| S82.855Q | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.855R | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.855S | Nondisplaced trimalleolar fracture of left lower leg, sequela |
| S82.856C | Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.856D | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing |
| S82.856E | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.856F | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.856G | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.856H | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.856J | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.856K | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion |
| S82.856M | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.856N | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.856P | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.856Q | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.856R | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.856S | Nondisplaced trimalleolar fracture of unspecified lower leg, sequela |
| S82.861C | Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.861D | Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing |
| S82.861E | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.861F | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.861G | Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with delayed healing |
| S82.861H | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.861J | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.861K | Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with nonunion |
| S82.861M | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.861N | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.861P | Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with malunion |
| S82.861Q | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with malunion |
| S82.861R | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.861S | Displaced Maisonneuve's fracture of right leg, sequela |
| S82.862C | Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.862D | Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing |
| S82.862E | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.862F | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.862G | Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with delayed healing |
| S82.862H | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.862J | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.862K | Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.862M | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.862N | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.862P | Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with malunion |
| S82.862Q | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with malunion |
| S82.862R | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.862S | Displaced Maisonneuve's fracture of left leg, sequela |
| S82.863C | Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.863D | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with routine healing |
| S82.863E | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.863F | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.863G | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with delayed healing |
| S82.863H | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.863J | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.863K | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with nonunion |
| S82.863M | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.863N | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.863P | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with malunion |
| S82.863Q | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with malunion |
| S82.863R | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.863S | Displaced Maisonneuve's fracture of unspecified leg, sequela |
| S82.864C | Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.864D | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing |
| S82.864E | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.864F | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.864G | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.864H | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.864J | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.864K | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with nonunion |
| S82.864M | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.864N | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.864P | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with malunion |
| S82.864Q | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with malunion |
| S82.864R | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.864S | Nondisplaced Maisonneuve's fracture of right leg, sequela |
| S82.865C | Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.865D | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing |
| S82.865E | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.865F | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.865G | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with delayed healing |
| S82.865H | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.865J | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.865K | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with nonunion |
| S82.865M | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.865N | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.865P | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with malunion |
| S82.865Q | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with malunion |
| S82.865R | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.865S | Nondisplaced Maisonneuve's fracture of left leg, sequela |
| S82.866C | Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.866D | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.866E | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.866F | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.866G | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with delayed healing |
| S82.866H | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.866J | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.866K | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with nonunion |
| S82.866M | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.866N | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.866P | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with malunion |
| S82.866Q | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with malunion |
| S82.866R | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.866S | Nondisplaced Maisonneuve's fracture of unspecified leg, sequela |
| S82.871C | Displaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.871D | Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.871E | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.871F | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.871G | Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.871H | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.871J | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.871K | Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.871M | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.871N | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.871P | Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with malunion |
| S82.871Q | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.871R | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.871S | Displaced pilon fracture of right tibia, sequela |
| S82.872C | Displaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.872D | Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.872E | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.872F | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.872G | Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.872H | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.872J | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.872K | Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.872M | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.872N | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.872P | Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with malunion |
| S82.872Q | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.872R | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.872S | Displaced pilon fracture of left tibia, sequela |
| S82.873C | Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.873D | Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.873E | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.873F | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.873G | Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.873H | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.873J | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.873K | Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.873M | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.873N | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.873P | Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.873Q | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.873R | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.873S | Displaced pilon fracture of unspecified tibia, sequela |
| S82.874C | Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.874D | Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing |
| S82.874E | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.874F | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.874G | Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with delayed healing |
| S82.874H | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.874J | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.874K | Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with nonunion |
| S82.874M | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.874N | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.874P | Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with malunion |
| S82.874Q | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.874R | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.874S | Nondisplaced pilon fracture of right tibia, sequela |
| S82.875C | Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.875D | Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing |
| S82.875E | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.875F | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.875G | Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with delayed healing |
| S82.875H | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.875J | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.875K | Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with nonunion |
| S82.875M | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.875N | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.875P | Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with malunion |
| S82.875Q | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.875R | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.875S | Nondisplaced pilon fracture of left tibia, sequela |
| S82.876C | Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.876D | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing |
| S82.876E | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing |
| S82.876F | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.876G | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing |
| S82.876H | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing |
| S82.876J | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.876K | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion |
| S82.876M | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion |
| S82.876N | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.876P | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with malunion |
| S82.876Q | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion |
| S82.876R | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.876S | Nondisplaced pilon fracture of unspecified tibia, sequela |
| S82.891C | Other fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.891D | Other fracture of right lower leg, subsequent encounter for closed fracture with routine healing |
| S82.891E | Other fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.891F | Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.891G | Other fracture of right lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.891H | Other fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.891J | Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.891K | Other fracture of right lower leg, subsequent encounter for closed fracture with nonunion |
| S82.891M | Other fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.891N | Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.891P | Other fracture of right lower leg, subsequent encounter for closed fracture with malunion |
| S82.891Q | Other fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.891R | Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.891S | Other fracture of right lower leg, sequela |
| S82.892C | Other fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.892D | Other fracture of left lower leg, subsequent encounter for closed fracture with routine healing |
| S82.892E | Other fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.892F | Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.892G | Other fracture of left lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.892H | Other fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.892J | Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.892K | Other fracture of left lower leg, subsequent encounter for closed fracture with nonunion |
| S82.892M | Other fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.892N | Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.892P | Other fracture of left lower leg, subsequent encounter for closed fracture with malunion |
| S82.892Q | Other fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.892R | Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.892S | Other fracture of left lower leg, sequela |
| S82.899C | Other fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.899D | Other fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing |
| S82.899E | Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.899F | Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.899G | Other fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.899H | Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.899J | Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.899K | Other fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion |
| S82.899M | Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.899N | Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.899P | Other fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion |
| S82.899Q | Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.899R | Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.899S | Other fracture of unspecified lower leg, sequela |
| S82.90XC | Unspecified fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.90XD | Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing |
| S82.90XE | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.90XF | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.90XG | Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.90XH | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.90XJ | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.90XK | Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion |
| S82.90XM | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.90XN | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.90XP | Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion |
| S82.90XQ | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.90XR | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.90XS | Unspecified fracture of unspecified lower leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.91XC | Unspecified fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.91XD | Unspecified fracture of right lower leg, subsequent encounter for closed fracture with routine healing |
| S82.91XE | Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.91XF | Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.91XG | Unspecified fracture of right lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.91XH | Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.91XJ | Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.91XK | Unspecified fracture of right lower leg, subsequent encounter for closed fracture with nonunion |
| S82.91XM | Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.91XN | Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.91XP | Unspecified fracture of right lower leg, subsequent encounter for closed fracture with malunion |
| S82.91XQ | Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.91XR | Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.91XS | Unspecified fracture of right lower leg, sequela |
| S82.92XC | Unspecified fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.92XD | Unspecified fracture of left lower leg, subsequent encounter for closed fracture with routine healing |
| S82.92XE | Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing |
| S82.92XF | Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.92XG | Unspecified fracture of left lower leg, subsequent encounter for closed fracture with delayed healing |
| S82.92XH | Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing |
| S82.92XJ | Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.92XK | Unspecified fracture of left lower leg, subsequent encounter for closed fracture with nonunion |
| S82.92XM | Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion |
| S82.92XN | Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S82.92XP | Unspecified fracture of left lower leg, subsequent encounter for closed fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S82.92XQ | Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion |
| S82.92XR | Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S82.92XS | Unspecified fracture of left lower leg, sequela |
| S83.001D | Unspecified subluxation of right patella, subsequent encounter |
| S83.001S | Unspecified subluxation of right patella, sequela |
| S83.002D | Unspecified subluxation of left patella, subsequent encounter |
| S83.002S | Unspecified subluxation of left patella, sequela |
| S83.003D | Unspecified subluxation of unspecified patella, subsequent encounter |
| S83.003S | Unspecified subluxation of unspecified patella, sequela |
| S83.004D | Unspecified dislocation of right patella, subsequent encounter |
| S83.004S | Unspecified dislocation of right patella, sequela |
| S83.005D | Unspecified dislocation of left patella, subsequent encounter |
| S83.005S | Unspecified dislocation of left patella, sequela |
| S83.006D | Unspecified dislocation of unspecified patella, subsequent encounter |
| S83.006S | Unspecified dislocation of unspecified patella, sequela |
| S83.011D | Lateral subluxation of right patella, subsequent encounter |
| S83.011S | Lateral subluxation of right patella, sequela |
| S83.012D | Lateral subluxation of left patella, subsequent encounter |
| S83.012S | Lateral subluxation of left patella, sequela |
| S83.013D | Lateral subluxation of unspecified patella, subsequent encounter |
| S83.013S | Lateral subluxation of unspecified patella, sequela |
| S83.014D | Lateral dislocation of right patella, subsequent encounter |
| S83.014S | Lateral dislocation of right patella, sequela |
| S83.015D | Lateral dislocation of left patella, subsequent encounter |
| S83.015S | Lateral dislocation of left patella, sequela |
| S83.016D | Lateral dislocation of unspecified patella, subsequent encounter |
| S83.016S | Lateral dislocation of unspecified patella, sequela |
| S83.091D | Other subluxation of right patella, subsequent encounter |
| S83.091S | Other subluxation of right patella, sequela |
| S83.092D | Other subluxation of left patella, subsequent encounter |
| S83.092S | Other subluxation of left patella, sequela |
| S83.093D | Other subluxation of unspecified patella, subsequent encounter |
| S83.093S | Other subluxation of unspecified patella, sequela |
| S83.094D | Other dislocation of right patella, subsequent encounter |
| S83.094S | Other dislocation of right patella, sequela |
| S83.095D | Other dislocation of left patella, subsequent encounter |
| S83.095S | Other dislocation of left patella, sequela |
| S83.096D | Other dislocation of unspecified patella, subsequent encounter |
| S83.096S | Other dislocation of unspecified patella, sequela |
| S83.101D | Unspecified subluxation of right knee, subsequent encounter |
| S83.101S | Unspecified subluxation of right knee, sequela |
| S83.102D | Unspecified subluxation of left knee, subsequent encounter |
| S83.102S | Unspecified subluxation of left knee, sequela |
| S83.103D | Unspecified subluxation of unspecified knee, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S83.103S | Unspecified subluxation of unspecified knee, sequela |
| S83.104D | Unspecified dislocation of right knee, subsequent encounter |
| S83.104S | Unspecified dislocation of right knee, sequela |
| S83.105D | Unspecified dislocation of left knee, subsequent encounter |
| S83.105S | Unspecified dislocation of left knee, sequela |
| S83.106D | Unspecified dislocation of unspecified knee, subsequent encounter |
| S83.106S | Unspecified dislocation of unspecified knee, sequela |
| S83.111D | Anterior subluxation of proximal end of tibia, right knee, subsequent encounter |
| S83.111S | Anterior subluxation of proximal end of tibia, right knee, sequela |
| S83.112D | Anterior subluxation of proximal end of tibia, left knee, subsequent encounter |
| S83.112S | Anterior subluxation of proximal end of tibia, left knee, sequela |
| S83.113D | Anterior subluxation of proximal end of tibia, unspecified knee, subsequent encounter |
| S83.113S | Anterior subluxation of proximal end of tibia, unspecified knee, sequela |
| S83.114D | Anterior dislocation of proximal end of tibia, right knee, subsequent encounter |
| S83.114S | Anterior dislocation of proximal end of tibia, right knee, sequela |
| S83.115D | Anterior dislocation of proximal end of tibia, left knee, subsequent encounter |
| S83.115S | Anterior dislocation of proximal end of tibia, left knee, sequela |
| S83.116D | Anterior dislocation of proximal end of tibia, unspecified knee, subsequent encounter |
| S83.116S | Anterior dislocation of proximal end of tibia, unspecified knee, sequela |
| S83.121D | Posterior subluxation of proximal end of tibia, right knee, subsequent encounter |
| S83.121S | Posterior subluxation of proximal end of tibia, right knee, sequela |
| S83.122D | Posterior subluxation of proximal end of tibia, left knee, subsequent encounter |
| S83.122S | Posterior subluxation of proximal end of tibia, left knee, sequela |
| S83.123D | Posterior subluxation of proximal end of tibia, unspecified knee, subsequent encounter |
| S83.123S | Posterior subluxation of proximal end of tibia, unspecified knee, sequela |
| S83.124D | Posterior dislocation of proximal end of tibia, right knee, subsequent encounter |
| S83.124S | Posterior dislocation of proximal end of tibia, right knee, sequela |
| S83.125D | Posterior dislocation of proximal end of tibia, left knee, subsequent encounter |
| S83.125S | Posterior dislocation of proximal end of tibia, left knee, sequela |
| S83.126D | Posterior dislocation of proximal end of tibia, unspecified knee, subsequent encounter |
| S83.126S | Posterior dislocation of proximal end of tibia, unspecified knee, sequela |
| S83.131D | Medial subluxation of proximal end of tibia, right knee, subsequent encounter |
| S83.131S | Medial subluxation of proximal end of tibia, right knee, sequela |
| S83.132D | Medial subluxation of proximal end of tibia, left knee, subsequent encounter |
| S83.132S | Medial subluxation of proximal end of tibia, left knee, sequela |
| S83.133D | Medial subluxation of proximal end of tibia, unspecified knee, subsequent encounter |
| S83.133S | Medial subluxation of proximal end of tibia, unspecified knee, sequela |
| S83.134D | Medial dislocation of proximal end of tibia, right knee, subsequent encounter |
| S83.134S | Medial dislocation of proximal end of tibia, right knee, sequela |
| S83.135D | Medial dislocation of proximal end of tibia, left knee, subsequent encounter |
| S83.135S | Medial dislocation of proximal end of tibia, left knee, sequela |
| S83.136D | Medial dislocation of proximal end of tibia, unspecified knee, subsequent encounter |
| S83.136S | Medial dislocation of proximal end of tibia, unspecified knee, sequela |
| S83.141D | Lateral subluxation of proximal end of tibia, right knee, subsequent encounter |
| S83.141S | Lateral subluxation of proximal end of tibia, right knee, sequela |
| S83.142D | Lateral subluxation of proximal end of tibia, left knee, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S83.142S | Lateral subluxation of proximal end of tibia, left knee, sequela |
| S83.143D | Lateral subluxation of proximal end of tibia, unspecified knee, subsequent encounter |
| S83.143S | Lateral subluxation of proximal end of tibia, unspecified knee, sequela |
| S83.144D | Lateral dislocation of proximal end of tibia, right knee, subsequent encounter |
| S83.144S | Lateral dislocation of proximal end of tibia, right knee, sequela |
| S83.145D | Lateral dislocation of proximal end of tibia, left knee, subsequent encounter |
| S83.145S | Lateral dislocation of proximal end of tibia, left knee, sequela |
| S83.146D | Lateral dislocation of proximal end of tibia, unspecified knee, subsequent encounter |
| S83.146S | Lateral dislocation of proximal end of tibia, unspecified knee, sequela |
| S83.191D | Other subluxation of right knee, subsequent encounter |
| S83.191S | Other subluxation of right knee, sequela |
| S83.192D | Other subluxation of left knee, subsequent encounter |
| S83.192S | Other subluxation of left knee, sequela |
| S83.193D | Other subluxation of unspecified knee, subsequent encounter |
| S83.193S | Other subluxation of unspecified knee, sequela |
| S83.194D | Other dislocation of right knee, subsequent encounter |
| S83.194S | Other dislocation of right knee, sequela |
| S83.195D | Other dislocation of left knee, subsequent encounter |
| S83.195S | Other dislocation of left knee, sequela |
| S83.196D | Other dislocation of unspecified knee, subsequent encounter |
| S83.196S | Other dislocation of unspecified knee, sequela |
| S83.200D | Bucket-handle tear of unspecified meniscus, current injury, right knee, subsequent encounter |
| S83.200S | Bucket-handle tear of unspecified meniscus, current injury, right knee, sequela |
| S83.201D | Bucket-handle tear of unspecified meniscus, current injury, left knee, subsequent encounter |
| S83.201S | Bucket-handle tear of unspecified meniscus, current injury, left knee, sequela |
| S83.202D | Bucket-handle tear of unspecified meniscus, current injury, unspecified knee, subsequent encounter |
| S83.202S | Bucket-handle tear of unspecified meniscus, current injury, unspecified knee, sequela |
| S83.203D | Other tear of unspecified meniscus, current injury, right knee, subsequent encounter |
| S83.203S | Other tear of unspecified meniscus, current injury, right knee, sequela |
| S83.204D | Other tear of unspecified meniscus, current injury, left knee, subsequent encounter |
| S83.204S | Other tear of unspecified meniscus, current injury, left knee, sequela |
| S83.205D | Other tear of unspecified meniscus, current injury, unspecified knee, subsequent encounter |
| S83.205S | Other tear of unspecified meniscus, current injury, unspecified knee, sequela |
| S83.206D | Unspecified tear of unspecified meniscus, current injury, right knee, subsequent encounter |
| S83.206S | Unspecified tear of unspecified meniscus, current injury, right knee, sequela |
| S83.207D | Unspecified tear of unspecified meniscus, current injury, left knee, subsequent encounter |
| S83.207S | Unspecified tear of unspecified meniscus, current injury, left knee, sequela |
| S83.209D | Unspecified tear of unspecified meniscus, current injury, unspecified knee, subsequent encounter |
| S83.209S | Unspecified tear of unspecified meniscus, current injury, unspecified knee, sequela |
| S83.211D | Bucket-handle tear of medial meniscus, current injury, right knee, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S83.211S | Bucket-handle tear of medial meniscus, current injury, right knee, sequela |
| S83.212D | Bucket-handle tear of medial meniscus, current injury, left knee, subsequent encounter |
| S83.212S | Bucket-handle tear of medial meniscus, current injury, left knee, sequela |
| S83.219D | Bucket-handle tear of medial meniscus, current injury, unspecified knee, subsequent encounter |
| S83.219S | Bucket-handle tear of medial meniscus, current injury, unspecified knee, sequela |
| S83.221D | Peripheral tear of medial meniscus, current injury, right knee, subsequent encounter |
| S83.221S | Peripheral tear of medial meniscus, current injury, right knee, sequela |
| S83.222D | Peripheral tear of medial meniscus, current injury, left knee, subsequent encounter |
| S83.222S | Peripheral tear of medial meniscus, current injury, left knee, sequela |
| S83.229D | Peripheral tear of medial meniscus, current injury, unspecified knee, subsequent encounter |
| S83.229S | Peripheral tear of medial meniscus, current injury, unspecified knee, sequela |
| S83.231D | Complex tear of medial meniscus, current injury, right knee, subsequent encounter |
| S83.231S | Complex tear of medial meniscus, current injury, right knee, sequela |
| S83.232D | Complex tear of medial meniscus, current injury, left knee, subsequent encounter |
| S83.232S | Complex tear of medial meniscus, current injury, left knee, sequela |
| S83.239D | Complex tear of medial meniscus, current injury, unspecified knee, subsequent encounter |
| S83.239S | Complex tear of medial meniscus, current injury, unspecified knee, sequela |
| S83.241D | Other tear of medial meniscus, current injury, right knee, subsequent encounter |
| S83.241S | Other tear of medial meniscus, current injury, right knee, sequela |
| S83.242D | Other tear of medial meniscus, current injury, left knee, subsequent encounter |
| S83.242S | Other tear of medial meniscus, current injury, left knee, sequela |
| S83.249D | Other tear of medial meniscus, current injury, unspecified knee, subsequent encounter |
| S83.249S | Other tear of medial meniscus, current injury, unspecified knee, sequela |
| S83.251D | Bucket-handle tear of lateral meniscus, current injury, right knee, subsequent encounter |
| S83.251S | Bucket-handle tear of lateral meniscus, current injury, right knee, sequela |
| S83.252D | Bucket-handle tear of lateral meniscus, current injury, left knee, subsequent encounter |
| S83.252S | Bucket-handle tear of lateral meniscus, current injury, left knee, sequela |
| S83.259D | Bucket-handle tear of lateral meniscus, current injury, unspecified knee, subsequent encounter |
| S83.259S | Bucket-handle tear of lateral meniscus, current injury, unspecified knee, sequela |
| S83.261D | Peripheral tear of lateral meniscus, current injury, right knee, subsequent encounter |
| S83.261S | Peripheral tear of lateral meniscus, current injury, right knee, sequela |
| S83.262D | Peripheral tear of lateral meniscus, current injury, left knee, subsequent encounter |
| S83.262S | Peripheral tear of lateral meniscus, current injury, left knee, sequela |
| S83.269D | Peripheral tear of lateral meniscus, current injury, unspecified knee, subsequent encounter |
| S83.269S | Peripheral tear of lateral meniscus, current injury, unspecified knee, sequela |
| S83.271D | Complex tear of lateral meniscus, current injury, right knee, subsequent encounter |
| S83.271S | Complex tear of lateral meniscus, current injury, right knee, sequela |
| S83.272D | Complex tear of lateral meniscus, current injury, left knee, subsequent encounter |
| S83.272S | Complex tear of lateral meniscus, current injury, left knee, sequela |
| S83.279D | Complex tear of lateral meniscus, current injury, unspecified knee, subsequent encounter |
| S83.279S | Complex tear of lateral meniscus, current injury, unspecified knee, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S83.281D | Other tear of lateral meniscus, current injury, right knee, subsequent encounter |
| S83.281S | Other tear of lateral meniscus, current injury, right knee, sequela |
| S83.282D | Other tear of lateral meniscus, current injury, left knee, subsequent encounter |
| S83.282S | Other tear of lateral meniscus, current injury, left knee, sequela |
| S83.289D | Other tear of lateral meniscus, current injury, unspecified knee, subsequent encounter |
| S83.289S | Other tear of lateral meniscus, current injury, unspecified knee, sequela |
| S83.30XD | Tear of articular cartilage of unspecified knee, current, subsequent encounter |
| S83.30XS | Tear of articular cartilage of unspecified knee, current, sequela |
| S83.31XD | Tear of articular cartilage of right knee, current, subsequent encounter |
| S83.31XS | Tear of articular cartilage of right knee, current, sequela |
| S83.32XD | Tear of articular cartilage of left knee, current, subsequent encounter |
| S83.32XS | Tear of articular cartilage of left knee, current, sequela |
| S83.401D | Sprain of unspecified collateral ligament of right knee, subsequent encounter |
| S83.401S | Sprain of unspecified collateral ligament of right knee, sequela |
| S83.402D | Sprain of unspecified collateral ligament of left knee, subsequent encounter |
| S83.402S | Sprain of unspecified collateral ligament of left knee, sequela |
| S83.409D | Sprain of unspecified collateral ligament of unspecified knee, subsequent encounter |
| S83.409S | Sprain of unspecified collateral ligament of unspecified knee, sequela |
| S83.411D | Sprain of medial collateral ligament of right knee, subsequent encounter |
| S83.411S | Sprain of medial collateral ligament of right knee, sequela |
| S83.412D | Sprain of medial collateral ligament of left knee, subsequent encounter |
| S83.412S | Sprain of medial collateral ligament of left knee, sequela |
| S83.419D | Sprain of medial collateral ligament of unspecified knee, subsequent encounter |
| S83.419S | Sprain of medial collateral ligament of unspecified knee, sequela |
| S83.421D | Sprain of lateral collateral ligament of right knee, subsequent encounter |
| S83.421S | Sprain of lateral collateral ligament of right knee, sequela |
| S83.422D | Sprain of lateral collateral ligament of left knee, subsequent encounter |
| S83.422S | Sprain of lateral collateral ligament of left knee, sequela |
| S83.429D | Sprain of lateral collateral ligament of unspecified knee, subsequent encounter |
| S83.429S | Sprain of lateral collateral ligament of unspecified knee, sequela |
| S83.501D | Sprain of unspecified cruciate ligament of right knee, subsequent encounter |
| S83.501S | Sprain of unspecified cruciate ligament of right knee, sequela |
| S83.502D | Sprain of unspecified cruciate ligament of left knee, subsequent encounter |
| S83.502S | Sprain of unspecified cruciate ligament of left knee, sequela |
| S83.509D | Sprain of unspecified cruciate ligament of unspecified knee, subsequent encounter |
| S83.509S | Sprain of unspecified cruciate ligament of unspecified knee, sequela |
| S83.511D | Sprain of anterior cruciate ligament of right knee, subsequent encounter |
| S83.511S | Sprain of anterior cruciate ligament of right knee, sequela |
| S83.512D | Sprain of anterior cruciate ligament of left knee, subsequent encounter |
| S83.512S | Sprain of anterior cruciate ligament of left knee, sequela |
| S83.519D | Sprain of anterior cruciate ligament of unspecified knee, subsequent encounter |
| S83.519S | Sprain of anterior cruciate ligament of unspecified knee, sequela |
| S83.521D | Sprain of posterior cruciate ligament of right knee, subsequent encounter |
| S83.521S | Sprain of posterior cruciate ligament of right knee, sequela |
| S83.522D | Sprain of posterior cruciate ligament of left knee, subsequent encounter |
| S83.522S | Sprain of posterior cruciate ligament of left knee, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S83.529D | Sprain of posterior cruciate ligament of unspecified knee, subsequent encounter |
| S83.529S | Sprain of posterior cruciate ligament of unspecified knee, sequela |
| S83.60XD | Sprain of the superior tibiofibular joint and ligament, unspecified knee, subsequent encounter |
| S83.60XS | Sprain of the superior tibiofibular joint and ligament, unspecified knee, sequela |
| S83.61XD | Sprain of the superior tibiofibular joint and ligament, right knee, subsequent encounter |
| S83.61XS | Sprain of the superior tibiofibular joint and ligament, right knee, sequela |
| S83.62XD | Sprain of the superior tibiofibular joint and ligament, left knee, subsequent encounter |
| S83.62XS | Sprain of the superior tibiofibular joint and ligament, left knee, sequela |
| S83.8X1D | Sprain of other specified parts of right knee, subsequent encounter |
| S83.8X1S | Sprain of other specified parts of right knee, sequela |
| S83.8X2D | Sprain of other specified parts of left knee, subsequent encounter |
| S83.8X2S | Sprain of other specified parts of left knee, sequela |
| S83.8X9D | Sprain of other specified parts of unspecified knee, subsequent encounter |
| S83.8X9S | Sprain of other specified parts of unspecified knee, sequela |
| S83.90XD | Sprain of unspecified site of unspecified knee, subsequent encounter |
| S83.90XS | Sprain of unspecified site of unspecified knee, sequela |
| S83.91XD | Sprain of unspecified site of right knee, subsequent encounter |
| S83.91XS | Sprain of unspecified site of right knee, sequela |
| S83.92XD | Sprain of unspecified site of left knee, subsequent encounter |
| S83.92XS | Sprain of unspecified site of left knee, sequela |
| S84.00XD | Injury of tibial nerve at lower leg level, unspecified leg, subsequent encounter |
| S84.00XS | Injury of tibial nerve at lower leg level, unspecified leg, sequela |
| S84.01XD | Injury of tibial nerve at lower leg level, right leg, subsequent encounter |
| S84.01XS | Injury of tibial nerve at lower leg level, right leg, sequela |
| S84.02XD | Injury of tibial nerve at lower leg level, left leg, subsequent encounter |
| S84.02XS | Injury of tibial nerve at lower leg level, left leg, sequela |
| S84.10XD | Injury of peroneal nerve at lower leg level, unspecified leg, subsequent encounter |
| S84.10XS | Injury of peroneal nerve at lower leg level, unspecified leg, sequela |
| S84.11XD | Injury of peroneal nerve at lower leg level, right leg, subsequent encounter |
| S84.11XS | Injury of peroneal nerve at lower leg level, right leg, sequela |
| S84.12XD | Injury of peroneal nerve at lower leg level, left leg, subsequent encounter |
| S84.12XS | Injury of peroneal nerve at lower leg level, left leg, sequela |
| S84.20XD | Injury of cutaneous sensory nerve at lower leg level, unspecified leg, subsequent encounter |
| S84.20XS | Injury of cutaneous sensory nerve at lower leg level, unspecified leg, sequela |
| S84.21XD | Injury of cutaneous sensory nerve at lower leg level, right leg, subsequent encounter |
| S84.21XS | Injury of cutaneous sensory nerve at lower leg level, right leg, sequela |
| S84.22XD | Injury of cutaneous sensory nerve at lower leg level, left leg, subsequent encounter |
| S84.22XS | Injury of cutaneous sensory nerve at lower leg level, left leg, sequela |
| S84.801D | Injury of other nerves at lower leg level, right leg, subsequent encounter |
| S84.801S | Injury of other nerves at lower leg level, right leg, sequela |
| S84.802D | Injury of other nerves at lower leg level, left leg, subsequent encounter |
| S84.802S | Injury of other nerves at lower leg level, left leg, sequela |
| S84.809D | Injury of other nerves at lower leg level, unspecified leg, subsequent encounter |
| S84.809S | Injury of other nerves at lower leg level, unspecified leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S84.90XD | Injury of unspecified nerve at lower leg level, unspecified leg, subsequent encounter |
| S84.90XS | Injury of unspecified nerve at lower leg level, unspecified leg, sequela |
| S84.91XD | Injury of unspecified nerve at lower leg level, right leg, subsequent encounter |
| S84.91XS | Injury of unspecified nerve at lower leg level, right leg, sequela |
| S84.92XD | Injury of unspecified nerve at lower leg level, left leg, subsequent encounter |
| S84.92XS | Injury of unspecified nerve at lower leg level, left leg, sequela |
| S85.001D | Unspecified injury of popliteal artery, right leg, subsequent encounter |
| S85.001S | Unspecified injury of popliteal artery, right leg, sequela |
| S85.002D | Unspecified injury of popliteal artery, left leg, subsequent encounter |
| S85.002S | Unspecified injury of popliteal artery, left leg, sequela |
| S85.009D | Unspecified injury of popliteal artery, unspecified leg, subsequent encounter |
| S85.009S | Unspecified injury of popliteal artery, unspecified leg, sequela |
| S85.011D | Laceration of popliteal artery, right leg, subsequent encounter |
| S85.011S | Laceration of popliteal artery, right leg, sequela |
| S85.012D | Laceration of popliteal artery, left leg, subsequent encounter |
| S85.012S | Laceration of popliteal artery, left leg, sequela |
| S85.019D | Laceration of popliteal artery, unspecified leg, subsequent encounter |
| S85.019S | Laceration of popliteal artery, unspecified leg, sequela |
| S85.091D | Other specified injury of popliteal artery, right leg, subsequent encounter |
| S85.091S | Other specified injury of popliteal artery, right leg, sequela |
| S85.092D | Other specified injury of popliteal artery, left leg, subsequent encounter |
| S85.092S | Other specified injury of popliteal artery, left leg, sequela |
| S85.099D | Other specified injury of popliteal artery, unspecified leg, subsequent encounter |
| S85.099S | Other specified injury of popliteal artery, unspecified leg, sequela |
| S85.101D | Unspecified injury of unspecified tibial artery, right leg, subsequent encounter |
| S85.101S | Unspecified injury of unspecified tibial artery, right leg, sequela |
| S85.102D | Unspecified injury of unspecified tibial artery, left leg, subsequent encounter |
| S85.102S | Unspecified injury of unspecified tibial artery, left leg, sequela |
| S85.109D | Unspecified injury of unspecified tibial artery, unspecified leg, subsequent encounter |
| S85.109S | Unspecified injury of unspecified tibial artery, unspecified leg, sequela |
| S85.111D | Laceration of unspecified tibial artery, right leg, subsequent encounter |
| S85.111S | Laceration of unspecified tibial artery, right leg, sequela |
| S85.112D | Laceration of unspecified tibial artery, left leg, subsequent encounter |
| S85.112S | Laceration of unspecified tibial artery, left leg, sequela |
| S85.119D | Laceration of unspecified tibial artery, unspecified leg, subsequent encounter |
| S85.119S | Laceration of unspecified tibial artery, unspecified leg, sequela |
| S85.121D | Other specified injury of unspecified tibial artery, right leg, subsequent encounter |
| S85.121S | Other specified injury of unspecified tibial artery, right leg, sequela |
| S85.122D | Other specified injury of unspecified tibial artery, left leg, subsequent encounter |
| S85.122S | Other specified injury of unspecified tibial artery, left leg, sequela |
| S85.129D | Other specified injury of unspecified tibial artery, unspecified leg, subsequent encounter |
| S85.129S | Other specified injury of unspecified tibial artery, unspecified leg, sequela |
| S85.131D | Unspecified injury of anterior tibial artery, right leg, subsequent encounter |
| S85.131S | Unspecified injury of anterior tibial artery, right leg, sequela |
| S85.132D | Unspecified injury of anterior tibial artery, left leg, subsequent encounter |
| S85.132S | Unspecified injury of anterior tibial artery, left leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S85.139D | Unspecified injury of anterior tibial artery, unspecified leg, subsequent encounter |
| S85.139S | Unspecified injury of anterior tibial artery, unspecified leg, sequela |
| S85.141D | Laceration of anterior tibial artery, right leg, subsequent encounter |
| S85.141S | Laceration of anterior tibial artery, right leg, sequela |
| S85.142D | Laceration of anterior tibial artery, left leg, subsequent encounter |
| S85.142S | Laceration of anterior tibial artery, left leg, sequela |
| S85.149D | Laceration of anterior tibial artery, unspecified leg, subsequent encounter |
| S85.149S | Laceration of anterior tibial artery, unspecified leg, sequela |
| S85.151D | Other specified injury of anterior tibial artery, right leg, subsequent encounter |
| S85.151S | Other specified injury of anterior tibial artery, right leg, sequela |
| S85.152D | Other specified injury of anterior tibial artery, left leg, subsequent encounter |
| S85.152S | Other specified injury of anterior tibial artery, left leg, sequela |
| S85.159D | Other specified injury of anterior tibial artery, unspecified leg, subsequent encounter |
| S85.159S | Other specified injury of anterior tibial artery, unspecified leg, sequela |
| S85.161D | Unspecified injury of posterior tibial artery, right leg, subsequent encounter |
| S85.161S | Unspecified injury of posterior tibial artery, right leg, sequela |
| S85.162D | Unspecified injury of posterior tibial artery, left leg, subsequent encounter |
| S85.162S | Unspecified injury of posterior tibial artery, left leg, sequela |
| S85.169D | Unspecified injury of posterior tibial artery, unspecified leg, subsequent encounter |
| S85.169S | Unspecified injury of posterior tibial artery, unspecified leg, sequela |
| S85.171D | Laceration of posterior tibial artery, right leg, subsequent encounter |
| S85.171S | Laceration of posterior tibial artery, right leg, sequela |
| S85.172D | Laceration of posterior tibial artery, left leg, subsequent encounter |
| S85.172S | Laceration of posterior tibial artery, left leg, sequela |
| S85.179D | Laceration of posterior tibial artery, unspecified leg, subsequent encounter |
| S85.179S | Laceration of posterior tibial artery, unspecified leg, sequela |
| S85.181D | Other specified injury of posterior tibial artery, right leg, subsequent encounter |
| S85.181S | Other specified injury of posterior tibial artery, right leg, sequela |
| S85.182D | Other specified injury of posterior tibial artery, left leg, subsequent encounter |
| S85.182S | Other specified injury of posterior tibial artery, left leg, sequela |
| S85.189D | Other specified injury of posterior tibial artery, unspecified leg, subsequent encounter |
| S85.189S | Other specified injury of posterior tibial artery, unspecified leg, sequela |
| S85.201D | Unspecified injury of peroneal artery, right leg, subsequent encounter |
| S85.201S | Unspecified injury of peroneal artery, right leg, sequela |
| S85.202D | Unspecified injury of peroneal artery, left leg, subsequent encounter |
| S85.202S | Unspecified injury of peroneal artery, left leg, sequela |
| S85.209D | Unspecified injury of peroneal artery, unspecified leg, subsequent encounter |
| S85.209S | Unspecified injury of peroneal artery, unspecified leg, sequela |
| S85.211D | Laceration of peroneal artery, right leg, subsequent encounter |
| S85.211S | Laceration of peroneal artery, right leg, sequela |
| S85.212D | Laceration of peroneal artery, left leg, subsequent encounter |
| S85.212S | Laceration of peroneal artery, left leg, sequela |
| S85.219D | Laceration of peroneal artery, unspecified leg, subsequent encounter |
| S85.219S | Laceration of peroneal artery, unspecified leg, sequela |
| S85.291D | Other specified injury of peroneal artery, right leg, subsequent encounter |
| S85.291S | Other specified injury of peroneal artery, right leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S85.292D | Other specified injury of peroneal artery, left leg, subsequent encounter |
| S85.292S | Other specified injury of peroneal artery, left leg, sequela |
| S85.299D | Other specified injury of peroneal artery, unspecified leg, subsequent encounter |
| S85.299S | Other specified injury of peroneal artery, unspecified leg, sequela |
| S85.301D | Unspecified injury of greater saphenous vein at lower leg level, right leg, subsequent encounter |
| S85.301S | Unspecified injury of greater saphenous vein at lower leg level, right leg, sequela |
| S85.302D | Unspecified injury of greater saphenous vein at lower leg level, left leg, subsequent encounter |
| S85.302S | Unspecified injury of greater saphenous vein at lower leg level, left leg, sequela |
| S85.309D | Unspecified injury of greater saphenous vein at lower leg level, unspecified leg, subsequent encounter |
| S85.309S | Unspecified injury of greater saphenous vein at lower leg level, unspecified leg, sequela |
| S85.311D | Laceration of greater saphenous vein at lower leg level, right leg, subsequent encounter |
| S85.311S | Laceration of greater saphenous vein at lower leg level, right leg, sequela |
| S85.312D | Laceration of greater saphenous vein at lower leg level, left leg, subsequent encounter |
| S85.312S | Laceration of greater saphenous vein at lower leg level, left leg, sequela |
| S85.319D | Laceration of greater saphenous vein at lower leg level, unspecified leg, subsequent encounter |
| S85.319S | Laceration of greater saphenous vein at lower leg level, unspecified leg, sequela |
| S85.391D | Other specified injury of greater saphenous vein at lower leg level, right leg, subsequent encounter |
| S85.391S | Other specified injury of greater saphenous vein at lower leg level, right leg, sequela |
| S85.392D | Other specified injury of greater saphenous vein at lower leg level, left leg, subsequent encounter |
| S85.392S | Other specified injury of greater saphenous vein at lower leg level, left leg, sequela |
| S85.399D | Other specified injury of greater saphenous vein at lower leg level, unspecified leg, subsequent encounter |
| S85.399S | Other specified injury of greater saphenous vein at lower leg level, unspecified leg, sequela |
| S85.401D | Unspecified injury of lesser saphenous vein at lower leg level, right leg, subsequent encounter |
| S85.401S | Unspecified injury of lesser saphenous vein at lower leg level, right leg, sequela |
| S85.402D | Unspecified injury of lesser saphenous vein at lower leg level, left leg, subsequent encounter |
| S85.402S | Unspecified injury of lesser saphenous vein at lower leg level, left leg, sequela |
| S85.409D | Unspecified injury of lesser saphenous vein at lower leg level, unspecified leg, subsequent encounter |
| S85.409S | Unspecified injury of lesser saphenous vein at lower leg level, unspecified leg, sequela |
| S85.411D | Laceration of lesser saphenous vein at lower leg level, right leg, subsequent encounter |
| S85.411S | Laceration of lesser saphenous vein at lower leg level, right leg, sequela |
| S85.412D | Laceration of lesser saphenous vein at lower leg level, left leg, subsequent encounter |
| S85.412S | Laceration of lesser saphenous vein at lower leg level, left leg, sequela |
| S85.419D | Laceration of lesser saphenous vein at lower leg level, unspecified leg, subsequent encounter |
| S85.419S | Laceration of lesser saphenous vein at lower leg level, unspecified leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S85.491D | Other specified injury of lesser saphenous vein at lower leg level, right leg, subsequent encounter |
| S85.491S | Other specified injury of lesser saphenous vein at lower leg level, right leg, sequela |
| S85.492D | Other specified injury of lesser saphenous vein at lower leg level, left leg, subsequent encounter |
| S85.492S | Other specified injury of lesser saphenous vein at lower leg level, left leg, sequela |
| S85.499D | Other specified injury of lesser saphenous vein at lower leg level, unspecified leg, subsequent encounter |
| S85.499S | Other specified injury of lesser saphenous vein at lower leg level, unspecified leg, sequela |
| S85.501D | Unspecified injury of popliteal vein, right leg, subsequent encounter |
| S85.501S | Unspecified injury of popliteal vein, right leg, sequela |
| S85.502D | Unspecified injury of popliteal vein, left leg, subsequent encounter |
| S85.502S | Unspecified injury of popliteal vein, left leg, sequela |
| S85.509D | Unspecified injury of popliteal vein, unspecified leg, subsequent encounter |
| S85.509S | Unspecified injury of popliteal vein, unspecified leg, sequela |
| S85.511D | Laceration of popliteal vein, right leg, subsequent encounter |
| S85.511S | Laceration of popliteal vein, right leg, sequela |
| S85.512D | Laceration of popliteal vein, left leg, subsequent encounter |
| S85.512S | Laceration of popliteal vein, left leg, sequela |
| S85.519D | Laceration of popliteal vein, unspecified leg, subsequent encounter |
| S85.519S | Laceration of popliteal vein, unspecified leg, sequela |
| S85.591D | Other specified injury of popliteal vein, right leg, subsequent encounter |
| S85.591S | Other specified injury of popliteal vein, right leg, sequela |
| S85.592D | Other specified injury of popliteal vein, left leg, subsequent encounter |
| S85.592S | Other specified injury of popliteal vein, left leg, sequela |
| S85.599D | Other specified injury of popliteal vein, unspecified leg, subsequent encounter |
| S85.599S | Other specified injury of popliteal vein, unspecified leg, sequela |
| S85.801D | Unspecified injury of other blood vessels at lower leg level, right leg, subsequent encounter |
| S85.801S | Unspecified injury of other blood vessels at lower leg level, right leg, sequela |
| S85.802D | Unspecified injury of other blood vessels at lower leg level, left leg, subsequent encounter |
| S85.802S | Unspecified injury of other blood vessels at lower leg level, left leg, sequela |
| S85.809D | Unspecified injury of other blood vessels at lower leg level, unspecified leg, subsequent encounter |
| S85.809S | Unspecified injury of other blood vessels at lower leg level, unspecified leg, sequela |
| S85.811D | Laceration of other blood vessels at lower leg level, right leg, subsequent encounter |
| S85.811S | Laceration of other blood vessels at lower leg level, right leg, sequela |
| S85.812D | Laceration of other blood vessels at lower leg level, left leg, subsequent encounter |
| S85.812S | Laceration of other blood vessels at lower leg level, left leg, sequela |
| S85.819D | Laceration of other blood vessels at lower leg level, unspecified leg, subsequent encounter |
| S85.819S | Laceration of other blood vessels at lower leg level, unspecified leg, sequela |
| S85.891D | Other specified injury of other blood vessels at lower leg level, right leg, subsequent encounter |
| S85.891S | Other specified injury of other blood vessels at lower leg level, right leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S85.892D | Other specified injury of other blood vessels at lower leg level, left leg, subsequent encounter |
| S85.892S | Other specified injury of other blood vessels at lower leg level, left leg, sequela |
| S85.899D | Other specified injury of other blood vessels at lower leg level, unspecified leg, subsequent encounter |
| S85.899S | Other specified injury of other blood vessels at lower leg level, unspecified leg, sequela |
| S85.901D | Unspecified injury of unspecified blood vessel at lower leg level, right leg, subsequent encounter |
| S85.901S | Unspecified injury of unspecified blood vessel at lower leg level, right leg, sequela |
| S85.902D | Unspecified injury of unspecified blood vessel at lower leg level, left leg, subsequent encounter |
| S85.902S | Unspecified injury of unspecified blood vessel at lower leg level, left leg, sequela |
| S85.909D | Unspecified injury of unspecified blood vessel at lower leg level, unspecified leg, subsequent encounter |
| S85.909S | Unspecified injury of unspecified blood vessel at lower leg level, unspecified leg, sequela |
| S85.911D | Laceration of unspecified blood vessel at lower leg level, right leg, subsequent encounter |
| S85.911S | Laceration of unspecified blood vessel at lower leg level, right leg, sequela |
| S85.912D | Laceration of unspecified blood vessel at lower leg level, left leg, subsequent encounter |
| S85.912S | Laceration of unspecified blood vessel at lower leg level, left leg, sequela |
| S85.919D | Laceration of unspecified blood vessel at lower leg level, unspecified leg, subsequent encounter |
| S85.919S | Laceration of unspecified blood vessel at lower leg level, unspecified leg, sequela |
| S85.991D | Other specified injury of unspecified blood vessel at lower leg level, right leg, subsequent encounter |
| S85.991S | Other specified injury of unspecified blood vessel at lower leg level, right leg, sequela |
| S85.992D | Other specified injury of unspecified blood vessel at lower leg level, left leg, subsequent encounter |
| S85.992S | Other specified injury of unspecified blood vessel at lower leg level, left leg, sequela |
| S85.999D | Other specified injury of unspecified blood vessel at lower leg level, unspecified leg, subsequent encounter |
| S85.999S | Other specified injury of unspecified blood vessel at lower leg level, unspecified leg, sequela |
| S86.001D | Unspecified injury of right Achilles tendon, subsequent encounter |
| S86.001S | Unspecified injury of right Achilles tendon, sequela |
| S86.002D | Unspecified injury of left Achilles tendon, subsequent encounter |
| S86.002S | Unspecified injury of left Achilles tendon, sequela |
| S86.009D | Unspecified injury of unspecified Achilles tendon, subsequent encounter |
| S86.009S | Unspecified injury of unspecified Achilles tendon, sequela |
| S86.011D | Strain of right Achilles tendon, subsequent encounter |
| S86.011S | Strain of right Achilles tendon, sequela |
| S86.012D | Strain of left Achilles tendon, subsequent encounter |
| S86.012S | Strain of left Achilles tendon, sequela |
| S86.019D | Strain of unspecified Achilles tendon, subsequent encounter |
| S86.019S | Strain of unspecified Achilles tendon, sequela |
| S86.021D | Laceration of right Achilles tendon, subsequent encounter |
| S86.021S | Laceration of right Achilles tendon, sequela |
| S86.022D | Laceration of left Achilles tendon, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S86.022S | Laceration of left Achilles tendon, sequela |
| S86.029D | Laceration of unspecified Achilles tendon, subsequent encounter |
| S86.029S | Laceration of unspecified Achilles tendon, sequela |
| S86.091D | Other specified injury of right Achilles tendon, subsequent encounter |
| S86.091S | Other specified injury of right Achilles tendon, sequela |
| S86.092D | Other specified injury of left Achilles tendon, subsequent encounter |
| S86.092S | Other specified injury of left Achilles tendon, sequela |
| S86.099D | Other specified injury of unspecified Achilles tendon, subsequent encounter |
| S86.099S | Other specified injury of unspecified Achilles tendon, sequela |
| S86.101D | Unspecified injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, subsequent encounter |
| S86.101S | Unspecified injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela |
| S86.102D | Unspecified injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, subsequent encounter |
| S86.102S | Unspecified injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela |
| S86.109D | Unspecified injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.109S | Unspecified injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela |
| S86.111D | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, subsequent encounter |
| S86.111S | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela |
| S86.112D | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, subsequent encounter |
| S86.112S | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela |
| S86.119D | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.119S | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela |
| S86.121D | Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, subsequent encounter |
| S86.121S | Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela |
| S86.122D | Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, subsequent encounter |
| S86.122S | Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela |
| S86.129D | Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.129S | Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela |
| S86.191D | Other injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S86.191S | Other injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela |
| S86.192D | Other injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, subsequent encounter |
| S86.192S | Other injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela |
| S86.199D | Other injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.199S | Other injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela |
| S86.201D | Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, subsequent encounter |
| S86.201S | Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela |
| S86.202D | Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, subsequent encounter |
| S86.202S | Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela |
| S86.209D | Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.209S | Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela |
| S86.211D | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, subsequent encounter |
| S86.211S | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela |
| S86.212D | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, subsequent encounter |
| S86.212S | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela |
| S86.219D | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.219S | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela |
| S86.221D | Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, subsequent encounter |
| S86.221S | Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela |
| S86.222D | Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, subsequent encounter |
| S86.222S | Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela |
| S86.229D | Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.229S | Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela |
| S86.291D | Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S86.291S | Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela |
| S86.292D | Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, subsequent encounter |
| S86.292S | Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela |
| S86.299D | Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.299S | Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela |
| S86.301D | Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, subsequent encounter |
| S86.301S | Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela |
| S86.302D | Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, subsequent encounter |
| S86.302S | Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela |
| S86.309D | Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.309S | Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela |
| S86.311D | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, subsequent encounter |
| S86.311S | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela |
| S86.312D | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, subsequent encounter |
| S86.312S | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela |
| S86.319D | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.319S | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela |
| S86.321D | Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, subsequent encounter |
| S86.321S | Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela |
| S86.322D | Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, subsequent encounter |
| S86.322S | Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela |
| S86.329D | Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.329S | Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela |
| S86.391D | Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S86.391S | Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela |
| S86.392D | Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, subsequent encounter |
| S86.392S | Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela |
| S86.399D | Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, subsequent encounter |
| S86.399S | Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela |
| S86.801D | Unspecified injury of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter |
| S86.801S | Unspecified injury of other muscle(s) and tendon(s) at lower leg level, right leg, sequela |
| S86.802D | Unspecified injury of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter |
| S86.802S | Unspecified injury of other muscle(s) and tendon(s) at lower leg level, left leg, sequela |
| S86.809D | Unspecified injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| S86.809S | Unspecified injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela |
| S86.811D | Strain of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter |
| S86.811S | Strain of other muscle(s) and tendon(s) at lower leg level, right leg, sequela |
| S86.812D | Strain of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter |
| S86.812S | Strain of other muscle(s) and tendon(s) at lower leg level, left leg, sequela |
| S86.819D | Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| S86.819S | Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela |
| S86.821D | Laceration of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter |
| S86.821S | Laceration of other muscle(s) and tendon(s) at lower leg level, right leg, sequela |
| S86.822D | Laceration of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter |
| S86.822S | Laceration of other muscle(s) and tendon(s) at lower leg level, left leg, sequela |
| S86.829D | Laceration of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| S86.829S | Laceration of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela |
| S86.891D | Other injury of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter |
| S86.891S | Other injury of other muscle(s) and tendon(s) at lower leg level, right leg, sequela |
| S86.892D | Other injury of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter |
| S86.892S | Other injury of other muscle(s) and tendon(s) at lower leg level, left leg, sequela |
| S86.899D | Other injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| S86.899S | Other injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela |
| S86.901D | Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S86.901S | Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela |
| S86.902D | Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter |
| S86.902S | Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela |
| S86.909D | Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| S86.909S | Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela |
| S86.911D | Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter |
| S86.911S | Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela |
| S86.912D | Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter |
| S86.912S | Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela |
| S86.919D | Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| S86.919S | Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela |
| S86.921D | Laceration of unspecified muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter |
| S86.921S | Laceration of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela |
| S86.922D | Laceration of unspecified muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter |
| S86.922S | Laceration of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela |
| S86.929D | Laceration of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| S86.929S | Laceration of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela |
| S86.991D | Other injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter |
| S86.991S | Other injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela |
| S86.992D | Other injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter |
| S86.992S | Other injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela |
| S86.999D | Other injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| S86.999S | Other injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela |
| S87.00XD | Crushing injury of unspecified knee, subsequent encounter |
| S87.00XS | Crushing injury of unspecified knee, sequela |
| S87.01XD | Crushing injury of right knee, subsequent encounter |
| S87.01XS | Crushing injury of right knee, sequela |
| S87.02XD | Crushing injury of left knee, subsequent encounter |
| S87.02XS | Crushing injury of left knee, sequela |
| S87.80XD | Crushing injury of unspecified lower leg, subsequent encounter |
| S87.80XS | Crushing injury of unspecified lower leg, sequela |
| S87.81XD | Crushing injury of right lower leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S87.81XS | Crushing injury of right lower leg, sequela |
| S87.82XD | Crushing injury of left lower leg, subsequent encounter |
| S87.82XS | Crushing injury of left lower leg, sequela |
| S88.011D | Complete traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.011S | Complete traumatic amputation at knee level, right lower leg, sequela |
| S88.012D | Complete traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.012S | Complete traumatic amputation at knee level, left lower leg, sequela |
| S88.019D | Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.019S | Complete traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.021D | Partial traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.021S | Partial traumatic amputation at knee level, right lower leg, sequela |
| S88.022D | Partial traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.022S | Partial traumatic amputation at knee level, left lower leg, sequela |
| S88.029D | Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.029S | Partial traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.111D | Complete traumatic amputation at level between knee and ankle, right lower leg, subsequent encounter |
| S88.111S | Complete traumatic amputation at level between knee and ankle, right lower leg, sequela |
| S88.112D | Complete traumatic amputation at level between knee and ankle, left lower leg, subsequent encounter |
| S88.112S | Complete traumatic amputation at level between knee and ankle, left lower leg, sequela |
| S88.119D | Complete traumatic amputation at level between knee and ankle, unspecified lower leg, subsequent encounter |
| S88.119S | Complete traumatic amputation at level between knee and ankle, unspecified lower leg, sequela |
| S88.121D | Partial traumatic amputation at level between knee and ankle, right lower leg, subsequent encounter |
| S88.121S | Partial traumatic amputation at level between knee and ankle, right lower leg, sequela |
| S88.122D | Partial traumatic amputation at level between knee and ankle, left lower leg, subsequent encounter |
| S88.122S | Partial traumatic amputation at level between knee and ankle, left lower leg, sequela |
| S88.129D | Partial traumatic amputation at level between knee and ankle, unspecified lower leg, subsequent encounter |
| S88.129S | Partial traumatic amputation at level between knee and ankle, unspecified lower leg, sequela |
| S88.911D | Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.911S | Complete traumatic amputation of right lower leg, level unspecified, sequela |
| S88.912D | Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.912S | Complete traumatic amputation of left lower leg, level unspecified, sequela |
| S88.919D | Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.919S | Complete traumatic amputation of unspecified lower leg, level unspecified, sequela |
| S88.921D | Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.921S | Partial traumatic amputation of right lower leg, level unspecified, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S88.922D | Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.922S | Partial traumatic amputation of left lower leg, level unspecified, sequela |
| S88.929D | Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.929S | Partial traumatic amputation of unspecified lower leg, level unspecified, sequela |
| S89.001D | Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing |
| S89.001G | Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.001K | Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion |
| S89.001P | Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion |
| S89.001S | Unspecified physeal fracture of upper end of right tibia, sequela |
| S89.002D | Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing |
| S89.002G | Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.002K | Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion |
| S89.002P | Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion |
| S89.002S | Unspecified physeal fracture of upper end of left tibia, sequela |
| S89.009D | Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.009G | Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.009K | Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.009P | Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.009S | Unspecified physeal fracture of upper end of unspecified tibia, sequela |
| S89.011D | Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing |
| S89.011G | Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.011K | Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion |
| S89.011P | Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion |
| S89.011S | Salter-Harris Type I physeal fracture of upper end of right tibia, sequela |
| S89.012D | Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing |
| S89.012G | Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.012K | Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.012P | Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion |
| S89.012S | Salter-Harris Type I physeal fracture of upper end of left tibia, sequela |
| S89.019D | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.019G | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.019K | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.019P | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.019S | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, sequela |
| S89.021D | Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing |
| S89.021G | Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.021K | Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion |
| S89.021P | Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion |
| S89.021S | Salter-Harris Type II physeal fracture of upper end of right tibia, sequela |
| S89.022D | Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing |
| S89.022G | Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.022K | Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion |
| S89.022P | Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion |
| S89.022S | Salter-Harris Type II physeal fracture of upper end of left tibia, sequela |
| S89.029D | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.029G | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.029K | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.029P | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.029S | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, sequela |
| S89.031D | Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing |
| S89.031G | Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.031K | Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion |
| S89.031P | Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion |
| S89.031S | Salter-Harris Type III physeal fracture of upper end of right tibia, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.032D | Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing |
| S89.032G | Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.032K | Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion |
| S89.032P | Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion |
| S89.032S | Salter-Harris Type III physeal fracture of upper end of left tibia, sequela |
| S89.039D | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.039G | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.039K | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.039P | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.039S | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, sequela |
| S89.041D | Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing |
| S89.041G | Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.041K | Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion |
| S89.041P | Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion |
| S89.041S | Salter-Harris Type IV physeal fracture of upper end of right tibia, sequela |
| S89.042D | Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing |
| S89.042G | Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.042K | Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion |
| S89.042P | Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion |
| S89.042S | Salter-Harris Type IV physeal fracture of upper end of left tibia, sequela |
| S89.049D | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.049G | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.049K | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.049P | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.049S | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, sequela |
| S89.091D | Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.091G | Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.091K | Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion |
| S89.091P | Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion |
| S89.091S | Other physeal fracture of upper end of right tibia, sequela |
| S89.092D | Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing |
| S89.092G | Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.092K | Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion |
| S89.092P | Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion |
| S89.092S | Other physeal fracture of upper end of left tibia, sequela |
| S89.099D | Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.099G | Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.099K | Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.099P | Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.099S | Other physeal fracture of upper end of unspecified tibia, sequela |
| S89.101D | Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing |
| S89.101G | Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.101K | Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion |
| S89.101P | Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion |
| S89.101S | Unspecified physeal fracture of lower end of right tibia, sequela |
| S89.102D | Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing |
| S89.102G | Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.102K | Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion |
| S89.102P | Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion |
| S89.102S | Unspecified physeal fracture of lower end of left tibia, sequela |
| S89.109D | Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.109G | Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.109K | Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.109P | Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.109S | Unspecified physeal fracture of lower end of unspecified tibia, sequela |
| S89.111D | Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing |
| S89.111G | Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.111K | Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion |
| S89.111P | Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion |
| S89.111S | Salter-Harris Type I physeal fracture of lower end of right tibia, sequela |
| S89.112D | Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing |
| S89.112G | Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.112K | Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion |
| S89.112P | Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion |
| S89.112S | Salter-Harris Type I physeal fracture of lower end of left tibia, sequela |
| S89.119D | Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.119G | Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.119K | Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.119P | Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.119S | Salter-Harris Type I physeal fracture of lower end of unspecified tibia, sequela |
| S89.121D | Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing |
| S89.121G | Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.121K | Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion |
| S89.121P | Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion |
| S89.121S | Salter-Harris Type II physeal fracture of lower end of right tibia, sequela |
| S89.122D | Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing |
| S89.122G | Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.122K | Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.122P | Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion |
| S89.122S | Salter-Harris Type II physeal fracture of lower end of left tibia, sequela |
| S89.129D | Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.129G | Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.129K | Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.129P | Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.129S | Salter-Harris Type II physeal fracture of lower end of unspecified tibia, sequela |
| S89.131D | Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing |
| S89.131G | Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.131K | Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion |
| S89.131P | Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion |
| S89.131S | Salter-Harris Type III physeal fracture of lower end of right tibia, sequela |
| S89.132D | Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing |
| S89.132G | Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.132K | Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion |
| S89.132P | Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion |
| S89.132S | Salter-Harris Type III physeal fracture of lower end of left tibia, sequela |
| S89.139D | Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.139G | Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.139K | Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.139P | Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.139S | Salter-Harris Type III physeal fracture of lower end of unspecified tibia, sequela |
| S89.141D | Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing |
| S89.141G | Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.141K | Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion |
| S89.141P | Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion |
| S89.141S | Salter-Harris Type IV physeal fracture of lower end of right tibia, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.142D | Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing |
| S89.142G | Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.142K | Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion |
| S89.142P | Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion |
| S89.142S | Salter-Harris Type IV physeal fracture of lower end of left tibia, sequela |
| S89.149D | Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.149G | Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.149K | Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.149P | Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.149S | Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, sequela |
| S89.191D | Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing |
| S89.191G | Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing |
| S89.191K | Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion |
| S89.191P | Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion |
| S89.191S | Other physeal fracture of lower end of right tibia, sequela |
| S89.192D | Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing |
| S89.192G | Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing |
| S89.192K | Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion |
| S89.192P | Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion |
| S89.192S | Other physeal fracture of lower end of left tibia, sequela |
| S89.199D | Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.199G | Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.199K | Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion |
| S89.199P | Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion |
| S89.199S | Other physeal fracture of lower end of unspecified tibia, sequela |
| S89.201D | Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.201G | Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing |
| S89.201K | Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion |
| S89.201P | Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion |
| S89.201S | Unspecified physeal fracture of upper end of right fibula, sequela |
| S89.202D | Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing |
| S89.202G | Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing |
| S89.202K | Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion |
| S89.202P | Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion |
| S89.202S | Unspecified physeal fracture of upper end of left fibula, sequela |
| S89.209D | Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S89.209G | Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S89.209K | Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S89.209P | Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion |
| S89.209S | Unspecified physeal fracture of upper end of unspecified fibula, sequela |
| S89.211D | Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing |
| S89.211G | Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing |
| S89.211K | Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion |
| S89.211P | Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion |
| S89.211S | Salter-Harris Type I physeal fracture of upper end of right fibula, sequela |
| S89.212D | Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing |
| S89.212G | Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing |
| S89.212K | Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion |
| S89.212P | Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion |
| S89.212S | Salter-Harris Type I physeal fracture of upper end of left fibula, sequela |
| S89.219D | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S89.219G | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.219K | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S89.219P | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion |
| S89.219S | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, sequela |
| S89.221D | Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing |
| S89.221G | Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing |
| S89.221K | Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion |
| S89.221P | Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion |
| S89.221S | Salter-Harris Type II physeal fracture of upper end of right fibula, sequela |
| S89.222D | Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing |
| S89.222G | Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing |
| S89.222K | Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion |
| S89.222P | Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion |
| S89.222S | Salter-Harris Type II physeal fracture of upper end of left fibula, sequela |
| S89.229D | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S89.229G | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S89.229K | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S89.229P | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion |
| S89.229S | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, sequela |
| S89.291D | Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing |
| S89.291G | Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing |
| S89.291K | Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion |
| S89.291P | Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion |
| S89.291S | Other physeal fracture of upper end of right fibula, sequela |
| S89.292D | Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing |
| S89.292G | Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing |
| S89.292K | Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.292P | Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion |
| S89.292S | Other physeal fracture of upper end of left fibula, sequela |
| S89.299D | Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S89.299G | Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S89.299K | Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S89.299P | Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion |
| S89.299S | Other physeal fracture of upper end of unspecified fibula, sequela |
| S89.301D | Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing |
| S89.301G | Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing |
| S89.301K | Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion |
| S89.301P | Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion |
| S89.301S | Unspecified physeal fracture of lower end of right fibula, sequela |
| S89.302D | Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing |
| S89.302G | Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing |
| S89.302K | Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion |
| S89.302P | Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion |
| S89.302S | Unspecified physeal fracture of lower end of left fibula, sequela |
| S89.309D | Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S89.309G | Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S89.309K | Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S89.309P | Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion |
| S89.309S | Unspecified physeal fracture of lower end of unspecified fibula, sequela |
| S89.311D | Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing |
| S89.311G | Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing |
| S89.311K | Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion |
| S89.311P | Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion |
| S89.311S | Salter-Harris Type I physeal fracture of lower end of right fibula, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.312D | Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing |
| S89.312G | Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing |
| S89.312K | Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion |
| S89.312P | Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion |
| S89.312S | Salter-Harris Type I physeal fracture of lower end of left fibula, sequela |
| S89.319D | Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S89.319G | Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S89.319K | Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S89.319P | Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion |
| S89.319S | Salter-Harris Type I physeal fracture of lower end of unspecified fibula, sequela |
| S89.321D | Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing |
| S89.321G | Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing |
| S89.321K | Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion |
| S89.321P | Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion |
| S89.321S | Salter-Harris Type II physeal fracture of lower end of right fibula, sequela |
| S89.322D | Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing |
| S89.322G | Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing |
| S89.322K | Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion |
| S89.322P | Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion |
| S89.322S | Salter-Harris Type II physeal fracture of lower end of left fibula, sequela |
| S89.329D | Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S89.329G | Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S89.329K | Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S89.329P | Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion |
| S89.329S | Salter-Harris Type II physeal fracture of lower end of unspecified fibula, sequela |
| S89.391D | Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S89.391G | Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing |
| S89.391K | Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion |
| S89.391P | Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion |
| S89.391S | Other physeal fracture of lower end of right fibula, sequela |
| S89.392D | Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing |
| S89.392G | Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing |
| S89.392K | Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion |
| S89.392P | Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion |
| S89.392S | Other physeal fracture of lower end of left fibula, sequela |
| S89.399D | Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S89.399G | Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S89.399K | Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion |
| S89.399P | Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion |
| S89.399S | Other physeal fracture of lower end of unspecified fibula, sequela |
| S89.80XD | Other specified injuries of unspecified lower leg, subsequent encounter |
| S89.80XS | Other specified injuries of unspecified lower leg, sequela |
| S89.81XD | Other specified injuries of right lower leg, subsequent encounter |
| S89.81XS | Other specified injuries of right lower leg, sequela |
| S89.82XD | Other specified injuries of left lower leg, subsequent encounter |
| S89.82XS | Other specified injuries of left lower leg, sequela |
| S89.90XD | Unspecified injury of unspecified lower leg, subsequent encounter |
| S89.90XS | Unspecified injury of unspecified lower leg, sequela |
| S89.91XD | Unspecified injury of right lower leg, subsequent encounter |
| S89.91XS | Unspecified injury of right lower leg, sequela |
| S89.92XD | Unspecified injury of left lower leg, subsequent encounter |
| S89.92XS | Unspecified injury of left lower leg, sequela |
| S90.00XD | Contusion of unspecified ankle, subsequent encounter |
| S90.00XS | Contusion of unspecified ankle, sequela |
| S90.01XD | Contusion of right ankle, subsequent encounter |
| S90.01XS | Contusion of right ankle, sequela |
| S90.02XD | Contusion of left ankle, subsequent encounter |
| S90.02XS | Contusion of left ankle, sequela |
| S90.111D | Contusion of right great toe without damage to nail, subsequent encounter |
| S90.111S | Contusion of right great toe without damage to nail, sequela |
| S90.112D | Contusion of left great toe without damage to nail, subsequent encounter |
| S90.112S | Contusion of left great toe without damage to nail, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S90.119D | Contusion of unspecified great toe without damage to nail, subsequent encounter |
| S90.119S | Contusion of unspecified great toe without damage to nail, sequela |
| S90.121D | Contusion of right lesser toe(s) without damage to nail, subsequent encounter |
| S90.121S | Contusion of right lesser toe(s) without damage to nail, sequela |
| S90.122D | Contusion of left lesser toe(s) without damage to nail, subsequent encounter |
| S90.122S | Contusion of left lesser toe(s) without damage to nail, sequela |
| S90.129D | Contusion of unspecified lesser toe(s) without damage to nail, subsequent encounter |
| S90.129S | Contusion of unspecified lesser toe(s) without damage to nail, sequela |
| S90.211D | Contusion of right great toe with damage to nail, subsequent encounter |
| S90.211S | Contusion of right great toe with damage to nail, sequela |
| S90.212D | Contusion of left great toe with damage to nail, subsequent encounter |
| S90.212S | Contusion of left great toe with damage to nail, sequela |
| S90.219D | Contusion of unspecified great toe with damage to nail, subsequent encounter |
| S90.219S | Contusion of unspecified great toe with damage to nail, sequela |
| S90.221D | Contusion of right lesser toe(s) with damage to nail, subsequent encounter |
| S90.221S | Contusion of right lesser toe(s) with damage to nail, sequela |
| S90.222D | Contusion of left lesser toe(s) with damage to nail, subsequent encounter |
| S90.222S | Contusion of left lesser toe(s) with damage to nail, sequela |
| S90.229D | Contusion of unspecified lesser toe(s) with damage to nail, subsequent encounter |
| S90.229S | Contusion of unspecified lesser toe(s) with damage to nail, sequela |
| S90.30XD | Contusion of unspecified foot, subsequent encounter |
| S90.30XS | Contusion of unspecified foot, sequela |
| S90.31XD | Contusion of right foot, subsequent encounter |
| S90.31XS | Contusion of right foot, sequela |
| S90.32XD | Contusion of left foot, subsequent encounter |
| S90.32XS | Contusion of left foot, sequela |
| S90.411D | Abrasion, right great toe, subsequent encounter |
| S90.411S | Abrasion, right great toe, sequela |
| S90.412D | Abrasion, left great toe, subsequent encounter |
| S90.412S | Abrasion, left great toe, sequela |
| S90.413D | Abrasion, unspecified great toe, subsequent encounter |
| S90.413S | Abrasion, unspecified great toe, sequela |
| S90.414D | Abrasion, right lesser toe(s), subsequent encounter |
| S90.414S | Abrasion, right lesser toe(s), sequela |
| S90.415D | Abrasion, left lesser toe(s), subsequent encounter |
| S90.415S | Abrasion, left lesser toe(s), sequela |
| S90.416D | Abrasion, unspecified lesser toe(s), subsequent encounter |
| S90.416S | Abrasion, unspecified lesser toe(s), sequela |
| S90.421D | Blister (nonthermal), right great toe, subsequent encounter |
| S90.421S | Blister (nonthermal), right great toe, sequela |
| S90.422D | Blister (nonthermal), left great toe, subsequent encounter |
| S90.422S | Blister (nonthermal), left great toe, sequela |
| S90.423D | Blister (nonthermal), unspecified great toe, subsequent encounter |
| S90.423S | Blister (nonthermal), unspecified great toe, sequela |
| S90.424D | Blister (nonthermal), right lesser toe(s), subsequent encounter |
| S90.424S | Blister (nonthermal), right lesser toe(s), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S90.425D | Blister (nonthermal), left lesser toe(s), subsequent encounter |
| S90.425S | Blister (nonthermal), left lesser toe(s), sequela |
| S90.426D | Blister (nonthermal), unspecified lesser toe(s), subsequent encounter |
| S90.426S | Blister (nonthermal), unspecified lesser toe(s), sequela |
| S90.441D | External constriction, right great toe, subsequent encounter |
| S90.441S | External constriction, right great toe, sequela |
| S90.442D | External constriction, left great toe, subsequent encounter |
| S90.442S | External constriction, left great toe, sequela |
| S90.443D | External constriction, unspecified great toe, subsequent encounter |
| S90.443S | External constriction, unspecified great toe, sequela |
| S90.444D | External constriction, right lesser toe(s), subsequent encounter |
| S90.444S | External constriction, right lesser toe(s), sequela |
| S90.445D | External constriction, left lesser toe(s), subsequent encounter |
| S90.445S | External constriction, left lesser toe(s), sequela |
| S90.446D | External constriction, unspecified lesser toe(s), subsequent encounter |
| S90.446S | External constriction, unspecified lesser toe(s), sequela |
| S90.451D | Superficial foreign body, right great toe, subsequent encounter |
| S90.451S | Superficial foreign body, right great toe, sequela |
| S90.452D | Superficial foreign body, left great toe, subsequent encounter |
| S90.452S | Superficial foreign body, left great toe, sequela |
| S90.453D | Superficial foreign body, unspecified great toe, subsequent encounter |
| S90.453S | Superficial foreign body, unspecified great toe, sequela |
| S90.454D | Superficial foreign body, right lesser toe(s), subsequent encounter |
| S90.454S | Superficial foreign body, right lesser toe(s), sequela |
| S90.455D | Superficial foreign body, left lesser toe(s), subsequent encounter |
| S90.455S | Superficial foreign body, left lesser toe(s), sequela |
| S90.456D | Superficial foreign body, unspecified lesser toe(s), subsequent encounter |
| S90.456S | Superficial foreign body, unspecified lesser toe(s), sequela |
| S90.461D | Insect bite (nonvenomous), right great toe, subsequent encounter |
| S90.461S | Insect bite (nonvenomous), right great toe, sequela |
| S90.462D | Insect bite (nonvenomous), left great toe, subsequent encounter |
| S90.462S | Insect bite (nonvenomous), left great toe, sequela |
| S90.463D | Insect bite (nonvenomous), unspecified great toe, subsequent encounter |
| S90.463S | Insect bite (nonvenomous), unspecified great toe, sequela |
| S90.464D | Insect bite (nonvenomous), right lesser toe(s), subsequent encounter |
| S90.464S | Insect bite (nonvenomous), right lesser toe(s), sequela |
| S90.465D | Insect bite (nonvenomous), left lesser toe(s), subsequent encounter |
| S90.465S | Insect bite (nonvenomous), left lesser toe(s), sequela |
| S90.466D | Insect bite (nonvenomous), unspecified lesser toe(s), subsequent encounter |
| S90.466S | Insect bite (nonvenomous), unspecified lesser toe(s), sequela |
| S90.471D | Other superficial bite of right great toe, subsequent encounter |
| S90.471S | Other superficial bite of right great toe, sequela |
| S90.472D | Other superficial bite of left great toe, subsequent encounter |
| S90.472S | Other superficial bite of left great toe, sequela |
| S90.473D | Other superficial bite of unspecified great toe, subsequent encounter |
| S90.473S | Other superficial bite of unspecified great toe, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S90.474D | Other superficial bite of right lesser toe(s), subsequent encounter |
| S90.474S | Other superficial bite of right lesser toe(s), sequela |
| S90.475D | Other superficial bite of left lesser toe(s), subsequent encounter |
| S90.475S | Other superficial bite of left lesser toe(s), sequela |
| S90.476D | Other superficial bite of unspecified lesser toe(s), subsequent encounter |
| S90.476S | Other superficial bite of unspecified lesser toe(s), sequela |
| S90.511D | Abrasion, right ankle, subsequent encounter |
| S90.511S | Abrasion, right ankle, sequela |
| S90.512D | Abrasion, left ankle, subsequent encounter |
| S90.512S | Abrasion, left ankle, sequela |
| S90.519D | Abrasion, unspecified ankle, subsequent encounter |
| S90.519S | Abrasion, unspecified ankle, sequela |
| S90.521D | Blister (nonthermal), right ankle, subsequent encounter |
| S90.521S | Blister (nonthermal), right ankle, sequela |
| S90.522D | Blister (nonthermal), left ankle, subsequent encounter |
| S90.522S | Blister (nonthermal), left ankle, sequela |
| S90.529D | Blister (nonthermal), unspecified ankle, subsequent encounter |
| S90.529S | Blister (nonthermal), unspecified ankle, sequela |
| S90.541D | External constriction, right ankle, subsequent encounter |
| S90.541S | External constriction, right ankle, sequela |
| S90.542D | External constriction, left ankle, subsequent encounter |
| S90.542S | External constriction, left ankle, sequela |
| S90.549D | External constriction, unspecified ankle, subsequent encounter |
| S90.549S | External constriction, unspecified ankle, sequela |
| S90.551D | Superficial foreign body, right ankle, subsequent encounter |
| S90.551S | Superficial foreign body, right ankle, sequela |
| S90.552D | Superficial foreign body, left ankle, subsequent encounter |
| S90.552S | Superficial foreign body, left ankle, sequela |
| S90.559D | Superficial foreign body, unspecified ankle, subsequent encounter |
| S90.559S | Superficial foreign body, unspecified ankle, sequela |
| S90.561D | Insect bite (nonvenomous), right ankle, subsequent encounter |
| S90.561S | Insect bite (nonvenomous), right ankle, sequela |
| S90.562D | Insect bite (nonvenomous), left ankle, subsequent encounter |
| S90.562S | Insect bite (nonvenomous), left ankle, sequela |
| S90.569D | Insect bite (nonvenomous), unspecified ankle, subsequent encounter |
| S90.569S | Insect bite (nonvenomous), unspecified ankle, sequela |
| S90.571D | Other superficial bite of ankle, right ankle, subsequent encounter |
| S90.571S | Other superficial bite of ankle, right ankle, sequela |
| S90.572D | Other superficial bite of ankle, left ankle, subsequent encounter |
| S90.572S | Other superficial bite of ankle, left ankle, sequela |
| S90.579D | Other superficial bite of ankle, unspecified ankle, subsequent encounter |
| S90.579S | Other superficial bite of ankle, unspecified ankle, sequela |
| S90.811D | Abrasion, right foot, subsequent encounter |
| S90.811S | Abrasion, right foot, sequela |
| S90.812D | Abrasion, left foot, subsequent encounter |
| S90.812S | Abrasion, left foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S90.819D | Abrasion, unspecified foot, subsequent encounter |
| S90.819S | Abrasion, unspecified foot, sequela |
| S90.821D | Blister (nonthermal), right foot, subsequent encounter |
| S90.821S | Blister (nonthermal), right foot, sequela |
| S90.822D | Blister (nonthermal), left foot, subsequent encounter |
| S90.822S | Blister (nonthermal), left foot, sequela |
| S90.829D | Blister (nonthermal), unspecified foot, subsequent encounter |
| S90.829S | Blister (nonthermal), unspecified foot, sequela |
| S90.841D | External constriction, right foot, subsequent encounter |
| S90.841S | External constriction, right foot, sequela |
| S90.842D | External constriction, left foot, subsequent encounter |
| S90.842S | External constriction, left foot, sequela |
| S90.849D | External constriction, unspecified foot, subsequent encounter |
| S90.849S | External constriction, unspecified foot, sequela |
| S90.851D | Superficial foreign body, right foot, subsequent encounter |
| S90.851S | Superficial foreign body, right foot, sequela |
| S90.852D | Superficial foreign body, left foot, subsequent encounter |
| S90.852S | Superficial foreign body, left foot, sequela |
| S90.859D | Superficial foreign body, unspecified foot, subsequent encounter |
| S90.859S | Superficial foreign body, unspecified foot, sequela |
| S90.861D | Insect bite (nonvenomous), right foot, subsequent encounter |
| S90.861S | Insect bite (nonvenomous), right foot, sequela |
| S90.862D | Insect bite (nonvenomous), left foot, subsequent encounter |
| S90.862S | Insect bite (nonvenomous), left foot, sequela |
| S90.869D | Insect bite (nonvenomous), unspecified foot, subsequent encounter |
| S90.869S | Insect bite (nonvenomous), unspecified foot, sequela |
| S90.871D | Other superficial bite of right foot, subsequent encounter |
| S90.871S | Other superficial bite of right foot, sequela |
| S90.872D | Other superficial bite of left foot, subsequent encounter |
| S90.872S | Other superficial bite of left foot, sequela |
| S90.879D | Other superficial bite of unspecified foot, subsequent encounter |
| S90.879S | Other superficial bite of unspecified foot, sequela |
| S90.911D | Unspecified superficial injury of right ankle, subsequent encounter |
| S90.911S | Unspecified superficial injury of right ankle, sequela |
| S90.912D | Unspecified superficial injury of left ankle, subsequent encounter |
| S90.912S | Unspecified superficial injury of left ankle, sequela |
| S90.919D | Unspecified superficial injury of unspecified ankle, subsequent encounter |
| S90.919S | Unspecified superficial injury of unspecified ankle, sequela |
| S90.921D | Unspecified superficial injury of right foot, subsequent encounter |
| S90.921S | Unspecified superficial injury of right foot, sequela |
| S90.922D | Unspecified superficial injury of left foot, subsequent encounter |
| S90.922S | Unspecified superficial injury of left foot, sequela |
| S90.929D | Unspecified superficial injury of unspecified foot, subsequent encounter |
| S90.929S | Unspecified superficial injury of unspecified foot, sequela |
| S90.931D | Unspecified superficial injury of right great toe, subsequent encounter |
| S90.931S | Unspecified superficial injury of right great toe, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S90.932D | Unspecified superficial injury of left great toe, subsequent encounter |
| S90.932S | Unspecified superficial injury of left great toe, sequela |
| S90.933D | Unspecified superficial injury of unspecified great toe, subsequent encounter |
| S90.933S | Unspecified superficial injury of unspecified great toe, sequela |
| S90.934D | Unspecified superficial injury of right lesser toe(s), subsequent encounter |
| S90.934S | Unspecified superficial injury of right lesser toe(s), sequela |
| S90.935D | Unspecified superficial injury of left lesser toe(s), subsequent encounter |
| S90.935S | Unspecified superficial injury of left lesser toe(s), sequela |
| S90.936D | Unspecified superficial injury of unspecified lesser toe(s), subsequent encounter |
| S90.936S | Unspecified superficial injury of unspecified lesser toe(s), sequela |
| S91.001D | Unspecified open wound, right ankle, subsequent encounter |
| S91.001S | Unspecified open wound, right ankle, sequela |
| S91.002D | Unspecified open wound, left ankle, subsequent encounter |
| S91.002S | Unspecified open wound, left ankle, sequela |
| S91.009D | Unspecified open wound, unspecified ankle, subsequent encounter |
| S91.009S | Unspecified open wound, unspecified ankle, sequela |
| S91.011D | Laceration without foreign body, right ankle, subsequent encounter |
| S91.011S | Laceration without foreign body, right ankle, sequela |
| S91.012D | Laceration without foreign body, left ankle, subsequent encounter |
| S91.012S | Laceration without foreign body, left ankle, sequela |
| S91.019D | Laceration without foreign body, unspecified ankle, subsequent encounter |
| S91.019S | Laceration without foreign body, unspecified ankle, sequela |
| S91.021D | Laceration with foreign body, right ankle, subsequent encounter |
| S91.021S | Laceration with foreign body, right ankle, sequela |
| S91.022D | Laceration with foreign body, left ankle, subsequent encounter |
| S91.022S | Laceration with foreign body, left ankle, sequela |
| S91.029D | Laceration with foreign body, unspecified ankle, subsequent encounter |
| S91.029S | Laceration with foreign body, unspecified ankle, sequela |
| S91.031D | Puncture wound without foreign body, right ankle, subsequent encounter |
| S91.031S | Puncture wound without foreign body, right ankle, sequela |
| S91.032D | Puncture wound without foreign body, left ankle, subsequent encounter |
| S91.032S | Puncture wound without foreign body, left ankle, sequela |
| S91.039D | Puncture wound without foreign body, unspecified ankle, subsequent encounter |
| S91.039S | Puncture wound without foreign body, unspecified ankle, sequela |
| S91.041D | Puncture wound with foreign body, right ankle, subsequent encounter |
| S91.041S | Puncture wound with foreign body, right ankle, sequela |
| S91.042D | Puncture wound with foreign body, left ankle, subsequent encounter |
| S91.042S | Puncture wound with foreign body, left ankle, sequela |
| S91.049D | Puncture wound with foreign body, unspecified ankle, subsequent encounter |
| S91.049S | Puncture wound with foreign body, unspecified ankle, sequela |
| S91.051D | Open bite, right ankle, subsequent encounter |
| S91.051S | Open bite, right ankle, sequela |
| S91.052D | Open bite, left ankle, subsequent encounter |
| S91.052S | Open bite, left ankle, sequela |
| S91.059D | Open bite, unspecified ankle, subsequent encounter |
| S91.059S | Open bite, unspecified ankle, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S91.101D | Unspecified open wound of right great toe without damage to nail, subsequent encounter |
| S91.101S | Unspecified open wound of right great toe without damage to nail, sequela |
| S91.102D | Unspecified open wound of left great toe without damage to nail, subsequent encounter |
| S91.102S | Unspecified open wound of left great toe without damage to nail, sequela |
| S91.103D | Unspecified open wound of unspecified great toe without damage to nail, subsequent encounter |
| S91.103S | Unspecified open wound of unspecified great toe without damage to nail, sequela |
| S91.104D | Unspecified open wound of right lesser toe(s) without damage to nail, subsequent encounter |
| S91.104S | Unspecified open wound of right lesser toe(s) without damage to nail, sequela |
| S91.105D | Unspecified open wound of left lesser toe(s) without damage to nail, subsequent encounter |
| S91.105S | Unspecified open wound of left lesser toe(s) without damage to nail, sequela |
| S91.106D | Unspecified open wound of unspecified lesser toe(s) without damage to nail, subsequent encounter |
| S91.106S | Unspecified open wound of unspecified lesser toe(s) without damage to nail, sequela |
| S91.109D | Unspecified open wound of unspecified toe(s) without damage to nail, subsequent encounter |
| S91.109S | Unspecified open wound of unspecified toe(s) without damage to nail, sequela |
| S91.111D | Laceration without foreign body of right great toe without damage to nail, subsequent encounter |
| S91.111S | Laceration without foreign body of right great toe without damage to nail, sequela |
| S91.112D | Laceration without foreign body of left great toe without damage to nail, subsequent encounter |
| S91.112S | Laceration without foreign body of left great toe without damage to nail, sequela |
| S91.113D | Laceration without foreign body of unspecified great toe without damage to nail, subsequent encounter |
| S91.113S | Laceration without foreign body of unspecified great toe without damage to nail, sequela |
| S91.114D | Laceration without foreign body of right lesser toe(s) without damage to nail, subsequent encounter |
| S91.114S | Laceration without foreign body of right lesser toe(s) without damage to nail, sequela |
| S91.115D | Laceration without foreign body of left lesser toe(s) without damage to nail, subsequent encounter |
| S91.115S | Laceration without foreign body of left lesser toe(s) without damage to nail, sequela |
| S91.116D | Laceration without foreign body of unspecified lesser toe(s) without damage to nail, subsequent encounter |
| S91.116S | Laceration without foreign body of unspecified lesser toe(s) without damage to nail, sequela |
| S91.119D | Laceration without foreign body of unspecified toe without damage to nail, subsequent encounter |
| S91.119S | Laceration without foreign body of unspecified toe without damage to nail, sequela |
| S91.121D | Laceration with foreign body of right great toe without damage to nail, subsequent encounter |
| S91.121S | Laceration with foreign body of right great toe without damage to nail, sequela |
| S91.122D | Laceration with foreign body of left great toe without damage to nail, subsequent encounter |
| S91.122S | Laceration with foreign body of left great toe without damage to nail, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S91.123D | Laceration with foreign body of unspecified great toe without damage to nail, subsequent encounter |
| S91.123S | Laceration with foreign body of unspecified great toe without damage to nail, sequela |
| S91.124D | Laceration with foreign body of right lesser toe(s) without damage to nail, subsequent encounter |
| S91.124S | Laceration with foreign body of right lesser toe(s) without damage to nail, sequela |
| S91.125D | Laceration with foreign body of left lesser toe(s) without damage to nail, subsequent encounter |
| S91.125S | Laceration with foreign body of left lesser toe(s) without damage to nail, sequela |
| S91.126D | Laceration with foreign body of unspecified lesser toe(s) without damage to nail, subsequent encounter |
| S91.126S | Laceration with foreign body of unspecified lesser toe(s) without damage to nail, sequela |
| S91.129D | Laceration with foreign body of unspecified toe(s) without damage to nail, subsequent encounter |
| S91.129S | Laceration with foreign body of unspecified toe(s) without damage to nail, sequela |
| S91.131D | Puncture wound without foreign body of right great toe without damage to nail, subsequent encounter |
| S91.131S | Puncture wound without foreign body of right great toe without damage to nail, sequela |
| S91.132D | Puncture wound without foreign body of left great toe without damage to nail, subsequent encounter |
| S91.132S | Puncture wound without foreign body of left great toe without damage to nail, sequela |
| S91.133D | Puncture wound without foreign body of unspecified great toe without damage to nail, subsequent encounter |
| S91.133S | Puncture wound without foreign body of unspecified great toe without damage to nail, sequela |
| S91.134D | Puncture wound without foreign body of right lesser toe(s) without damage to nail, subsequent encounter |
| S91.134S | Puncture wound without foreign body of right lesser toe(s) without damage to nail, sequela |
| S91.135D | Puncture wound without foreign body of left lesser toe(s) without damage to nail, subsequent encounter |
| S91.135S | Puncture wound without foreign body of left lesser toe(s) without damage to nail, sequela |
| S91.136D | Puncture wound without foreign body of unspecified lesser toe(s) without damage to nail, subsequent encounter |
| S91.136S | Puncture wound without foreign body of unspecified lesser toe(s) without damage to nail, sequela |
| S91.139D | Puncture wound without foreign body of unspecified toe(s) without damage to nail, subsequent encounter |
| S91.139S | Puncture wound without foreign body of unspecified toe(s) without damage to nail, sequela |
| S91.141D | Puncture wound with foreign body of right great toe without damage to nail, subsequent encounter |
| S91.141S | Puncture wound with foreign body of right great toe without damage to nail, sequela |
| S91.142D | Puncture wound with foreign body of left great toe without damage to nail, subsequent encounter |
| S91.142S | Puncture wound with foreign body of left great toe without damage to nail, sequela |
| S91.143D | Puncture wound with foreign body of unspecified great toe without damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S91.143S | Puncture wound with foreign body of unspecified great toe without damage to nail, sequela |
| S91.144D | Puncture wound with foreign body of right lesser toe(s) without damage to nail, subsequent encounter |
| S91.144S | Puncture wound with foreign body of right lesser toe(s) without damage to nail, sequela |
| S91.145D | Puncture wound with foreign body of left lesser toe(s) without damage to nail, subsequent encounter |
| S91.145S | Puncture wound with foreign body of left lesser toe(s) without damage to nail, sequela |
| S91.146D | Puncture wound with foreign body of unspecified lesser toe(s) without damage to nail, subsequent encounter |
| S91.146S | Puncture wound with foreign body of unspecified lesser toe(s) without damage to nail, sequela |
| S91.149D | Puncture wound with foreign body of unspecified toe(s) without damage to nail, subsequent encounter |
| S91.149S | Puncture wound with foreign body of unspecified toe(s) without damage to nail, sequela |
| S91.151D | Open bite of right great toe without damage to nail, subsequent encounter |
| S91.151S | Open bite of right great toe without damage to nail, sequela |
| S91.152D | Open bite of left great toe without damage to nail, subsequent encounter |
| S91.152S | Open bite of left great toe without damage to nail, sequela |
| S91.153D | Open bite of unspecified great toe without damage to nail, subsequent encounter |
| S91.153S | Open bite of unspecified great toe without damage to nail, sequela |
| S91.154D | Open bite of right lesser toe(s) without damage to nail, subsequent encounter |
| S91.154S | Open bite of right lesser toe(s) without damage to nail, sequela |
| S91.155D | Open bite of left lesser toe(s) without damage to nail, subsequent encounter |
| S91.155S | Open bite of left lesser toe(s) without damage to nail, sequela |
| S91.156D | Open bite of unspecified lesser toe(s) without damage to nail, subsequent encounter |
| S91.156S | Open bite of unspecified lesser toe(s) without damage to nail, sequela |
| S91.159D | Open bite of unspecified toe(s) without damage to nail, subsequent encounter |
| S91.159S | Open bite of unspecified toe(s) without damage to nail, sequela |
| S91.201D | Unspecified open wound of right great toe with damage to nail, subsequent encounter |
| S91.201S | Unspecified open wound of right great toe with damage to nail, sequela |
| S91.202D | Unspecified open wound of left great toe with damage to nail, subsequent encounter |
| S91.202S | Unspecified open wound of left great toe with damage to nail, sequela |
| S91.203D | Unspecified open wound of unspecified great toe with damage to nail, subsequent encounter |
| S91.203S | Unspecified open wound of unspecified great toe with damage to nail, sequela |
| S91.204D | Unspecified open wound of right lesser toe(s) with damage to nail, subsequent encounter |
| S91.204S | Unspecified open wound of right lesser toe(s) with damage to nail, sequela |
| S91.205D | Unspecified open wound of left lesser toe(s) with damage to nail, subsequent encounter |
| S91.205S | Unspecified open wound of left lesser toe(s) with damage to nail, sequela |
| S91.206D | Unspecified open wound of unspecified lesser toe(s) with damage to nail, subsequent encounter |
| S91.206S | Unspecified open wound of unspecified lesser toe(s) with damage to nail, sequela |
| S91.209D | Unspecified open wound of unspecified toe(s) with damage to nail, subsequent encounter |
| S91.209S | Unspecified open wound of unspecified toe(s) with damage to nail, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S91.211D | Laceration without foreign body of right great toe with damage to nail, subsequent encounter |
| S91.211S | Laceration without foreign body of right great toe with damage to nail, sequela |
| S91.212D | Laceration without foreign body of left great toe with damage to nail, subsequent encounter |
| S91.212S | Laceration without foreign body of left great toe with damage to nail, sequela |
| S91.213D | Laceration without foreign body of unspecified great toe with damage to nail, subsequent encounter |
| S91.213S | Laceration without foreign body of unspecified great toe with damage to nail, sequela |
| S91.214D | Laceration without foreign body of right lesser toe(s) with damage to nail, subsequent encounter |
| S91.214S | Laceration without foreign body of right lesser toe(s) with damage to nail, sequela |
| S91.215D | Laceration without foreign body of left lesser toe(s) with damage to nail, subsequent encounter |
| S91.215S | Laceration without foreign body of left lesser toe(s) with damage to nail, sequela |
| S91.216D | Laceration without foreign body of unspecified lesser toe(s) with damage to nail, subsequent encounter |
| S91.216S | Laceration without foreign body of unspecified lesser toe(s) with damage to nail, sequela |
| S91.219D | Laceration without foreign body of unspecified toe(s) with damage to nail, subsequent encounter |
| S91.219S | Laceration without foreign body of unspecified toe(s) with damage to nail, sequela |
| S91.221D | Laceration with foreign body of right great toe with damage to nail, subsequent encounter |
| S91.221S | Laceration with foreign body of right great toe with damage to nail, sequela |
| S91.222D | Laceration with foreign body of left great toe with damage to nail, subsequent encounter |
| S91.222S | Laceration with foreign body of left great toe with damage to nail, sequela |
| S91.223D | Laceration with foreign body of unspecified great toe with damage to nail, subsequent encounter |
| S91.223S | Laceration with foreign body of unspecified great toe with damage to nail, sequela |
| S91.224D | Laceration with foreign body of right lesser toe(s) with damage to nail, subsequent encounter |
| S91.224S | Laceration with foreign body of right lesser toe(s) with damage to nail, sequela |
| S91.225D | Laceration with foreign body of left lesser toe(s) with damage to nail, subsequent encounter |
| S91.225S | Laceration with foreign body of left lesser toe(s) with damage to nail, sequela |
| S91.226D | Laceration with foreign body of unspecified lesser toe(s) with damage to nail, subsequent encounter |
| S91.226S | Laceration with foreign body of unspecified lesser toe(s) with damage to nail, sequela |
| S91.229D | Laceration with foreign body of unspecified toe(s) with damage to nail, subsequent encounter |
| S91.229S | Laceration with foreign body of unspecified toe(s) with damage to nail, sequela |
| S91.231D | Puncture wound without foreign body of right great toe with damage to nail, subsequent encounter |
| S91.231S | Puncture wound without foreign body of right great toe with damage to nail, sequela |
| S91.232D | Puncture wound without foreign body of left great toe with damage to nail, subsequent encounter |
| S91.232S | Puncture wound without foreign body of left great toe with damage to nail, sequela |
| S91.233D | Puncture wound without foreign body of unspecified great toe with damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S91.233S | Puncture wound without foreign body of unspecified great toe with damage to nail, sequela |
| S91.234D | Puncture wound without foreign body of right lesser toe(s) with damage to nail, subsequent encounter |
| S91.234S | Puncture wound without foreign body of right lesser toe(s) with damage to nail, sequela |
| S91.235D | Puncture wound without foreign body of left lesser toe(s) with damage to nail, subsequent encounter |
| S91.235S | Puncture wound without foreign body of left lesser toe(s) with damage to nail, sequela |
| S91.236D | Puncture wound without foreign body of unspecified lesser toe(s) with damage to nail, subsequent encounter |
| S91.236S | Puncture wound without foreign body of unspecified lesser toe(s) with damage to nail, sequela |
| S91.239D | Puncture wound without foreign body of unspecified toe(s) with damage to nail, subsequent encounter |
| S91.239S | Puncture wound without foreign body of unspecified toe(s) with damage to nail, sequela |
| S91.241D | Puncture wound with foreign body of right great toe with damage to nail, subsequent encounter |
| S91.241S | Puncture wound with foreign body of right great toe with damage to nail, sequela |
| S91.242D | Puncture wound with foreign body of left great toe with damage to nail, subsequent encounter |
| S91.242S | Puncture wound with foreign body of left great toe with damage to nail, sequela |
| S91.243D | Puncture wound with foreign body of unspecified great toe with damage to nail, subsequent encounter |
| S91.243S | Puncture wound with foreign body of unspecified great toe with damage to nail, sequela |
| S91.244D | Puncture wound with foreign body of right lesser toe(s) with damage to nail, subsequent encounter |
| S91.244S | Puncture wound with foreign body of right lesser toe(s) with damage to nail, sequela |
| S91.245D | Puncture wound with foreign body of left lesser toe(s) with damage to nail, subsequent encounter |
| S91.245S | Puncture wound with foreign body of left lesser toe(s) with damage to nail, sequela |
| S91.246D | Puncture wound with foreign body of unspecified lesser toe(s) with damage to nail, subsequent encounter |
| S91.246S | Puncture wound with foreign body of unspecified lesser toe(s) with damage to nail, sequela |
| S91.249D | Puncture wound with foreign body of unspecified toe(s) with damage to nail, subsequent encounter |
| S91.249S | Puncture wound with foreign body of unspecified toe(s) with damage to nail, sequela |
| S91.251D | Open bite of right great toe with damage to nail, subsequent encounter |
| S91.251S | Open bite of right great toe with damage to nail, sequela |
| S91.252D | Open bite of left great toe with damage to nail, subsequent encounter |
| S91.252S | Open bite of left great toe with damage to nail, sequela |
| S91.253D | Open bite of unspecified great toe with damage to nail, subsequent encounter |
| S91.253S | Open bite of unspecified great toe with damage to nail, sequela |
| S91.254D | Open bite of right lesser toe(s) with damage to nail, subsequent encounter |
| S91.254S | Open bite of right lesser toe(s) with damage to nail, sequela |
| S91.255D | Open bite of left lesser toe(s) with damage to nail, subsequent encounter |
| S91.255S | Open bite of left lesser toe(s) with damage to nail, sequela |
| S91.256D | Open bite of unspecified lesser toe(s) with damage to nail, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S91.256S | Open bite of unspecified lesser toe(s) with damage to nail, sequela |
| S91.259D | Open bite of unspecified toe(s) with damage to nail, subsequent encounter |
| S91.259S | Open bite of unspecified toe(s) with damage to nail, sequela |
| S91.301D | Unspecified open wound, right foot, subsequent encounter |
| S91.301S | Unspecified open wound, right foot, sequela |
| S91.302D | Unspecified open wound, left foot, subsequent encounter |
| S91.302S | Unspecified open wound, left foot, sequela |
| S91.309D | Unspecified open wound, unspecified foot, subsequent encounter |
| S91.309S | Unspecified open wound, unspecified foot, sequela |
| S91.311D | Laceration without foreign body, right foot, subsequent encounter |
| S91.311S | Laceration without foreign body, right foot, sequela |
| S91.312D | Laceration without foreign body, left foot, subsequent encounter |
| S91.312S | Laceration without foreign body, left foot, sequela |
| S91.319D | Laceration without foreign body, unspecified foot, subsequent encounter |
| S91.319S | Laceration without foreign body, unspecified foot, sequela |
| S91.321D | Laceration with foreign body, right foot, subsequent encounter |
| S91.321S | Laceration with foreign body, right foot, sequela |
| S91.322D | Laceration with foreign body, left foot, subsequent encounter |
| S91.322S | Laceration with foreign body, left foot, sequela |
| S91.329D | Laceration with foreign body, unspecified foot, subsequent encounter |
| S91.329S | Laceration with foreign body, unspecified foot, sequela |
| S91.331D | Puncture wound without foreign body, right foot, subsequent encounter |
| S91.331S | Puncture wound without foreign body, right foot, sequela |
| S91.332D | Puncture wound without foreign body, left foot, subsequent encounter |
| S91.332S | Puncture wound without foreign body, left foot, sequela |
| S91.339D | Puncture wound without foreign body, unspecified foot, subsequent encounter |
| S91.339S | Puncture wound without foreign body, unspecified foot, sequela |
| S91.341D | Puncture wound with foreign body, right foot, subsequent encounter |
| S91.341S | Puncture wound with foreign body, right foot, sequela |
| S91.342D | Puncture wound with foreign body, left foot, subsequent encounter |
| S91.342S | Puncture wound with foreign body, left foot, sequela |
| S91.349D | Puncture wound with foreign body, unspecified foot, subsequent encounter |
| S91.349S | Puncture wound with foreign body, unspecified foot, sequela |
| S91.351D | Open bite, right foot, subsequent encounter |
| S91.351S | Open bite, right foot, sequela |
| S91.352D | Open bite, left foot, subsequent encounter |
| S91.352S | Open bite, left foot, sequela |
| S91.359D | Open bite, unspecified foot, subsequent encounter |
| S91.359S | Open bite, unspecified foot, sequela |
| S92.001D | Unspecified fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.001G | Unspecified fracture of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.001K | Unspecified fracture of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.001P | Unspecified fracture of right calcaneus, subsequent encounter for fracture with malunion |
| S92.001S | Unspecified fracture of right calcaneus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.002D | Unspecified fracture of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.002G | Unspecified fracture of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.002K | Unspecified fracture of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.002P | Unspecified fracture of left calcaneus, subsequent encounter for fracture with malunion |
| S92.002S | Unspecified fracture of left calcaneus, sequela |
| S92.009D | Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.009G | Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.009K | Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.009P | Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.009S | Unspecified fracture of unspecified calcaneus, sequela |
| S92.011D | Displaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.011G | Displaced fracture of body of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.011K | Displaced fracture of body of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.011P | Displaced fracture of body of right calcaneus, subsequent encounter for fracture with malunion |
| S92.011S | Displaced fracture of body of right calcaneus, sequela |
| S92.012D | Displaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.012G | Displaced fracture of body of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.012K | Displaced fracture of body of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.012P | Displaced fracture of body of left calcaneus, subsequent encounter for fracture with malunion |
| S92.012S | Displaced fracture of body of left calcaneus, sequela |
| S92.013D | Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.013G | Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.013K | Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.013P | Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.013S | Displaced fracture of body of unspecified calcaneus, sequela |
| S92.014D | Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.014G | Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.014K | Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.014P | Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with malunion |
| S92.014S | Nondisplaced fracture of body of right calcaneus, sequela |
| S92.015D | Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.015G | Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.015K | Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.015P | Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with malunion |
| S92.015S | Nondisplaced fracture of body of left calcaneus, sequela |
| S92.016D | Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.016G | Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.016K | Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.016P | Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.016S | Nondisplaced fracture of body of unspecified calcaneus, sequela |
| S92.021D | Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.021G | Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.021K | Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.021P | Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with malunion |
| S92.021S | Displaced fracture of anterior process of right calcaneus, sequela |
| S92.022D | Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.022G | Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.022K | Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.022P | Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with malunion |
| S92.022S | Displaced fracture of anterior process of left calcaneus, sequela |
| S92.023D | Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.023G | Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.023K | Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.023P | Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.023S | Displaced fracture of anterior process of unspecified calcaneus, sequela |
| S92.024D | Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.024G | Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.024K | Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.024P | Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with malunion |
| S92.024S | Nondisplaced fracture of anterior process of right calcaneus, sequela |
| S92.025D | Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.025G | Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.025K | Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.025P | Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with malunion |
| S92.025S | Nondisplaced fracture of anterior process of left calcaneus, sequela |
| S92.026D | Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.026G | Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.026K | Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.026P | Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.026S | Nondisplaced fracture of anterior process of unspecified calcaneus, sequela |
| S92.031D | Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.031G | Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.031K | Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.031P | Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion |
| S92.031S | Displaced avulsion fracture of tuberosity of right calcaneus, sequela |
| S92.032D | Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.032G | Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.032K | Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.032P | Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion |
| S92.032S | Displaced avulsion fracture of tuberosity of left calcaneus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.033D | Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.033G | Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.033K | Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.033P | Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.033S | Displaced avulsion fracture of tuberosity of unspecified calcaneus, sequela |
| S92.034D | Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.034G | Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.034K | Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.034P | Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion |
| S92.034S | Nondisplaced avulsion fracture of tuberosity of right calcaneus, sequela |
| S92.035D | Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.035G | Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.035K | Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.035P | Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion |
| S92.035S | Nondisplaced avulsion fracture of tuberosity of left calcaneus, sequela |
| S92.036D | Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.036G | Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.036K | Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.036P | Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.036S | Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, sequela |
| S92.041D | Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.041G | Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.041K | Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.041P | Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion |
| S92.041S | Displaced other fracture of tuberosity of right calcaneus, sequela |
| S92.042D | Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.042G | Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.042K | Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.042P | Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion |
| S92.042S | Displaced other fracture of tuberosity of left calcaneus, sequela |
| S92.043D | Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.043G | Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.043K | Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.043P | Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.043S | Displaced other fracture of tuberosity of unspecified calcaneus, sequela |
| S92.044D | Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.044G | Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.044K | Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.044P | Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion |
| S92.044S | Nondisplaced other fracture of tuberosity of right calcaneus, sequela |
| S92.045D | Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.045G | Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.045K | Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.045P | Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion |
| S92.045S | Nondisplaced other fracture of tuberosity of left calcaneus, sequela |
| S92.046D | Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.046G | Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.046K | Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.046P | Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.046S | Nondisplaced other fracture of tuberosity of unspecified calcaneus, sequela |
| S92.051D | Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.051G | Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.051K | Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.051P | Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion |
| S92.051S | Displaced other extraarticular fracture of right calcaneus, sequela |
| S92.052D | Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.052G | Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.052K | Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.052P | Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion |
| S92.052S | Displaced other extraarticular fracture of left calcaneus, sequela |
| S92.053D | Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.053G | Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.053K | Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.053P | Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.053S | Displaced other extraarticular fracture of unspecified calcaneus, sequela |
| S92.054D | Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.054G | Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.054K | Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.054P | Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion |
| S92.054S | Nondisplaced other extraarticular fracture of right calcaneus, sequela |
| S92.055D | Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.055G | Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.055K | Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.055P | Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion |
| S92.055S | Nondisplaced other extraarticular fracture of left calcaneus, sequela |
| S92.056D | Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.056G | Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.056K | Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.056P | Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.056S | Nondisplaced other extraarticular fracture of unspecified calcaneus, sequela |
| S92.061D | Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.061G | Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.061K | Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.061P | Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion |
| S92.061S | Displaced intraarticular fracture of right calcaneus, sequela |
| S92.062D | Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.062G | Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.062K | Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.062P | Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion |
| S92.062S | Displaced intraarticular fracture of left calcaneus, sequela |
| S92.063D | Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.063G | Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.063K | Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.063P | Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.063S | Displaced intraarticular fracture of unspecified calcaneus, sequela |
| S92.064D | Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.064G | Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.064K | Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion |
| S92.064P | Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion |
| S92.064S | Nondisplaced intraarticular fracture of right calcaneus, sequela |
| S92.065D | Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing |
| S92.065G | Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing |
| S92.065K | Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion |
| S92.065P | Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion |
| S92.065S | Nondisplaced intraarticular fracture of left calcaneus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.066D | Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.066G | Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.066K | Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion |
| S92.066P | Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion |
| S92.066S | Nondisplaced intraarticular fracture of unspecified calcaneus, sequela |
| S92.101D | Unspecified fracture of right talus, subsequent encounter for fracture with routine healing |
| S92.101G | Unspecified fracture of right talus, subsequent encounter for fracture with delayed healing |
| S92.101K | Unspecified fracture of right talus, subsequent encounter for fracture with nonunion |
| S92.101P | Unspecified fracture of right talus, subsequent encounter for fracture with malunion |
| S92.101S | Unspecified fracture of right talus, sequela |
| S92.102D | Unspecified fracture of left talus, subsequent encounter for fracture with routine healing |
| S92.102G | Unspecified fracture of left talus, subsequent encounter for fracture with delayed healing |
| S92.102K | Unspecified fracture of left talus, subsequent encounter for fracture with nonunion |
| S92.102P | Unspecified fracture of left talus, subsequent encounter for fracture with malunion |
| S92.102S | Unspecified fracture of left talus, sequela |
| S92.109D | Unspecified fracture of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.109G | Unspecified fracture of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.109K | Unspecified fracture of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.109P | Unspecified fracture of unspecified talus, subsequent encounter for fracture with malunion |
| S92.109S | Unspecified fracture of unspecified talus, sequela |
| S92.111D | Displaced fracture of neck of right talus, subsequent encounter for fracture with routine healing |
| S92.111G | Displaced fracture of neck of right talus, subsequent encounter for fracture with delayed healing |
| S92.111K | Displaced fracture of neck of right talus, subsequent encounter for fracture with nonunion |
| S92.111P | Displaced fracture of neck of right talus, subsequent encounter for fracture with malunion |
| S92.111S | Displaced fracture of neck of right talus, sequela |
| S92.112D | Displaced fracture of neck of left talus, subsequent encounter for fracture with routine healing |
| S92.112G | Displaced fracture of neck of left talus, subsequent encounter for fracture with delayed healing |
| S92.112K | Displaced fracture of neck of left talus, subsequent encounter for fracture with nonunion |
| S92.112P | Displaced fracture of neck of left talus, subsequent encounter for fracture with malunion |
| S92.112S | Displaced fracture of neck of left talus, sequela |
| S92.113D | Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.113G | Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.113K | Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.113P | Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with malunion |
| S92.113S | Displaced fracture of neck of unspecified talus, sequela |
| S92.114D | Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with routine healing |
| S92.114G | Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with delayed healing |
| S92.114K | Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with nonunion |
| S92.114P | Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with malunion |
| S92.114S | Nondisplaced fracture of neck of right talus, sequela |
| S92.115D | Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with routine healing |
| S92.115G | Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with delayed healing |
| S92.115K | Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with nonunion |
| S92.115P | Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with malunion |
| S92.115S | Nondisplaced fracture of neck of left talus, sequela |
| S92.116D | Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.116G | Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.116K | Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.116P | Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with malunion |
| S92.116S | Nondisplaced fracture of neck of unspecified talus, sequela |
| S92.121D | Displaced fracture of body of right talus, subsequent encounter for fracture with routine healing |
| S92.121G | Displaced fracture of body of right talus, subsequent encounter for fracture with delayed healing |
| S92.121K | Displaced fracture of body of right talus, subsequent encounter for fracture with nonunion |
| S92.121P | Displaced fracture of body of right talus, subsequent encounter for fracture with malunion |
| S92.121S | Displaced fracture of body of right talus, sequela |
| S92.122D | Displaced fracture of body of left talus, subsequent encounter for fracture with routine healing |
| S92.122G | Displaced fracture of body of left talus, subsequent encounter for fracture with delayed healing |
| S92.122K | Displaced fracture of body of left talus, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.122P | Displaced fracture of body of left talus, subsequent encounter for fracture with malunion |
| S92.122S | Displaced fracture of body of left talus, sequela |
| S92.123D | Displaced fracture of body of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.123G | Displaced fracture of body of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.123K | Displaced fracture of body of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.123P | Displaced fracture of body of unspecified talus, subsequent encounter for fracture with malunion |
| S92.123S | Displaced fracture of body of unspecified talus, sequela |
| S92.124D | Nondisplaced fracture of body of right talus, subsequent encounter for fracture with routine healing |
| S92.124G | Nondisplaced fracture of body of right talus, subsequent encounter for fracture with delayed healing |
| S92.124K | Nondisplaced fracture of body of right talus, subsequent encounter for fracture with nonunion |
| S92.124P | Nondisplaced fracture of body of right talus, subsequent encounter for fracture with malunion |
| S92.124S | Nondisplaced fracture of body of right talus, sequela |
| S92.125D | Nondisplaced fracture of body of left talus, subsequent encounter for fracture with routine healing |
| S92.125G | Nondisplaced fracture of body of left talus, subsequent encounter for fracture with delayed healing |
| S92.125K | Nondisplaced fracture of body of left talus, subsequent encounter for fracture with nonunion |
| S92.125P | Nondisplaced fracture of body of left talus, subsequent encounter for fracture with malunion |
| S92.125S | Nondisplaced fracture of body of left talus, sequela |
| S92.126D | Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.126G | Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.126K | Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.126P | Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with malunion |
| S92.126S | Nondisplaced fracture of body of unspecified talus, sequela |
| S92.131D | Displaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing |
| S92.131G | Displaced fracture of posterior process of right talus, subsequent encounter for fracture with delayed healing |
| S92.131K | Displaced fracture of posterior process of right talus, subsequent encounter for fracture with nonunion |
| S92.131P | Displaced fracture of posterior process of right talus, subsequent encounter for fracture with malunion |
| S92.131S | Displaced fracture of posterior process of right talus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.132D | Displaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing |
| S92.132G | Displaced fracture of posterior process of left talus, subsequent encounter for fracture with delayed healing |
| S92.132K | Displaced fracture of posterior process of left talus, subsequent encounter for fracture with nonunion |
| S92.132P | Displaced fracture of posterior process of left talus, subsequent encounter for fracture with malunion |
| S92.132S | Displaced fracture of posterior process of left talus, sequela |
| S92.133D | Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.133G | Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.133K | Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.133P | Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with malunion |
| S92.133S | Displaced fracture of posterior process of unspecified talus, sequela |
| S92.134D | Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing |
| S92.134G | Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with delayed healing |
| S92.134K | Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with nonunion |
| S92.134P | Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with malunion |
| S92.134S | Nondisplaced fracture of posterior process of right talus, sequela |
| S92.135D | Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing |
| S92.135G | Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with delayed healing |
| S92.135K | Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with nonunion |
| S92.135P | Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with malunion |
| S92.135S | Nondisplaced fracture of posterior process of left talus, sequela |
| S92.136D | Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.136G | Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.136K | Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.136P | Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with malunion |
| S92.136S | Nondisplaced fracture of posterior process of unspecified talus, sequela |
| S92.141D | Displaced dome fracture of right talus, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.141G | Displaced dome fracture of right talus, subsequent encounter for fracture with delayed healing |
| S92.141K | Displaced dome fracture of right talus, subsequent encounter for fracture with nonunion |
| S92.141P | Displaced dome fracture of right talus, subsequent encounter for fracture with malunion |
| S92.141S | Displaced dome fracture of right talus, sequela |
| S92.142D | Displaced dome fracture of left talus, subsequent encounter for fracture with routine healing |
| S92.142G | Displaced dome fracture of left talus, subsequent encounter for fracture with delayed healing |
| S92.142K | Displaced dome fracture of left talus, subsequent encounter for fracture with nonunion |
| S92.142P | Displaced dome fracture of left talus, subsequent encounter for fracture with malunion |
| S92.142S | Displaced dome fracture of left talus, sequela |
| S92.143D | Displaced dome fracture of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.143G | Displaced dome fracture of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.143K | Displaced dome fracture of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.143P | Displaced dome fracture of unspecified talus, subsequent encounter for fracture with malunion |
| S92.143S | Displaced dome fracture of unspecified talus, sequela |
| S92.144D | Nondisplaced dome fracture of right talus, subsequent encounter for fracture with routine healing |
| S92.144G | Nondisplaced dome fracture of right talus, subsequent encounter for fracture with delayed healing |
| S92.144K | Nondisplaced dome fracture of right talus, subsequent encounter for fracture with nonunion |
| S92.144P | Nondisplaced dome fracture of right talus, subsequent encounter for fracture with malunion |
| S92.144S | Nondisplaced dome fracture of right talus, sequela |
| S92.145D | Nondisplaced dome fracture of left talus, subsequent encounter for fracture with routine healing |
| S92.145G | Nondisplaced dome fracture of left talus, subsequent encounter for fracture with delayed healing |
| S92.145K | Nondisplaced dome fracture of left talus, subsequent encounter for fracture with nonunion |
| S92.145P | Nondisplaced dome fracture of left talus, subsequent encounter for fracture with malunion |
| S92.145S | Nondisplaced dome fracture of left talus, sequela |
| S92.146D | Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.146G | Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.146K | Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.146P | Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with malunion |
| S92.146S | Nondisplaced dome fracture of unspecified talus, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.151D | Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing |
| S92.151G | Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with delayed healing |
| S92.151K | Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with nonunion |
| S92.151P | Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with malunion |
| S92.151S | Displaced avulsion fracture (chip fracture) of right talus, sequela |
| S92.152D | Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing |
| S92.152G | Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with delayed healing |
| S92.152K | Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with nonunion |
| S92.152P | Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with malunion |
| S92.152S | Displaced avulsion fracture (chip fracture) of left talus, sequela |
| S92.153D | Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.153G | Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.153K | Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.153P | Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with malunion |
| S92.153S | Displaced avulsion fracture (chip fracture) of unspecified talus, sequela |
| S92.154D | Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing |
| S92.154G | Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with delayed healing |
| S92.154K | Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with nonunion |
| S92.154P | Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with malunion |
| S92.154S | Nondisplaced avulsion fracture (chip fracture) of right talus, sequela |
| S92.155D | Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing |
| S92.155G | Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with delayed healing |
| S92.155K | Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with nonunion |
| S92.155P | Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with malunion |
| S92.155S | Nondisplaced avulsion fracture (chip fracture) of left talus, sequela |
| S92.156D | Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.156G | Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.156K | Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.156P | Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with malunion |
| S92.156S | Nondisplaced avulsion fracture (chip fracture) of unspecified talus, sequela |
| S92.191D | Other fracture of right talus, subsequent encounter for fracture with routine healing |
| S92.191G | Other fracture of right talus, subsequent encounter for fracture with delayed healing |
| S92.191K | Other fracture of right talus, subsequent encounter for fracture with nonunion |
| S92.191P | Other fracture of right talus, subsequent encounter for fracture with malunion |
| S92.191S | Other fracture of right talus, sequela |
| S92.192D | Other fracture of left talus, subsequent encounter for fracture with routine healing |
| S92.192G | Other fracture of left talus, subsequent encounter for fracture with delayed healing |
| S92.192K | Other fracture of left talus, subsequent encounter for fracture with nonunion |
| S92.192P | Other fracture of left talus, subsequent encounter for fracture with malunion |
| S92.192S | Other fracture of left talus, sequela |
| S92.199D | Other fracture of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.199G | Other fracture of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.199K | Other fracture of unspecified talus, subsequent encounter for fracture with nonunion |
| S92.199P | Other fracture of unspecified talus, subsequent encounter for fracture with malunion |
| S92.199S | Other fracture of unspecified talus, sequela |
| S92.201D | Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with routine healing |
| S92.201G | Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with delayed healing |
| S92.201K | Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with nonunion |
| S92.201P | Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with malunion |
| S92.201S | Fracture of unspecified tarsal bone(s) of right foot, sequela |
| S92.202D | Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with routine healing |
| S92.202G | Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with delayed healing |
| S92.202K | Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with nonunion |
| S92.202P | Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with malunion |
| S92.202S | Fracture of unspecified tarsal bone(s) of left foot, sequela |
| S92.209D | Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.209G | Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.209K | Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.209P | Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with malunion |
| S92.209S | Fracture of unspecified tarsal bone(s) of unspecified foot, sequela |
| S92.211D | Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing |
| S92.211G | Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with delayed healing |
| S92.211K | Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with nonunion |
| S92.211P | Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with malunion |
| S92.211S | Displaced fracture of cuboid bone of right foot, sequela |
| S92.212D | Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing |
| S92.212G | Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with delayed healing |
| S92.212K | Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with nonunion |
| S92.212P | Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with malunion |
| S92.212S | Displaced fracture of cuboid bone of left foot, sequela |
| S92.213D | Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.213G | Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.213K | Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.213P | Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with malunion |
| S92.213S | Displaced fracture of cuboid bone of unspecified foot, sequela |
| S92.214D | Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing |
| S92.214G | Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with delayed healing |
| S92.214K | Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with nonunion |
| S92.214P | Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with malunion |
| S92.214S | Nondisplaced fracture of cuboid bone of right foot, sequela |
| S92.215D | Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing |
| S92.215G | Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with delayed healing |
| S92.215K | Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with nonunion |
| S92.215P | Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with malunion |
| S92.215S | Nondisplaced fracture of cuboid bone of left foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.216D | Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.216G | Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.216K | Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.216P | Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with malunion |
| S92.216S | Nondisplaced fracture of cuboid bone of unspecified foot, sequela |
| S92.221D | Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing |
| S92.221G | Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with delayed healing |
| S92.221K | Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with nonunion |
| S92.221P | Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with malunion |
| S92.221S | Displaced fracture of lateral cuneiform of right foot, sequela |
| S92.222D | Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing |
| S92.222G | Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with delayed healing |
| S92.222K | Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with nonunion |
| S92.222P | Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with malunion |
| S92.222S | Displaced fracture of lateral cuneiform of left foot, sequela |
| S92.223D | Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.223G | Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.223K | Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.223P | Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with malunion |
| S92.223S | Displaced fracture of lateral cuneiform of unspecified foot, sequela |
| S92.224D | Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing |
| S92.224G | Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with delayed healing |
| S92.224K | Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with nonunion |
| S92.224P | Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with malunion |
| S92.224S | Nondisplaced fracture of lateral cuneiform of right foot, sequela |
| S92.225D | Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.225G | Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with delayed healing |
| S92.225K | Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with nonunion |
| S92.225P | Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with malunion |
| S92.225S | Nondisplaced fracture of lateral cuneiform of left foot, sequela |
| S92.226D | Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.226G | Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.226K | Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.226P | Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with malunion |
| S92.226S | Nondisplaced fracture of lateral cuneiform of unspecified foot, sequela |
| S92.231D | Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing |
| S92.231G | Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with delayed healing |
| S92.231K | Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with nonunion |
| S92.231P | Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with malunion |
| S92.231S | Displaced fracture of intermediate cuneiform of right foot, sequela |
| S92.232D | Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing |
| S92.232G | Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with delayed healing |
| S92.232K | Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with nonunion |
| S92.232P | Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with malunion |
| S92.232S | Displaced fracture of intermediate cuneiform of left foot, sequela |
| S92.233D | Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.233G | Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.233K | Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.233P | Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with malunion |
| S92.233S | Displaced fracture of intermediate cuneiform of unspecified foot, sequela |
| S92.234D | Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing |
| S92.234G | Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.234K | Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with nonunion |
| S92.234P | Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with malunion |
| S92.234S | Nondisplaced fracture of intermediate cuneiform of right foot, sequela |
| S92.235D | Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing |
| S92.235G | Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with delayed healing |
| S92.235K | Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with nonunion |
| S92.235P | Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with malunion |
| S92.235S | Nondisplaced fracture of intermediate cuneiform of left foot, sequela |
| S92.236D | Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.236G | Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.236K | Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.236P | Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with malunion |
| S92.236S | Nondisplaced fracture of intermediate cuneiform of unspecified foot, sequela |
| S92.241D | Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing |
| S92.241G | Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with delayed healing |
| S92.241K | Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with nonunion |
| S92.241P | Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with malunion |
| S92.241S | Displaced fracture of medial cuneiform of right foot, sequela |
| S92.242D | Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing |
| S92.242G | Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with delayed healing |
| S92.242K | Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with nonunion |
| S92.242P | Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with malunion |
| S92.242S | Displaced fracture of medial cuneiform of left foot, sequela |
| S92.243D | Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.243G | Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.243K | Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.243P | Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with malunion |
| S92.243S | Displaced fracture of medial cuneiform of unspecified foot, sequela |
| S92.244D | Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing |
| S92.244G | Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with delayed healing |
| S92.244K | Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with nonunion |
| S92.244P | Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with malunion |
| S92.244S | Nondisplaced fracture of medial cuneiform of right foot, sequela |
| S92.245D | Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing |
| S92.245G | Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with delayed healing |
| S92.245K | Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with nonunion |
| S92.245P | Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with malunion |
| S92.245S | Nondisplaced fracture of medial cuneiform of left foot, sequela |
| S92.246D | Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.246G | Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.246K | Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.246P | Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with malunion |
| S92.246S | Nondisplaced fracture of medial cuneiform of unspecified foot, sequela |
| S92.251D | Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with routine healing |
| S92.251G | Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with delayed healing |
| S92.251K | Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with nonunion |
| S92.251P | Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with malunion |
| S92.251S | Displaced fracture of navicular [scaphoid] of right foot, sequela |
| S92.252D | Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with routine healing |
| S92.252G | Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with delayed healing |
| S92.252K | Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with nonunion |
| S92.252P | Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with malunion |
| S92.252S | Displaced fracture of navicular [scaphoid] of left foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.253D | Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.253G | Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.253K | Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.253P | Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with malunion |
| S92.253S | Displaced fracture of navicular [scaphoid] of unspecified foot, sequela |
| S92.254D | Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with routine healing |
| S92.254G | Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with delayed healing |
| S92.254K | Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with nonunion |
| S92.254P | Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with malunion |
| S92.254S | Nondisplaced fracture of navicular [scaphoid] of right foot, sequela |
| S92.255D | Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with routine healing |
| S92.255G | Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with delayed healing |
| S92.255K | Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with nonunion |
| S92.255P | Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with malunion |
| S92.255S | Nondisplaced fracture of navicular [scaphoid] of left foot, sequela |
| S92.256D | Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.256G | Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.256K | Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.256P | Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with malunion |
| S92.256S | Nondisplaced fracture of navicular [scaphoid] of unspecified foot, sequela |
| S92.301D | Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with routine healing |
| S92.301G | Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with delayed healing |
| S92.301K | Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with nonunion |
| S92.301P | Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with malunion |
| S92.301S | Fracture of unspecified metatarsal bone(s), right foot, sequela |
| S92.302D | Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.302G | Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with delayed healing |
| S92.302K | Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with nonunion |
| S92.302P | Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with malunion |
| S92.302S | Fracture of unspecified metatarsal bone(s), left foot, sequela |
| S92.309D | Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with routine healing |
| S92.309G | Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.309K | Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with nonunion |
| S92.309P | Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with malunion |
| S92.309S | Fracture of unspecified metatarsal bone(s), unspecified foot, sequela |
| S92.311D | Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.311G | Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |
| S92.311K | Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.311P | Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.311S | Displaced fracture of first metatarsal bone, right foot, sequela |
| S92.312D | Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing |
| S92.312G | Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.312K | Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.312P | Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.312S | Displaced fracture of first metatarsal bone, left foot, sequela |
| S92.313D | Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.313G | Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.313K | Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |
| S92.313P | Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.313S | Displaced fracture of first metatarsal bone, unspecified foot, sequela |
| S92.314D | Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.314G | Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.314K | Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.314P | Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.314S | Nondisplaced fracture of first metatarsal bone, right foot, sequela |
| S92.315D | Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing |
| S92.315G | Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.315K | Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.315P | Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.315S | Nondisplaced fracture of first metatarsal bone, left foot, sequela |
| S92.316D | Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.316G | Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.316K | Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |
| S92.316P | Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.316S | Nondisplaced fracture of first metatarsal bone, unspecified foot, sequela |
| S92.321D | Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.321G | Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |
| S92.321K | Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.321P | Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.321S | Displaced fracture of second metatarsal bone, right foot, sequela |
| S92.322D | Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing |
| S92.322G | Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.322K | Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.322P | Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.322S | Displaced fracture of second metatarsal bone, left foot, sequela |
| S92.323D | Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.323G | Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.323K | Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.323P | Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.323S | Displaced fracture of second metatarsal bone, unspecified foot, sequela |
| S92.324D | Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.324G | Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |
| S92.324K | Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.324P | Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.324S | Nondisplaced fracture of second metatarsal bone, right foot, sequela |
| S92.325D | Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing |
| S92.325G | Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.325K | Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.325P | Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.325S | Nondisplaced fracture of second metatarsal bone, left foot, sequela |
| S92.326D | Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.326G | Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.326K | Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |
| S92.326P | Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.326S | Nondisplaced fracture of second metatarsal bone, unspecified foot, sequela |
| S92.331D | Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.331G | Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |
| S92.331K | Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.331P | Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.331S | Displaced fracture of third metatarsal bone, right foot, sequela |
| S92.332D | Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing |
| S92.332G | Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.332K | Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.332P | Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.332S | Displaced fracture of third metatarsal bone, left foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.333D | Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.333G | Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.333K | Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |
| S92.333P | Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.333S | Displaced fracture of third metatarsal bone, unspecified foot, sequela |
| S92.334D | Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.334G | Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |
| S92.334K | Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.334P | Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.334S | Nondisplaced fracture of third metatarsal bone, right foot, sequela |
| S92.335D | Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing |
| S92.335G | Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.335K | Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.335P | Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.335S | Nondisplaced fracture of third metatarsal bone, left foot, sequela |
| S92.336D | Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.336G | Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.336K | Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |
| S92.336P | Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.336S | Nondisplaced fracture of third metatarsal bone, unspecified foot, sequela |
| S92.341D | Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.341G | Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |
| S92.341K | Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.341P | Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.341S | Displaced fracture of fourth metatarsal bone, right foot, sequela |
| S92.342D | Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.342G | Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.342K | Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.342P | Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.342S | Displaced fracture of fourth metatarsal bone, left foot, sequela |
| S92.343D | Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.343G | Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.343K | Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |
| S92.343P | Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.343S | Displaced fracture of fourth metatarsal bone, unspecified foot, sequela |
| S92.344D | Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.344G | Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |
| S92.344K | Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.344P | Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.344S | Nondisplaced fracture of fourth metatarsal bone, right foot, sequela |
| S92.345D | Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing |
| S92.345G | Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.345K | Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.345P | Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.345S | Nondisplaced fracture of fourth metatarsal bone, left foot, sequela |
| S92.346D | Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.346G | Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.346K | Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |
| S92.346P | Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.346S | Nondisplaced fracture of fourth metatarsal bone, unspecified foot, sequela |
| S92.351D | Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.351G | Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.351K | Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.351P | Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.351S | Displaced fracture of fifth metatarsal bone, right foot, sequela |
| S92.352D | Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing |
| S92.352G | Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.352K | Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.352P | Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.352S | Displaced fracture of fifth metatarsal bone, left foot, sequela |
| S92.353D | Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.353G | Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.353K | Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |
| S92.353P | Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.353S | Displaced fracture of fifth metatarsal bone, unspecified foot, sequela |
| S92.354D | Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing |
| S92.354G | Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing |
| S92.354K | Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with nonunion |
| S92.354P | Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with malunion |
| S92.354S | Nondisplaced fracture of fifth metatarsal bone, right foot, sequela |
| S92.355D | Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing |
| S92.355G | Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing |
| S92.355K | Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with nonunion |
| S92.355P | Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with malunion |
| S92.355S | Nondisplaced fracture of fifth metatarsal bone, left foot, sequela |
| S92.356D | Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.356G | Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.356K | Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.356P | Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion |
| S92.356S | Nondisplaced fracture of fifth metatarsal bone, unspecified foot, sequela |
| S92.401D | Displaced unspecified fracture of right great toe, subsequent encounter for fracture with routine healing |
| S92.401G | Displaced unspecified fracture of right great toe, subsequent encounter for fracture with delayed healing |
| S92.401K | Displaced unspecified fracture of right great toe, subsequent encounter for fracture with nonunion |
| S92.401P | Displaced unspecified fracture of right great toe, subsequent encounter for fracture with malunion |
| S92.401S | Displaced unspecified fracture of right great toe, sequela |
| S92.402D | Displaced unspecified fracture of left great toe, subsequent encounter for fracture with routine healing |
| S92.402G | Displaced unspecified fracture of left great toe, subsequent encounter for fracture with delayed healing |
| S92.402K | Displaced unspecified fracture of left great toe, subsequent encounter for fracture with nonunion |
| S92.402P | Displaced unspecified fracture of left great toe, subsequent encounter for fracture with malunion |
| S92.402S | Displaced unspecified fracture of left great toe, sequela |
| S92.403D | Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with routine healing |
| S92.403G | Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with delayed healing |
| S92.403K | Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with nonunion |
| S92.403P | Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with malunion |
| S92.403S | Displaced unspecified fracture of unspecified great toe, sequela |
| S92.404D | Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with routine healing |
| S92.404G | Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with delayed healing |
| S92.404K | Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with nonunion |
| S92.404P | Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with malunion |
| S92.404S | Nondisplaced unspecified fracture of right great toe, sequela |
| S92.405D | Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with routine healing |
| S92.405G | Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with delayed healing |
| S92.405K | Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with nonunion |
| S92.405P | Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with malunion |
| S92.405S | Nondisplaced unspecified fracture of left great toe, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.406D | Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with routine healing |
| S92.406G | Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with delayed healing |
| S92.406K | Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with nonunion |
| S92.406P | Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with malunion |
| S92.406S | Nondisplaced unspecified fracture of unspecified great toe, sequela |
| S92.411D | Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing |
| S92.411G | Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with delayed healing |
| S92.411K | Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with nonunion |
| S92.411P | Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with malunion |
| S92.411S | Displaced fracture of proximal phalanx of right great toe, sequela |
| S92.412D | Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing |
| S92.412G | Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with delayed healing |
| S92.412K | Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with nonunion |
| S92.412P | Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with malunion |
| S92.412S | Displaced fracture of proximal phalanx of left great toe, sequela |
| S92.413D | Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing |
| S92.413G | Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing |
| S92.413K | Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion |
| S92.413P | Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with malunion |
| S92.413S | Displaced fracture of proximal phalanx of unspecified great toe, sequela |
| S92.414D | Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing |
| S92.414G | Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with delayed healing |
| S92.414K | Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with nonunion |
| S92.414P | Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with malunion |
| S92.414S | Nondisplaced fracture of proximal phalanx of right great toe, sequela |
| S92.415D | Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.415G | Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with delayed healing |
| S92.415K | Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with nonunion |
| S92.415P | Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with malunion |
| S92.415S | Nondisplaced fracture of proximal phalanx of left great toe, sequela |
| S92.416D | Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing |
| S92.416G | Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing |
| S92.416K | Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion |
| S92.416P | Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with malunion |
| S92.416S | Nondisplaced fracture of proximal phalanx of unspecified great toe, sequela |
| S92.421D | Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing |
| S92.421G | Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with delayed healing |
| S92.421K | Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with nonunion |
| S92.421P | Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with malunion |
| S92.421S | Displaced fracture of distal phalanx of right great toe, sequela |
| S92.422D | Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing |
| S92.422G | Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with delayed healing |
| S92.422K | Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with nonunion |
| S92.422P | Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with malunion |
| S92.422S | Displaced fracture of distal phalanx of left great toe, sequela |
| S92.423D | Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing |
| S92.423G | Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing |
| S92.423K | Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion |
| S92.423P | Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with malunion |
| S92.423S | Displaced fracture of distal phalanx of unspecified great toe, sequela |
| S92.424D | Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing |
| S92.424G | Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.424K | Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with nonunion |
| S92.424P | Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with malunion |
| S92.424S | Nondisplaced fracture of distal phalanx of right great toe, sequela |
| S92.425D | Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing |
| S92.425G | Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with delayed healing |
| S92.425K | Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with nonunion |
| S92.425P | Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with malunion |
| S92.425S | Nondisplaced fracture of distal phalanx of left great toe, sequela |
| S92.426D | Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing |
| S92.426G | Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing |
| S92.426K | Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion |
| S92.426P | Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with malunion |
| S92.426S | Nondisplaced fracture of distal phalanx of unspecified great toe, sequela |
| S92.491D | Other fracture of right great toe, subsequent encounter for fracture with routine healing |
| S92.491G | Other fracture of right great toe, subsequent encounter for fracture with delayed healing |
| S92.491K | Other fracture of right great toe, subsequent encounter for fracture with nonunion |
| S92.491P | Other fracture of right great toe, subsequent encounter for fracture with malunion |
| S92.491S | Other fracture of right great toe, sequela |
| S92.492D | Other fracture of left great toe, subsequent encounter for fracture with routine healing |
| S92.492G | Other fracture of left great toe, subsequent encounter for fracture with delayed healing |
| S92.492K | Other fracture of left great toe, subsequent encounter for fracture with nonunion |
| S92.492P | Other fracture of left great toe, subsequent encounter for fracture with malunion |
| S92.492S | Other fracture of left great toe, sequela |
| S92.499D | Other fracture of unspecified great toe, subsequent encounter for fracture with routine healing |
| S92.499G | Other fracture of unspecified great toe, subsequent encounter for fracture with delayed healing |
| S92.499K | Other fracture of unspecified great toe, subsequent encounter for fracture with nonunion |
| S92.499P | Other fracture of unspecified great toe, subsequent encounter for fracture with malunion |
| S92.499S | Other fracture of unspecified great toe, sequela |
| S92.501D | Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.501G | Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.501K | Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.501P | Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with malunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.501S | Displaced unspecified fracture of right lesser toe(s), sequela |
| S92.502D | Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.502G | Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.502K | Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.502P | Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with malunion |
| S92.502S | Displaced unspecified fracture of left lesser toe(s), sequela |
| S92.503D | Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.503G | Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.503K | Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.503P | Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with malunion |
| S92.503S | Displaced unspecified fracture of unspecified lesser toe(s), sequela |
| S92.504D | Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.504G | Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.504K | Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.504P | Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with malunion |
| S92.504S | Nondisplaced unspecified fracture of right lesser toe(s), sequela |
| S92.505D | Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.505G | Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.505K | Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.505P | Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with malunion |
| S92.505S | Nondisplaced unspecified fracture of left lesser toe(s), sequela |
| S92.506D | Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.506G | Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.506K | Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.506P | Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with malunion |
| S92.506S | Nondisplaced unspecified fracture of unspecified lesser toe(s), sequela |
| S92.511D | Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.511G | Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.511K | Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.511P | Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion |
| S92.511S | Displaced fracture of proximal phalanx of right lesser toe(s), sequela |
| S92.512D | Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.512G | Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.512K | Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.512P | Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion |
| S92.512S | Displaced fracture of proximal phalanx of left lesser toe(s), sequela |
| S92.513D | Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.513G | Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.513K | Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.513P | Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion |
| S92.513S | Displaced fracture of proximal phalanx of unspecified lesser toe(s), sequela |
| S92.514D | Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.514G | Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.514K | Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.514P | Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion |
| S92.514S | Nondisplaced fracture of proximal phalanx of right lesser toe(s), sequela |
| S92.515D | Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.515G | Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.515K | Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.515P | Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion |
| S92.515S | Nondisplaced fracture of proximal phalanx of left lesser toe(s), sequela |
| S92.516D | Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.516G | Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.516K | Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.516P | Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion |
| S92.516S | Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), sequela |
| S92.521D | Displaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.521G | Displaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.521K | Displaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.521P | Displaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with malunion |
| S92.521S | Displaced fracture of medial phalanx of right lesser toe(s), sequela |
| S92.522D | Displaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.522G | Displaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.522K | Displaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.522P | Displaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with malunion |
| S92.522S | Displaced fracture of medial phalanx of left lesser toe(s), sequela |
| S92.523D | Displaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.523G | Displaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.523K | Displaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.523P | Displaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion |
| S92.523S | Displaced fracture of medial phalanx of unspecified lesser toe(s), sequela |
| S92.524D | Nondisplaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.524G | Nondisplaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.524K | Nondisplaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.524P | Nondisplaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with malunion |
| S92.524S | Nondisplaced fracture of medial phalanx of right lesser toe(s), sequela |
| S92.525D | Nondisplaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.525G | Nondisplaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.525K | Nondisplaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.525P | Nondisplaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with malunion |
| S92.525S | Nondisplaced fracture of medial phalanx of left lesser toe(s), sequela |
| S92.526D | Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.526G | Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.526K | Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.526P | Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion |
| S92.526S | Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), sequela |
| S92.531D | Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.531G | Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.531K | Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.531P | Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion |
| S92.531S | Displaced fracture of distal phalanx of right lesser toe(s), sequela |
| S92.532D | Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.532G | Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.532K | Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.532P | Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion |
| S92.532S | Displaced fracture of distal phalanx of left lesser toe(s), sequela |
| S92.533D | Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.533G | Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.533K | Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.533P | Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion |
| S92.533S | Displaced fracture of distal phalanx of unspecified lesser toe(s), sequela |
| S92.534D | Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.534G | Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.534K | Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.534P | Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion |
| S92.534S | Nondisplaced fracture of distal phalanx of right lesser toe(s), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.535D | Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.535G | Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.535K | Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.535P | Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion |
| S92.535S | Nondisplaced fracture of distal phalanx of left lesser toe(s), sequela |
| S92.536D | Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.536G | Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.536K | Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.536P | Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion |
| S92.536S | Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), sequela |
| S92.591D | Other fracture of right lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.591G | Other fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.591K | Other fracture of right lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.591P | Other fracture of right lesser toe(s), subsequent encounter for fracture with malunion |
| S92.591S | Other fracture of right lesser toe(s), sequela |
| S92.592D | Other fracture of left lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.592G | Other fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.592K | Other fracture of left lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.592P | Other fracture of left lesser toe(s), subsequent encounter for fracture with malunion |
| S92.592S | Other fracture of left lesser toe(s), sequela |
| S92.599D | Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.599G | Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.599K | Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with nonunion |
| S92.599P | Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with malunion |
| S92.599S | Other fracture of unspecified lesser toe(s), sequela |
| S92.901D | Unspecified fracture of right foot, subsequent encounter for fracture with routine healing |
| S92.901G | Unspecified fracture of right foot, subsequent encounter for fracture with delayed healing |
| S92.901K | Unspecified fracture of right foot, subsequent encounter for fracture with nonunion |
| S92.901P | Unspecified fracture of right foot, subsequent encounter for fracture with malunion |
| S92.901S | Unspecified fracture of right foot, sequela |
| S92.902D | Unspecified fracture of left foot, subsequent encounter for fracture with routine healing |
| S92.902G | Unspecified fracture of left foot, subsequent encounter for fracture with delayed healing |
| S92.902K | Unspecified fracture of left foot, subsequent encounter for fracture with nonunion |

| ICD-10 code | ICD-10 description |
|---|---|
| S92.902P | Unspecified fracture of left foot, subsequent encounter for fracture with malunion |
| S92.902S | Unspecified fracture of left foot, sequela |
| S92.909D | Unspecified fracture of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.909G | Unspecified fracture of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.909K | Unspecified fracture of unspecified foot, subsequent encounter for fracture with nonunion |
| S92.909P | Unspecified fracture of unspecified foot, subsequent encounter for fracture with malunion |
| S92.909S | Unspecified fracture of unspecified foot, sequela |
| S92.911D | Unspecified fracture of right toe(s), subsequent encounter for fracture with routine healing |
| S92.911G | Unspecified fracture of right toe(s), subsequent encounter for fracture with delayed healing |
| S92.911K | Unspecified fracture of right toe(s), subsequent encounter for fracture with nonunion |
| S92.911P | Unspecified fracture of right toe(s), subsequent encounter for fracture with malunion |
| S92.911S | Unspecified fracture of right toe(s), sequela |
| S92.912D | Unspecified fracture of left toe(s), subsequent encounter for fracture with routine healing |
| S92.912G | Unspecified fracture of left toe(s), subsequent encounter for fracture with delayed healing |
| S92.912K | Unspecified fracture of left toe(s), subsequent encounter for fracture with nonunion |
| S92.912P | Unspecified fracture of left toe(s), subsequent encounter for fracture with malunion |
| S92.912S | Unspecified fracture of left toe(s), sequela |
| S92.919D | Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with routine healing |
| S92.919G | Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with delayed healing |
| S92.919K | Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with nonunion |
| S92.919P | Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with malunion |
| S92.919S | Unspecified fracture of unspecified toe(s), sequela |
| S93.01XD | Subluxation of right ankle joint, subsequent encounter |
| S93.01XS | Subluxation of right ankle joint, sequela |
| S93.02XD | Subluxation of left ankle joint, subsequent encounter |
| S93.02XS | Subluxation of left ankle joint, sequela |
| S93.03XD | Subluxation of unspecified ankle joint, subsequent encounter |
| S93.03XS | Subluxation of unspecified ankle joint, sequela |
| S93.04XD | Dislocation of right ankle joint, subsequent encounter |
| S93.04XS | Dislocation of right ankle joint, sequela |
| S93.05XD | Dislocation of left ankle joint, subsequent encounter |
| S93.05XS | Dislocation of left ankle joint, sequela |
| S93.06XD | Dislocation of unspecified ankle joint, subsequent encounter |
| S93.06XS | Dislocation of unspecified ankle joint, sequela |
| S93.101D | Unspecified subluxation of right toe(s), subsequent encounter |
| S93.101S | Unspecified subluxation of right toe(s), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S93.102D | Unspecified subluxation of left toe(s), subsequent encounter |
| S93.102S | Unspecified subluxation of left toe(s), sequela |
| S93.103D | Unspecified subluxation of unspecified toe(s), subsequent encounter |
| S93.103S | Unspecified subluxation of unspecified toe(s), sequela |
| S93.104D | Unspecified dislocation of right toe(s), subsequent encounter |
| S93.104S | Unspecified dislocation of right toe(s), sequela |
| S93.105D | Unspecified dislocation of left toe(s), subsequent encounter |
| S93.105S | Unspecified dislocation of left toe(s), sequela |
| S93.106D | Unspecified dislocation of unspecified toe(s), subsequent encounter |
| S93.106S | Unspecified dislocation of unspecified toe(s), sequela |
| S93.111D | Dislocation of interphalangeal joint of right great toe, subsequent encounter |
| S93.111S | Dislocation of interphalangeal joint of right great toe, sequela |
| S93.112D | Dislocation of interphalangeal joint of left great toe, subsequent encounter |
| S93.112S | Dislocation of interphalangeal joint of left great toe, sequela |
| S93.113D | Dislocation of interphalangeal joint of unspecified great toe, subsequent encounter |
| S93.113S | Dislocation of interphalangeal joint of unspecified great toe, sequela |
| S93.114D | Dislocation of interphalangeal joint of right lesser toe(s), subsequent encounter |
| S93.114S | Dislocation of interphalangeal joint of right lesser toe(s), sequela |
| S93.115D | Dislocation of interphalangeal joint of left lesser toe(s), subsequent encounter |
| S93.115S | Dislocation of interphalangeal joint of left lesser toe(s), sequela |
| S93.116D | Dislocation of interphalangeal joint of unspecified lesser toe(s), subsequent encounter |
| S93.116S | Dislocation of interphalangeal joint of unspecified lesser toe(s), sequela |
| S93.119D | Dislocation of interphalangeal joint of unspecified toe(s), subsequent encounter |
| S93.119S | Dislocation of interphalangeal joint of unspecified toe(s), sequela |
| S93.121D | Dislocation of metatarsophalangeal joint of right great toe, subsequent encounter |
| S93.121S | Dislocation of metatarsophalangeal joint of right great toe, sequela |
| S93.122D | Dislocation of metatarsophalangeal joint of left great toe, subsequent encounter |
| S93.122S | Dislocation of metatarsophalangeal joint of left great toe, sequela |
| S93.123D | Dislocation of metatarsophalangeal joint of unspecified great toe, subsequent encounter |
| S93.123S | Dislocation of metatarsophalangeal joint of unspecified great toe, sequela |
| S93.124D | Dislocation of metatarsophalangeal joint of right lesser toe(s), subsequent encounter |
| S93.124S | Dislocation of metatarsophalangeal joint of right lesser toe(s), sequela |
| S93.125D | Dislocation of metatarsophalangeal joint of left lesser toe(s), subsequent encounter |
| S93.125S | Dislocation of metatarsophalangeal joint of left lesser toe(s), sequela |
| S93.126D | Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), subsequent encounter |
| S93.126S | Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), sequela |
| S93.129D | Dislocation of metatarsophalangeal joint of unspecified toe(s), subsequent encounter |
| S93.129S | Dislocation of metatarsophalangeal joint of unspecified toe(s), sequela |
| S93.131D | Subluxation of interphalangeal joint of right great toe, subsequent encounter |
| S93.131S | Subluxation of interphalangeal joint of right great toe, sequela |
| S93.132D | Subluxation of interphalangeal joint of left great toe, subsequent encounter |
| S93.132S | Subluxation of interphalangeal joint of left great toe, sequela |
| S93.133D | Subluxation of interphalangeal joint of unspecified great toe, subsequent encounter |
| S93.133S | Subluxation of interphalangeal joint of unspecified great toe, sequela |
| S93.134D | Subluxation of interphalangeal joint of right lesser toe(s), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S93.134S | Subluxation of interphalangeal joint of right lesser toe(s), sequela |
| S93.135D | Subluxation of interphalangeal joint of left lesser toe(s), subsequent encounter |
| S93.135S | Subluxation of interphalangeal joint of left lesser toe(s), sequela |
| S93.136D | Subluxation of interphalangeal joint of unspecified lesser toe(s), subsequent encounter |
| S93.136S | Subluxation of interphalangeal joint of unspecified lesser toe(s), sequela |
| S93.139D | Subluxation of interphalangeal joint of unspecified toe(s), subsequent encounter |
| S93.139S | Subluxation of interphalangeal joint of unspecified toe(s), sequela |
| S93.141D | Subluxation of metatarsophalangeal joint of right great toe, subsequent encounter |
| S93.141S | Subluxation of metatarsophalangeal joint of right great toe, sequela |
| S93.142D | Subluxation of metatarsophalangeal joint of left great toe, subsequent encounter |
| S93.142S | Subluxation of metatarsophalangeal joint of left great toe, sequela |
| S93.143D | Subluxation of metatarsophalangeal joint of unspecified great toe, subsequent encounter |
| S93.143S | Subluxation of metatarsophalangeal joint of unspecified great toe, sequela |
| S93.144D | Subluxation of metatarsophalangeal joint of right lesser toe(s), subsequent encounter |
| S93.144S | Subluxation of metatarsophalangeal joint of right lesser toe(s), sequela |
| S93.145D | Subluxation of metatarsophalangeal joint of left lesser toe(s), subsequent encounter |
| S93.145S | Subluxation of metatarsophalangeal joint of left lesser toe(s), sequela |
| S93.146D | Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), subsequent encounter |
| S93.146S | Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), sequela |
| S93.149D | Subluxation of metatarsophalangeal joint of unspecified toe(s), subsequent encounter |
| S93.149S | Subluxation of metatarsophalangeal joint of unspecified toe(s), sequela |
| S93.301D | Unspecified subluxation of right foot, subsequent encounter |
| S93.301S | Unspecified subluxation of right foot, sequela |
| S93.302D | Unspecified subluxation of left foot, subsequent encounter |
| S93.302S | Unspecified subluxation of left foot, sequela |
| S93.303D | Unspecified subluxation of unspecified foot, subsequent encounter |
| S93.303S | Unspecified subluxation of unspecified foot, sequela |
| S93.304D | Unspecified dislocation of right foot, subsequent encounter |
| S93.304S | Unspecified dislocation of right foot, sequela |
| S93.305D | Unspecified dislocation of left foot, subsequent encounter |
| S93.305S | Unspecified dislocation of left foot, sequela |
| S93.306D | Unspecified dislocation of unspecified foot, subsequent encounter |
| S93.306S | Unspecified dislocation of unspecified foot, sequela |
| S93.311D | Subluxation of tarsal joint of right foot, subsequent encounter |
| S93.311S | Subluxation of tarsal joint of right foot, sequela |
| S93.312D | Subluxation of tarsal joint of left foot, subsequent encounter |
| S93.312S | Subluxation of tarsal joint of left foot, sequela |
| S93.313D | Subluxation of tarsal joint of unspecified foot, subsequent encounter |
| S93.313S | Subluxation of tarsal joint of unspecified foot, sequela |
| S93.314D | Dislocation of tarsal joint of right foot, subsequent encounter |
| S93.314S | Dislocation of tarsal joint of right foot, sequela |
| S93.315D | Dislocation of tarsal joint of left foot, subsequent encounter |
| S93.315S | Dislocation of tarsal joint of left foot, sequela |
| S93.316D | Dislocation of tarsal joint of unspecified foot, subsequent encounter |
| S93.316S | Dislocation of tarsal joint of unspecified foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S93.321D | Subluxation of tarsometatarsal joint of right foot, subsequent encounter |
| S93.321S | Subluxation of tarsometatarsal joint of right foot, sequela |
| S93.322D | Subluxation of tarsometatarsal joint of left foot, subsequent encounter |
| S93.322S | Subluxation of tarsometatarsal joint of left foot, sequela |
| S93.323D | Subluxation of tarsometatarsal joint of unspecified foot, subsequent encounter |
| S93.323S | Subluxation of tarsometatarsal joint of unspecified foot, sequela |
| S93.324D | Dislocation of tarsometatarsal joint of right foot, subsequent encounter |
| S93.324S | Dislocation of tarsometatarsal joint of right foot, sequela |
| S93.325D | Dislocation of tarsometatarsal joint of left foot, subsequent encounter |
| S93.325S | Dislocation of tarsometatarsal joint of left foot, sequela |
| S93.326D | Dislocation of tarsometatarsal joint of unspecified foot, subsequent encounter |
| S93.326S | Dislocation of tarsometatarsal joint of unspecified foot, sequela |
| S93.331D | Other subluxation of right foot, subsequent encounter |
| S93.331S | Other subluxation of right foot, sequela |
| S93.332D | Other subluxation of left foot, subsequent encounter |
| S93.332S | Other subluxation of left foot, sequela |
| S93.333D | Other subluxation of unspecified foot, subsequent encounter |
| S93.333S | Other subluxation of unspecified foot, sequela |
| S93.334D | Other dislocation of right foot, subsequent encounter |
| S93.334S | Other dislocation of right foot, sequela |
| S93.335D | Other dislocation of left foot, subsequent encounter |
| S93.335S | Other dislocation of left foot, sequela |
| S93.336D | Other dislocation of unspecified foot, subsequent encounter |
| S93.336S | Other dislocation of unspecified foot, sequela |
| S93.401D | Sprain of unspecified ligament of right ankle, subsequent encounter |
| S93.401S | Sprain of unspecified ligament of right ankle, sequela |
| S93.402D | Sprain of unspecified ligament of left ankle, subsequent encounter |
| S93.402S | Sprain of unspecified ligament of left ankle, sequela |
| S93.409D | Sprain of unspecified ligament of unspecified ankle, subsequent encounter |
| S93.409S | Sprain of unspecified ligament of unspecified ankle, sequela |
| S93.411D | Sprain of calcaneofibular ligament of right ankle, subsequent encounter |
| S93.411S | Sprain of calcaneofibular ligament of right ankle, sequela |
| S93.412D | Sprain of calcaneofibular ligament of left ankle, subsequent encounter |
| S93.412S | Sprain of calcaneofibular ligament of left ankle, sequela |
| S93.419D | Sprain of calcaneofibular ligament of unspecified ankle, subsequent encounter |
| S93.419S | Sprain of calcaneofibular ligament of unspecified ankle, sequela |
| S93.421D | Sprain of deltoid ligament of right ankle, subsequent encounter |
| S93.421S | Sprain of deltoid ligament of right ankle, sequela |
| S93.422D | Sprain of deltoid ligament of left ankle, subsequent encounter |
| S93.422S | Sprain of deltoid ligament of left ankle, sequela |
| S93.429D | Sprain of deltoid ligament of unspecified ankle, subsequent encounter |
| S93.429S | Sprain of deltoid ligament of unspecified ankle, sequela |
| S93.431D | Sprain of tibiofibular ligament of right ankle, subsequent encounter |
| S93.431S | Sprain of tibiofibular ligament of right ankle, sequela |
| S93.432D | Sprain of tibiofibular ligament of left ankle, subsequent encounter |
| S93.432S | Sprain of tibiofibular ligament of left ankle, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S93.439D | Sprain of tibiofibular ligament of unspecified ankle, subsequent encounter |
| S93.439S | Sprain of tibiofibular ligament of unspecified ankle, sequela |
| S93.491D | Sprain of other ligament of right ankle, subsequent encounter |
| S93.491S | Sprain of other ligament of right ankle, sequela |
| S93.492D | Sprain of other ligament of left ankle, subsequent encounter |
| S93.492S | Sprain of other ligament of left ankle, sequela |
| S93.499D | Sprain of other ligament of unspecified ankle, subsequent encounter |
| S93.499S | Sprain of other ligament of unspecified ankle, sequela |
| S93.501D | Unspecified sprain of right great toe, subsequent encounter |
| S93.501S | Unspecified sprain of right great toe, sequela |
| S93.502D | Unspecified sprain of left great toe, subsequent encounter |
| S93.502S | Unspecified sprain of left great toe, sequela |
| S93.503D | Unspecified sprain of unspecified great toe, subsequent encounter |
| S93.503S | Unspecified sprain of unspecified great toe, sequela |
| S93.504D | Unspecified sprain of right lesser toe(s), subsequent encounter |
| S93.504S | Unspecified sprain of right lesser toe(s), sequela |
| S93.505D | Unspecified sprain of left lesser toe(s), subsequent encounter |
| S93.505S | Unspecified sprain of left lesser toe(s), sequela |
| S93.506D | Unspecified sprain of unspecified lesser toe(s), subsequent encounter |
| S93.506S | Unspecified sprain of unspecified lesser toe(s), sequela |
| S93.509D | Unspecified sprain of unspecified toe(s), subsequent encounter |
| S93.509S | Unspecified sprain of unspecified toe(s), sequela |
| S93.511D | Sprain of interphalangeal joint of right great toe, subsequent encounter |
| S93.511S | Sprain of interphalangeal joint of right great toe, sequela |
| S93.512D | Sprain of interphalangeal joint of left great toe, subsequent encounter |
| S93.512S | Sprain of interphalangeal joint of left great toe, sequela |
| S93.513D | Sprain of interphalangeal joint of unspecified great toe, subsequent encounter |
| S93.513S | Sprain of interphalangeal joint of unspecified great toe, sequela |
| S93.514D | Sprain of interphalangeal joint of right lesser toe(s), subsequent encounter |
| S93.514S | Sprain of interphalangeal joint of right lesser toe(s), sequela |
| S93.515D | Sprain of interphalangeal joint of left lesser toe(s), subsequent encounter |
| S93.515S | Sprain of interphalangeal joint of left lesser toe(s), sequela |
| S93.516D | Sprain of interphalangeal joint of unspecified lesser toe(s), subsequent encounter |
| S93.516S | Sprain of interphalangeal joint of unspecified lesser toe(s), sequela |
| S93.519D | Sprain of interphalangeal joint of unspecified toe(s), subsequent encounter |
| S93.519S | Sprain of interphalangeal joint of unspecified toe(s), sequela |
| S93.521D | Sprain of metatarsophalangeal joint of right great toe, subsequent encounter |
| S93.521S | Sprain of metatarsophalangeal joint of right great toe, sequela |
| S93.522D | Sprain of metatarsophalangeal joint of left great toe, subsequent encounter |
| S93.522S | Sprain of metatarsophalangeal joint of left great toe, sequela |
| S93.523D | Sprain of metatarsophalangeal joint of unspecified great toe, subsequent encounter |
| S93.523S | Sprain of metatarsophalangeal joint of unspecified great toe, sequela |
| S93.524D | Sprain of metatarsophalangeal joint of right lesser toe(s), subsequent encounter |
| S93.524S | Sprain of metatarsophalangeal joint of right lesser toe(s), sequela |
| S93.525D | Sprain of metatarsophalangeal joint of left lesser toe(s), subsequent encounter |
| S93.525S | Sprain of metatarsophalangeal joint of left lesser toe(s), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S93.526D | Sprain of metatarsophalangeal joint of unspecified lesser toe(s), subsequent encounter |
| S93.526S | Sprain of metatarsophalangeal joint of unspecified lesser toe(s), sequela |
| S93.529D | Sprain of metatarsophalangeal joint of unspecified toe(s), subsequent encounter |
| S93.529S | Sprain of metatarsophalangeal joint of unspecified toe(s), sequela |
| S93.601D | Unspecified sprain of right foot, subsequent encounter |
| S93.601S | Unspecified sprain of right foot, sequela |
| S93.602D | Unspecified sprain of left foot, subsequent encounter |
| S93.602S | Unspecified sprain of left foot, sequela |
| S93.609D | Unspecified sprain of unspecified foot, subsequent encounter |
| S93.609S | Unspecified sprain of unspecified foot, sequela |
| S93.611D | Sprain of tarsal ligament of right foot, subsequent encounter |
| S93.611S | Sprain of tarsal ligament of right foot, sequela |
| S93.612D | Sprain of tarsal ligament of left foot, subsequent encounter |
| S93.612S | Sprain of tarsal ligament of left foot, sequela |
| S93.619D | Sprain of tarsal ligament of unspecified foot, subsequent encounter |
| S93.619S | Sprain of tarsal ligament of unspecified foot, sequela |
| S93.621D | Sprain of tarsometatarsal ligament of right foot, subsequent encounter |
| S93.621S | Sprain of tarsometatarsal ligament of right foot, sequela |
| S93.622D | Sprain of tarsometatarsal ligament of left foot, subsequent encounter |
| S93.622S | Sprain of tarsometatarsal ligament of left foot, sequela |
| S93.629D | Sprain of tarsometatarsal ligament of unspecified foot, subsequent encounter |
| S93.629S | Sprain of tarsometatarsal ligament of unspecified foot, sequela |
| S93.691D | Other sprain of right foot, subsequent encounter |
| S93.691S | Other sprain of right foot, sequela |
| S93.692D | Other sprain of left foot, subsequent encounter |
| S93.692S | Other sprain of left foot, sequela |
| S93.699D | Other sprain of unspecified foot, subsequent encounter |
| S93.699S | Other sprain of unspecified foot, sequela |
| S94.00XD | Injury of lateral plantar nerve, unspecified leg, subsequent encounter |
| S94.00XS | Injury of lateral plantar nerve, unspecified leg, sequela |
| S94.01XD | Injury of lateral plantar nerve, right leg, subsequent encounter |
| S94.01XS | Injury of lateral plantar nerve, right leg, sequela |
| S94.02XD | Injury of lateral plantar nerve, left leg, subsequent encounter |
| S94.02XS | Injury of lateral plantar nerve, left leg, sequela |
| S94.10XD | Injury of medial plantar nerve, unspecified leg, subsequent encounter |
| S94.10XS | Injury of medial plantar nerve, unspecified leg, sequela |
| S94.11XD | Injury of medial plantar nerve, right leg, subsequent encounter |
| S94.11XS | Injury of medial plantar nerve, right leg, sequela |
| S94.12XD | Injury of medial plantar nerve, left leg, subsequent encounter |
| S94.12XS | Injury of medial plantar nerve, left leg, sequela |
| S94.20XD | Injury of deep peroneal nerve at ankle and foot level, unspecified leg, subsequent encounter |
| S94.20XS | Injury of deep peroneal nerve at ankle and foot level, unspecified leg, sequela |
| S94.21XD | Injury of deep peroneal nerve at ankle and foot level, right leg, subsequent encounter |
| S94.21XS | Injury of deep peroneal nerve at ankle and foot level, right leg, sequela |
| S94.22XD | Injury of deep peroneal nerve at ankle and foot level, left leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S94.22XS | Injury of deep peroneal nerve at ankle and foot level, left leg, sequela |
| S94.30XD | Injury of cutaneous sensory nerve at ankle and foot level, unspecified leg, subsequent encounter |
| S94.30XS | Injury of cutaneous sensory nerve at ankle and foot level, unspecified leg, sequela |
| S94.31XD | Injury of cutaneous sensory nerve at ankle and foot level, right leg, subsequent encounter |
| S94.31XS | Injury of cutaneous sensory nerve at ankle and foot level, right leg, sequela |
| S94.32XD | Injury of cutaneous sensory nerve at ankle and foot level, left leg, subsequent encounter |
| S94.32XS | Injury of cutaneous sensory nerve at ankle and foot level, left leg, sequela |
| S94.8X1D | Injury of other nerves at ankle and foot level, right leg, subsequent encounter |
| S94.8X1S | Injury of other nerves at ankle and foot level, right leg, sequela |
| S94.8X2D | Injury of other nerves at ankle and foot level, left leg, subsequent encounter |
| S94.8X2S | Injury of other nerves at ankle and foot level, left leg, sequela |
| S94.8X9D | Injury of other nerves at ankle and foot level, unspecified leg, subsequent encounter |
| S94.8X9S | Injury of other nerves at ankle and foot level, unspecified leg, sequela |
| S94.90XD | Injury of unspecified nerve at ankle and foot level, unspecified leg, subsequent encounter |
| S94.90XS | Injury of unspecified nerve at ankle and foot level, unspecified leg, sequela |
| S94.91XD | Injury of unspecified nerve at ankle and foot level, right leg, subsequent encounter |
| S94.91XS | Injury of unspecified nerve at ankle and foot level, right leg, sequela |
| S94.92XD | Injury of unspecified nerve at ankle and foot level, left leg, subsequent encounter |
| S94.92XS | Injury of unspecified nerve at ankle and foot level, left leg, sequela |
| S95.001D | Unspecified injury of dorsal artery of right foot, subsequent encounter |
| S95.001S | Unspecified injury of dorsal artery of right foot, sequela |
| S95.002D | Unspecified injury of dorsal artery of left foot, subsequent encounter |
| S95.002S | Unspecified injury of dorsal artery of left foot, sequela |
| S95.009D | Unspecified injury of dorsal artery of unspecified foot, subsequent encounter |
| S95.009S | Unspecified injury of dorsal artery of unspecified foot, sequela |
| S95.011D | Laceration of dorsal artery of right foot, subsequent encounter |
| S95.011S | Laceration of dorsal artery of right foot, sequela |
| S95.012D | Laceration of dorsal artery of left foot, subsequent encounter |
| S95.012S | Laceration of dorsal artery of left foot, sequela |
| S95.019D | Laceration of dorsal artery of unspecified foot, subsequent encounter |
| S95.019S | Laceration of dorsal artery of unspecified foot, sequela |
| S95.091D | Other specified injury of dorsal artery of right foot, subsequent encounter |
| S95.091S | Other specified injury of dorsal artery of right foot, sequela |
| S95.092D | Other specified injury of dorsal artery of left foot, subsequent encounter |
| S95.092S | Other specified injury of dorsal artery of left foot, sequela |
| S95.099D | Other specified injury of dorsal artery of unspecified foot, subsequent encounter |
| S95.099S | Other specified injury of dorsal artery of unspecified foot, sequela |
| S95.101D | Unspecified injury of plantar artery of right foot, subsequent encounter |
| S95.101S | Unspecified injury of plantar artery of right foot, sequela |
| S95.102D | Unspecified injury of plantar artery of left foot, subsequent encounter |
| S95.102S | Unspecified injury of plantar artery of left foot, sequela |
| S95.109D | Unspecified injury of plantar artery of unspecified foot, subsequent encounter |
| S95.109S | Unspecified injury of plantar artery of unspecified foot, sequela |
| S95.111D | Laceration of plantar artery of right foot, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S95.111S | Laceration of plantar artery of right foot, sequela |
| S95.112D | Laceration of plantar artery of left foot, subsequent encounter |
| S95.112S | Laceration of plantar artery of left foot, sequela |
| S95.119D | Laceration of plantar artery of unspecified foot, subsequent encounter |
| S95.119S | Laceration of plantar artery of unspecified foot, sequela |
| S95.191D | Other specified injury of plantar artery of right foot, subsequent encounter |
| S95.191S | Other specified injury of plantar artery of right foot, sequela |
| S95.192D | Other specified injury of plantar artery of left foot, subsequent encounter |
| S95.192S | Other specified injury of plantar artery of left foot, sequela |
| S95.199D | Other specified injury of plantar artery of unspecified foot, subsequent encounter |
| S95.199S | Other specified injury of plantar artery of unspecified foot, sequela |
| S95.201D | Unspecified injury of dorsal vein of right foot, subsequent encounter |
| S95.201S | Unspecified injury of dorsal vein of right foot, sequela |
| S95.202D | Unspecified injury of dorsal vein of left foot, subsequent encounter |
| S95.202S | Unspecified injury of dorsal vein of left foot, sequela |
| S95.209D | Unspecified injury of dorsal vein of unspecified foot, subsequent encounter |
| S95.209S | Unspecified injury of dorsal vein of unspecified foot, sequela |
| S95.211D | Laceration of dorsal vein of right foot, subsequent encounter |
| S95.211S | Laceration of dorsal vein of right foot, sequela |
| S95.212D | Laceration of dorsal vein of left foot, subsequent encounter |
| S95.212S | Laceration of dorsal vein of left foot, sequela |
| S95.219D | Laceration of dorsal vein of unspecified foot, subsequent encounter |
| S95.219S | Laceration of dorsal vein of unspecified foot, sequela |
| S95.291D | Other specified injury of dorsal vein of right foot, subsequent encounter |
| S95.291S | Other specified injury of dorsal vein of right foot, sequela |
| S95.292D | Other specified injury of dorsal vein of left foot, subsequent encounter |
| S95.292S | Other specified injury of dorsal vein of left foot, sequela |
| S95.299D | Other specified injury of dorsal vein of unspecified foot, subsequent encounter |
| S95.299S | Other specified injury of dorsal vein of unspecified foot, sequela |
| S95.801D | Unspecified injury of other blood vessels at ankle and foot level, right leg, subsequent encounter |
| S95.801S | Unspecified injury of other blood vessels at ankle and foot level, right leg, sequela |
| S95.802D | Unspecified injury of other blood vessels at ankle and foot level, left leg, subsequent encounter |
| S95.802S | Unspecified injury of other blood vessels at ankle and foot level, left leg, sequela |
| S95.809D | Unspecified injury of other blood vessels at ankle and foot level, unspecified leg, subsequent encounter |
| S95.809S | Unspecified injury of other blood vessels at ankle and foot level, unspecified leg, sequela |
| S95.811D | Laceration of other blood vessels at ankle and foot level, right leg, subsequent encounter |
| S95.811S | Laceration of other blood vessels at ankle and foot level, right leg, sequela |
| S95.812D | Laceration of other blood vessels at ankle and foot level, left leg, subsequent encounter |
| S95.812S | Laceration of other blood vessels at ankle and foot level, left leg, sequela |
| S95.819D | Laceration of other blood vessels at ankle and foot level, unspecified leg, subsequent encounter |
| S95.819S | Laceration of other blood vessels at ankle and foot level, unspecified leg, sequela |
| S95.891D | Other specified injury of other blood vessels at ankle and foot level, right leg, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S95.891S | Other specified injury of other blood vessels at ankle and foot level, right leg, sequela |
| S95.892D | Other specified injury of other blood vessels at ankle and foot level, left leg, subsequent encounter |
| S95.892S | Other specified injury of other blood vessels at ankle and foot level, left leg, sequela |
| S95.899D | Other specified injury of other blood vessels at ankle and foot level, unspecified leg, subsequent encounter |
| S95.899S | Other specified injury of other blood vessels at ankle and foot level, unspecified leg, sequela |
| S95.901D | Unspecified injury of unspecified blood vessel at ankle and foot level, right leg, subsequent encounter |
| S95.901S | Unspecified injury of unspecified blood vessel at ankle and foot level, right leg, sequela |
| S95.902D | Unspecified injury of unspecified blood vessel at ankle and foot level, left leg, subsequent encounter |
| S95.902S | Unspecified injury of unspecified blood vessel at ankle and foot level, left leg, sequela |
| S95.909D | Unspecified injury of unspecified blood vessel at ankle and foot level, unspecified leg, subsequent encounter |
| S95.909S | Unspecified injury of unspecified blood vessel at ankle and foot level, unspecified leg, sequela |
| S95.911D | Laceration of unspecified blood vessel at ankle and foot level, right leg, subsequent encounter |
| S95.911S | Laceration of unspecified blood vessel at ankle and foot level, right leg, sequela |
| S95.912D | Laceration of unspecified blood vessel at ankle and foot level, left leg, subsequent encounter |
| S95.912S | Laceration of unspecified blood vessel at ankle and foot level, left leg, sequela |
| S95.919D | Laceration of unspecified blood vessel at ankle and foot level, unspecified leg, subsequent encounter |
| S95.919S | Laceration of unspecified blood vessel at ankle and foot level, unspecified leg, sequela |
| S95.991D | Other specified injury of unspecified blood vessel at ankle and foot level, right leg, subsequent encounter |
| S95.991S | Other specified injury of unspecified blood vessel at ankle and foot level, right leg, sequela |
| S95.992D | Other specified injury of unspecified blood vessel at ankle and foot level, left leg, subsequent encounter |
| S95.992S | Other specified injury of unspecified blood vessel at ankle and foot level, left leg, sequela |
| S95.999D | Other specified injury of unspecified blood vessel at ankle and foot level, unspecified leg, subsequent encounter |
| S95.999S | Other specified injury of unspecified blood vessel at ankle and foot level, unspecified leg, sequela |
| S96.001D | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, subsequent encounter |
| S96.001S | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela |
| S96.002D | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, subsequent encounter |
| S96.002S | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela |
| S96.009D | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S96.009S | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.011D | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, subsequent encounter |
| S96.011S | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela |
| S96.012D | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, subsequent encounter |
| S96.012S | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela |
| S96.019D | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter |
| S96.019S | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.021D | Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, subsequent encounter |
| S96.021S | Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela |
| S96.022D | Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, subsequent encounter |
| S96.022S | Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela |
| S96.029D | Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter |
| S96.029S | Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.091D | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, subsequent encounter |
| S96.091S | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela |
| S96.092D | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, subsequent encounter |
| S96.092S | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela |
| S96.099D | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter |
| S96.099S | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.101D | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, subsequent encounter |
| S96.101S | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela |
| S96.102D | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, subsequent encounter |
| S96.102S | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela |
| S96.109D | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S96.109S | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.111D | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, subsequent encounter |
| S96.111S | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela |
| S96.112D | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, subsequent encounter |
| S96.112S | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela |
| S96.119D | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter |
| S96.119S | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.121D | Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, subsequent encounter |
| S96.121S | Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela |
| S96.122D | Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, subsequent encounter |
| S96.122S | Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela |
| S96.129D | Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter |
| S96.129S | Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.191D | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, subsequent encounter |
| S96.191S | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela |
| S96.192D | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, subsequent encounter |
| S96.192S | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela |
| S96.199D | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter |
| S96.199S | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.201D | Unspecified injury of intrinsic muscle and tendon at ankle and foot level, right foot, subsequent encounter |
| S96.201S | Unspecified injury of intrinsic muscle and tendon at ankle and foot level, right foot, sequela |
| S96.202D | Unspecified injury of intrinsic muscle and tendon at ankle and foot level, left foot, subsequent encounter |
| S96.202S | Unspecified injury of intrinsic muscle and tendon at ankle and foot level, left foot, sequela |
| S96.209D | Unspecified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter |
| S96.209S | Unspecified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S96.211D | Strain of intrinsic muscle and tendon at ankle and foot level, right foot, subsequent encounter |
| S96.211S | Strain of intrinsic muscle and tendon at ankle and foot level, right foot, sequela |
| S96.212D | Strain of intrinsic muscle and tendon at ankle and foot level, left foot, subsequent encounter |
| S96.212S | Strain of intrinsic muscle and tendon at ankle and foot level, left foot, sequela |
| S96.219D | Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter |
| S96.219S | Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela |
| S96.221D | Laceration of intrinsic muscle and tendon at ankle and foot level, right foot, subsequent encounter |
| S96.221S | Laceration of intrinsic muscle and tendon at ankle and foot level, right foot, sequela |
| S96.222D | Laceration of intrinsic muscle and tendon at ankle and foot level, left foot, subsequent encounter |
| S96.222S | Laceration of intrinsic muscle and tendon at ankle and foot level, left foot, sequela |
| S96.229D | Laceration of intrinsic muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter |
| S96.229S | Laceration of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela |
| S96.291D | Other specified injury of intrinsic muscle and tendon at ankle and foot level, right foot, subsequent encounter |
| S96.291S | Other specified injury of intrinsic muscle and tendon at ankle and foot level, right foot, sequela |
| S96.292D | Other specified injury of intrinsic muscle and tendon at ankle and foot level, left foot, subsequent encounter |
| S96.292S | Other specified injury of intrinsic muscle and tendon at ankle and foot level, left foot, sequela |
| S96.299D | Other specified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter |
| S96.299S | Other specified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela |
| S96.801D | Unspecified injury of other specified muscles and tendons at ankle and foot level, right foot, subsequent encounter |
| S96.801S | Unspecified injury of other specified muscles and tendons at ankle and foot level, right foot, sequela |
| S96.802D | Unspecified injury of other specified muscles and tendons at ankle and foot level, left foot, subsequent encounter |
| S96.802S | Unspecified injury of other specified muscles and tendons at ankle and foot level, left foot, sequela |
| S96.809D | Unspecified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, subsequent encounter |
| S96.809S | Unspecified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela |
| S96.811D | Strain of other specified muscles and tendons at ankle and foot level, right foot, subsequent encounter |
| S96.811S | Strain of other specified muscles and tendons at ankle and foot level, right foot, sequela |
| S96.812D | Strain of other specified muscles and tendons at ankle and foot level, left foot, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S96.812S | Strain of other specified muscles and tendons at ankle and foot level, left foot, sequela |
| S96.819D | Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, subsequent encounter |
| S96.819S | Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela |
| S96.821D | Laceration of other specified muscles and tendons at ankle and foot level, right foot, subsequent encounter |
| S96.821S | Laceration of other specified muscles and tendons at ankle and foot level, right foot, sequela |
| S96.822D | Laceration of other specified muscles and tendons at ankle and foot level, left foot, subsequent encounter |
| S96.822S | Laceration of other specified muscles and tendons at ankle and foot level, left foot, sequela |
| S96.829D | Laceration of other specified muscles and tendons at ankle and foot level, unspecified foot, subsequent encounter |
| S96.829S | Laceration of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela |
| S96.891D | Other specified injury of other specified muscles and tendons at ankle and foot level, right foot, subsequent encounter |
| S96.891S | Other specified injury of other specified muscles and tendons at ankle and foot level, right foot, sequela |
| S96.892D | Other specified injury of other specified muscles and tendons at ankle and foot level, left foot, subsequent encounter |
| S96.892S | Other specified injury of other specified muscles and tendons at ankle and foot level, left foot, sequela |
| S96.899D | Other specified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, subsequent encounter |
| S96.899S | Other specified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela |
| S96.901D | Unspecified injury of unspecified muscle and tendon at ankle and foot level, right foot, subsequent encounter |
| S96.901S | Unspecified injury of unspecified muscle and tendon at ankle and foot level, right foot, sequela |
| S96.902D | Unspecified injury of unspecified muscle and tendon at ankle and foot level, left foot, subsequent encounter |
| S96.902S | Unspecified injury of unspecified muscle and tendon at ankle and foot level, left foot, sequela |
| S96.909D | Unspecified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter |
| S96.909S | Unspecified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela |
| S96.911D | Strain of unspecified muscle and tendon at ankle and foot level, right foot, subsequent encounter |
| S96.911S | Strain of unspecified muscle and tendon at ankle and foot level, right foot, sequela |
| S96.912D | Strain of unspecified muscle and tendon at ankle and foot level, left foot, subsequent encounter |
| S96.912S | Strain of unspecified muscle and tendon at ankle and foot level, left foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S96.919D | Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter |
| S96.919S | Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela |
| S96.921D | Laceration of unspecified muscle and tendon at ankle and foot level, right foot, subsequent encounter |
| S96.921S | Laceration of unspecified muscle and tendon at ankle and foot level, right foot, sequela |
| S96.922D | Laceration of unspecified muscle and tendon at ankle and foot level, left foot, subsequent encounter |
| S96.922S | Laceration of unspecified muscle and tendon at ankle and foot level, left foot, sequela |
| S96.929D | Laceration of unspecified muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter |
| S96.929S | Laceration of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela |
| S96.991D | Other specified injury of unspecified muscle and tendon at ankle and foot level, right foot, subsequent encounter |
| S96.991S | Other specified injury of unspecified muscle and tendon at ankle and foot level, right foot, sequela |
| S96.992D | Other specified injury of unspecified muscle and tendon at ankle and foot level, left foot, subsequent encounter |
| S96.992S | Other specified injury of unspecified muscle and tendon at ankle and foot level, left foot, sequela |
| S96.999D | Other specified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter |
| S96.999S | Other specified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela |
| S97.00XD | Crushing injury of unspecified ankle, subsequent encounter |
| S97.00XS | Crushing injury of unspecified ankle, sequela |
| S97.01XD | Crushing injury of right ankle, subsequent encounter |
| S97.01XS | Crushing injury of right ankle, sequela |
| S97.02XD | Crushing injury of left ankle, subsequent encounter |
| S97.02XS | Crushing injury of left ankle, sequela |
| S97.101D | Crushing injury of unspecified right toe(s), subsequent encounter |
| S97.101S | Crushing injury of unspecified right toe(s), sequela |
| S97.102D | Crushing injury of unspecified left toe(s), subsequent encounter |
| S97.102S | Crushing injury of unspecified left toe(s), sequela |
| S97.109D | Crushing injury of unspecified toe(s), subsequent encounter |
| S97.109S | Crushing injury of unspecified toe(s), sequela |
| S97.111D | Crushing injury of right great toe, subsequent encounter |
| S97.111S | Crushing injury of right great toe, sequela |
| S97.112D | Crushing injury of left great toe, subsequent encounter |
| S97.112S | Crushing injury of left great toe, sequela |
| S97.119D | Crushing injury of unspecified great toe, subsequent encounter |
| S97.119S | Crushing injury of unspecified great toe, sequela |
| S97.121D | Crushing injury of right lesser toe(s), subsequent encounter |
| S97.121S | Crushing injury of right lesser toe(s), sequela |
| S97.122D | Crushing injury of left lesser toe(s), subsequent encounter |
| S97.122S | Crushing injury of left lesser toe(s), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S97.129D | Crushing injury of unspecified lesser toe(s), subsequent encounter |
| S97.129S | Crushing injury of unspecified lesser toe(s), sequela |
| S97.80XD | Crushing injury of unspecified foot, subsequent encounter |
| S97.80XS | Crushing injury of unspecified foot, sequela |
| S97.81XD | Crushing injury of right foot, subsequent encounter |
| S97.81XS | Crushing injury of right foot, sequela |
| S97.82XD | Crushing injury of left foot, subsequent encounter |
| S97.82XS | Crushing injury of left foot, sequela |
| S98.011D | Complete traumatic amputation of right foot at ankle level, subsequent encounter |
| S98.011S | Complete traumatic amputation of right foot at ankle level, sequela |
| S98.012D | Complete traumatic amputation of left foot at ankle level, subsequent encounter |
| S98.012S | Complete traumatic amputation of left foot at ankle level, sequela |
| S98.019D | Complete traumatic amputation of unspecified foot at ankle level, subsequent encounter |
| S98.019S | Complete traumatic amputation of unspecified foot at ankle level, sequela |
| S98.021D | Partial traumatic amputation of right foot at ankle level, subsequent encounter |
| S98.021S | Partial traumatic amputation of right foot at ankle level, sequela |
| S98.022D | Partial traumatic amputation of left foot at ankle level, subsequent encounter |
| S98.022S | Partial traumatic amputation of left foot at ankle level, sequela |
| S98.029D | Partial traumatic amputation of unspecified foot at ankle level, subsequent encounter |
| S98.029S | Partial traumatic amputation of unspecified foot at ankle level, sequela |
| S98.111D | Complete traumatic amputation of right great toe, subsequent encounter |
| S98.111S | Complete traumatic amputation of right great toe, sequela |
| S98.112D | Complete traumatic amputation of left great toe, subsequent encounter |
| S98.112S | Complete traumatic amputation of left great toe, sequela |
| S98.119D | Complete traumatic amputation of unspecified great toe, subsequent encounter |
| S98.119S | Complete traumatic amputation of unspecified great toe, sequela |
| S98.121D | Partial traumatic amputation of right great toe, subsequent encounter |
| S98.121S | Partial traumatic amputation of right great toe, sequela |
| S98.122D | Partial traumatic amputation of left great toe, subsequent encounter |
| S98.122S | Partial traumatic amputation of left great toe, sequela |
| S98.129D | Partial traumatic amputation of unspecified great toe, subsequent encounter |
| S98.129S | Partial traumatic amputation of unspecified great toe, sequela |
| S98.131D | Complete traumatic amputation of one right lesser toe, subsequent encounter |
| S98.131S | Complete traumatic amputation of one right lesser toe, sequela |
| S98.132D | Complete traumatic amputation of one left lesser toe, subsequent encounter |
| S98.132S | Complete traumatic amputation of one left lesser toe, sequela |
| S98.139D | Complete traumatic amputation of one unspecified lesser toe, subsequent encounter |
| S98.139S | Complete traumatic amputation of one unspecified lesser toe, sequela |
| S98.141D | Partial traumatic amputation of one right lesser toe, subsequent encounter |
| S98.141S | Partial traumatic amputation of one right lesser toe, sequela |
| S98.142D | Partial traumatic amputation of one left lesser toe, subsequent encounter |
| S98.142S | Partial traumatic amputation of one left lesser toe, sequela |
| S98.149D | Partial traumatic amputation of one unspecified lesser toe, subsequent encounter |
| S98.149S | Partial traumatic amputation of one unspecified lesser toe, sequela |
| S98.211D | Complete traumatic amputation of two or more right lesser toes, subsequent encounter |
| S98.211S | Complete traumatic amputation of two or more right lesser toes, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| S98.212D | Complete traumatic amputation of two or more left lesser toes, subsequent encounter |
| S98.212S | Complete traumatic amputation of two or more left lesser toes, sequela |
| S98.219D | Complete traumatic amputation of two or more unspecified lesser toes, subsequent encounter |
| S98.219S | Complete traumatic amputation of two or more unspecified lesser toes, sequela |
| S98.221D | Partial traumatic amputation of two or more right lesser toes, subsequent encounter |
| S98.221S | Partial traumatic amputation of two or more right lesser toes, sequela |
| S98.222D | Partial traumatic amputation of two or more left lesser toes, subsequent encounter |
| S98.222S | Partial traumatic amputation of two or more left lesser toes, sequela |
| S98.229D | Partial traumatic amputation of two or more unspecified lesser toes, subsequent encounter |
| S98.229S | Partial traumatic amputation of two or more unspecified lesser toes, sequela |
| S98.311D | Complete traumatic amputation of right midfoot, subsequent encounter |
| S98.311S | Complete traumatic amputation of right midfoot, sequela |
| S98.312D | Complete traumatic amputation of left midfoot, subsequent encounter |
| S98.312S | Complete traumatic amputation of left midfoot, sequela |
| S98.319D | Complete traumatic amputation of unspecified midfoot, subsequent encounter |
| S98.319S | Complete traumatic amputation of unspecified midfoot, sequela |
| S98.321D | Partial traumatic amputation of right midfoot, subsequent encounter |
| S98.321S | Partial traumatic amputation of right midfoot, sequela |
| S98.322D | Partial traumatic amputation of left midfoot, subsequent encounter |
| S98.322S | Partial traumatic amputation of left midfoot, sequela |
| S98.329D | Partial traumatic amputation of unspecified midfoot, subsequent encounter |
| S98.329S | Partial traumatic amputation of unspecified midfoot, sequela |
| S98.911D | Complete traumatic amputation of right foot, level unspecified, subsequent encounter |
| S98.911S | Complete traumatic amputation of right foot, level unspecified, sequela |
| S98.912D | Complete traumatic amputation of left foot, level unspecified, subsequent encounter |
| S98.912S | Complete traumatic amputation of left foot, level unspecified, sequela |
| S98.919D | Complete traumatic amputation of unspecified foot, level unspecified, subsequent encounter |
| S98.919S | Complete traumatic amputation of unspecified foot, level unspecified, sequela |
| S98.921D | Partial traumatic amputation of right foot, level unspecified, subsequent encounter |
| S98.921S | Partial traumatic amputation of right foot, level unspecified, sequela |
| S98.922D | Partial traumatic amputation of left foot, level unspecified, subsequent encounter |
| S98.922S | Partial traumatic amputation of left foot, level unspecified, sequela |
| S98.929D | Partial traumatic amputation of unspecified foot, level unspecified, subsequent encounter |
| S98.929S | Partial traumatic amputation of unspecified foot, level unspecified, sequela |
| S99.811D | Other specified injuries of right ankle, subsequent encounter |
| S99.811S | Other specified injuries of right ankle, sequela |
| S99.812D | Other specified injuries of left ankle, subsequent encounter |
| S99.812S | Other specified injuries of left ankle, sequela |
| S99.819D | Other specified injuries of unspecified ankle, subsequent encounter |
| S99.819S | Other specified injuries of unspecified ankle, sequela |
| S99.821D | Other specified injuries of right foot, subsequent encounter |
| S99.821S | Other specified injuries of right foot, sequela |
| S99.822D | Other specified injuries of left foot, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| S99.822S | Other specified injuries of left foot, sequela |
| S99.829D | Other specified injuries of unspecified foot, subsequent encounter |
| S99.829S | Other specified injuries of unspecified foot, sequela |
| S99.911D | Unspecified injury of right ankle, subsequent encounter |
| S99.911S | Unspecified injury of right ankle, sequela |
| S99.912D | Unspecified injury of left ankle, subsequent encounter |
| S99.912S | Unspecified injury of left ankle, sequela |
| S99.919D | Unspecified injury of unspecified ankle, subsequent encounter |
| S99.919S | Unspecified injury of unspecified ankle, sequela |
| S99.921D | Unspecified injury of right foot, subsequent encounter |
| S99.921S | Unspecified injury of right foot, sequela |
| S99.922D | Unspecified injury of left foot, subsequent encounter |
| S99.922S | Unspecified injury of left foot, sequela |
| S99.929D | Unspecified injury of unspecified foot, subsequent encounter |
| S99.929S | Unspecified injury of unspecified foot, sequela |
| T07 | Unspecified multiple injuries |
| T14.8 | Other injury of unspecified body region |
| T14.90 | Injury, unspecified |
| T14.91 | Suicide attempt |
| T15.00XD | Foreign body in cornea, unspecified eye, subsequent encounter |
| T15.00XS | Foreign body in cornea, unspecified eye, sequela |
| T15.01XD | Foreign body in cornea, right eye, subsequent encounter |
| T15.01XS | Foreign body in cornea, right eye, sequela |
| T15.02XD | Foreign body in cornea, left eye, subsequent encounter |
| T15.02XS | Foreign body in cornea, left eye, sequela |
| T15.10XD | Foreign body in conjunctival sac, unspecified eye, subsequent encounter |
| T15.10XS | Foreign body in conjunctival sac, unspecified eye, sequela |
| T15.11XD | Foreign body in conjunctival sac, right eye, subsequent encounter |
| T15.11XS | Foreign body in conjunctival sac, right eye, sequela |
| T15.12XD | Foreign body in conjunctival sac, left eye, subsequent encounter |
| T15.12XS | Foreign body in conjunctival sac, left eye, sequela |
| T15.80XD | Foreign body in other and multiple parts of external eye, unspecified eye, subsequent encounter |
| T15.80XS | Foreign body in other and multiple parts of external eye, unspecified eye, sequela |
| T15.81XD | Foreign body in other and multiple parts of external eye, right eye, subsequent encounter |
| T15.81XS | Foreign body in other and multiple parts of external eye, right eye, sequela |
| T15.82XD | Foreign body in other and multiple parts of external eye, left eye, subsequent encounter |
| T15.82XS | Foreign body in other and multiple parts of external eye, left eye, sequela |
| T15.90XD | Foreign body on external eye, part unspecified, unspecified eye, subsequent encounter |
| T15.90XS | Foreign body on external eye, part unspecified, unspecified eye, sequela |
| T15.91XD | Foreign body on external eye, part unspecified, right eye, subsequent encounter |
| T15.91XS | Foreign body on external eye, part unspecified, right eye, sequela |
| T15.92XD | Foreign body on external eye, part unspecified, left eye, subsequent encounter |
| T15.92XS | Foreign body on external eye, part unspecified, left eye, sequela |
| T16.1XXD | Foreign body in right ear, subsequent encounter |
| T16.1XXS | Foreign body in right ear, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T16.2XXD | Foreign body in left ear, subsequent encounter |
| T16.2XXS | Foreign body in left ear, sequela |
| T16.9XXD | Foreign body in ear, unspecified ear, subsequent encounter |
| T16.9XXS | Foreign body in ear, unspecified ear, sequela |
| T17.0XXD | Foreign body in nasal sinus, subsequent encounter |
| T17.0XXS | Foreign body in nasal sinus, sequela |
| T17.1XXD | Foreign body in nostril, subsequent encounter |
| T17.1XXS | Foreign body in nostril, sequela |
| T17.200D | Unspecified foreign body in pharynx causing asphyxiation, subsequent encounter |
| T17.200S | Unspecified foreign body in pharynx causing asphyxiation, sequela |
| T17.208D | Unspecified foreign body in pharynx causing other injury, subsequent encounter |
| T17.208S | Unspecified foreign body in pharynx causing other injury, sequela |
| T17.210D | Gastric contents in pharynx causing asphyxiation, subsequent encounter |
| T17.210S | Gastric contents in pharynx causing asphyxiation, sequela |
| T17.218D | Gastric contents in pharynx causing other injury, subsequent encounter |
| T17.218S | Gastric contents in pharynx causing other injury, sequela |
| T17.220D | Food in pharynx causing asphyxiation, subsequent encounter |
| T17.220S | Food in pharynx causing asphyxiation, sequela |
| T17.228D | Food in pharynx causing other injury, subsequent encounter |
| T17.228S | Food in pharynx causing other injury, sequela |
| T17.290D | Other foreign object in pharynx causing asphyxiation, subsequent encounter |
| T17.290S | Other foreign object in pharynx causing asphyxiation, sequela |
| T17.298D | Other foreign object in pharynx causing other injury, subsequent encounter |
| T17.298S | Other foreign object in pharynx causing other injury, sequela |
| T17.300D | Unspecified foreign body in larynx causing asphyxiation, subsequent encounter |
| T17.300S | Unspecified foreign body in larynx causing asphyxiation, sequela |
| T17.308D | Unspecified foreign body in larynx causing other injury, subsequent encounter |
| T17.308S | Unspecified foreign body in larynx causing other injury, sequela |
| T17.310D | Gastric contents in larynx causing asphyxiation, subsequent encounter |
| T17.310S | Gastric contents in larynx causing asphyxiation, sequela |
| T17.318D | Gastric contents in larynx causing other injury, subsequent encounter |
| T17.318S | Gastric contents in larynx causing other injury, sequela |
| T17.320D | Food in larynx causing asphyxiation, subsequent encounter |
| T17.320S | Food in larynx causing asphyxiation, sequela |
| T17.328D | Food in larynx causing other injury, subsequent encounter |
| T17.328S | Food in larynx causing other injury, sequela |
| T17.390D | Other foreign object in larynx causing asphyxiation, subsequent encounter |
| T17.390S | Other foreign object in larynx causing asphyxiation, sequela |
| T17.398D | Other foreign object in larynx causing other injury, subsequent encounter |
| T17.398S | Other foreign object in larynx causing other injury, sequela |
| T17.400D | Unspecified foreign body in trachea causing asphyxiation, subsequent encounter |
| T17.400S | Unspecified foreign body in trachea causing asphyxiation, sequela |
| T17.408D | Unspecified foreign body in trachea causing other injury, subsequent encounter |
| T17.408S | Unspecified foreign body in trachea causing other injury, sequela |
| T17.410D | Gastric contents in trachea causing asphyxiation, subsequent encounter |
| T17.410S | Gastric contents in trachea causing asphyxiation, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T17.418D | Gastric contents in trachea causing other injury, subsequent encounter |
| T17.418S | Gastric contents in trachea causing other injury, sequela |
| T17.420D | Food in trachea causing asphyxiation, subsequent encounter |
| T17.420S | Food in trachea causing asphyxiation, sequela |
| T17.428D | Food in trachea causing other injury, subsequent encounter |
| T17.428S | Food in trachea causing other injury, sequela |
| T17.490D | Other foreign object in trachea causing asphyxiation, subsequent encounter |
| T17.490S | Other foreign object in trachea causing asphyxiation, sequela |
| T17.498D | Other foreign object in trachea causing other injury, subsequent encounter |
| T17.498S | Other foreign object in trachea causing other injury, sequela |
| T17.500D | Unspecified foreign body in bronchus causing asphyxiation, subsequent encounter |
| T17.500S | Unspecified foreign body in bronchus causing asphyxiation, sequela |
| T17.508D | Unspecified foreign body in bronchus causing other injury, subsequent encounter |
| T17.508S | Unspecified foreign body in bronchus causing other injury, sequela |
| T17.510D | Gastric contents in bronchus causing asphyxiation, subsequent encounter |
| T17.510S | Gastric contents in bronchus causing asphyxiation, sequela |
| T17.518D | Gastric contents in bronchus causing other injury, subsequent encounter |
| T17.518S | Gastric contents in bronchus causing other injury, sequela |
| T17.520D | Food in bronchus causing asphyxiation, subsequent encounter |
| T17.520S | Food in bronchus causing asphyxiation, sequela |
| T17.528D | Food in bronchus causing other injury, subsequent encounter |
| T17.528S | Food in bronchus causing other injury, sequela |
| T17.590D | Other foreign object in bronchus causing asphyxiation, subsequent encounter |
| T17.590S | Other foreign object in bronchus causing asphyxiation, sequela |
| T17.598D | Other foreign object in bronchus causing other injury, subsequent encounter |
| T17.598S | Other foreign object in bronchus causing other injury, sequela |
| T17.800D | Unspecified foreign body in other parts of respiratory tract causing asphyxiation, subsequent encounter |
| T17.800S | Unspecified foreign body in other parts of respiratory tract causing asphyxiation, sequela |
| T17.808D | Unspecified foreign body in other parts of respiratory tract causing other injury, subsequent encounter |
| T17.808S | Unspecified foreign body in other parts of respiratory tract causing other injury, sequela |
| T17.810D | Gastric contents in other parts of respiratory tract causing asphyxiation, subsequent encounter |
| T17.810S | Gastric contents in other parts of respiratory tract causing asphyxiation, sequela |
| T17.818D | Gastric contents in other parts of respiratory tract causing other injury, subsequent encounter |
| T17.818S | Gastric contents in other parts of respiratory tract causing other injury, sequela |
| T17.820D | Food in other parts of respiratory tract causing asphyxiation, subsequent encounter |
| T17.820S | Food in other parts of respiratory tract causing asphyxiation, sequela |
| T17.828D | Food in other parts of respiratory tract causing other injury, subsequent encounter |
| T17.828S | Food in other parts of respiratory tract causing other injury, sequela |
| T17.890D | Other foreign object in other parts of respiratory tract causing asphyxiation, subsequent encounter |
| T17.890S | Other foreign object in other parts of respiratory tract causing asphyxiation, sequela |
| T17.898D | Other foreign object in other parts of respiratory tract causing other injury, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T17.898S | Other foreign object in other parts of respiratory tract causing other injury, sequela |
| T17.900D | Unspecified foreign body in respiratory tract, part unspecified causing asphyxiation, subsequent encounter |
| T17.900S | Unspecified foreign body in respiratory tract, part unspecified causing asphyxiation, sequela |
| T17.908D | Unspecified foreign body in respiratory tract, part unspecified causing other injury, subsequent encounter |
| T17.908S | Unspecified foreign body in respiratory tract, part unspecified causing other injury, sequela |
| T17.910D | Gastric contents in respiratory tract, part unspecified causing asphyxiation, subsequent encounter |
| T17.910S | Gastric contents in respiratory tract, part unspecified causing asphyxiation, sequela |
| T17.918D | Gastric contents in respiratory tract, part unspecified causing other injury, subsequent encounter |
| T17.918S | Gastric contents in respiratory tract, part unspecified causing other injury, sequela |
| T17.920D | Food in respiratory tract, part unspecified causing asphyxiation, subsequent encounter |
| T17.920S | Food in respiratory tract, part unspecified causing asphyxiation, sequela |
| T17.928D | Food in respiratory tract, part unspecified causing other injury, subsequent encounter |
| T17.928S | Food in respiratory tract, part unspecified causing other injury, sequela |
| T17.990D | Other foreign object in respiratory tract, part unspecified in causing asphyxiation, subsequent encounter |
| T17.990S | Other foreign object in respiratory tract, part unspecified in causing asphyxiation, sequela |
| T17.998D | Other foreign object in respiratory tract, part unspecified causing other injury, subsequent encounter |
| T17.998S | Other foreign object in respiratory tract, part unspecified causing other injury, sequela |
| T18.0XXD | Foreign body in mouth, subsequent encounter |
| T18.0XXS | Foreign body in mouth, sequela |
| T18.100D | Unspecified foreign body in esophagus causing compression of trachea, subsequent encounter |
| T18.100S | Unspecified foreign body in esophagus causing compression of trachea, sequela |
| T18.108D | Unspecified foreign body in esophagus causing other injury, subsequent encounter |
| T18.108S | Unspecified foreign body in esophagus causing other injury, sequela |
| T18.110D | Gastric contents in esophagus causing compression of trachea, subsequent encounter |
| T18.110S | Gastric contents in esophagus causing compression of trachea, sequela |
| T18.118D | Gastric contents in esophagus causing other injury, subsequent encounter |
| T18.118S | Gastric contents in esophagus causing other injury, sequela |
| T18.120D | Food in esophagus causing compression of trachea, subsequent encounter |
| T18.120S | Food in esophagus causing compression of trachea, sequela |
| T18.128D | Food in esophagus causing other injury, subsequent encounter |
| T18.128S | Food in esophagus causing other injury, sequela |
| T18.190D | Other foreign object in esophagus causing compression of trachea, subsequent encounter |
| T18.190S | Other foreign object in esophagus causing compression of trachea, sequela |
| T18.198D | Other foreign object in esophagus causing other injury, subsequent encounter |
| T18.198S | Other foreign object in esophagus causing other injury, sequela |
| T18.2XXD | Foreign body in stomach, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T18.2XXS | Foreign body in stomach, sequela |
| T18.3XXD | Foreign body in small intestine, subsequent encounter |
| T18.3XXS | Foreign body in small intestine, sequela |
| T18.4XXD | Foreign body in colon, subsequent encounter |
| T18.4XXS | Foreign body in colon, sequela |
| T18.5XXD | Foreign body in anus and rectum, subsequent encounter |
| T18.5XXS | Foreign body in anus and rectum, sequela |
| T18.8XXD | Foreign body in other parts of alimentary tract, subsequent encounter |
| T18.8XXS | Foreign body in other parts of alimentary tract, sequela |
| T18.9XXD | Foreign body of alimentary tract, part unspecified, subsequent encounter |
| T18.9XXS | Foreign body of alimentary tract, part unspecified, sequela |
| T19.0XXD | Foreign body in urethra, subsequent encounter |
| T19.0XXS | Foreign body in urethra, sequela |
| T19.1XXD | Foreign body in bladder, subsequent encounter |
| T19.1XXS | Foreign body in bladder, sequela |
| T19.2XXD | Foreign body in vulva and vagina, subsequent encounter |
| T19.2XXS | Foreign body in vulva and vagina, sequela |
| T19.3XXD | Foreign body in uterus, subsequent encounter |
| T19.3XXS | Foreign body in uterus, sequela |
| T19.4XXD | Foreign body in penis, subsequent encounter |
| T19.4XXS | Foreign body in penis, sequela |
| T19.8XXD | Foreign body in other parts of genitourinary tract, subsequent encounter |
| T19.8XXS | Foreign body in other parts of genitourinary tract, sequela |
| T19.9XXD | Foreign body in genitourinary tract, part unspecified, subsequent encounter |
| T19.9XXS | Foreign body in genitourinary tract, part unspecified, sequela |
| T20.00XD | Burn of unspecified degree of head, face, and neck, unspecified site, subsequent encounter |
| T20.00XS | Burn of unspecified degree of head, face, and neck, unspecified site, sequela |
| T20.011D | Burn of unspecified degree of right ear [any part, except ear drum], subsequent encounter |
| T20.011S | Burn of unspecified degree of right ear [any part, except ear drum], sequela |
| T20.012D | Burn of unspecified degree of left ear [any part, except ear drum], subsequent encounter |
| T20.012S | Burn of unspecified degree of left ear [any part, except ear drum], sequela |
| T20.019D | Burn of unspecified degree of unspecified ear [any part, except ear drum], subsequent encounter |
| T20.019S | Burn of unspecified degree of unspecified ear [any part, except ear drum], sequela |
| T20.02XD | Burn of unspecified degree of lip(s), subsequent encounter |
| T20.02XS | Burn of unspecified degree of lip(s), sequela |
| T20.03XD | Burn of unspecified degree of chin, subsequent encounter |
| T20.03XS | Burn of unspecified degree of chin, sequela |
| T20.04XD | Burn of unspecified degree of nose (septum), subsequent encounter |
| T20.04XS | Burn of unspecified degree of nose (septum), sequela |
| T20.05XD | Burn of unspecified degree of scalp [any part], subsequent encounter |
| T20.05XS | Burn of unspecified degree of scalp [any part], sequela |
| T20.06XD | Burn of unspecified degree of forehead and cheek, subsequent encounter |
| T20.06XS | Burn of unspecified degree of forehead and cheek, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T20.07XD | Burn of unspecified degree of neck, subsequent encounter |
| T20.07XS | Burn of unspecified degree of neck, sequela |
| T20.09XD | Burn of unspecified degree of multiple sites of head, face, and neck, subsequent encounter |
| T20.09XS | Burn of unspecified degree of multiple sites of head, face, and neck, sequela |
| T20.10XD | Burn of first degree of head, face, and neck, unspecified site, subsequent encounter |
| T20.10XS | Burn of first degree of head, face, and neck, unspecified site, sequela |
| T20.111D | Burn of first degree of right ear [any part, except ear drum], subsequent encounter |
| T20.111S | Burn of first degree of right ear [any part, except ear drum], sequela |
| T20.112D | Burn of first degree of left ear [any part, except ear drum], subsequent encounter |
| T20.112S | Burn of first degree of left ear [any part, except ear drum], sequela |
| T20.119D | Burn of first degree of unspecified ear [any part, except ear drum], subsequent encounter |
| T20.119S | Burn of first degree of unspecified ear [any part, except ear drum], sequela |
| T20.12XD | Burn of first degree of lip(s), subsequent encounter |
| T20.12XS | Burn of first degree of lip(s), sequela |
| T20.13XD | Burn of first degree of chin, subsequent encounter |
| T20.13XS | Burn of first degree of chin, sequela |
| T20.14XD | Burn of first degree of nose (septum), subsequent encounter |
| T20.14XS | Burn of first degree of nose (septum), sequela |
| T20.15XD | Burn of first degree of scalp [any part], subsequent encounter |
| T20.15XS | Burn of first degree of scalp [any part], sequela |
| T20.16XD | Burn of first degree of forehead and cheek, subsequent encounter |
| T20.16XS | Burn of first degree of forehead and cheek, sequela |
| T20.17XD | Burn of first degree of neck, subsequent encounter |
| T20.17XS | Burn of first degree of neck, sequela |
| T20.19XD | Burn of first degree of multiple sites of head, face, and neck, subsequent encounter |
| T20.19XS | Burn of first degree of multiple sites of head, face, and neck, sequela |
| T20.20XD | Burn of second degree of head, face, and neck, unspecified site, subsequent encounter |
| T20.20XS | Burn of second degree of head, face, and neck, unspecified site, sequela |
| T20.211D | Burn of second degree of right ear [any part, except ear drum], subsequent encounter |
| T20.211S | Burn of second degree of right ear [any part, except ear drum], sequela |
| T20.212D | Burn of second degree of left ear [any part, except ear drum], subsequent encounter |
| T20.212S | Burn of second degree of left ear [any part, except ear drum], sequela |
| T20.219D | Burn of second degree of unspecified ear [any part, except ear drum], subsequent encounter |
| T20.219S | Burn of second degree of unspecified ear [any part, except ear drum], sequela |
| T20.22XD | Burn of second degree of lip(s), subsequent encounter |
| T20.22XS | Burn of second degree of lip(s), sequela |
| T20.23XD | Burn of second degree of chin, subsequent encounter |
| T20.23XS | Burn of second degree of chin, sequela |
| T20.24XD | Burn of second degree of nose (septum), subsequent encounter |
| T20.24XS | Burn of second degree of nose (septum), sequela |
| T20.25XD | Burn of second degree of scalp [any part], subsequent encounter |
| T20.25XS | Burn of second degree of scalp [any part], sequela |
| T20.26XD | Burn of second degree of forehead and cheek, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T20.26XS | Burn of second degree of forehead and cheek, sequela |
| T20.27XD | Burn of second degree of neck, subsequent encounter |
| T20.27XS | Burn of second degree of neck, sequela |
| T20.29XD | Burn of second degree of multiple sites of head, face, and neck, subsequent encounter |
| T20.29XS | Burn of second degree of multiple sites of head, face, and neck, sequela |
| T20.30XD | Burn of third degree of head, face, and neck, unspecified site, subsequent encounter |
| T20.30XS | Burn of third degree of head, face, and neck, unspecified site, sequela |
| T20.311D | Burn of third degree of right ear [any part, except ear drum], subsequent encounter |
| T20.311S | Burn of third degree of right ear [any part, except ear drum], sequela |
| T20.312D | Burn of third degree of left ear [any part, except ear drum], subsequent encounter |
| T20.312S | Burn of third degree of left ear [any part, except ear drum], sequela |
| T20.319D | Burn of third degree of unspecified ear [any part, except ear drum], subsequent encounter |
| T20.319S | Burn of third degree of unspecified ear [any part, except ear drum], sequela |
| T20.32XD | Burn of third degree of lip(s), subsequent encounter |
| T20.32XS | Burn of third degree of lip(s), sequela |
| T20.33XD | Burn of third degree of chin, subsequent encounter |
| T20.33XS | Burn of third degree of chin, sequela |
| T20.34XD | Burn of third degree of nose (septum), subsequent encounter |
| T20.34XS | Burn of third degree of nose (septum), sequela |
| T20.35XD | Burn of third degree of scalp [any part], subsequent encounter |
| T20.35XS | Burn of third degree of scalp [any part], sequela |
| T20.36XD | Burn of third degree of forehead and cheek, subsequent encounter |
| T20.36XS | Burn of third degree of forehead and cheek, sequela |
| T20.37XD | Burn of third degree of neck, subsequent encounter |
| T20.37XS | Burn of third degree of neck, sequela |
| T20.39XD | Burn of third degree of multiple sites of head, face, and neck, subsequent encounter |
| T20.39XS | Burn of third degree of multiple sites of head, face, and neck, sequela |
| T20.40XD | Corrosion of unspecified degree of head, face, and neck, unspecified site, subsequent encounter |
| T20.40XS | Corrosion of unspecified degree of head, face, and neck, unspecified site, sequela |
| T20.411D | Corrosion of unspecified degree of right ear [any part, except ear drum], subsequent encounter |
| T20.411S | Corrosion of unspecified degree of right ear [any part, except ear drum], sequela |
| T20.412D | Corrosion of unspecified degree of left ear [any part, except ear drum], subsequent encounter |
| T20.412S | Corrosion of unspecified degree of left ear [any part, except ear drum], sequela |
| T20.419D | Corrosion of unspecified degree of unspecified ear [any part, except ear drum], subsequent encounter |
| T20.419S | Corrosion of unspecified degree of unspecified ear [any part, except ear drum], sequela |
| T20.42XD | Corrosion of unspecified degree of lip(s), subsequent encounter |
| T20.42XS | Corrosion of unspecified degree of lip(s), sequela |
| T20.43XD | Corrosion of unspecified degree of chin, subsequent encounter |
| T20.43XS | Corrosion of unspecified degree of chin, sequela |
| T20.44XD | Corrosion of unspecified degree of nose (septum), subsequent encounter |
| T20.44XS | Corrosion of unspecified degree of nose (septum), sequela |
| T20.45XD | Corrosion of unspecified degree of scalp [any part], subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T20.45XS | Corrosion of unspecified degree of scalp [any part], sequela |
| T20.46XD | Corrosion of unspecified degree of forehead and cheek, subsequent encounter |
| T20.46XS | Corrosion of unspecified degree of forehead and cheek, sequela |
| T20.47XD | Corrosion of unspecified degree of neck, subsequent encounter |
| T20.47XS | Corrosion of unspecified degree of neck, sequela |
| T20.49XD | Corrosion of unspecified degree of multiple sites of head, face, and neck, subsequent encounter |
| T20.49XS | Corrosion of unspecified degree of multiple sites of head, face, and neck, sequela |
| T20.50XD | Corrosion of first degree of head, face, and neck, unspecified site, subsequent encounter |
| T20.50XS | Corrosion of first degree of head, face, and neck, unspecified site, sequela |
| T20.511D | Corrosion of first degree of right ear [any part, except ear drum], subsequent encounter |
| T20.511S | Corrosion of first degree of right ear [any part, except ear drum], sequela |
| T20.512D | Corrosion of first degree of left ear [any part, except ear drum], subsequent encounter |
| T20.512S | Corrosion of first degree of left ear [any part, except ear drum], sequela |
| T20.519D | Corrosion of first degree of unspecified ear [any part, except ear drum], subsequent encounter |
| T20.519S | Corrosion of first degree of unspecified ear [any part, except ear drum], sequela |
| T20.52XD | Corrosion of first degree of lip(s), subsequent encounter |
| T20.52XS | Corrosion of first degree of lip(s), sequela |
| T20.53XD | Corrosion of first degree of chin, subsequent encounter |
| T20.53XS | Corrosion of first degree of chin, sequela |
| T20.54XD | Corrosion of first degree of nose (septum), subsequent encounter |
| T20.54XS | Corrosion of first degree of nose (septum), sequela |
| T20.55XD | Corrosion of first degree of scalp [any part], subsequent encounter |
| T20.55XS | Corrosion of first degree of scalp [any part], sequela |
| T20.56XD | Corrosion of first degree of cheek, subsequent encounter |
| T20.56XS | Corrosion of first degree of cheek, sequela |
| T20.57XD | Corrosion of first degree of neck, subsequent encounter |
| T20.57XS | Corrosion of first degree of neck, sequela |
| T20.59XD | Corrosion of first degree of multiple sites of head, face, and neck, subsequent encounter |
| T20.59XS | Corrosion of first degree of multiple sites of head, face, and neck, sequela |
| T20.60XD | Corrosion of second degree of head, face, and neck, unspecified site, subsequent encounter |
| T20.60XS | Corrosion of second degree of head, face, and neck, unspecified site, sequela |
| T20.611D | Corrosion of second degree of right ear [any part, except ear drum], subsequent encounter |
| T20.611S | Corrosion of second degree of right ear [any part, except ear drum], sequela |
| T20.612D | Corrosion of second degree of left ear [any part, except ear drum], subsequent encounter |
| T20.612S | Corrosion of second degree of left ear [any part, except ear drum], sequela |
| T20.619D | Corrosion of second degree of unspecified ear [any part, except ear drum], subsequent encounter |
| T20.619S | Corrosion of second degree of unspecified ear [any part, except ear drum], sequela |
| T20.62XD | Corrosion of second degree of lip(s), subsequent encounter |
| T20.62XS | Corrosion of second degree of lip(s), sequela |
| T20.63XD | Corrosion of second degree of chin, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T20.63XS | Corrosion of second degree of chin, sequela |
| T20.64XD | Corrosion of second degree of nose (septum), subsequent encounter |
| T20.64XS | Corrosion of second degree of nose (septum), sequela |
| T20.65XD | Corrosion of second degree of scalp [any part], subsequent encounter |
| T20.65XS | Corrosion of second degree of scalp [any part], sequela |
| T20.66XD | Corrosion of second degree of forehead and cheek, subsequent encounter |
| T20.66XS | Corrosion of second degree of forehead and cheek, sequela |
| T20.67XD | Corrosion of second degree of neck, subsequent encounter |
| T20.67XS | Corrosion of second degree of neck, sequela |
| T20.69XD | Corrosion of second degree of multiple sites of head, face, and neck, subsequent encounter |
| T20.69XS | Corrosion of second degree of multiple sites of head, face, and neck, sequela |
| T20.70XD | Corrosion of third degree of head, face, and neck, unspecified site, subsequent encounter |
| T20.70XS | Corrosion of third degree of head, face, and neck, unspecified site, sequela |
| T20.711D | Corrosion of third degree of right ear [any part, except ear drum], subsequent encounter |
| T20.711S | Corrosion of third degree of right ear [any part, except ear drum], sequela |
| T20.712D | Corrosion of third degree of left ear [any part, except ear drum], subsequent encounter |
| T20.712S | Corrosion of third degree of left ear [any part, except ear drum], sequela |
| T20.719D | Corrosion of third degree of unspecified ear [any part, except ear drum], subsequent encounter |
| T20.719S | Corrosion of third degree of unspecified ear [any part, except ear drum], sequela |
| T20.72XD | Corrosion of third degree of lip(s), subsequent encounter |
| T20.72XS | Corrosion of third degree of lip(s), sequela |
| T20.73XD | Corrosion of third degree of chin, subsequent encounter |
| T20.73XS | Corrosion of third degree of chin, sequela |
| T20.74XD | Corrosion of third degree of nose (septum), subsequent encounter |
| T20.74XS | Corrosion of third degree of nose (septum), sequela |
| T20.75XD | Corrosion of third degree of scalp [any part], subsequent encounter |
| T20.75XS | Corrosion of third degree of scalp [any part], sequela |
| T20.76XD | Corrosion of third degree of forehead and cheek, subsequent encounter |
| T20.76XS | Corrosion of third degree of forehead and cheek, sequela |
| T20.77XD | Corrosion of third degree of neck, subsequent encounter |
| T20.77XS | Corrosion of third degree of neck, sequela |
| T20.79XD | Corrosion of third degree of multiple sites of head, face, and neck, subsequent encounter |
| T20.79XS | Corrosion of third degree of multiple sites of head, face, and neck, sequela |
| T21.00XD | Burn of unspecified degree of trunk, unspecified site, subsequent encounter |
| T21.00XS | Burn of unspecified degree of trunk, unspecified site, sequela |
| T21.01XD | Burn of unspecified degree of chest wall, subsequent encounter |
| T21.01XS | Burn of unspecified degree of chest wall, sequela |
| T21.02XD | Burn of unspecified degree of abdominal wall, subsequent encounter |
| T21.02XS | Burn of unspecified degree of abdominal wall, sequela |
| T21.03XD | Burn of unspecified degree of upper back, subsequent encounter |
| T21.03XS | Burn of unspecified degree of upper back, sequela |
| T21.04XD | Burn of unspecified degree of lower back, subsequent encounter |
| T21.04XS | Burn of unspecified degree of lower back, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T21.05XD | Burn of unspecified degree of buttock, subsequent encounter |
| T21.05XS | Burn of unspecified degree of buttock, sequela |
| T21.06XD | Burn of unspecified degree of male genital region, subsequent encounter |
| T21.06XS | Burn of unspecified degree of male genital region, sequela |
| T21.07XD | Burn of unspecified degree of female genital region, subsequent encounter |
| T21.07XS | Burn of unspecified degree of female genital region, sequela |
| T21.09XD | Burn of unspecified degree of other site of trunk, subsequent encounter |
| T21.09XS | Burn of unspecified degree of other site of trunk, sequela |
| T21.10XD | Burn of first degree of trunk, unspecified site, subsequent encounter |
| T21.10XS | Burn of first degree of trunk, unspecified site, sequela |
| T21.11XD | Burn of first degree of chest wall, subsequent encounter |
| T21.11XS | Burn of first degree of chest wall, sequela |
| T21.12XD | Burn of first degree of abdominal wall, subsequent encounter |
| T21.12XS | Burn of first degree of abdominal wall, sequela |
| T21.13XD | Burn of first degree of upper back, subsequent encounter |
| T21.13XS | Burn of first degree of upper back, sequela |
| T21.14XD | Burn of first degree of lower back, subsequent encounter |
| T21.14XS | Burn of first degree of lower back, sequela |
| T21.15XD | Burn of first degree of buttock, subsequent encounter |
| T21.15XS | Burn of first degree of buttock, sequela |
| T21.16XD | Burn of first degree of male genital region, subsequent encounter |
| T21.16XS | Burn of first degree of male genital region, sequela |
| T21.17XD | Burn of first degree of female genital region, subsequent encounter |
| T21.17XS | Burn of first degree of female genital region, sequela |
| T21.19XD | Burn of first degree of other site of trunk, subsequent encounter |
| T21.19XS | Burn of first degree of other site of trunk, sequela |
| T21.20XD | Burn of second degree of trunk, unspecified site, subsequent encounter |
| T21.20XS | Burn of second degree of trunk, unspecified site, sequela |
| T21.21XD | Burn of second degree of chest wall, subsequent encounter |
| T21.21XS | Burn of second degree of chest wall, sequela |
| T21.22XD | Burn of second degree of abdominal wall, subsequent encounter |
| T21.22XS | Burn of second degree of abdominal wall, sequela |
| T21.23XD | Burn of second degree of upper back, subsequent encounter |
| T21.23XS | Burn of second degree of upper back, sequela |
| T21.24XD | Burn of second degree of lower back, subsequent encounter |
| T21.24XS | Burn of second degree of lower back, sequela |
| T21.25XD | Burn of second degree of buttock, subsequent encounter |
| T21.25XS | Burn of second degree of buttock, sequela |
| T21.26XD | Burn of second degree of male genital region, subsequent encounter |
| T21.26XS | Burn of second degree of male genital region, sequela |
| T21.27XD | Burn of second degree of female genital region, subsequent encounter |
| T21.27XS | Burn of second degree of female genital region, sequela |
| T21.29XD | Burn of second degree of other site of trunk, subsequent encounter |
| T21.29XS | Burn of second degree of other site of trunk, sequela |
| T21.30XD | Burn of third degree of trunk, unspecified site, subsequent encounter |
| T21.30XS | Burn of third degree of trunk, unspecified site, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T21.31XD | Burn of third degree of chest wall, subsequent encounter |
| T21.31XS | Burn of third degree of chest wall, sequela |
| T21.32XD | Burn of third degree of abdominal wall, subsequent encounter |
| T21.32XS | Burn of third degree of abdominal wall, sequela |
| T21.33XD | Burn of third degree of upper back, subsequent encounter |
| T21.33XS | Burn of third degree of upper back, sequela |
| T21.34XD | Burn of third degree of lower back, subsequent encounter |
| T21.34XS | Burn of third degree of lower back, sequela |
| T21.35XD | Burn of third degree of buttock, subsequent encounter |
| T21.35XS | Burn of third degree of buttock, sequela |
| T21.36XD | Burn of third degree of male genital region, subsequent encounter |
| T21.36XS | Burn of third degree of male genital region, sequela |
| T21.37XD | Burn of third degree of female genital region, subsequent encounter |
| T21.37XS | Burn of third degree of female genital region, sequela |
| T21.39XD | Burn of third degree of other site of trunk, subsequent encounter |
| T21.39XS | Burn of third degree of other site of trunk, sequela |
| T21.40XD | Corrosion of unspecified degree of trunk, unspecified site, subsequent encounter |
| T21.40XS | Corrosion of unspecified degree of trunk, unspecified site, sequela |
| T21.41XD | Corrosion of unspecified degree of chest wall, subsequent encounter |
| T21.41XS | Corrosion of unspecified degree of chest wall, sequela |
| T21.42XD | Corrosion of unspecified degree of abdominal wall, subsequent encounter |
| T21.42XS | Corrosion of unspecified degree of abdominal wall, sequela |
| T21.43XD | Corrosion of unspecified degree of upper back, subsequent encounter |
| T21.43XS | Corrosion of unspecified degree of upper back, sequela |
| T21.44XD | Corrosion of unspecified degree of lower back, subsequent encounter |
| T21.44XS | Corrosion of unspecified degree of lower back, sequela |
| T21.45XD | Corrosion of unspecified degree of buttock, subsequent encounter |
| T21.45XS | Corrosion of unspecified degree of buttock, sequela |
| T21.46XD | Corrosion of unspecified degree of male genital region, subsequent encounter |
| T21.46XS | Corrosion of unspecified degree of male genital region, sequela |
| T21.47XD | Corrosion of unspecified degree of female genital region, subsequent encounter |
| T21.47XS | Corrosion of unspecified degree of female genital region, sequela |
| T21.49XD | Corrosion of unspecified degree of other site of trunk, subsequent encounter |
| T21.49XS | Corrosion of unspecified degree of other site of trunk, sequela |
| T21.50XD | Corrosion of first degree of trunk, unspecified site, subsequent encounter |
| T21.50XS | Corrosion of first degree of trunk, unspecified site, sequela |
| T21.51XD | Corrosion of first degree of chest wall, subsequent encounter |
| T21.51XS | Corrosion of first degree of chest wall, sequela |
| T21.52XD | Corrosion of first degree of abdominal wall, subsequent encounter |
| T21.52XS | Corrosion of first degree of abdominal wall, sequela |
| T21.53XD | Corrosion of first degree of upper back, subsequent encounter |
| T21.53XS | Corrosion of first degree of upper back, sequela |
| T21.54XD | Corrosion of first degree of lower back, subsequent encounter |
| T21.54XS | Corrosion of first degree of lower back, sequela |
| T21.55XD | Corrosion of first degree of buttock, subsequent encounter |
| T21.55XS | Corrosion of first degree of buttock, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T21.56XD | Corrosion of first degree of male genital region, subsequent encounter |
| T21.56XS | Corrosion of first degree of male genital region, sequela |
| T21.57XD | Corrosion of first degree of female genital region, subsequent encounter |
| T21.57XS | Corrosion of first degree of female genital region, sequela |
| T21.59XD | Corrosion of first degree of other site of trunk, subsequent encounter |
| T21.59XS | Corrosion of first degree of other site of trunk, sequela |
| T21.60XD | Corrosion of second degree of trunk, unspecified site, subsequent encounter |
| T21.60XS | Corrosion of second degree of trunk, unspecified site, sequela |
| T21.61XD | Corrosion of second degree of chest wall, subsequent encounter |
| T21.61XS | Corrosion of second degree of chest wall, sequela |
| T21.62XD | Corrosion of second degree of abdominal wall, subsequent encounter |
| T21.62XS | Corrosion of second degree of abdominal wall, sequela |
| T21.63XD | Corrosion of second degree of upper back, subsequent encounter |
| T21.63XS | Corrosion of second degree of upper back, sequela |
| T21.64XD | Corrosion of second degree of lower back, subsequent encounter |
| T21.64XS | Corrosion of second degree of lower back, sequela |
| T21.65XD | Corrosion of second degree of buttock, subsequent encounter |
| T21.65XS | Corrosion of second degree of buttock, sequela |
| T21.66XD | Corrosion of second degree of male genital region, subsequent encounter |
| T21.66XS | Corrosion of second degree of male genital region, sequela |
| T21.67XD | Corrosion of second degree of female genital region, subsequent encounter |
| T21.67XS | Corrosion of second degree of female genital region, sequela |
| T21.69XD | Corrosion of second degree of other site of trunk, subsequent encounter |
| T21.69XS | Corrosion of second degree of other site of trunk, sequela |
| T21.70XD | Corrosion of third degree of trunk, unspecified site, subsequent encounter |
| T21.70XS | Corrosion of third degree of trunk, unspecified site, sequela |
| T21.71XD | Corrosion of third degree of chest wall, subsequent encounter |
| T21.71XS | Corrosion of third degree of chest wall, sequela |
| T21.72XD | Corrosion of third degree of abdominal wall, subsequent encounter |
| T21.72XS | Corrosion of third degree of abdominal wall, sequela |
| T21.73XD | Corrosion of third degree of upper back, subsequent encounter |
| T21.73XS | Corrosion of third degree of upper back, sequela |
| T21.74XD | Corrosion of third degree of lower back, subsequent encounter |
| T21.74XS | Corrosion of third degree of lower back, sequela |
| T21.75XD | Corrosion of third degree of buttock, subsequent encounter |
| T21.75XS | Corrosion of third degree of buttock, sequela |
| T21.76XD | Corrosion of third degree of male genital region, subsequent encounter |
| T21.76XS | Corrosion of third degree of male genital region, sequela |
| T21.77XD | Corrosion of third degree of female genital region, subsequent encounter |
| T21.77XS | Corrosion of third degree of female genital region, sequela |
| T21.79XD | Corrosion of third degree of other site of trunk, subsequent encounter |
| T21.79XS | Corrosion of third degree of other site of trunk, sequela |
| T22.00XD | Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter |
| T22.00XS | Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T22.011D | Burn of unspecified degree of right forearm, subsequent encounter |
| T22.011S | Burn of unspecified degree of right forearm, sequela |
| T22.012D | Burn of unspecified degree of left forearm, subsequent encounter |
| T22.012S | Burn of unspecified degree of left forearm, sequela |
| T22.019D | Burn of unspecified degree of unspecified forearm, subsequent encounter |
| T22.019S | Burn of unspecified degree of unspecified forearm, sequela |
| T22.021D | Burn of unspecified degree of right elbow, subsequent encounter |
| T22.021S | Burn of unspecified degree of right elbow, sequela |
| T22.022D | Burn of unspecified degree of left elbow, subsequent encounter |
| T22.022S | Burn of unspecified degree of left elbow, sequela |
| T22.029D | Burn of unspecified degree of unspecified elbow, subsequent encounter |
| T22.029S | Burn of unspecified degree of unspecified elbow, sequela |
| T22.031D | Burn of unspecified degree of right upper arm, subsequent encounter |
| T22.031S | Burn of unspecified degree of right upper arm, sequela |
| T22.032D | Burn of unspecified degree of left upper arm, subsequent encounter |
| T22.032S | Burn of unspecified degree of left upper arm, sequela |
| T22.039D | Burn of unspecified degree of unspecified upper arm, subsequent encounter |
| T22.039S | Burn of unspecified degree of unspecified upper arm, sequela |
| T22.041D | Burn of unspecified degree of right axilla, subsequent encounter |
| T22.041S | Burn of unspecified degree of right axilla, sequela |
| T22.042D | Burn of unspecified degree of left axilla, subsequent encounter |
| T22.042S | Burn of unspecified degree of left axilla, sequela |
| T22.049D | Burn of unspecified degree of unspecified axilla, subsequent encounter |
| T22.049S | Burn of unspecified degree of unspecified axilla, sequela |
| T22.051D | Burn of unspecified degree of right shoulder, subsequent encounter |
| T22.051S | Burn of unspecified degree of right shoulder, sequela |
| T22.052D | Burn of unspecified degree of left shoulder, subsequent encounter |
| T22.052S | Burn of unspecified degree of left shoulder, sequela |
| T22.059D | Burn of unspecified degree of unspecified shoulder, subsequent encounter |
| T22.059S | Burn of unspecified degree of unspecified shoulder, sequela |
| T22.061D | Burn of unspecified degree of right scapular region, subsequent encounter |
| T22.061S | Burn of unspecified degree of right scapular region, sequela |
| T22.062D | Burn of unspecified degree of left scapular region, subsequent encounter |
| T22.062S | Burn of unspecified degree of left scapular region, sequela |
| T22.069D | Burn of unspecified degree of unspecified scapular region, subsequent encounter |
| T22.069S | Burn of unspecified degree of unspecified scapular region, sequela |
| T22.091D | Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.091S | Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela |
| T22.092D | Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.092S | Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela |
| T22.099D | Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T22.099S | Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.10XD | Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter |
| T22.10XS | Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela |
| T22.111D | Burn of first degree of right forearm, subsequent encounter |
| T22.111S | Burn of first degree of right forearm, sequela |
| T22.112D | Burn of first degree of left forearm, subsequent encounter |
| T22.112S | Burn of first degree of left forearm, sequela |
| T22.119D | Burn of first degree of unspecified forearm, subsequent encounter |
| T22.119S | Burn of first degree of unspecified forearm, sequela |
| T22.121D | Burn of first degree of right elbow, subsequent encounter |
| T22.121S | Burn of first degree of right elbow, sequela |
| T22.122D | Burn of first degree of left elbow, subsequent encounter |
| T22.122S | Burn of first degree of left elbow, sequela |
| T22.129D | Burn of first degree of unspecified elbow, subsequent encounter |
| T22.129S | Burn of first degree of unspecified elbow, sequela |
| T22.131D | Burn of first degree of right upper arm, subsequent encounter |
| T22.131S | Burn of first degree of right upper arm, sequela |
| T22.132D | Burn of first degree of left upper arm, subsequent encounter |
| T22.132S | Burn of first degree of left upper arm, sequela |
| T22.139D | Burn of first degree of unspecified upper arm, subsequent encounter |
| T22.139S | Burn of first degree of unspecified upper arm, sequela |
| T22.141D | Burn of first degree of right axilla, subsequent encounter |
| T22.141S | Burn of first degree of right axilla, sequela |
| T22.142D | Burn of first degree of left axilla, subsequent encounter |
| T22.142S | Burn of first degree of left axilla, sequela |
| T22.149D | Burn of first degree of unspecified axilla, subsequent encounter |
| T22.149S | Burn of first degree of unspecified axilla, sequela |
| T22.151D | Burn of first degree of right shoulder, subsequent encounter |
| T22.151S | Burn of first degree of right shoulder, sequela |
| T22.152D | Burn of first degree of left shoulder, subsequent encounter |
| T22.152S | Burn of first degree of left shoulder, sequela |
| T22.159D | Burn of first degree of unspecified shoulder, subsequent encounter |
| T22.159S | Burn of first degree of unspecified shoulder, sequela |
| T22.161D | Burn of first degree of right scapular region, subsequent encounter |
| T22.161S | Burn of first degree of right scapular region, sequela |
| T22.162D | Burn of first degree of left scapular region, subsequent encounter |
| T22.162S | Burn of first degree of left scapular region, sequela |
| T22.169D | Burn of first degree of unspecified scapular region, subsequent encounter |
| T22.169S | Burn of first degree of unspecified scapular region, sequela |
| T22.191D | Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.191S | Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T22.192D | Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.192S | Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela |
| T22.199D | Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.199S | Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.20XD | Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter |
| T22.20XS | Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela |
| T22.211D | Burn of second degree of right forearm, subsequent encounter |
| T22.211S | Burn of second degree of right forearm, sequela |
| T22.212D | Burn of second degree of left forearm, subsequent encounter |
| T22.212S | Burn of second degree of left forearm, sequela |
| T22.219D | Burn of second degree of unspecified forearm, subsequent encounter |
| T22.219S | Burn of second degree of unspecified forearm, sequela |
| T22.221D | Burn of second degree of right elbow, subsequent encounter |
| T22.221S | Burn of second degree of right elbow, sequela |
| T22.222D | Burn of second degree of left elbow, subsequent encounter |
| T22.222S | Burn of second degree of left elbow, sequela |
| T22.229D | Burn of second degree of unspecified elbow, subsequent encounter |
| T22.229S | Burn of second degree of unspecified elbow, sequela |
| T22.231D | Burn of second degree of right upper arm, subsequent encounter |
| T22.231S | Burn of second degree of right upper arm, sequela |
| T22.232D | Burn of second degree of left upper arm, subsequent encounter |
| T22.232S | Burn of second degree of left upper arm, sequela |
| T22.239D | Burn of second degree of unspecified upper arm, subsequent encounter |
| T22.239S | Burn of second degree of unspecified upper arm, sequela |
| T22.241D | Burn of second degree of right axilla, subsequent encounter |
| T22.241S | Burn of second degree of right axilla, sequela |
| T22.242D | Burn of second degree of left axilla, subsequent encounter |
| T22.242S | Burn of second degree of left axilla, sequela |
| T22.249D | Burn of second degree of unspecified axilla, subsequent encounter |
| T22.249S | Burn of second degree of unspecified axilla, sequela |
| T22.251D | Burn of second degree of right shoulder, subsequent encounter |
| T22.251S | Burn of second degree of right shoulder, sequela |
| T22.252D | Burn of second degree of left shoulder, subsequent encounter |
| T22.252S | Burn of second degree of left shoulder, sequela |
| T22.259D | Burn of second degree of unspecified shoulder, subsequent encounter |
| T22.259S | Burn of second degree of unspecified shoulder, sequela |
| T22.261D | Burn of second degree of right scapular region, subsequent encounter |
| T22.261S | Burn of second degree of right scapular region, sequela |
| T22.262D | Burn of second degree of left scapular region, subsequent encounter |
| T22.262S | Burn of second degree of left scapular region, sequela |
| T22.269D | Burn of second degree of unspecified scapular region, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T22.269S | Burn of second degree of unspecified scapular region, sequela |
| T22.291D | Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.291S | Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela |
| T22.292D | Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.292S | Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela |
| T22.299D | Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.299S | Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.30XD | Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter |
| T22.30XS | Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela |
| T22.311D | Burn of third degree of right forearm, subsequent encounter |
| T22.311S | Burn of third degree of right forearm, sequela |
| T22.312D | Burn of third degree of left forearm, subsequent encounter |
| T22.312S | Burn of third degree of left forearm, sequela |
| T22.319D | Burn of third degree of unspecified forearm, subsequent encounter |
| T22.319S | Burn of third degree of unspecified forearm, sequela |
| T22.321D | Burn of third degree of right elbow, subsequent encounter |
| T22.321S | Burn of third degree of right elbow, sequela |
| T22.322D | Burn of third degree of left elbow, subsequent encounter |
| T22.322S | Burn of third degree of left elbow, sequela |
| T22.329D | Burn of third degree of unspecified elbow, subsequent encounter |
| T22.329S | Burn of third degree of unspecified elbow, sequela |
| T22.331D | Burn of third degree of right upper arm, subsequent encounter |
| T22.331S | Burn of third degree of right upper arm, sequela |
| T22.332D | Burn of third degree of left upper arm, subsequent encounter |
| T22.332S | Burn of third degree of left upper arm, sequela |
| T22.339D | Burn of third degree of unspecified upper arm, subsequent encounter |
| T22.339S | Burn of third degree of unspecified upper arm, sequela |
| T22.341D | Burn of third degree of right axilla, subsequent encounter |
| T22.341S | Burn of third degree of right axilla, sequela |
| T22.342D | Burn of third degree of left axilla, subsequent encounter |
| T22.342S | Burn of third degree of left axilla, sequela |
| T22.349D | Burn of third degree of unspecified axilla, subsequent encounter |
| T22.349S | Burn of third degree of unspecified axilla, sequela |
| T22.351D | Burn of third degree of right shoulder, subsequent encounter |
| T22.351S | Burn of third degree of right shoulder, sequela |
| T22.352D | Burn of third degree of left shoulder, subsequent encounter |
| T22.352S | Burn of third degree of left shoulder, sequela |
| T22.359D | Burn of third degree of unspecified shoulder, subsequent encounter |
| T22.359S | Burn of third degree of unspecified shoulder, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T22.361D | Burn of third degree of right scapular region, subsequent encounter |
| T22.361S | Burn of third degree of right scapular region, sequela |
| T22.362D | Burn of third degree of left scapular region, subsequent encounter |
| T22.362S | Burn of third degree of left scapular region, sequela |
| T22.369D | Burn of third degree of unspecified scapular region, subsequent encounter |
| T22.369S | Burn of third degree of unspecified scapular region, sequela |
| T22.391D | Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.391S | Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela |
| T22.392D | Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.392S | Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela |
| T22.399D | Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.399S | Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.40XD | Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter |
| T22.40XS | Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela |
| T22.411D | Corrosion of unspecified degree of right forearm, subsequent encounter |
| T22.411S | Corrosion of unspecified degree of right forearm, sequela |
| T22.412D | Corrosion of unspecified degree of left forearm, subsequent encounter |
| T22.412S | Corrosion of unspecified degree of left forearm, sequela |
| T22.419D | Corrosion of unspecified degree of unspecified forearm, subsequent encounter |
| T22.419S | Corrosion of unspecified degree of unspecified forearm, sequela |
| T22.421D | Corrosion of unspecified degree of right elbow, subsequent encounter |
| T22.421S | Corrosion of unspecified degree of right elbow, sequela |
| T22.422D | Corrosion of unspecified degree of left elbow, subsequent encounter |
| T22.422S | Corrosion of unspecified degree of left elbow, sequela |
| T22.429D | Corrosion of unspecified degree of unspecified elbow, subsequent encounter |
| T22.429S | Corrosion of unspecified degree of unspecified elbow, sequela |
| T22.431D | Corrosion of unspecified degree of right upper arm, subsequent encounter |
| T22.431S | Corrosion of unspecified degree of right upper arm, sequela |
| T22.432D | Corrosion of unspecified degree of left upper arm, subsequent encounter |
| T22.432S | Corrosion of unspecified degree of left upper arm, sequela |
| T22.439D | Corrosion of unspecified degree of unspecified upper arm, subsequent encounter |
| T22.439S | Corrosion of unspecified degree of unspecified upper arm, sequela |
| T22.441D | Corrosion of unspecified degree of right axilla, subsequent encounter |
| T22.441S | Corrosion of unspecified degree of right axilla, sequela |
| T22.442D | Corrosion of unspecified degree of left axilla, subsequent encounter |
| T22.442S | Corrosion of unspecified degree of left axilla, sequela |
| T22.449D | Corrosion of unspecified degree of unspecified axilla, subsequent encounter |
| T22.449S | Corrosion of unspecified degree of unspecified axilla, sequela |
| T22.451D | Corrosion of unspecified degree of right shoulder, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T22.451S | Corrosion of unspecified degree of right shoulder, sequela |
| T22.452D | Corrosion of unspecified degree of left shoulder, subsequent encounter |
| T22.452S | Corrosion of unspecified degree of left shoulder, sequela |
| T22.459D | Corrosion of unspecified degree of unspecified shoulder, subsequent encounter |
| T22.459S | Corrosion of unspecified degree of unspecified shoulder, sequela |
| T22.461D | Corrosion of unspecified degree of right scapular region, subsequent encounter |
| T22.461S | Corrosion of unspecified degree of right scapular region, sequela |
| T22.462D | Corrosion of unspecified degree of left scapular region, subsequent encounter |
| T22.462S | Corrosion of unspecified degree of left scapular region, sequela |
| T22.469D | Corrosion of unspecified degree of unspecified scapular region, subsequent encounter |
| T22.469S | Corrosion of unspecified degree of unspecified scapular region, sequela |
| T22.491D | Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.491S | Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela |
| T22.492D | Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.492S | Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela |
| T22.499D | Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.499S | Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.50XD | Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, subsequent encounter |
| T22.50XS | Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, sequela |
| T22.511D | Corrosion of first degree of right forearm, subsequent encounter |
| T22.511S | Corrosion of first degree of right forearm, sequela |
| T22.512D | Corrosion of first degree of left forearm, subsequent encounter |
| T22.512S | Corrosion of first degree of left forearm, sequela |
| T22.519D | Corrosion of first degree of unspecified forearm, subsequent encounter |
| T22.519S | Corrosion of first degree of unspecified forearm, sequela |
| T22.521D | Corrosion of first degree of right elbow, subsequent encounter |
| T22.521S | Corrosion of first degree of right elbow, sequela |
| T22.522D | Corrosion of first degree of left elbow, subsequent encounter |
| T22.522S | Corrosion of first degree of left elbow, sequela |
| T22.529D | Corrosion of first degree of unspecified elbow, subsequent encounter |
| T22.529S | Corrosion of first degree of unspecified elbow, sequela |
| T22.531D | Corrosion of first degree of right upper arm, subsequent encounter |
| T22.531S | Corrosion of first degree of right upper arm, sequela |
| T22.532D | Corrosion of first degree of left upper arm, subsequent encounter |
| T22.532S | Corrosion of first degree of left upper arm, sequela |
| T22.539D | Corrosion of first degree of unspecified upper arm, subsequent encounter |
| T22.539S | Corrosion of first degree of unspecified upper arm, sequela |
| T22.541D | Corrosion of first degree of right axilla, subsequent encounter |
| T22.541S | Corrosion of first degree of right axilla, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T22.542D | Corrosion of first degree of left axilla, subsequent encounter |
| T22.542S | Corrosion of first degree of left axilla, sequela |
| T22.549D | Corrosion of first degree of unspecified axilla, subsequent encounter |
| T22.549S | Corrosion of first degree of unspecified axilla, sequela |
| T22.551D | Corrosion of first degree of right shoulder, subsequent encounter |
| T22.551S | Corrosion of first degree of right shoulder, sequela |
| T22.552D | Corrosion of first degree of left shoulder, subsequent encounter |
| T22.552S | Corrosion of first degree of left shoulder, sequela |
| T22.559D | Corrosion of first degree of unspecified shoulder, subsequent encounter |
| T22.559S | Corrosion of first degree of unspecified shoulder, sequela |
| T22.561D | Corrosion of first degree of right scapular region, subsequent encounter |
| T22.561S | Corrosion of first degree of right scapular region, sequela |
| T22.562D | Corrosion of first degree of left scapular region, subsequent encounter |
| T22.562S | Corrosion of first degree of left scapular region, sequela |
| T22.569D | Corrosion of first degree of unspecified scapular region, subsequent encounter |
| T22.569S | Corrosion of first degree of unspecified scapular region, sequela |
| T22.591D | Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.591S | Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela |
| T22.592D | Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.592S | Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela |
| T22.599D | Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.599S | Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.60XD | Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter |
| T22.60XS | Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela |
| T22.611D | Corrosion of second degree of right forearm, subsequent encounter |
| T22.611S | Corrosion of second degree of right forearm, sequela |
| T22.612D | Corrosion of second degree of left forearm, subsequent encounter |
| T22.612S | Corrosion of second degree of left forearm, sequela |
| T22.619D | Corrosion of second degree of unspecified forearm, subsequent encounter |
| T22.619S | Corrosion of second degree of unspecified forearm, sequela |
| T22.621D | Corrosion of second degree of right elbow, subsequent encounter |
| T22.621S | Corrosion of second degree of right elbow, sequela |
| T22.622D | Corrosion of second degree of left elbow, subsequent encounter |
| T22.622S | Corrosion of second degree of left elbow, sequela |
| T22.629D | Corrosion of second degree of unspecified elbow, subsequent encounter |
| T22.629S | Corrosion of second degree of unspecified elbow, sequela |
| T22.631D | Corrosion of second degree of right upper arm, subsequent encounter |
| T22.631S | Corrosion of second degree of right upper arm, sequela |
| T22.632D | Corrosion of second degree of left upper arm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T22.632S | Corrosion of second degree of left upper arm, sequela |
| T22.639D | Corrosion of second degree of unspecified upper arm, subsequent encounter |
| T22.639S | Corrosion of second degree of unspecified upper arm, sequela |
| T22.641D | Corrosion of second degree of right axilla, subsequent encounter |
| T22.641S | Corrosion of second degree of right axilla, sequela |
| T22.642D | Corrosion of second degree of left axilla, subsequent encounter |
| T22.642S | Corrosion of second degree of left axilla, sequela |
| T22.649D | Corrosion of second degree of unspecified axilla, subsequent encounter |
| T22.649S | Corrosion of second degree of unspecified axilla, sequela |
| T22.651D | Corrosion of second degree of right shoulder, subsequent encounter |
| T22.651S | Corrosion of second degree of right shoulder, sequela |
| T22.652D | Corrosion of second degree of left shoulder, subsequent encounter |
| T22.652S | Corrosion of second degree of left shoulder, sequela |
| T22.659D | Corrosion of second degree of unspecified shoulder, subsequent encounter |
| T22.659S | Corrosion of second degree of unspecified shoulder, sequela |
| T22.661D | Corrosion of second degree of right scapular region, subsequent encounter |
| T22.661S | Corrosion of second degree of right scapular region, sequela |
| T22.662D | Corrosion of second degree of left scapular region, subsequent encounter |
| T22.662S | Corrosion of second degree of left scapular region, sequela |
| T22.669D | Corrosion of second degree of unspecified scapular region, subsequent encounter |
| T22.669S | Corrosion of second degree of unspecified scapular region, sequela |
| T22.691D | Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.691S | Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela |
| T22.692D | Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.692S | Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela |
| T22.699D | Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.699S | Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.70XD | Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter |
| T22.70XS | Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela |
| T22.711D | Corrosion of third degree of right forearm, subsequent encounter |
| T22.711S | Corrosion of third degree of right forearm, sequela |
| T22.712D | Corrosion of third degree of left forearm, subsequent encounter |
| T22.712S | Corrosion of third degree of left forearm, sequela |
| T22.719D | Corrosion of third degree of unspecified forearm, subsequent encounter |
| T22.719S | Corrosion of third degree of unspecified forearm, sequela |
| T22.721D | Corrosion of third degree of right elbow, subsequent encounter |
| T22.721S | Corrosion of third degree of right elbow, sequela |
| T22.722D | Corrosion of third degree of left elbow, subsequent encounter |
| T22.722S | Corrosion of third degree of left elbow, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T22.729D | Corrosion of third degree of unspecified elbow, subsequent encounter |
| T22.729S | Corrosion of third degree of unspecified elbow, sequela |
| T22.731D | Corrosion of third degree of right upper arm, subsequent encounter |
| T22.731S | Corrosion of third degree of right upper arm, sequela |
| T22.732D | Corrosion of third degree of left upper arm, subsequent encounter |
| T22.732S | Corrosion of third degree of left upper arm, sequela |
| T22.739D | Corrosion of third degree of unspecified upper arm, subsequent encounter |
| T22.739S | Corrosion of third degree of unspecified upper arm, sequela |
| T22.741D | Corrosion of third degree of right axilla, subsequent encounter |
| T22.741S | Corrosion of third degree of right axilla, sequela |
| T22.742D | Corrosion of third degree of left axilla, subsequent encounter |
| T22.742S | Corrosion of third degree of left axilla, sequela |
| T22.749D | Corrosion of third degree of unspecified axilla, subsequent encounter |
| T22.749S | Corrosion of third degree of unspecified axilla, sequela |
| T22.751D | Corrosion of third degree of right shoulder, subsequent encounter |
| T22.751S | Corrosion of third degree of right shoulder, sequela |
| T22.752D | Corrosion of third degree of left shoulder, subsequent encounter |
| T22.752S | Corrosion of third degree of left shoulder, sequela |
| T22.759D | Corrosion of third degree of unspecified shoulder, subsequent encounter |
| T22.759S | Corrosion of third degree of unspecified shoulder, sequela |
| T22.761D | Corrosion of third degree of right scapular region, subsequent encounter |
| T22.761S | Corrosion of third degree of right scapular region, sequela |
| T22.762D | Corrosion of third degree of left scapular region, subsequent encounter |
| T22.762S | Corrosion of third degree of left scapular region, sequela |
| T22.769D | Corrosion of third degree of unspecified scapular region, subsequent encounter |
| T22.769S | Corrosion of third degree of unspecified scapular region, sequela |
| T22.791D | Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.791S | Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela |
| T22.792D | Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.792S | Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela |
| T22.799D | Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter |
| T22.799S | Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T23.001D | Burn of unspecified degree of right hand, unspecified site, subsequent encounter |
| T23.001S | Burn of unspecified degree of right hand, unspecified site, sequela |
| T23.002D | Burn of unspecified degree of left hand, unspecified site, subsequent encounter |
| T23.002S | Burn of unspecified degree of left hand, unspecified site, sequela |
| T23.009D | Burn of unspecified degree of unspecified hand, unspecified site, subsequent encounter |
| T23.009S | Burn of unspecified degree of unspecified hand, unspecified site, sequela |
| T23.011D | Burn of unspecified degree of right thumb (nail), subsequent encounter |
| T23.011S | Burn of unspecified degree of right thumb (nail), sequela |
| T23.012D | Burn of unspecified degree of left thumb (nail), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.012S | Burn of unspecified degree of left thumb (nail), sequela |
| T23.019D | Burn of unspecified degree of unspecified thumb (nail), subsequent encounter |
| T23.019S | Burn of unspecified degree of unspecified thumb (nail), sequela |
| T23.021D | Burn of unspecified degree of single right finger (nail) except thumb, subsequent encounter |
| T23.021S | Burn of unspecified degree of single right finger (nail) except thumb, sequela |
| T23.022D | Burn of unspecified degree of single left finger (nail) except thumb, subsequent encounter |
| T23.022S | Burn of unspecified degree of single left finger (nail) except thumb, sequela |
| T23.029D | Burn of unspecified degree of unspecified single finger (nail) except thumb, subsequent encounter |
| T23.029S | Burn of unspecified degree of unspecified single finger (nail) except thumb, sequela |
| T23.031D | Burn of unspecified degree of multiple right fingers (nail), not including thumb, subsequent encounter |
| T23.031S | Burn of unspecified degree of multiple right fingers (nail), not including thumb, sequela |
| T23.032D | Burn of unspecified degree of multiple left fingers (nail), not including thumb, subsequent encounter |
| T23.032S | Burn of unspecified degree of multiple left fingers (nail), not including thumb, sequela |
| T23.039D | Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter |
| T23.039S | Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.041D | Burn of unspecified degree of multiple right fingers (nail), including thumb, subsequent encounter |
| T23.041S | Burn of unspecified degree of multiple right fingers (nail), including thumb, sequela |
| T23.042D | Burn of unspecified degree of multiple left fingers (nail), including thumb, subsequent encounter |
| T23.042S | Burn of unspecified degree of multiple left fingers (nail), including thumb, sequela |
| T23.049D | Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, subsequent encounter |
| T23.049S | Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, sequela |
| T23.051D | Burn of unspecified degree of right palm, subsequent encounter |
| T23.051S | Burn of unspecified degree of right palm, sequela |
| T23.052D | Burn of unspecified degree of left palm, subsequent encounter |
| T23.052S | Burn of unspecified degree of left palm, sequela |
| T23.059D | Burn of unspecified degree of unspecified palm, subsequent encounter |
| T23.059S | Burn of unspecified degree of unspecified palm, sequela |
| T23.061D | Burn of unspecified degree of back of right hand, subsequent encounter |
| T23.061S | Burn of unspecified degree of back of right hand, sequela |
| T23.062D | Burn of unspecified degree of back of left hand, subsequent encounter |
| T23.062S | Burn of unspecified degree of back of left hand, sequela |
| T23.069D | Burn of unspecified degree of back of unspecified hand, subsequent encounter |
| T23.069S | Burn of unspecified degree of back of unspecified hand, sequela |
| T23.071D | Burn of unspecified degree of right wrist, subsequent encounter |
| T23.071S | Burn of unspecified degree of right wrist, sequela |
| T23.072D | Burn of unspecified degree of left wrist, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.072S | Burn of unspecified degree of left wrist, sequela |
| T23.079D | Burn of unspecified degree of unspecified wrist, subsequent encounter |
| T23.079S | Burn of unspecified degree of unspecified wrist, sequela |
| T23.091D | Burn of unspecified degree of multiple sites of right wrist and hand, subsequent encounter |
| T23.091S | Burn of unspecified degree of multiple sites of right wrist and hand, sequela |
| T23.092D | Burn of unspecified degree of multiple sites of left wrist and hand, subsequent encounter |
| T23.092S | Burn of unspecified degree of multiple sites of left wrist and hand, sequela |
| T23.099D | Burn of unspecified degree of multiple sites of unspecified wrist and hand, subsequent encounter |
| T23.099S | Burn of unspecified degree of multiple sites of unspecified wrist and hand, sequela |
| T23.101D | Burn of first degree of right hand, unspecified site, subsequent encounter |
| T23.101S | Burn of first degree of right hand, unspecified site, sequela |
| T23.102D | Burn of first degree of left hand, unspecified site, subsequent encounter |
| T23.102S | Burn of first degree of left hand, unspecified site, sequela |
| T23.109D | Burn of first degree of unspecified hand, unspecified site, subsequent encounter |
| T23.109S | Burn of first degree of unspecified hand, unspecified site, sequela |
| T23.111D | Burn of first degree of right thumb (nail), subsequent encounter |
| T23.111S | Burn of first degree of right thumb (nail), sequela |
| T23.112D | Burn of first degree of left thumb (nail), subsequent encounter |
| T23.112S | Burn of first degree of left thumb (nail), sequela |
| T23.119D | Burn of first degree of unspecified thumb (nail), subsequent encounter |
| T23.119S | Burn of first degree of unspecified thumb (nail), sequela |
| T23.121D | Burn of first degree of single right finger (nail) except thumb, subsequent encounter |
| T23.121S | Burn of first degree of single right finger (nail) except thumb, sequela |
| T23.122D | Burn of first degree of single left finger (nail) except thumb, subsequent encounter |
| T23.122S | Burn of first degree of single left finger (nail) except thumb, sequela |
| T23.129D | Burn of first degree of unspecified single finger (nail) except thumb, subsequent encounter |
| T23.129S | Burn of first degree of unspecified single finger (nail) except thumb, sequela |
| T23.131D | Burn of first degree of multiple right fingers (nail), not including thumb, subsequent encounter |
| T23.131S | Burn of first degree of multiple right fingers (nail), not including thumb, sequela |
| T23.132D | Burn of first degree of multiple left fingers (nail), not including thumb, subsequent encounter |
| T23.132S | Burn of first degree of multiple left fingers (nail), not including thumb, sequela |
| T23.139D | Burn of first degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter |
| T23.139S | Burn of first degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.141D | Burn of first degree of multiple right fingers (nail), including thumb, subsequent encounter |
| T23.141S | Burn of first degree of multiple right fingers (nail), including thumb, sequela |
| T23.142D | Burn of first degree of multiple left fingers (nail), including thumb, subsequent encounter |
| T23.142S | Burn of first degree of multiple left fingers (nail), including thumb, sequela |
| T23.149D | Burn of first degree of unspecified multiple fingers (nail), including thumb, subsequent encounter |
| T23.149S | Burn of first degree of unspecified multiple fingers (nail), including thumb, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.151D | Burn of first degree of right palm, subsequent encounter |
| T23.151S | Burn of first degree of right palm, sequela |
| T23.152D | Burn of first degree of left palm, subsequent encounter |
| T23.152S | Burn of first degree of left palm, sequela |
| T23.159D | Burn of first degree of unspecified palm, subsequent encounter |
| T23.159S | Burn of first degree of unspecified palm, sequela |
| T23.161D | Burn of first degree of back of right hand, subsequent encounter |
| T23.161S | Burn of first degree of back of right hand, sequela |
| T23.162D | Burn of first degree of back of left hand, subsequent encounter |
| T23.162S | Burn of first degree of back of left hand, sequela |
| T23.169D | Burn of first degree of back of unspecified hand, subsequent encounter |
| T23.169S | Burn of first degree of back of unspecified hand, sequela |
| T23.171D | Burn of first degree of right wrist, subsequent encounter |
| T23.171S | Burn of first degree of right wrist, sequela |
| T23.172D | Burn of first degree of left wrist, subsequent encounter |
| T23.172S | Burn of first degree of left wrist, sequela |
| T23.179D | Burn of first degree of unspecified wrist, subsequent encounter |
| T23.179S | Burn of first degree of unspecified wrist, sequela |
| T23.191D | Burn of first degree of multiple sites of right wrist and hand, subsequent encounter |
| T23.191S | Burn of first degree of multiple sites of right wrist and hand, sequela |
| T23.192D | Burn of first degree of multiple sites of left wrist and hand, subsequent encounter |
| T23.192S | Burn of first degree of multiple sites of left wrist and hand, sequela |
| T23.199D | Burn of first degree of multiple sites of unspecified wrist and hand, subsequent encounter |
| T23.199S | Burn of first degree of multiple sites of unspecified wrist and hand, sequela |
| T23.201D | Burn of second degree of right hand, unspecified site, subsequent encounter |
| T23.201S | Burn of second degree of right hand, unspecified site, sequela |
| T23.202D | Burn of second degree of left hand, unspecified site, subsequent encounter |
| T23.202S | Burn of second degree of left hand, unspecified site, sequela |
| T23.209D | Burn of second degree of unspecified hand, unspecified site, subsequent encounter |
| T23.209S | Burn of second degree of unspecified hand, unspecified site, sequela |
| T23.211D | Burn of second degree of right thumb (nail), subsequent encounter |
| T23.211S | Burn of second degree of right thumb (nail), sequela |
| T23.212D | Burn of second degree of left thumb (nail), subsequent encounter |
| T23.212S | Burn of second degree of left thumb (nail), sequela |
| T23.219D | Burn of second degree of unspecified thumb (nail), subsequent encounter |
| T23.219S | Burn of second degree of unspecified thumb (nail), sequela |
| T23.221D | Burn of second degree of single right finger (nail) except thumb, subsequent encounter |
| T23.221S | Burn of second degree of single right finger (nail) except thumb, sequela |
| T23.222D | Burn of second degree of single left finger (nail) except thumb, subsequent encounter |
| T23.222S | Burn of second degree of single left finger (nail) except thumb, sequela |
| T23.229D | Burn of second degree of unspecified single finger (nail) except thumb, subsequent encounter |
| T23.229S | Burn of second degree of unspecified single finger (nail) except thumb, sequela |
| T23.231D | Burn of second degree of multiple right fingers (nail), not including thumb, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.231S | Burn of second degree of multiple right fingers (nail), not including thumb, sequela |
| T23.232D | Burn of second degree of multiple left fingers (nail), not including thumb, subsequent encounter |
| T23.232S | Burn of second degree of multiple left fingers (nail), not including thumb, sequela |
| T23.239D | Burn of second degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter |
| T23.239S | Burn of second degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.241D | Burn of second degree of multiple right fingers (nail), including thumb, subsequent encounter |
| T23.241S | Burn of second degree of multiple right fingers (nail), including thumb, sequela |
| T23.242D | Burn of second degree of multiple left fingers (nail), including thumb, subsequent encounter |
| T23.242S | Burn of second degree of multiple left fingers (nail), including thumb, sequela |
| T23.249D | Burn of second degree of unspecified multiple fingers (nail), including thumb, subsequent encounter |
| T23.249S | Burn of second degree of unspecified multiple fingers (nail), including thumb, sequela |
| T23.251D | Burn of second degree of right palm, subsequent encounter |
| T23.251S | Burn of second degree of right palm, sequela |
| T23.252D | Burn of second degree of left palm, subsequent encounter |
| T23.252S | Burn of second degree of left palm, sequela |
| T23.259D | Burn of second degree of unspecified palm, subsequent encounter |
| T23.259S | Burn of second degree of unspecified palm, sequela |
| T23.261D | Burn of second degree of back of right hand, subsequent encounter |
| T23.261S | Burn of second degree of back of right hand, sequela |
| T23.262D | Burn of second degree of back of left hand, subsequent encounter |
| T23.262S | Burn of second degree of back of left hand, sequela |
| T23.269D | Burn of second degree of back of unspecified hand, subsequent encounter |
| T23.269S | Burn of second degree of back of unspecified hand, sequela |
| T23.271D | Burn of second degree of right wrist, subsequent encounter |
| T23.271S | Burn of second degree of right wrist, sequela |
| T23.272D | Burn of second degree of left wrist, subsequent encounter |
| T23.272S | Burn of second degree of left wrist, sequela |
| T23.279D | Burn of second degree of unspecified wrist, subsequent encounter |
| T23.279S | Burn of second degree of unspecified wrist, sequela |
| T23.291D | Burn of second degree of multiple sites of right wrist and hand, subsequent encounter |
| T23.291S | Burn of second degree of multiple sites of right wrist and hand, sequela |
| T23.292D | Burn of second degree of multiple sites of left wrist and hand, subsequent encounter |
| T23.292S | Burn of second degree of multiple sites of left wrist and hand, sequela |
| T23.299D | Burn of second degree of multiple sites of unspecified wrist and hand, subsequent encounter |
| T23.299S | Burn of second degree of multiple sites of unspecified wrist and hand, sequela |
| T23.301D | Burn of third degree of right hand, unspecified site, subsequent encounter |
| T23.301S | Burn of third degree of right hand, unspecified site, sequela |
| T23.302D | Burn of third degree of left hand, unspecified site, subsequent encounter |
| T23.302S | Burn of third degree of left hand, unspecified site, sequela |
| T23.309D | Burn of third degree of unspecified hand, unspecified site, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.309S | Burn of third degree of unspecified hand, unspecified site, sequela |
| T23.311D | Burn of third degree of right thumb (nail), subsequent encounter |
| T23.311S | Burn of third degree of right thumb (nail), sequela |
| T23.312D | Burn of third degree of left thumb (nail), subsequent encounter |
| T23.312S | Burn of third degree of left thumb (nail), sequela |
| T23.319D | Burn of third degree of unspecified thumb (nail), subsequent encounter |
| T23.319S | Burn of third degree of unspecified thumb (nail), sequela |
| T23.321D | Burn of third degree of single right finger (nail) except thumb, subsequent encounter |
| T23.321S | Burn of third degree of single right finger (nail) except thumb, sequela |
| T23.322D | Burn of third degree of single left finger (nail) except thumb, subsequent encounter |
| T23.322S | Burn of third degree of single left finger (nail) except thumb, sequela |
| T23.329D | Burn of third degree of unspecified single finger (nail) except thumb, subsequent encounter |
| T23.329S | Burn of third degree of unspecified single finger (nail) except thumb, sequela |
| T23.331D | Burn of third degree of multiple right fingers (nail), not including thumb, subsequent encounter |
| T23.331S | Burn of third degree of multiple right fingers (nail), not including thumb, sequela |
| T23.332D | Burn of third degree of multiple left fingers (nail), not including thumb, subsequent encounter |
| T23.332S | Burn of third degree of multiple left fingers (nail), not including thumb, sequela |
| T23.339D | Burn of third degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter |
| T23.339S | Burn of third degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.341D | Burn of third degree of multiple right fingers (nail), including thumb, subsequent encounter |
| T23.341S | Burn of third degree of multiple right fingers (nail), including thumb, sequela |
| T23.342D | Burn of third degree of multiple left fingers (nail), including thumb, subsequent encounter |
| T23.342S | Burn of third degree of multiple left fingers (nail), including thumb, sequela |
| T23.349D | Burn of third degree of unspecified multiple fingers (nail), including thumb, subsequent encounter |
| T23.349S | Burn of third degree of unspecified multiple fingers (nail), including thumb, sequela |
| T23.351D | Burn of third degree of right palm, subsequent encounter |
| T23.351S | Burn of third degree of right palm, sequela |
| T23.352D | Burn of third degree of left palm, subsequent encounter |
| T23.352S | Burn of third degree of left palm, sequela |
| T23.359D | Burn of third degree of unspecified palm, subsequent encounter |
| T23.359S | Burn of third degree of unspecified palm, sequela |
| T23.361D | Burn of third degree of back of right hand, subsequent encounter |
| T23.361S | Burn of third degree of back of right hand, sequela |
| T23.362D | Burn of third degree of back of left hand, subsequent encounter |
| T23.362S | Burn of third degree of back of left hand, sequela |
| T23.369D | Burn of third degree of back of unspecified hand, subsequent encounter |
| T23.369S | Burn of third degree of back of unspecified hand, sequela |
| T23.371D | Burn of third degree of right wrist, subsequent encounter |
| T23.371S | Burn of third degree of right wrist, sequela |
| T23.372D | Burn of third degree of left wrist, subsequent encounter |
| T23.372S | Burn of third degree of left wrist, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.379D | Burn of third degree of unspecified wrist, subsequent encounter |
| T23.379S | Burn of third degree of unspecified wrist, sequela |
| T23.391D | Burn of third degree of multiple sites of right wrist and hand, subsequent encounter |
| T23.391S | Burn of third degree of multiple sites of right wrist and hand, sequela |
| T23.392D | Burn of third degree of multiple sites of left wrist and hand, subsequent encounter |
| T23.392S | Burn of third degree of multiple sites of left wrist and hand, sequela |
| T23.399D | Burn of third degree of multiple sites of unspecified wrist and hand, subsequent encounter |
| T23.399S | Burn of third degree of multiple sites of unspecified wrist and hand, sequela |
| T23.401D | Corrosion of unspecified degree of right hand, unspecified site, subsequent encounter |
| T23.401S | Corrosion of unspecified degree of right hand, unspecified site, sequela |
| T23.402D | Corrosion of unspecified degree of left hand, unspecified site, subsequent encounter |
| T23.402S | Corrosion of unspecified degree of left hand, unspecified site, sequela |
| T23.409D | Corrosion of unspecified degree of unspecified hand, unspecified site, subsequent encounter |
| T23.409S | Corrosion of unspecified degree of unspecified hand, unspecified site, sequela |
| T23.411D | Corrosion of unspecified degree of right thumb (nail), subsequent encounter |
| T23.411S | Corrosion of unspecified degree of right thumb (nail), sequela |
| T23.412D | Corrosion of unspecified degree of left thumb (nail), subsequent encounter |
| T23.412S | Corrosion of unspecified degree of left thumb (nail), sequela |
| T23.419D | Corrosion of unspecified degree of unspecified thumb (nail), subsequent encounter |
| T23.419S | Corrosion of unspecified degree of unspecified thumb (nail), sequela |
| T23.421D | Corrosion of unspecified degree of single right finger (nail) except thumb, subsequent encounter |
| T23.421S | Corrosion of unspecified degree of single right finger (nail) except thumb, sequela |
| T23.422D | Corrosion of unspecified degree of single left finger (nail) except thumb, subsequent encounter |
| T23.422S | Corrosion of unspecified degree of single left finger (nail) except thumb, sequela |
| T23.429D | Corrosion of unspecified degree of unspecified single finger (nail) except thumb, subsequent encounter |
| T23.429S | Corrosion of unspecified degree of unspecified single finger (nail) except thumb, sequela |
| T23.431D | Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, subsequent encounter |
| T23.431S | Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, sequela |
| T23.432D | Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, subsequent encounter |
| T23.432S | Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, sequela |
| T23.439D | Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter |
| T23.439S | Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.441D | Corrosion of unspecified degree of multiple right fingers (nail), including thumb, subsequent encounter |
| T23.441S | Corrosion of unspecified degree of multiple right fingers (nail), including thumb, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.442D | Corrosion of unspecified degree of multiple left fingers (nail), including thumb, subsequent encounter |
| T23.442S | Corrosion of unspecified degree of multiple left fingers (nail), including thumb, sequela |
| T23.449D | Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, subsequent encounter |
| T23.449S | Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, sequela |
| T23.451D | Corrosion of unspecified degree of right palm, subsequent encounter |
| T23.451S | Corrosion of unspecified degree of right palm, sequela |
| T23.452D | Corrosion of unspecified degree of left palm, subsequent encounter |
| T23.452S | Corrosion of unspecified degree of left palm, sequela |
| T23.459D | Corrosion of unspecified degree of unspecified palm, subsequent encounter |
| T23.459S | Corrosion of unspecified degree of unspecified palm, sequela |
| T23.461D | Corrosion of unspecified degree of back of right hand, subsequent encounter |
| T23.461S | Corrosion of unspecified degree of back of right hand, sequela |
| T23.462D | Corrosion of unspecified degree of back of left hand, subsequent encounter |
| T23.462S | Corrosion of unspecified degree of back of left hand, sequela |
| T23.469D | Corrosion of unspecified degree of back of unspecified hand, subsequent encounter |
| T23.469S | Corrosion of unspecified degree of back of unspecified hand, sequela |
| T23.471D | Corrosion of unspecified degree of right wrist, subsequent encounter |
| T23.471S | Corrosion of unspecified degree of right wrist, sequela |
| T23.472D | Corrosion of unspecified degree of left wrist, subsequent encounter |
| T23.472S | Corrosion of unspecified degree of left wrist, sequela |
| T23.479D | Corrosion of unspecified degree of unspecified wrist, subsequent encounter |
| T23.479S | Corrosion of unspecified degree of unspecified wrist, sequela |
| T23.491D | Corrosion of unspecified degree of multiple sites of right wrist and hand, subsequent encounter |
| T23.491S | Corrosion of unspecified degree of multiple sites of right wrist and hand, sequela |
| T23.492D | Corrosion of unspecified degree of multiple sites of left wrist and hand, subsequent encounter |
| T23.492S | Corrosion of unspecified degree of multiple sites of left wrist and hand, sequela |
| T23.499D | Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, subsequent encounter |
| T23.499S | Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, sequela |
| T23.501D | Corrosion of first degree of right hand, unspecified site, subsequent encounter |
| T23.501S | Corrosion of first degree of right hand, unspecified site, sequela |
| T23.502D | Corrosion of first degree of left hand, unspecified site, subsequent encounter |
| T23.502S | Corrosion of first degree of left hand, unspecified site, sequela |
| T23.509D | Corrosion of first degree of unspecified hand, unspecified site, subsequent encounter |
| T23.509S | Corrosion of first degree of unspecified hand, unspecified site, sequela |
| T23.511D | Corrosion of first degree of right thumb (nail), subsequent encounter |
| T23.511S | Corrosion of first degree of right thumb (nail), sequela |
| T23.512D | Corrosion of first degree of left thumb (nail), subsequent encounter |
| T23.512S | Corrosion of first degree of left thumb (nail), sequela |
| T23.519D | Corrosion of first degree of unspecified thumb (nail), subsequent encounter |
| T23.519S | Corrosion of first degree of unspecified thumb (nail), sequela |
| T23.521D | Corrosion of first degree of single right finger (nail) except thumb, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.521S | Corrosion of first degree of single right finger (nail) except thumb, sequela |
| T23.522D | Corrosion of first degree of single left finger (nail) except thumb, subsequent encounter |
| T23.522S | Corrosion of first degree of single left finger (nail) except thumb, sequela |
| T23.529D | Corrosion of first degree of unspecified single finger (nail) except thumb, subsequent encounter |
| T23.529S | Corrosion of first degree of unspecified single finger (nail) except thumb, sequela |
| T23.531D | Corrosion of first degree of multiple right fingers (nail), not including thumb, subsequent encounter |
| T23.531S | Corrosion of first degree of multiple right fingers (nail), not including thumb, sequela |
| T23.532D | Corrosion of first degree of multiple left fingers (nail), not including thumb, subsequent encounter |
| T23.532S | Corrosion of first degree of multiple left fingers (nail), not including thumb, sequela |
| T23.539D | Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter |
| T23.539S | Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.541D | Corrosion of first degree of multiple right fingers (nail), including thumb, subsequent encounter |
| T23.541S | Corrosion of first degree of multiple right fingers (nail), including thumb, sequela |
| T23.542D | Corrosion of first degree of multiple left fingers (nail), including thumb, subsequent encounter |
| T23.542S | Corrosion of first degree of multiple left fingers (nail), including thumb, sequela |
| T23.549D | Corrosion of first degree of unspecified multiple fingers (nail), including thumb, subsequent encounter |
| T23.549S | Corrosion of first degree of unspecified multiple fingers (nail), including thumb, sequela |
| T23.551D | Corrosion of first degree of right palm, subsequent encounter |
| T23.551S | Corrosion of first degree of right palm, sequela |
| T23.552D | Corrosion of first degree of left palm, subsequent encounter |
| T23.552S | Corrosion of first degree of left palm, sequela |
| T23.559D | Corrosion of first degree of unspecified palm, subsequent encounter |
| T23.559S | Corrosion of first degree of unspecified palm, sequela |
| T23.561D | Corrosion of first degree of back of right hand, subsequent encounter |
| T23.561S | Corrosion of first degree of back of right hand, sequela |
| T23.562D | Corrosion of first degree of back of left hand, subsequent encounter |
| T23.562S | Corrosion of first degree of back of left hand, sequela |
| T23.569D | Corrosion of first degree of back of unspecified hand, subsequent encounter |
| T23.569S | Corrosion of first degree of back of unspecified hand, sequela |
| T23.571D | Corrosion of first degree of right wrist, subsequent encounter |
| T23.571S | Corrosion of first degree of right wrist, sequela |
| T23.572D | Corrosion of first degree of left wrist, subsequent encounter |
| T23.572S | Corrosion of first degree of left wrist, sequela |
| T23.579D | Corrosion of first degree of unspecified wrist, subsequent encounter |
| T23.579S | Corrosion of first degree of unspecified wrist, sequela |
| T23.591D | Corrosion of first degree of multiple sites of right wrist and hand, subsequent encounter |
| T23.591S | Corrosion of first degree of multiple sites of right wrist and hand, sequela |
| T23.592D | Corrosion of first degree of multiple sites of left wrist and hand, subsequent encounter |
| T23.592S | Corrosion of first degree of multiple sites of left wrist and hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.599D | Corrosion of first degree of multiple sites of unspecified wrist and hand, subsequent encounter |
| T23.599S | Corrosion of first degree of multiple sites of unspecified wrist and hand, sequela |
| T23.601D | Corrosion of second degree of right hand, unspecified site, subsequent encounter |
| T23.601S | Corrosion of second degree of right hand, unspecified site, sequela |
| T23.602D | Corrosion of second degree of left hand, unspecified site, subsequent encounter |
| T23.602S | Corrosion of second degree of left hand, unspecified site, sequela |
| T23.609D | Corrosion of second degree of unspecified hand, unspecified site, subsequent encounter |
| T23.609S | Corrosion of second degree of unspecified hand, unspecified site, sequela |
| T23.611D | Corrosion of second degree of right thumb (nail), subsequent encounter |
| T23.611S | Corrosion of second degree of right thumb (nail), sequela |
| T23.612D | Corrosion of second degree of left thumb (nail), subsequent encounter |
| T23.612S | Corrosion of second degree of left thumb (nail), sequela |
| T23.619D | Corrosion of second degree of unspecified thumb (nail), subsequent encounter |
| T23.619S | Corrosion of second degree of unspecified thumb (nail), sequela |
| T23.621D | Corrosion of second degree of single right finger (nail) except thumb, subsequent encounter |
| T23.621S | Corrosion of second degree of single right finger (nail) except thumb, sequela |
| T23.622D | Corrosion of second degree of single left finger (nail) except thumb, subsequent encounter |
| T23.622S | Corrosion of second degree of single left finger (nail) except thumb, sequela |
| T23.629D | Corrosion of second degree of unspecified single finger (nail) except thumb, subsequent encounter |
| T23.629S | Corrosion of second degree of unspecified single finger (nail) except thumb, sequela |
| T23.631D | Corrosion of second degree of multiple right fingers (nail), not including thumb, subsequent encounter |
| T23.631S | Corrosion of second degree of multiple right fingers (nail), not including thumb, sequela |
| T23.632D | Corrosion of second degree of multiple left fingers (nail), not including thumb, subsequent encounter |
| T23.632S | Corrosion of second degree of multiple left fingers (nail), not including thumb, sequela |
| T23.639D | Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter |
| T23.639S | Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.641D | Corrosion of second degree of multiple right fingers (nail), including thumb, subsequent encounter |
| T23.641S | Corrosion of second degree of multiple right fingers (nail), including thumb, sequela |
| T23.642D | Corrosion of second degree of multiple left fingers (nail), including thumb, subsequent encounter |
| T23.642S | Corrosion of second degree of multiple left fingers (nail), including thumb, sequela |
| T23.649D | Corrosion of second degree of unspecified multiple fingers (nail), including thumb, subsequent encounter |
| T23.649S | Corrosion of second degree of unspecified multiple fingers (nail), including thumb, sequela |
| T23.651D | Corrosion of second degree of right palm, subsequent encounter |
| T23.651S | Corrosion of second degree of right palm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.652D | Corrosion of second degree of left palm, subsequent encounter |
| T23.652S | Corrosion of second degree of left palm, sequela |
| T23.659D | Corrosion of second degree of unspecified palm, subsequent encounter |
| T23.659S | Corrosion of second degree of unspecified palm, sequela |
| T23.661D | Corrosion of second degree back of right hand, subsequent encounter |
| T23.661S | Corrosion of second degree back of right hand, sequela |
| T23.662D | Corrosion of second degree back of left hand, subsequent encounter |
| T23.662S | Corrosion of second degree back of left hand, sequela |
| T23.669D | Corrosion of second degree back of unspecified hand, subsequent encounter |
| T23.669S | Corrosion of second degree back of unspecified hand, sequela |
| T23.671D | Corrosion of second degree of right wrist, subsequent encounter |
| T23.671S | Corrosion of second degree of right wrist, sequela |
| T23.672D | Corrosion of second degree of left wrist, subsequent encounter |
| T23.672S | Corrosion of second degree of left wrist, sequela |
| T23.679D | Corrosion of second degree of unspecified wrist, subsequent encounter |
| T23.679S | Corrosion of second degree of unspecified wrist, sequela |
| T23.691D | Corrosion of second degree of multiple sites of right wrist and hand, subsequent encounter |
| T23.691S | Corrosion of second degree of multiple sites of right wrist and hand, sequela |
| T23.692D | Corrosion of second degree of multiple sites of left wrist and hand, subsequent encounter |
| T23.692S | Corrosion of second degree of multiple sites of left wrist and hand, sequela |
| T23.699D | Corrosion of second degree of multiple sites of unspecified wrist and hand, subsequent encounter |
| T23.699S | Corrosion of second degree of multiple sites of unspecified wrist and hand, sequela |
| T23.701D | Corrosion of third degree of right hand, unspecified site, subsequent encounter |
| T23.701S | Corrosion of third degree of right hand, unspecified site, sequela |
| T23.702D | Corrosion of third degree of left hand, unspecified site, subsequent encounter |
| T23.702S | Corrosion of third degree of left hand, unspecified site, sequela |
| T23.709D | Corrosion of third degree of unspecified hand, unspecified site, subsequent encounter |
| T23.709S | Corrosion of third degree of unspecified hand, unspecified site, sequela |
| T23.711D | Corrosion of third degree of right thumb (nail), subsequent encounter |
| T23.711S | Corrosion of third degree of right thumb (nail), sequela |
| T23.712D | Corrosion of third degree of left thumb (nail), subsequent encounter |
| T23.712S | Corrosion of third degree of left thumb (nail), sequela |
| T23.719D | Corrosion of third degree of unspecified thumb (nail), subsequent encounter |
| T23.719S | Corrosion of third degree of unspecified thumb (nail), sequela |
| T23.721D | Corrosion of third degree of single right finger (nail) except thumb, subsequent encounter |
| T23.721S | Corrosion of third degree of single right finger (nail) except thumb, sequela |
| T23.722D | Corrosion of third degree of single left finger (nail) except thumb, subsequent encounter |
| T23.722S | Corrosion of third degree of single left finger (nail) except thumb, sequela |
| T23.729D | Corrosion of third degree of unspecified single finger (nail) except thumb, subsequent encounter |
| T23.729S | Corrosion of third degree of unspecified single finger (nail) except thumb, sequela |
| T23.731D | Corrosion of third degree of multiple right fingers (nail), not including thumb, subsequent encounter |
| T23.731S | Corrosion of third degree of multiple right fingers (nail), not including thumb, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T23.732D | Corrosion of third degree of multiple left fingers (nail), not including thumb, subsequent encounter |
| T23.732S | Corrosion of third degree of multiple left fingers (nail), not including thumb, sequela |
| T23.739D | Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter |
| T23.739S | Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.741D | Corrosion of third degree of multiple right fingers (nail), including thumb, subsequent encounter |
| T23.741S | Corrosion of third degree of multiple right fingers (nail), including thumb, sequela |
| T23.742D | Corrosion of third degree of multiple left fingers (nail), including thumb, subsequent encounter |
| T23.742S | Corrosion of third degree of multiple left fingers (nail), including thumb, sequela |
| T23.749D | Corrosion of third degree of unspecified multiple fingers (nail), including thumb, subsequent encounter |
| T23.749S | Corrosion of third degree of unspecified multiple fingers (nail), including thumb, sequela |
| T23.751D | Corrosion of third degree of right palm, subsequent encounter |
| T23.751S | Corrosion of third degree of right palm, sequela |
| T23.752D | Corrosion of third degree of left palm, subsequent encounter |
| T23.752S | Corrosion of third degree of left palm, sequela |
| T23.759D | Corrosion of third degree of unspecified palm, subsequent encounter |
| T23.759S | Corrosion of third degree of unspecified palm, sequela |
| T23.761D | Corrosion of third degree of back of right hand, subsequent encounter |
| T23.761S | Corrosion of third degree of back of right hand, sequela |
| T23.762D | Corrosion of third degree of back of left hand, subsequent encounter |
| T23.762S | Corrosion of third degree of back of left hand, sequela |
| T23.769D | Corrosion of third degree back of unspecified hand, subsequent encounter |
| T23.769S | Corrosion of third degree back of unspecified hand, sequela |
| T23.771D | Corrosion of third degree of right wrist, subsequent encounter |
| T23.771S | Corrosion of third degree of right wrist, sequela |
| T23.772D | Corrosion of third degree of left wrist, subsequent encounter |
| T23.772S | Corrosion of third degree of left wrist, sequela |
| T23.779D | Corrosion of third degree of unspecified wrist, subsequent encounter |
| T23.779S | Corrosion of third degree of unspecified wrist, sequela |
| T23.791D | Corrosion of third degree of multiple sites of right wrist and hand, subsequent encounter |
| T23.791S | Corrosion of third degree of multiple sites of right wrist and hand, sequela |
| T23.792D | Corrosion of third degree of multiple sites of left wrist and hand, subsequent encounter |
| T23.792S | Corrosion of third degree of multiple sites of left wrist and hand, sequela |
| T23.799D | Corrosion of third degree of multiple sites of unspecified wrist and hand, subsequent encounter |
| T23.799S | Corrosion of third degree of multiple sites of unspecified wrist and hand, sequela |
| T24.001D | Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter |
| T24.001S | Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, sequela |
| T24.002D | Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T24.002S | Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, sequela |
| T24.009D | Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.009S | Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.011D | Burn of unspecified degree of right thigh, subsequent encounter |
| T24.011S | Burn of unspecified degree of right thigh, sequela |
| T24.012D | Burn of unspecified degree of left thigh, subsequent encounter |
| T24.012S | Burn of unspecified degree of left thigh, sequela |
| T24.019D | Burn of unspecified degree of unspecified thigh, subsequent encounter |
| T24.019S | Burn of unspecified degree of unspecified thigh, sequela |
| T24.021D | Burn of unspecified degree of right knee, subsequent encounter |
| T24.021S | Burn of unspecified degree of right knee, sequela |
| T24.022D | Burn of unspecified degree of left knee, subsequent encounter |
| T24.022S | Burn of unspecified degree of left knee, sequela |
| T24.029D | Burn of unspecified degree of unspecified knee, subsequent encounter |
| T24.029S | Burn of unspecified degree of unspecified knee, sequela |
| T24.031D | Burn of unspecified degree of right lower leg, subsequent encounter |
| T24.031S | Burn of unspecified degree of right lower leg, sequela |
| T24.032D | Burn of unspecified degree of left lower leg, subsequent encounter |
| T24.032S | Burn of unspecified degree of left lower leg, sequela |
| T24.039D | Burn of unspecified degree of unspecified lower leg, subsequent encounter |
| T24.039S | Burn of unspecified degree of unspecified lower leg, sequela |
| T24.091D | Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter |
| T24.091S | Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, sequela |
| T24.092D | Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter |
| T24.092S | Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, sequela |
| T24.099D | Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.099S | Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T24.101D | Burn of first degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter |
| T24.101S | Burn of first degree of unspecified site of right lower limb, except ankle and foot, sequela |
| T24.102D | Burn of first degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter |
| T24.102S | Burn of first degree of unspecified site of left lower limb, except ankle and foot, sequela |
| T24.109D | Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.109S | Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.111D | Burn of first degree of right thigh, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T24.111S | Burn of first degree of right thigh, sequela |
| T24.112D | Burn of first degree of left thigh, subsequent encounter |
| T24.112S | Burn of first degree of left thigh, sequela |
| T24.119D | Burn of first degree of unspecified thigh, subsequent encounter |
| T24.119S | Burn of first degree of unspecified thigh, sequela |
| T24.121D | Burn of first degree of right knee, subsequent encounter |
| T24.121S | Burn of first degree of right knee, sequela |
| T24.122D | Burn of first degree of left knee, subsequent encounter |
| T24.122S | Burn of first degree of left knee, sequela |
| T24.129D | Burn of first degree of unspecified knee, subsequent encounter |
| T24.129S | Burn of first degree of unspecified knee, sequela |
| T24.131D | Burn of first degree of right lower leg, subsequent encounter |
| T24.131S | Burn of first degree of right lower leg, sequela |
| T24.132D | Burn of first degree of left lower leg, subsequent encounter |
| T24.132S | Burn of first degree of left lower leg, sequela |
| T24.139D | Burn of first degree of unspecified lower leg, subsequent encounter |
| T24.139S | Burn of first degree of unspecified lower leg, sequela |
| T24.191D | Burn of first degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter |
| T24.191S | Burn of first degree of multiple sites of right lower limb, except ankle and foot, sequela |
| T24.192D | Burn of first degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter |
| T24.192S | Burn of first degree of multiple sites of left lower limb, except ankle and foot, sequela |
| T24.199D | Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.199S | Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T24.201D | Burn of second degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter |
| T24.201S | Burn of second degree of unspecified site of right lower limb, except ankle and foot, sequela |
| T24.202D | Burn of second degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter |
| T24.202S | Burn of second degree of unspecified site of left lower limb, except ankle and foot, sequela |
| T24.209D | Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.209S | Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.211D | Burn of second degree of right thigh, subsequent encounter |
| T24.211S | Burn of second degree of right thigh, sequela |
| T24.212D | Burn of second degree of left thigh, subsequent encounter |
| T24.212S | Burn of second degree of left thigh, sequela |
| T24.219D | Burn of second degree of unspecified thigh, subsequent encounter |
| T24.219S | Burn of second degree of unspecified thigh, sequela |
| T24.221D | Burn of second degree of right knee, subsequent encounter |
| T24.221S | Burn of second degree of right knee, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T24.222D | Burn of second degree of left knee, subsequent encounter |
| T24.222S | Burn of second degree of left knee, sequela |
| T24.229D | Burn of second degree of unspecified knee, subsequent encounter |
| T24.229S | Burn of second degree of unspecified knee, sequela |
| T24.231D | Burn of second degree of right lower leg, subsequent encounter |
| T24.231S | Burn of second degree of right lower leg, sequela |
| T24.232D | Burn of second degree of left lower leg, subsequent encounter |
| T24.232S | Burn of second degree of left lower leg, sequela |
| T24.239D | Burn of second degree of unspecified lower leg, subsequent encounter |
| T24.239S | Burn of second degree of unspecified lower leg, sequela |
| T24.291D | Burn of second degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter |
| T24.291S | Burn of second degree of multiple sites of right lower limb, except ankle and foot, sequela |
| T24.292D | Burn of second degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter |
| T24.292S | Burn of second degree of multiple sites of left lower limb, except ankle and foot, sequela |
| T24.299D | Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.299S | Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T24.301D | Burn of third degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter |
| T24.301S | Burn of third degree of unspecified site of right lower limb, except ankle and foot, sequela |
| T24.302D | Burn of third degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter |
| T24.302S | Burn of third degree of unspecified site of left lower limb, except ankle and foot, sequela |
| T24.309D | Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.309S | Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.311D | Burn of third degree of right thigh, subsequent encounter |
| T24.311S | Burn of third degree of right thigh, sequela |
| T24.312D | Burn of third degree of left thigh, subsequent encounter |
| T24.312S | Burn of third degree of left thigh, sequela |
| T24.319D | Burn of third degree of unspecified thigh, subsequent encounter |
| T24.319S | Burn of third degree of unspecified thigh, sequela |
| T24.321D | Burn of third degree of right knee, subsequent encounter |
| T24.321S | Burn of third degree of right knee, sequela |
| T24.322D | Burn of third degree of left knee, subsequent encounter |
| T24.322S | Burn of third degree of left knee, sequela |
| T24.329D | Burn of third degree of unspecified knee, subsequent encounter |
| T24.329S | Burn of third degree of unspecified knee, sequela |
| T24.331D | Burn of third degree of right lower leg, subsequent encounter |
| T24.331S | Burn of third degree of right lower leg, sequela |
| T24.332D | Burn of third degree of left lower leg, subsequent encounter |
| T24.332S | Burn of third degree of left lower leg, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T24.339D | Burn of third degree of unspecified lower leg, subsequent encounter |
| T24.339S | Burn of third degree of unspecified lower leg, sequela |
| T24.391D | Burn of third degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter |
| T24.391S | Burn of third degree of multiple sites of right lower limb, except ankle and foot, sequela |
| T24.392D | Burn of third degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter |
| T24.392S | Burn of third degree of multiple sites of left lower limb, except ankle and foot, sequela |
| T24.399D | Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.399S | Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T24.401D | Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter |
| T24.401S | Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, sequela |
| T24.402D | Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter |
| T24.402S | Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, sequela |
| T24.409D | Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.409S | Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.411D | Corrosion of unspecified degree of right thigh, subsequent encounter |
| T24.411S | Corrosion of unspecified degree of right thigh, sequela |
| T24.412D | Corrosion of unspecified degree of left thigh, subsequent encounter |
| T24.412S | Corrosion of unspecified degree of left thigh, sequela |
| T24.419D | Corrosion of unspecified degree of unspecified thigh, subsequent encounter |
| T24.419S | Corrosion of unspecified degree of unspecified thigh, sequela |
| T24.421D | Corrosion of unspecified degree of right knee, subsequent encounter |
| T24.421S | Corrosion of unspecified degree of right knee, sequela |
| T24.422D | Corrosion of unspecified degree of left knee, subsequent encounter |
| T24.422S | Corrosion of unspecified degree of left knee, sequela |
| T24.429D | Corrosion of unspecified degree of unspecified knee, subsequent encounter |
| T24.429S | Corrosion of unspecified degree of unspecified knee, sequela |
| T24.431D | Corrosion of unspecified degree of right lower leg, subsequent encounter |
| T24.431S | Corrosion of unspecified degree of right lower leg, sequela |
| T24.432D | Corrosion of unspecified degree of left lower leg, subsequent encounter |
| T24.432S | Corrosion of unspecified degree of left lower leg, sequela |
| T24.439D | Corrosion of unspecified degree of unspecified lower leg, subsequent encounter |
| T24.439S | Corrosion of unspecified degree of unspecified lower leg, sequela |
| T24.491D | Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter |
| T24.491S | Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T24.492D | Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter |
| T24.492S | Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, sequela |
| T24.499D | Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.499S | Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T24.501D | Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter |
| T24.501S | Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, sequela |
| T24.502D | Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter |
| T24.502S | Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, sequela |
| T24.509D | Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.509S | Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.511D | Corrosion of first degree of right thigh, subsequent encounter |
| T24.511S | Corrosion of first degree of right thigh, sequela |
| T24.512D | Corrosion of first degree of left thigh, subsequent encounter |
| T24.512S | Corrosion of first degree of left thigh, sequela |
| T24.519D | Corrosion of first degree of unspecified thigh, subsequent encounter |
| T24.519S | Corrosion of first degree of unspecified thigh, sequela |
| T24.521D | Corrosion of first degree of right knee, subsequent encounter |
| T24.521S | Corrosion of first degree of right knee, sequela |
| T24.522D | Corrosion of first degree of left knee, subsequent encounter |
| T24.522S | Corrosion of first degree of left knee, sequela |
| T24.529D | Corrosion of first degree of unspecified knee, subsequent encounter |
| T24.529S | Corrosion of first degree of unspecified knee, sequela |
| T24.531D | Corrosion of first degree of right lower leg, subsequent encounter |
| T24.531S | Corrosion of first degree of right lower leg, sequela |
| T24.532D | Corrosion of first degree of left lower leg, subsequent encounter |
| T24.532S | Corrosion of first degree of left lower leg, sequela |
| T24.539D | Corrosion of first degree of unspecified lower leg, subsequent encounter |
| T24.539S | Corrosion of first degree of unspecified lower leg, sequela |
| T24.591D | Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter |
| T24.591S | Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, sequela |
| T24.592D | Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter |
| T24.592S | Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, sequela |
| T24.599D | Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T24.599S | Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T24.601D | Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter |
| T24.601S | Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, sequela |
| T24.602D | Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter |
| T24.602S | Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, sequela |
| T24.609D | Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.609S | Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.611D | Corrosion of second degree of right thigh, subsequent encounter |
| T24.611S | Corrosion of second degree of right thigh, sequela |
| T24.612D | Corrosion of second degree of left thigh, subsequent encounter |
| T24.612S | Corrosion of second degree of left thigh, sequela |
| T24.619D | Corrosion of second degree of unspecified thigh, subsequent encounter |
| T24.619S | Corrosion of second degree of unspecified thigh, sequela |
| T24.621D | Corrosion of second degree of right knee, subsequent encounter |
| T24.621S | Corrosion of second degree of right knee, sequela |
| T24.622D | Corrosion of second degree of left knee, subsequent encounter |
| T24.622S | Corrosion of second degree of left knee, sequela |
| T24.629D | Corrosion of second degree of unspecified knee, subsequent encounter |
| T24.629S | Corrosion of second degree of unspecified knee, sequela |
| T24.631D | Corrosion of second degree of right lower leg, subsequent encounter |
| T24.631S | Corrosion of second degree of right lower leg, sequela |
| T24.632D | Corrosion of second degree of left lower leg, subsequent encounter |
| T24.632S | Corrosion of second degree of left lower leg, sequela |
| T24.639D | Corrosion of second degree of unspecified lower leg, subsequent encounter |
| T24.639S | Corrosion of second degree of unspecified lower leg, sequela |
| T24.691D | Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter |
| T24.691S | Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, sequela |
| T24.692D | Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter |
| T24.692S | Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, sequela |
| T24.699D | Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.699S | Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T24.701D | Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter |
| T24.701S | Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T24.702D | Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter |
| T24.702S | Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, sequela |
| T24.709D | Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.709S | Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.711D | Corrosion of third degree of right thigh, subsequent encounter |
| T24.711S | Corrosion of third degree of right thigh, sequela |
| T24.712D | Corrosion of third degree of left thigh, subsequent encounter |
| T24.712S | Corrosion of third degree of left thigh, sequela |
| T24.719D | Corrosion of third degree of unspecified thigh, subsequent encounter |
| T24.719S | Corrosion of third degree of unspecified thigh, sequela |
| T24.721D | Corrosion of third degree of right knee, subsequent encounter |
| T24.721S | Corrosion of third degree of right knee, sequela |
| T24.722D | Corrosion of third degree of left knee, subsequent encounter |
| T24.722S | Corrosion of third degree of left knee, sequela |
| T24.729D | Corrosion of third degree of unspecified knee, subsequent encounter |
| T24.729S | Corrosion of third degree of unspecified knee, sequela |
| T24.731D | Corrosion of third degree of right lower leg, subsequent encounter |
| T24.731S | Corrosion of third degree of right lower leg, sequela |
| T24.732D | Corrosion of third degree of left lower leg, subsequent encounter |
| T24.732S | Corrosion of third degree of left lower leg, sequela |
| T24.739D | Corrosion of third degree of unspecified lower leg, subsequent encounter |
| T24.739S | Corrosion of third degree of unspecified lower leg, sequela |
| T24.791D | Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter |
| T24.791S | Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, sequela |
| T24.792D | Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter |
| T24.792S | Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, sequela |
| T24.799D | Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter |
| T24.799S | Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T25.011D | Burn of unspecified degree of right ankle, subsequent encounter |
| T25.011S | Burn of unspecified degree of right ankle, sequela |
| T25.012D | Burn of unspecified degree of left ankle, subsequent encounter |
| T25.012S | Burn of unspecified degree of left ankle, sequela |
| T25.019D | Burn of unspecified degree of unspecified ankle, subsequent encounter |
| T25.019S | Burn of unspecified degree of unspecified ankle, sequela |
| T25.021D | Burn of unspecified degree of right foot, subsequent encounter |
| T25.021S | Burn of unspecified degree of right foot, sequela |
| T25.022D | Burn of unspecified degree of left foot, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T25.022S | Burn of unspecified degree of left foot, sequela |
| T25.029D | Burn of unspecified degree of unspecified foot, subsequent encounter |
| T25.029S | Burn of unspecified degree of unspecified foot, sequela |
| T25.031D | Burn of unspecified degree of right toe(s) (nail), subsequent encounter |
| T25.031S | Burn of unspecified degree of right toe(s) (nail), sequela |
| T25.032D | Burn of unspecified degree of left toe(s) (nail), subsequent encounter |
| T25.032S | Burn of unspecified degree of left toe(s) (nail), sequela |
| T25.039D | Burn of unspecified degree of unspecified toe(s) (nail), subsequent encounter |
| T25.039S | Burn of unspecified degree of unspecified toe(s) (nail), sequela |
| T25.091D | Burn of unspecified degree of multiple sites of right ankle and foot, subsequent encounter |
| T25.091S | Burn of unspecified degree of multiple sites of right ankle and foot, sequela |
| T25.092D | Burn of unspecified degree of multiple sites of left ankle and foot, subsequent encounter |
| T25.092S | Burn of unspecified degree of multiple sites of left ankle and foot, sequela |
| T25.099D | Burn of unspecified degree of multiple sites of unspecified ankle and foot, subsequent encounter |
| T25.099S | Burn of unspecified degree of multiple sites of unspecified ankle and foot, sequela |
| T25.111D | Burn of first degree of right ankle, subsequent encounter |
| T25.111S | Burn of first degree of right ankle, sequela |
| T25.112D | Burn of first degree of left ankle, subsequent encounter |
| T25.112S | Burn of first degree of left ankle, sequela |
| T25.119D | Burn of first degree of unspecified ankle, subsequent encounter |
| T25.119S | Burn of first degree of unspecified ankle, sequela |
| T25.121D | Burn of first degree of right foot, subsequent encounter |
| T25.121S | Burn of first degree of right foot, sequela |
| T25.122D | Burn of first degree of left foot, subsequent encounter |
| T25.122S | Burn of first degree of left foot, sequela |
| T25.129D | Burn of first degree of unspecified foot, subsequent encounter |
| T25.129S | Burn of first degree of unspecified foot, sequela |
| T25.131D | Burn of first degree of right toe(s) (nail), subsequent encounter |
| T25.131S | Burn of first degree of right toe(s) (nail), sequela |
| T25.132D | Burn of first degree of left toe(s) (nail), subsequent encounter |
| T25.132S | Burn of first degree of left toe(s) (nail), sequela |
| T25.139D | Burn of first degree of unspecified toe(s) (nail), subsequent encounter |
| T25.139S | Burn of first degree of unspecified toe(s) (nail), sequela |
| T25.191D | Burn of first degree of multiple sites of right ankle and foot, subsequent encounter |
| T25.191S | Burn of first degree of multiple sites of right ankle and foot, sequela |
| T25.192D | Burn of first degree of multiple sites of left ankle and foot, subsequent encounter |
| T25.192S | Burn of first degree of multiple sites of left ankle and foot, sequela |
| T25.199D | Burn of first degree of multiple sites of unspecified ankle and foot, subsequent encounter |
| T25.199S | Burn of first degree of multiple sites of unspecified ankle and foot, sequela |
| T25.211D | Burn of second degree of right ankle, subsequent encounter |
| T25.211S | Burn of second degree of right ankle, sequela |
| T25.212D | Burn of second degree of left ankle, subsequent encounter |
| T25.212S | Burn of second degree of left ankle, sequela |
| T25.219D | Burn of second degree of unspecified ankle, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T25.219S | Burn of second degree of unspecified ankle, sequela |
| T25.221D | Burn of second degree of right foot, subsequent encounter |
| T25.221S | Burn of second degree of right foot, sequela |
| T25.222D | Burn of second degree of left foot, subsequent encounter |
| T25.222S | Burn of second degree of left foot, sequela |
| T25.229D | Burn of second degree of unspecified foot, subsequent encounter |
| T25.229S | Burn of second degree of unspecified foot, sequela |
| T25.231D | Burn of second degree of right toe(s) (nail), subsequent encounter |
| T25.231S | Burn of second degree of right toe(s) (nail), sequela |
| T25.232D | Burn of second degree of left toe(s) (nail), subsequent encounter |
| T25.232S | Burn of second degree of left toe(s) (nail), sequela |
| T25.239D | Burn of second degree of unspecified toe(s) (nail), subsequent encounter |
| T25.239S | Burn of second degree of unspecified toe(s) (nail), sequela |
| T25.291D | Burn of second degree of multiple sites of right ankle and foot, subsequent encounter |
| T25.291S | Burn of second degree of multiple sites of right ankle and foot, sequela |
| T25.292D | Burn of second degree of multiple sites of left ankle and foot, subsequent encounter |
| T25.292S | Burn of second degree of multiple sites of left ankle and foot, sequela |
| T25.299D | Burn of second degree of multiple sites of unspecified ankle and foot, subsequent encounter |
| T25.299S | Burn of second degree of multiple sites of unspecified ankle and foot, sequela |
| T25.311D | Burn of third degree of right ankle, subsequent encounter |
| T25.311S | Burn of third degree of right ankle, sequela |
| T25.312D | Burn of third degree of left ankle, subsequent encounter |
| T25.312S | Burn of third degree of left ankle, sequela |
| T25.319D | Burn of third degree of unspecified ankle, subsequent encounter |
| T25.319S | Burn of third degree of unspecified ankle, sequela |
| T25.321D | Burn of third degree of right foot, subsequent encounter |
| T25.321S | Burn of third degree of right foot, sequela |
| T25.322D | Burn of third degree of left foot, subsequent encounter |
| T25.322S | Burn of third degree of left foot, sequela |
| T25.329D | Burn of third degree of unspecified foot, subsequent encounter |
| T25.329S | Burn of third degree of unspecified foot, sequela |
| T25.331D | Burn of third degree of right toe(s) (nail), subsequent encounter |
| T25.331S | Burn of third degree of right toe(s) (nail), sequela |
| T25.332D | Burn of third degree of left toe(s) (nail), subsequent encounter |
| T25.332S | Burn of third degree of left toe(s) (nail), sequela |
| T25.339D | Burn of third degree of unspecified toe(s) (nail), subsequent encounter |
| T25.339S | Burn of third degree of unspecified toe(s) (nail), sequela |
| T25.391D | Burn of third degree of multiple sites of right ankle and foot, subsequent encounter |
| T25.391S | Burn of third degree of multiple sites of right ankle and foot, sequela |
| T25.392D | Burn of third degree of multiple sites of left ankle and foot, subsequent encounter |
| T25.392S | Burn of third degree of multiple sites of left ankle and foot, sequela |
| T25.399D | Burn of third degree of multiple sites of unspecified ankle and foot, subsequent encounter |
| T25.399S | Burn of third degree of multiple sites of unspecified ankle and foot, sequela |
| T25.411D | Corrosion of unspecified degree of right ankle, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T25.411S | Corrosion of unspecified degree of right ankle, sequela |
| T25.412D | Corrosion of unspecified degree of left ankle, subsequent encounter |
| T25.412S | Corrosion of unspecified degree of left ankle, sequela |
| T25.419D | Corrosion of unspecified degree of unspecified ankle, subsequent encounter |
| T25.419S | Corrosion of unspecified degree of unspecified ankle, sequela |
| T25.421D | Corrosion of unspecified degree of right foot, subsequent encounter |
| T25.421S | Corrosion of unspecified degree of right foot, sequela |
| T25.422D | Corrosion of unspecified degree of left foot, subsequent encounter |
| T25.422S | Corrosion of unspecified degree of left foot, sequela |
| T25.429D | Corrosion of unspecified degree of unspecified foot, subsequent encounter |
| T25.429S | Corrosion of unspecified degree of unspecified foot, sequela |
| T25.431D | Corrosion of unspecified degree of right toe(s) (nail), subsequent encounter |
| T25.431S | Corrosion of unspecified degree of right toe(s) (nail), sequela |
| T25.432D | Corrosion of unspecified degree of left toe(s) (nail), subsequent encounter |
| T25.432S | Corrosion of unspecified degree of left toe(s) (nail), sequela |
| T25.439D | Corrosion of unspecified degree of unspecified toe(s) (nail), subsequent encounter |
| T25.439S | Corrosion of unspecified degree of unspecified toe(s) (nail), sequela |
| T25.491D | Corrosion of unspecified degree of multiple sites of right ankle and foot, subsequent encounter |
| T25.491S | Corrosion of unspecified degree of multiple sites of right ankle and foot, sequela |
| T25.492D | Corrosion of unspecified degree of multiple sites of left ankle and foot, subsequent encounter |
| T25.492S | Corrosion of unspecified degree of multiple sites of left ankle and foot, sequela |
| T25.499D | Corrosion of unspecified degree of multiple sites of unspecified ankle and foot, subsequent encounter |
| T25.499S | Corrosion of unspecified degree of multiple sites of unspecified ankle and foot, sequela |
| T25.511D | Corrosion of first degree of right ankle, subsequent encounter |
| T25.511S | Corrosion of first degree of right ankle, sequela |
| T25.512D | Corrosion of first degree of left ankle, subsequent encounter |
| T25.512S | Corrosion of first degree of left ankle, sequela |
| T25.519D | Corrosion of first degree of unspecified ankle, subsequent encounter |
| T25.519S | Corrosion of first degree of unspecified ankle, sequela |
| T25.521D | Corrosion of first degree of right foot, subsequent encounter |
| T25.521S | Corrosion of first degree of right foot, sequela |
| T25.522D | Corrosion of first degree of left foot, subsequent encounter |
| T25.522S | Corrosion of first degree of left foot, sequela |
| T25.529D | Corrosion of first degree of unspecified foot, subsequent encounter |
| T25.529S | Corrosion of first degree of unspecified foot, sequela |
| T25.531D | Corrosion of first degree of right toe(s) (nail), subsequent encounter |
| T25.531S | Corrosion of first degree of right toe(s) (nail), sequela |
| T25.532D | Corrosion of first degree of left toe(s) (nail), subsequent encounter |
| T25.532S | Corrosion of first degree of left toe(s) (nail), sequela |
| T25.539D | Corrosion of first degree of unspecified toe(s) (nail), subsequent encounter |
| T25.539S | Corrosion of first degree of unspecified toe(s) (nail), sequela |
| T25.591D | Corrosion of first degree of multiple sites of right ankle and foot, subsequent encounter |
| T25.591S | Corrosion of first degree of multiple sites of right ankle and foot, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T25.592D | Corrosion of first degree of multiple sites of left ankle and foot, subsequent encounter |
| T25.592S | Corrosion of first degree of multiple sites of left ankle and foot, sequela |
| T25.599D | Corrosion of first degree of multiple sites of unspecified ankle and foot, subsequent encounter |
| T25.599S | Corrosion of first degree of multiple sites of unspecified ankle and foot, sequela |
| T25.611D | Corrosion of second degree of right ankle, subsequent encounter |
| T25.611S | Corrosion of second degree of right ankle, sequela |
| T25.612D | Corrosion of second degree of left ankle, subsequent encounter |
| T25.612S | Corrosion of second degree of left ankle, sequela |
| T25.619D | Corrosion of second degree of unspecified ankle, subsequent encounter |
| T25.619S | Corrosion of second degree of unspecified ankle, sequela |
| T25.621D | Corrosion of second degree of right foot, subsequent encounter |
| T25.621S | Corrosion of second degree of right foot, sequela |
| T25.622D | Corrosion of second degree of left foot, subsequent encounter |
| T25.622S | Corrosion of second degree of left foot, sequela |
| T25.629D | Corrosion of second degree of unspecified foot, subsequent encounter |
| T25.629S | Corrosion of second degree of unspecified foot, sequela |
| T25.631D | Corrosion of second degree of right toe(s) (nail), subsequent encounter |
| T25.631S | Corrosion of second degree of right toe(s) (nail), sequela |
| T25.632D | Corrosion of second degree of left toe(s) (nail), subsequent encounter |
| T25.632S | Corrosion of second degree of left toe(s) (nail), sequela |
| T25.639D | Corrosion of second degree of unspecified toe(s) (nail), subsequent encounter |
| T25.639S | Corrosion of second degree of unspecified toe(s) (nail), sequela |
| T25.691D | Corrosion of second degree of right ankle and foot, subsequent encounter |
| T25.691S | Corrosion of second degree of right ankle and foot, sequela |
| T25.692D | Corrosion of second degree of left ankle and foot, subsequent encounter |
| T25.692S | Corrosion of second degree of left ankle and foot, sequela |
| T25.699D | Corrosion of second degree of unspecified ankle and foot, subsequent encounter |
| T25.699S | Corrosion of second degree of unspecified ankle and foot, sequela |
| T25.711D | Corrosion of third degree of right ankle, subsequent encounter |
| T25.711S | Corrosion of third degree of right ankle, sequela |
| T25.712D | Corrosion of third degree of left ankle, subsequent encounter |
| T25.712S | Corrosion of third degree of left ankle, sequela |
| T25.719D | Corrosion of third degree of unspecified ankle, subsequent encounter |
| T25.719S | Corrosion of third degree of unspecified ankle, sequela |
| T25.721D | Corrosion of third degree of right foot, subsequent encounter |
| T25.721S | Corrosion of third degree of right foot, sequela |
| T25.722D | Corrosion of third degree of left foot, subsequent encounter |
| T25.722S | Corrosion of third degree of left foot, sequela |
| T25.729D | Corrosion of third degree of unspecified foot, subsequent encounter |
| T25.729S | Corrosion of third degree of unspecified foot, sequela |
| T25.731D | Corrosion of third degree of right toe(s) (nail), subsequent encounter |
| T25.731S | Corrosion of third degree of right toe(s) (nail), sequela |
| T25.732D | Corrosion of third degree of left toe(s) (nail), subsequent encounter |
| T25.732S | Corrosion of third degree of left toe(s) (nail), sequela |
| T25.739D | Corrosion of third degree of unspecified toe(s) (nail), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T25.739S | Corrosion of third degree of unspecified toe(s) (nail), sequela |
| T25.791D | Corrosion of third degree of multiple sites of right ankle and foot, subsequent encounter |
| T25.791S | Corrosion of third degree of multiple sites of right ankle and foot, sequela |
| T25.792D | Corrosion of third degree of multiple sites of left ankle and foot, subsequent encounter |
| T25.792S | Corrosion of third degree of multiple sites of left ankle and foot, sequela |
| T25.799D | Corrosion of third degree of multiple sites of unspecified ankle and foot, subsequent encounter |
| T25.799S | Corrosion of third degree of multiple sites of unspecified ankle and foot, sequela |
| T26.00XD | Burn of unspecified eyelid and periocular area, subsequent encounter |
| T26.00XS | Burn of unspecified eyelid and periocular area, sequela |
| T26.01XD | Burn of right eyelid and periocular area, subsequent encounter |
| T26.01XS | Burn of right eyelid and periocular area, sequela |
| T26.02XD | Burn of left eyelid and periocular area, subsequent encounter |
| T26.02XS | Burn of left eyelid and periocular area, sequela |
| T26.10XD | Burn of cornea and conjunctival sac, unspecified eye, subsequent encounter |
| T26.10XS | Burn of cornea and conjunctival sac, unspecified eye, sequela |
| T26.11XD | Burn of cornea and conjunctival sac, right eye, subsequent encounter |
| T26.11XS | Burn of cornea and conjunctival sac, right eye, sequela |
| T26.12XD | Burn of cornea and conjunctival sac, left eye, subsequent encounter |
| T26.12XS | Burn of cornea and conjunctival sac, left eye, sequela |
| T26.20XD | Burn with resulting rupture and destruction of unspecified eyeball, subsequent encounter |
| T26.20XS | Burn with resulting rupture and destruction of unspecified eyeball, sequela |
| T26.21XD | Burn with resulting rupture and destruction of right eyeball, subsequent encounter |
| T26.21XS | Burn with resulting rupture and destruction of right eyeball, sequela |
| T26.22XD | Burn with resulting rupture and destruction of left eyeball, subsequent encounter |
| T26.22XS | Burn with resulting rupture and destruction of left eyeball, sequela |
| T26.30XD | Burns of other specified parts of unspecified eye and adnexa, subsequent encounter |
| T26.30XS | Burns of other specified parts of unspecified eye and adnexa, sequela |
| T26.31XD | Burns of other specified parts of right eye and adnexa, subsequent encounter |
| T26.31XS | Burns of other specified parts of right eye and adnexa, sequela |
| T26.32XD | Burns of other specified parts of left eye and adnexa, subsequent encounter |
| T26.32XS | Burns of other specified parts of left eye and adnexa, sequela |
| T26.40XD | Burn of unspecified eye and adnexa, part unspecified, subsequent encounter |
| T26.40XS | Burn of unspecified eye and adnexa, part unspecified, sequela |
| T26.41XD | Burn of right eye and adnexa, part unspecified, subsequent encounter |
| T26.41XS | Burn of right eye and adnexa, part unspecified, sequela |
| T26.42XD | Burn of left eye and adnexa, part unspecified, subsequent encounter |
| T26.42XS | Burn of left eye and adnexa, part unspecified, sequela |
| T26.50XD | Corrosion of unspecified eyelid and periocular area, subsequent encounter |
| T26.50XS | Corrosion of unspecified eyelid and periocular area, sequela |
| T26.51XD | Corrosion of right eyelid and periocular area, subsequent encounter |
| T26.51XS | Corrosion of right eyelid and periocular area, sequela |
| T26.52XD | Corrosion of left eyelid and periocular area, subsequent encounter |
| T26.52XS | Corrosion of left eyelid and periocular area, sequela |
| T26.60XD | Corrosion of cornea and conjunctival sac, unspecified eye, subsequent encounter |
| T26.60XS | Corrosion of cornea and conjunctival sac, unspecified eye, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T26.61XD | Corrosion of cornea and conjunctival sac, right eye, subsequent encounter |
| T26.61XS | Corrosion of cornea and conjunctival sac, right eye, sequela |
| T26.62XD | Corrosion of cornea and conjunctival sac, left eye, subsequent encounter |
| T26.62XS | Corrosion of cornea and conjunctival sac, left eye, sequela |
| T26.70XD | Corrosion with resulting rupture and destruction of unspecified eyeball, subsequent encounter |
| T26.70XS | Corrosion with resulting rupture and destruction of unspecified eyeball, sequela |
| T26.71XD | Corrosion with resulting rupture and destruction of right eyeball, subsequent encounter |
| T26.71XS | Corrosion with resulting rupture and destruction of right eyeball, sequela |
| T26.72XD | Corrosion with resulting rupture and destruction of left eyeball, subsequent encounter |
| T26.72XS | Corrosion with resulting rupture and destruction of left eyeball, sequela |
| T26.80XD | Corrosions of other specified parts of unspecified eye and adnexa, subsequent encounter |
| T26.80XS | Corrosions of other specified parts of unspecified eye and adnexa, sequela |
| T26.81XD | Corrosions of other specified parts of right eye and adnexa, subsequent encounter |
| T26.81XS | Corrosions of other specified parts of right eye and adnexa, sequela |
| T26.82XD | Corrosions of other specified parts of left eye and adnexa, subsequent encounter |
| T26.82XS | Corrosions of other specified parts of left eye and adnexa, sequela |
| T26.90XD | Corrosion of unspecified eye and adnexa, part unspecified, subsequent encounter |
| T26.90XS | Corrosion of unspecified eye and adnexa, part unspecified, sequela |
| T26.91XD | Corrosion of right eye and adnexa, part unspecified, subsequent encounter |
| T26.91XS | Corrosion of right eye and adnexa, part unspecified, sequela |
| T26.92XD | Corrosion of left eye and adnexa, part unspecified, subsequent encounter |
| T26.92XS | Corrosion of left eye and adnexa, part unspecified, sequela |
| T27.0XXD | Burn of larynx and trachea, subsequent encounter |
| T27.0XXS | Burn of larynx and trachea, sequela |
| T27.1XXD | Burn involving larynx and trachea with lung, subsequent encounter |
| T27.1XXS | Burn involving larynx and trachea with lung, sequela |
| T27.2XXD | Burn of other parts of respiratory tract, subsequent encounter |
| T27.2XXS | Burn of other parts of respiratory tract, sequela |
| T27.3XXD | Burn of respiratory tract, part unspecified, subsequent encounter |
| T27.3XXS | Burn of respiratory tract, part unspecified, sequela |
| T27.4XXD | Corrosion of larynx and trachea, subsequent encounter |
| T27.4XXS | Corrosion of larynx and trachea, sequela |
| T27.5XXD | Corrosion involving larynx and trachea with lung, subsequent encounter |
| T27.5XXS | Corrosion involving larynx and trachea with lung, sequela |
| T27.6XXD | Corrosion of other parts of respiratory tract, subsequent encounter |
| T27.6XXS | Corrosion of other parts of respiratory tract, sequela |
| T27.7XXD | Corrosion of respiratory tract, part unspecified, subsequent encounter |
| T27.7XXS | Corrosion of respiratory tract, part unspecified, sequela |
| T28.0XXD | Burn of mouth and pharynx, subsequent encounter |
| T28.0XXS | Burn of mouth and pharynx, sequela |
| T28.1XXD | Burn of esophagus, subsequent encounter |
| T28.1XXS | Burn of esophagus, sequela |
| T28.2XXD | Burn of other parts of alimentary tract, subsequent encounter |
| T28.2XXS | Burn of other parts of alimentary tract, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T28.3XXD | Burn of internal genitourinary organs, subsequent encounter |
| T28.3XXS | Burn of internal genitourinary organs, sequela |
| T28.40XD | Burn of unspecified internal organ, subsequent encounter |
| T28.40XS | Burn of unspecified internal organ, sequela |
| T28.411D | Burn of right ear drum, subsequent encounter |
| T28.411S | Burn of right ear drum, sequela |
| T28.412D | Burn of left ear drum, subsequent encounter |
| T28.412S | Burn of left ear drum, sequela |
| T28.419D | Burn of unspecified ear drum, subsequent encounter |
| T28.419S | Burn of unspecified ear drum, sequela |
| T28.49XD | Burn of other internal organ, subsequent encounter |
| T28.49XS | Burn of other internal organ, sequela |
| T28.5XXD | Corrosion of mouth and pharynx, subsequent encounter |
| T28.5XXS | Corrosion of mouth and pharynx, sequela |
| T28.6XXD | Corrosion of esophagus, subsequent encounter |
| T28.6XXS | Corrosion of esophagus, sequela |
| T28.7XXD | Corrosion of other parts of alimentary tract, subsequent encounter |
| T28.7XXS | Corrosion of other parts of alimentary tract, sequela |
| T28.8XXD | Corrosion of internal genitourinary organs, subsequent encounter |
| T28.8XXS | Corrosion of internal genitourinary organs, sequela |
| T28.90XD | Corrosions of unspecified internal organs, subsequent encounter |
| T28.90XS | Corrosions of unspecified internal organs, sequela |
| T28.911D | Corrosions of right ear drum, subsequent encounter |
| T28.911S | Corrosions of right ear drum, sequela |
| T28.912D | Corrosions of left ear drum, subsequent encounter |
| T28.912S | Corrosions of left ear drum, sequela |
| T28.919D | Corrosions of unspecified ear drum, subsequent encounter |
| T28.919S | Corrosions of unspecified ear drum, sequela |
| T28.99XD | Corrosions of other internal organs, subsequent encounter |
| T28.99XS | Corrosions of other internal organs, sequela |
| T30.0 | Burn of unspecified body region, unspecified degree |
| T30.4 | Corrosion of unspecified body region, unspecified degree |
| T31.0 | Burns involving less than 10% of body surface |
| T31.10 | Burns involving 10-19% of body surface with 0% to 9% third degree burns |
| T31.11 | Burns involving 10-19% of body surface with 10-19% third degree burns |
| T31.20 | Burns involving 20-29% of body surface with 0% to 9% third degree burns |
| T31.21 | Burns involving 20-29% of body surface with 10-19% third degree burns |
| T31.22 | Burns involving 20-29% of body surface with 20-29% third degree burns |
| T31.30 | Burns involving 30-39% of body surface with 0% to 9% third degree burns |
| T31.31 | Burns involving 30-39% of body surface with 10-19% third degree burns |
| T31.32 | Burns involving 30-39% of body surface with 20-29% third degree burns |
| T31.33 | Burns involving 30-39% of body surface with 30-39% third degree burns |
| T31.40 | Burns involving 40-49% of body surface with 0% to 9% third degree burns |
| T31.41 | Burns involving 40-49% of body surface with 10-19% third degree burns |
| T31.42 | Burns involving 40-49% of body surface with 20-29% third degree burns |
| T31.43 | Burns involving 40-49% of body surface with 30-39% third degree burns |

| ICD-10 code | ICD-10 description |
|---|---|
| T31.44 | Burns involving 40-49% of body surface with 40-49% third degree burns |
| T31.50 | Burns involving 50-59% of body surface with 0% to 9% third degree burns |
| T31.51 | Burns involving 50-59% of body surface with 10-19% third degree burns |
| T31.52 | Burns involving 50-59% of body surface with 20-29% third degree burns |
| T31.53 | Burns involving 50-59% of body surface with 30-39% third degree burns |
| T31.54 | Burns involving 50-59% of body surface with 40-49% third degree burns |
| T31.55 | Burns involving 50-59% of body surface with 50-59% third degree burns |
| T31.60 | Burns involving 60-69% of body surface with 0% to 9% third degree burns |
| T31.61 | Burns involving 60-69% of body surface with 10-19% third degree burns |
| T31.62 | Burns involving 60-69% of body surface with 20-29% third degree burns |
| T31.63 | Burns involving 60-69% of body surface with 30-39% third degree burns |
| T31.64 | Burns involving 60-69% of body surface with 40-49% third degree burns |
| T31.65 | Burns involving 60-69% of body surface with 50-59% third degree burns |
| T31.66 | Burns involving 60-69% of body surface with 60-69% third degree burns |
| T31.70 | Burns involving 70-79% of body surface with 0% to 9% third degree burns |
| T31.71 | Burns involving 70-79% of body surface with 10-19% third degree burns |
| T31.72 | Burns involving 70-79% of body surface with 20-29% third degree burns |
| T31.73 | Burns involving 70-79% of body surface with 30-39% third degree burns |
| T31.74 | Burns involving 70-79% of body surface with 40-49% third degree burns |
| T31.75 | Burns involving 70-79% of body surface with 50-59% third degree burns |
| T31.76 | Burns involving 70-79% of body surface with 60-69% third degree burns |
| T31.77 | Burns involving 70-79% of body surface with 70-79% third degree burns |
| T31.80 | Burns involving 80-89% of body surface with 0% to 9% third degree burns |
| T31.81 | Burns involving 80-89% of body surface with 10-19% third degree burns |
| T31.82 | Burns involving 80-89% of body surface with 20-29% third degree burns |
| T31.83 | Burns involving 80-89% of body surface with 30-39% third degree burns |
| T31.84 | Burns involving 80-89% of body surface with 40-49% third degree burns |
| T31.85 | Burns involving 80-89% of body surface with 50-59% third degree burns |
| T31.86 | Burns involving 80-89% of body surface with 60-69% third degree burns |
| T31.87 | Burns involving 80-89% of body surface with 70-79% third degree burns |
| T31.88 | Burns involving 80-89% of body surface with 80-89% third degree burns |
| T31.90 | Burns involving 90% or more of body surface with 0% to 9% third degree burns |
| T31.91 | Burns involving 90% or more of body surface with 10-19% third degree burns |
| T31.92 | Burns involving 90% or more of body surface with 20-29% third degree burns |
| T31.93 | Burns involving 90% or more of body surface with 30-39% third degree burns |
| T31.94 | Burns involving 90% or more of body surface with 40-49% third degree burns |
| T31.95 | Burns involving 90% or more of body surface with 50-59% third degree burns |
| T31.96 | Burns involving 90% or more of body surface with 60-69% third degree burns |
| T31.97 | Burns involving 90% or more of body surface with 70-79% third degree burns |
| T31.98 | Burns involving 90% or more of body surface with 80-89% third degree burns |
| T31.99 | Burns involving 90% or more of body surface with 90% or more third degree burns |
| T32.0 | Corrosions involving less than 10% of body surface |
| T32.10 | Corrosions involving 10-19% of body surface with 0% to 9% third degree corrosion |
| T32.11 | Corrosions involving 10-19% of body surface with 10-19% third degree corrosion |
| T32.20 | Corrosions involving 20-29% of body surface with 0% to 9% third degree corrosion |
| T32.21 | Corrosions involving 20-29% of body surface with 10-19% third degree corrosion |

| ICD-10 code | ICD-10 description |
|---|---|
| T32.22 | Corrosions involving 20-29% of body surface with 20-29% third degree corrosion |
| T32.30 | Corrosions involving 30-39% of body surface with 0% to 9% third degree corrosion |
| T32.31 | Corrosions involving 30-39% of body surface with 10-19% third degree corrosion |
| T32.32 | Corrosions involving 30-39% of body surface with 20-29% third degree corrosion |
| T32.33 | Corrosions involving 30-39% of body surface with 30-39% third degree corrosion |
| T32.40 | Corrosions involving 40-49% of body surface with 0% to 9% third degree corrosion |
| T32.41 | Corrosions involving 40-49% of body surface with 10-19% third degree corrosion |
| T32.42 | Corrosions involving 40-49% of body surface with 20-29% third degree corrosion |
| T32.43 | Corrosions involving 40-49% of body surface with 30-39% third degree corrosion |
| T32.44 | Corrosions involving 40-49% of body surface with 40-49% third degree corrosion |
| T32.50 | Corrosions involving 50-59% of body surface with 0% to 9% third degree corrosion |
| T32.51 | Corrosions involving 50-59% of body surface with 10-19% third degree corrosion |
| T32.52 | Corrosions involving 50-59% of body surface with 20-29% third degree corrosion |
| T32.53 | Corrosions involving 50-59% of body surface with 30-39% third degree corrosion |
| T32.54 | Corrosions involving 50-59% of body surface with 40-49% third degree corrosion |
| T32.55 | Corrosions involving 50-59% of body surface with 50-59% third degree corrosion |
| T32.60 | Corrosions involving 60-69% of body surface with 0% to 9% third degree corrosion |
| T32.61 | Corrosions involving 60-69% of body surface with 10-19% third degree corrosion |
| T32.62 | Corrosions involving 60-69% of body surface with 20-29% third degree corrosion |
| T32.63 | Corrosions involving 60-69% of body surface with 30-39% third degree corrosion |
| T32.64 | Corrosions involving 60-69% of body surface with 40-49% third degree corrosion |
| T32.65 | Corrosions involving 60-69% of body surface with 50-59% third degree corrosion |
| T32.66 | Corrosions involving 60-69% of body surface with 60-69% third degree corrosion |
| T32.70 | Corrosions involving 70-79% of body surface with 0% to 9% third degree corrosion |
| T32.71 | Corrosions involving 70-79% of body surface with 10-19% third degree corrosion |
| T32.72 | Corrosions involving 70-79% of body surface with 20-29% third degree corrosion |
| T32.73 | Corrosions involving 70-79% of body surface with 30-39% third degree corrosion |
| T32.74 | Corrosions involving 70-79% of body surface with 40-49% third degree corrosion |
| T32.75 | Corrosions involving 70-79% of body surface with 50-59% third degree corrosion |
| T32.76 | Corrosions involving 70-79% of body surface with 60-69% third degree corrosion |
| T32.77 | Corrosions involving 70-79% of body surface with 70-79% third degree corrosion |
| T32.80 | Corrosions involving 80-89% of body surface with 0% to 9% third degree corrosion |
| T32.81 | Corrosions involving 80-89% of body surface with 10-19% third degree corrosion |
| T32.82 | Corrosions involving 80-89% of body surface with 20-29% third degree corrosion |
| T32.83 | Corrosions involving 80-89% of body surface with 30-39% third degree corrosion |
| T32.84 | Corrosions involving 80-89% of body surface with 40-49% third degree corrosion |
| T32.85 | Corrosions involving 80-89% of body surface with 50-59% third degree corrosion |
| T32.86 | Corrosions involving 80-89% of body surface with 60-69% third degree corrosion |
| T32.87 | Corrosions involving 80-89% of body surface with 70-79% third degree corrosion |
| T32.88 | Corrosions involving 80-89% of body surface with 80-89% third degree corrosion |
| T32.90 | Corrosions involving 90% or more of body surface with 0% to 9% third degree corrosion |
| T32.91 | Corrosions involving 90% or more of body surface with 10-19% third degree corrosion |
| T32.92 | Corrosions involving 90% or more of body surface with 20-29% third degree corrosion |
| T32.93 | Corrosions involving 90% or more of body surface with 30-39% third degree corrosion |
| T32.94 | Corrosions involving 90% or more of body surface with 40-49% third degree corrosion |
| T32.95 | Corrosions involving 90% or more of body surface with 50-59% third degree corrosion |

| ICD-10 code | ICD-10 description |
|---|---|
| T32.96 | Corrosions involving 90% or more of body surface with 60-69% third degree corrosion |
| T32.97 | Corrosions involving 90% or more of body surface with 70-79% third degree corrosion |
| T32.98 | Corrosions involving 90% or more of body surface with 80-89% third degree corrosion |
| T32.99 | Corrosions involving 90% or more of body surface with 90% or more third degree corrosion |
| T33.011D | Superficial frostbite of right ear, subsequent encounter |
| T33.011S | Superficial frostbite of right ear, sequela |
| T33.012D | Superficial frostbite of left ear, subsequent encounter |
| T33.012S | Superficial frostbite of left ear, sequela |
| T33.019D | Superficial frostbite of unspecified ear, subsequent encounter |
| T33.019S | Superficial frostbite of unspecified ear, sequela |
| T33.02XD | Superficial frostbite of nose, subsequent encounter |
| T33.02XS | Superficial frostbite of nose, sequela |
| T33.09XD | Superficial frostbite of other part of head, subsequent encounter |
| T33.09XS | Superficial frostbite of other part of head, sequela |
| T33.1XXD | Superficial frostbite of neck, subsequent encounter |
| T33.1XXS | Superficial frostbite of neck, sequela |
| T33.2XXD | Superficial frostbite of thorax, subsequent encounter |
| T33.2XXS | Superficial frostbite of thorax, sequela |
| T33.3XXD | Superficial frostbite of abdominal wall, lower back and pelvis, subsequent encounter |
| T33.3XXS | Superficial frostbite of abdominal wall, lower back and pelvis, sequela |
| T33.40XD | Superficial frostbite of unspecified arm, subsequent encounter |
| T33.40XS | Superficial frostbite of unspecified arm, sequela |
| T33.41XD | Superficial frostbite of right arm, subsequent encounter |
| T33.41XS | Superficial frostbite of right arm, sequela |
| T33.42XD | Superficial frostbite of left arm, subsequent encounter |
| T33.42XS | Superficial frostbite of left arm, sequela |
| T33.511D | Superficial frostbite of right wrist, subsequent encounter |
| T33.511S | Superficial frostbite of right wrist, sequela |
| T33.512D | Superficial frostbite of left wrist, subsequent encounter |
| T33.512S | Superficial frostbite of left wrist, sequela |
| T33.519D | Superficial frostbite of unspecified wrist, subsequent encounter |
| T33.519S | Superficial frostbite of unspecified wrist, sequela |
| T33.521D | Superficial frostbite of right hand, subsequent encounter |
| T33.521S | Superficial frostbite of right hand, sequela |
| T33.522D | Superficial frostbite of left hand, subsequent encounter |
| T33.522S | Superficial frostbite of left hand, sequela |
| T33.529D | Superficial frostbite of unspecified hand, subsequent encounter |
| T33.529S | Superficial frostbite of unspecified hand, sequela |
| T33.531D | Superficial frostbite of right finger(s), subsequent encounter |
| T33.531S | Superficial frostbite of right finger(s), sequela |
| T33.532D | Superficial frostbite of left finger(s), subsequent encounter |
| T33.532S | Superficial frostbite of left finger(s), sequela |
| T33.539D | Superficial frostbite of unspecified finger(s), subsequent encounter |
| T33.539S | Superficial frostbite of unspecified finger(s), sequela |
| T33.60XD | Superficial frostbite of unspecified hip and thigh, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T33.60XS | Superficial frostbite of unspecified hip and thigh, sequela |
| T33.61XD | Superficial frostbite of right hip and thigh, subsequent encounter |
| T33.61XS | Superficial frostbite of right hip and thigh, sequela |
| T33.62XD | Superficial frostbite of left hip and thigh, subsequent encounter |
| T33.62XS | Superficial frostbite of left hip and thigh, sequela |
| T33.70XD | Superficial frostbite of unspecified knee and lower leg, subsequent encounter |
| T33.70XS | Superficial frostbite of unspecified knee and lower leg, sequela |
| T33.71XD | Superficial frostbite of right knee and lower leg, subsequent encounter |
| T33.71XS | Superficial frostbite of right knee and lower leg, sequela |
| T33.72XD | Superficial frostbite of left knee and lower leg, subsequent encounter |
| T33.72XS | Superficial frostbite of left knee and lower leg, sequela |
| T33.811D | Superficial frostbite of right ankle, subsequent encounter |
| T33.811S | Superficial frostbite of right ankle, sequela |
| T33.812D | Superficial frostbite of left ankle, subsequent encounter |
| T33.812S | Superficial frostbite of left ankle, sequela |
| T33.819D | Superficial frostbite of unspecified ankle, subsequent encounter |
| T33.819S | Superficial frostbite of unspecified ankle, sequela |
| T33.821D | Superficial frostbite of right foot, subsequent encounter |
| T33.821S | Superficial frostbite of right foot, sequela |
| T33.822D | Superficial frostbite of left foot, subsequent encounter |
| T33.822S | Superficial frostbite of left foot, sequela |
| T33.829D | Superficial frostbite of unspecified foot, subsequent encounter |
| T33.829S | Superficial frostbite of unspecified foot, sequela |
| T33.831D | Superficial frostbite of right toe(s), subsequent encounter |
| T33.831S | Superficial frostbite of right toe(s), sequela |
| T33.832D | Superficial frostbite of left toe(s), subsequent encounter |
| T33.832S | Superficial frostbite of left toe(s), sequela |
| T33.839D | Superficial frostbite of unspecified toe(s), subsequent encounter |
| T33.839S | Superficial frostbite of unspecified toe(s), sequela |
| T33.90XD | Superficial frostbite of unspecified sites, subsequent encounter |
| T33.90XS | Superficial frostbite of unspecified sites, sequela |
| T33.99XD | Superficial frostbite of other sites, subsequent encounter |
| T33.99XS | Superficial frostbite of other sites, sequela |
| T34.011D | Frostbite with tissue necrosis of right ear, subsequent encounter |
| T34.011S | Frostbite with tissue necrosis of right ear, sequela |
| T34.012D | Frostbite with tissue necrosis of left ear, subsequent encounter |
| T34.012S | Frostbite with tissue necrosis of left ear, sequela |
| T34.019D | Frostbite with tissue necrosis of unspecified ear, subsequent encounter |
| T34.019S | Frostbite with tissue necrosis of unspecified ear, sequela |
| T34.02XD | Frostbite with tissue necrosis of nose, subsequent encounter |
| T34.02XS | Frostbite with tissue necrosis of nose, sequela |
| T34.09XD | Frostbite with tissue necrosis of other part of head, subsequent encounter |
| T34.09XS | Frostbite with tissue necrosis of other part of head, sequela |
| T34.1XXD | Frostbite with tissue necrosis of neck, subsequent encounter |
| T34.1XXS | Frostbite with tissue necrosis of neck, sequela |
| T34.2XXD | Frostbite with tissue necrosis of thorax, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T34.2XXS | Frostbite with tissue necrosis of thorax, sequela |
| T34.3XXD | Frostbite with tissue necrosis of abdominal wall, lower back and pelvis, subsequent encounter |
| T34.3XXS | Frostbite with tissue necrosis of abdominal wall, lower back and pelvis, sequela |
| T34.40XD | Frostbite with tissue necrosis of unspecified arm, subsequent encounter |
| T34.40XS | Frostbite with tissue necrosis of unspecified arm, sequela |
| T34.41XD | Frostbite with tissue necrosis of right arm, subsequent encounter |
| T34.41XS | Frostbite with tissue necrosis of right arm, sequela |
| T34.42XD | Frostbite with tissue necrosis of left arm, subsequent encounter |
| T34.42XS | Frostbite with tissue necrosis of left arm, sequela |
| T34.511D | Frostbite with tissue necrosis of right wrist, subsequent encounter |
| T34.511S | Frostbite with tissue necrosis of right wrist, sequela |
| T34.512D | Frostbite with tissue necrosis of left wrist, subsequent encounter |
| T34.512S | Frostbite with tissue necrosis of left wrist, sequela |
| T34.519D | Frostbite with tissue necrosis of unspecified wrist, subsequent encounter |
| T34.519S | Frostbite with tissue necrosis of unspecified wrist, sequela |
| T34.521D | Frostbite with tissue necrosis of right hand, subsequent encounter |
| T34.521S | Frostbite with tissue necrosis of right hand, sequela |
| T34.522D | Frostbite with tissue necrosis of left hand, subsequent encounter |
| T34.522S | Frostbite with tissue necrosis of left hand, sequela |
| T34.529D | Frostbite with tissue necrosis of unspecified hand, subsequent encounter |
| T34.529S | Frostbite with tissue necrosis of unspecified hand, sequela |
| T34.531D | Frostbite with tissue necrosis of right finger(s), subsequent encounter |
| T34.531S | Frostbite with tissue necrosis of right finger(s), sequela |
| T34.532D | Frostbite with tissue necrosis of left finger(s), subsequent encounter |
| T34.532S | Frostbite with tissue necrosis of left finger(s), sequela |
| T34.539D | Frostbite with tissue necrosis of unspecified finger(s), subsequent encounter |
| T34.539S | Frostbite with tissue necrosis of unspecified finger(s), sequela |
| T34.60XD | Frostbite with tissue necrosis of unspecified hip and thigh, subsequent encounter |
| T34.60XS | Frostbite with tissue necrosis of unspecified hip and thigh, sequela |
| T34.61XD | Frostbite with tissue necrosis of right hip and thigh, subsequent encounter |
| T34.61XS | Frostbite with tissue necrosis of right hip and thigh, sequela |
| T34.62XD | Frostbite with tissue necrosis of left hip and thigh, subsequent encounter |
| T34.62XS | Frostbite with tissue necrosis of left hip and thigh, sequela |
| T34.70XD | Frostbite with tissue necrosis of unspecified knee and lower leg, subsequent encounter |
| T34.70XS | Frostbite with tissue necrosis of unspecified knee and lower leg, sequela |
| T34.71XD | Frostbite with tissue necrosis of right knee and lower leg, subsequent encounter |
| T34.71XS | Frostbite with tissue necrosis of right knee and lower leg, sequela |
| T34.72XD | Frostbite with tissue necrosis of left knee and lower leg, subsequent encounter |
| T34.72XS | Frostbite with tissue necrosis of left knee and lower leg, sequela |
| T34.811D | Frostbite with tissue necrosis of right ankle, subsequent encounter |
| T34.811S | Frostbite with tissue necrosis of right ankle, sequela |
| T34.812D | Frostbite with tissue necrosis of left ankle, subsequent encounter |
| T34.812S | Frostbite with tissue necrosis of left ankle, sequela |
| T34.819D | Frostbite with tissue necrosis of unspecified ankle, subsequent encounter |
| T34.819S | Frostbite with tissue necrosis of unspecified ankle, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T34.821D | Frostbite with tissue necrosis of right foot, subsequent encounter |
| T34.821S | Frostbite with tissue necrosis of right foot, sequela |
| T34.822D | Frostbite with tissue necrosis of left foot, subsequent encounter |
| T34.822S | Frostbite with tissue necrosis of left foot, sequela |
| T34.829D | Frostbite with tissue necrosis of unspecified foot, subsequent encounter |
| T34.829S | Frostbite with tissue necrosis of unspecified foot, sequela |
| T34.831D | Frostbite with tissue necrosis of right toe(s), subsequent encounter |
| T34.831S | Frostbite with tissue necrosis of right toe(s), sequela |
| T34.832D | Frostbite with tissue necrosis of left toe(s), subsequent encounter |
| T34.832S | Frostbite with tissue necrosis of left toe(s), sequela |
| T34.839D | Frostbite with tissue necrosis of unspecified toe(s), subsequent encounter |
| T34.839S | Frostbite with tissue necrosis of unspecified toe(s), sequela |
| T34.90XD | Frostbite with tissue necrosis of unspecified sites, subsequent encounter |
| T34.90XS | Frostbite with tissue necrosis of unspecified sites, sequela |
| T34.99XD | Frostbite with tissue necrosis of other sites, subsequent encounter |
| T34.99XS | Frostbite with tissue necrosis of other sites, sequela |
| T36.0X1D | Poisoning by penicillins, accidental (unintentional), subsequent encounter |
| T36.0X1S | Poisoning by penicillins, accidental (unintentional), sequela |
| T36.0X2D | Poisoning by penicillins, intentional self-harm, subsequent encounter |
| T36.0X2S | Poisoning by penicillins, intentional self-harm, sequela |
| T36.0X3D | Poisoning by penicillins, assault, subsequent encounter |
| T36.0X3S | Poisoning by penicillins, assault, sequela |
| T36.0X4D | Poisoning by penicillins, undetermined, subsequent encounter |
| T36.0X4S | Poisoning by penicillins, undetermined, sequela |
| T36.0X5D | Adverse effect of penicillins, subsequent encounter |
| T36.0X5S | Adverse effect of penicillins, sequela |
| T36.0X6D | Underdosing of penicillins, subsequent encounter |
| T36.0X6S | Underdosing of penicillins, sequela |
| T36.1X1D | Poisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), subsequent encounter |
| T36.1X1S | Poisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), sequela |
| T36.1X2D | Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter |
| T36.1X2S | Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela |
| T36.1X3D | Poisoning by cephalosporins and other beta-lactam antibiotics, assault, subsequent encounter |
| T36.1X3S | Poisoning by cephalosporins and other beta-lactam antibiotics, assault, sequela |
| T36.1X4D | Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, subsequent encounter |
| T36.1X4S | Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, sequela |
| T36.1X5D | Adverse effect of cephalosporins and other beta-lactam antibiotics, subsequent encounter |
| T36.1X5S | Adverse effect of cephalosporins and other beta-lactam antibiotics, sequela |
| T36.1X6D | Underdosing of cephalosporins and other beta-lactam antibiotics, subsequent encounter |
| T36.1X6S | Underdosing of cephalosporins and other beta-lactam antibiotics, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T36.2X1D | Poisoning by chloramphenicol group, accidental (unintentional), subsequent encounter |
| T36.2X1S | Poisoning by chloramphenicol group, accidental (unintentional), sequela |
| T36.2X2D | Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter |
| T36.2X2S | Poisoning by chloramphenicol group, intentional self-harm, sequela |
| T36.2X3D | Poisoning by chloramphenicol group, assault, subsequent encounter |
| T36.2X3S | Poisoning by chloramphenicol group, assault, sequela |
| T36.2X4D | Poisoning by chloramphenicol group, undetermined, subsequent encounter |
| T36.2X4S | Poisoning by chloramphenicol group, undetermined, sequela |
| T36.2X5D | Adverse effect of chloramphenicol group, subsequent encounter |
| T36.2X5S | Adverse effect of chloramphenicol group, sequela |
| T36.2X6D | Underdosing of chloramphenicol group, subsequent encounter |
| T36.2X6S | Underdosing of chloramphenicol group, sequela |
| T36.3X1D | Poisoning by macrolides, accidental (unintentional), subsequent encounter |
| T36.3X1S | Poisoning by macrolides, accidental (unintentional), sequela |
| T36.3X2D | Poisoning by macrolides, intentional self-harm, subsequent encounter |
| T36.3X2S | Poisoning by macrolides, intentional self-harm, sequela |
| T36.3X3D | Poisoning by macrolides, assault, subsequent encounter |
| T36.3X3S | Poisoning by macrolides, assault, sequela |
| T36.3X4D | Poisoning by macrolides, undetermined, subsequent encounter |
| T36.3X4S | Poisoning by macrolides, undetermined, sequela |
| T36.3X5D | Adverse effect of macrolides, subsequent encounter |
| T36.3X5S | Adverse effect of macrolides, sequela |
| T36.3X6D | Underdosing of macrolides, subsequent encounter |
| T36.3X6S | Underdosing of macrolides, sequela |
| T36.4X1D | Poisoning by tetracyclines, accidental (unintentional), subsequent encounter |
| T36.4X1S | Poisoning by tetracyclines, accidental (unintentional), sequela |
| T36.4X2D | Poisoning by tetracyclines, intentional self-harm, subsequent encounter |
| T36.4X2S | Poisoning by tetracyclines, intentional self-harm, sequela |
| T36.4X3D | Poisoning by tetracyclines, assault, subsequent encounter |
| T36.4X3S | Poisoning by tetracyclines, assault, sequela |
| T36.4X4D | Poisoning by tetracyclines, undetermined, subsequent encounter |
| T36.4X4S | Poisoning by tetracyclines, undetermined, sequela |
| T36.4X5D | Adverse effect of tetracyclines, subsequent encounter |
| T36.4X5S | Adverse effect of tetracyclines, sequela |
| T36.4X6D | Underdosing of tetracyclines, subsequent encounter |
| T36.4X6S | Underdosing of tetracyclines, sequela |
| T36.5X1D | Poisoning by aminoglycosides, accidental (unintentional), subsequent encounter |
| T36.5X1S | Poisoning by aminoglycosides, accidental (unintentional), sequela |
| T36.5X2D | Poisoning by aminoglycosides, intentional self-harm, subsequent encounter |
| T36.5X2S | Poisoning by aminoglycosides, intentional self-harm, sequela |
| T36.5X3D | Poisoning by aminoglycosides, assault, subsequent encounter |
| T36.5X3S | Poisoning by aminoglycosides, assault, sequela |
| T36.5X4D | Poisoning by aminoglycosides, undetermined, subsequent encounter |
| T36.5X4S | Poisoning by aminoglycosides, undetermined, sequela |
| T36.5X5D | Adverse effect of aminoglycosides, subsequent encounter |
| T36.5X5S | Adverse effect of aminoglycosides, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T36.5X6D | Underdosing of aminoglycosides, subsequent encounter |
| T36.5X6S | Underdosing of aminoglycosides, sequela |
| T36.6X1D | Poisoning by rifampicins, accidental (unintentional), subsequent encounter |
| T36.6X1S | Poisoning by rifampicins, accidental (unintentional), sequela |
| T36.6X2D | Poisoning by rifampicins, intentional self-harm, subsequent encounter |
| T36.6X2S | Poisoning by rifampicins, intentional self-harm, sequela |
| T36.6X3D | Poisoning by rifampicins, assault, subsequent encounter |
| T36.6X3S | Poisoning by rifampicins, assault, sequela |
| T36.6X4D | Poisoning by rifampicins, undetermined, subsequent encounter |
| T36.6X4S | Poisoning by rifampicins, undetermined, sequela |
| T36.6X5D | Adverse effect of rifampicins, subsequent encounter |
| T36.6X5S | Adverse effect of rifampicins, sequela |
| T36.6X6D | Underdosing of rifampicins, subsequent encounter |
| T36.6X6S | Underdosing of rifampicins, sequela |
| T36.7X1D | Poisoning by antifungal antibiotics, systemically used, accidental (unintentional), subsequent encounter |
| T36.7X1S | Poisoning by antifungal antibiotics, systemically used, accidental (unintentional), sequela |
| T36.7X2D | Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter |
| T36.7X2S | Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela |
| T36.7X3D | Poisoning by antifungal antibiotics, systemically used, assault, subsequent encounter |
| T36.7X3S | Poisoning by antifungal antibiotics, systemically used, assault, sequela |
| T36.7X4D | Poisoning by antifungal antibiotics, systemically used, undetermined, subsequent encounter |
| T36.7X4S | Poisoning by antifungal antibiotics, systemically used, undetermined, sequela |
| T36.7X5D | Adverse effect of antifungal antibiotics, systemically used, subsequent encounter |
| T36.7X5S | Adverse effect of antifungal antibiotics, systemically used, sequela |
| T36.7X6D | Underdosing of antifungal antibiotics, systemically used, subsequent encounter |
| T36.7X6S | Underdosing of antifungal antibiotics, systemically used, sequela |
| T36.8X1D | Poisoning by other systemic antibiotics, accidental (unintentional), subsequent encounter |
| T36.8X1S | Poisoning by other systemic antibiotics, accidental (unintentional), sequela |
| T36.8X2D | Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter |
| T36.8X2S | Poisoning by other systemic antibiotics, intentional self-harm, sequela |
| T36.8X3D | Poisoning by other systemic antibiotics, assault, subsequent encounter |
| T36.8X3S | Poisoning by other systemic antibiotics, assault, sequela |
| T36.8X4D | Poisoning by other systemic antibiotics, undetermined, subsequent encounter |
| T36.8X4S | Poisoning by other systemic antibiotics, undetermined, sequela |
| T36.8X5D | Adverse effect of other systemic antibiotics, subsequent encounter |
| T36.8X5S | Adverse effect of other systemic antibiotics, sequela |
| T36.8X6D | Underdosing of other systemic antibiotics, subsequent encounter |
| T36.8X6S | Underdosing of other systemic antibiotics, sequela |
| T36.91XD | Poisoning by unspecified systemic antibiotic, accidental (unintentional), subsequent encounter |
| T36.91XS | Poisoning by unspecified systemic antibiotic, accidental (unintentional), sequela |
| T36.92XD | Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T36.92XS | Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela |
| T36.93XD | Poisoning by unspecified systemic antibiotic, assault, subsequent encounter |
| T36.93XS | Poisoning by unspecified systemic antibiotic, assault, sequela |
| T36.94XD | Poisoning by unspecified systemic antibiotic, undetermined, subsequent encounter |
| T36.94XS | Poisoning by unspecified systemic antibiotic, undetermined, sequela |
| T36.95XD | Adverse effect of unspecified systemic antibiotic, subsequent encounter |
| T36.95XS | Adverse effect of unspecified systemic antibiotic, sequela |
| T36.96XD | Underdosing of unspecified systemic antibiotic, subsequent encounter |
| T36.96XS | Underdosing of unspecified systemic antibiotic, sequela |
| T37.0X1D | Poisoning by sulfonamides, accidental (unintentional), subsequent encounter |
| T37.0X1S | Poisoning by sulfonamides, accidental (unintentional), sequela |
| T37.0X2D | Poisoning by sulfonamides, intentional self-harm, subsequent encounter |
| T37.0X2S | Poisoning by sulfonamides, intentional self-harm, sequela |
| T37.0X3D | Poisoning by sulfonamides, assault, subsequent encounter |
| T37.0X3S | Poisoning by sulfonamides, assault, sequela |
| T37.0X4D | Poisoning by sulfonamides, undetermined, subsequent encounter |
| T37.0X4S | Poisoning by sulfonamides, undetermined, sequela |
| T37.0X5D | Adverse effect of sulfonamides, subsequent encounter |
| T37.0X5S | Adverse effect of sulfonamides, sequela |
| T37.0X6D | Underdosing of sulfonamides, subsequent encounter |
| T37.0X6S | Underdosing of sulfonamides, sequela |
| T37.1X1D | Poisoning by antimycobacterial drugs, accidental (unintentional), subsequent encounter |
| T37.1X1S | Poisoning by antimycobacterial drugs, accidental (unintentional), sequela |
| T37.1X2D | Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter |
| T37.1X2S | Poisoning by antimycobacterial drugs, intentional self-harm, sequela |
| T37.1X3D | Poisoning by antimycobacterial drugs, assault, subsequent encounter |
| T37.1X3S | Poisoning by antimycobacterial drugs, assault, sequela |
| T37.1X4D | Poisoning by antimycobacterial drugs, undetermined, subsequent encounter |
| T37.1X4S | Poisoning by antimycobacterial drugs, undetermined, sequela |
| T37.1X5D | Adverse effect of antimycobacterial drugs, subsequent encounter |
| T37.1X5S | Adverse effect of antimycobacterial drugs, sequela |
| T37.1X6D | Underdosing of antimycobacterial drugs, subsequent encounter |
| T37.1X6S | Underdosing of antimycobacterial drugs, sequela |
| T37.2X1D | Poisoning by antimalarials and drugs acting on other blood protozoa, accidental (unintentional), subsequent encounter |
| T37.2X1S | Poisoning by antimalarials and drugs acting on other blood protozoa, accidental (unintentional), sequela |
| T37.2X2D | Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter |
| T37.2X2S | Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela |
| T37.2X3D | Poisoning by antimalarials and drugs acting on other blood protozoa, assault, subsequent encounter |
| T37.2X3S | Poisoning by antimalarials and drugs acting on other blood protozoa, assault, sequela |
| T37.2X4D | Poisoning by antimalarials and drugs acting on other blood protozoa, undetermined, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T37.2X4S | Poisoning by antimalarials and drugs acting on other blood protozoa, undetermined, sequela |
| T37.2X5D | Adverse effect of antimalarials and drugs acting on other blood protozoa, subsequent encounter |
| T37.2X5S | Adverse effect of antimalarials and drugs acting on other blood protozoa, sequela |
| T37.2X6D | Underdosing of antimalarials and drugs acting on other blood protozoa, subsequent encounter |
| T37.2X6S | Underdosing of antimalarials and drugs acting on other blood protozoa, sequela |
| T37.3X1D | Poisoning by other antiprotozoal drugs, accidental (unintentional), subsequent encounter |
| T37.3X1S | Poisoning by other antiprotozoal drugs, accidental (unintentional), sequela |
| T37.3X2D | Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter |
| T37.3X2S | Poisoning by other antiprotozoal drugs, intentional self-harm, sequela |
| T37.3X3D | Poisoning by other antiprotozoal drugs, assault, subsequent encounter |
| T37.3X3S | Poisoning by other antiprotozoal drugs, assault, sequela |
| T37.3X4D | Poisoning by other antiprotozoal drugs, undetermined, subsequent encounter |
| T37.3X4S | Poisoning by other antiprotozoal drugs, undetermined, sequela |
| T37.3X5D | Adverse effect of other antiprotozoal drugs, subsequent encounter |
| T37.3X5S | Adverse effect of other antiprotozoal drugs, sequela |
| T37.3X6D | Underdosing of other antiprotozoal drugs, subsequent encounter |
| T37.3X6S | Underdosing of other antiprotozoal drugs, sequela |
| T37.4X1D | Poisoning by anthelminthics, accidental (unintentional), subsequent encounter |
| T37.4X1S | Poisoning by anthelminthics, accidental (unintentional), sequela |
| T37.4X2D | Poisoning by anthelminthics, intentional self-harm, subsequent encounter |
| T37.4X2S | Poisoning by anthelminthics, intentional self-harm, sequela |
| T37.4X3D | Poisoning by anthelminthics, assault, subsequent encounter |
| T37.4X3S | Poisoning by anthelminthics, assault, sequela |
| T37.4X4D | Poisoning by anthelminthics, undetermined, subsequent encounter |
| T37.4X4S | Poisoning by anthelminthics, undetermined, sequela |
| T37.4X5D | Adverse effect of anthelminthics, subsequent encounter |
| T37.4X5S | Adverse effect of anthelminthics, sequela |
| T37.4X6D | Underdosing of anthelminthics, subsequent encounter |
| T37.4X6S | Underdosing of anthelminthics, sequela |
| T37.5X1D | Poisoning by antiviral drugs, accidental (unintentional), subsequent encounter |
| T37.5X1S | Poisoning by antiviral drugs, accidental (unintentional), sequela |
| T37.5X2D | Poisoning by antiviral drugs, intentional self-harm, subsequent encounter |
| T37.5X2S | Poisoning by antiviral drugs, intentional self-harm, sequela |
| T37.5X3D | Poisoning by antiviral drugs, assault, subsequent encounter |
| T37.5X3S | Poisoning by antiviral drugs, assault, sequela |
| T37.5X4D | Poisoning by antiviral drugs, undetermined, subsequent encounter |
| T37.5X4S | Poisoning by antiviral drugs, undetermined, sequela |
| T37.5X5D | Adverse effect of antiviral drugs, subsequent encounter |
| T37.5X5S | Adverse effect of antiviral drugs, sequela |
| T37.5X6D | Underdosing of antiviral drugs, subsequent encounter |
| T37.5X6S | Underdosing of antiviral drugs, sequela |
| T37.8X1D | Poisoning by other specified systemic anti-infectives and antiparasitics, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T37.8X1S | Poisoning by other specified systemic anti-infectives and antiparasitics, accidental (unintentional), sequela |
| T37.8X2D | Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter |
| T37.8X2S | Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela |
| T37.8X3D | Poisoning by other specified systemic anti-infectives and antiparasitics, assault, subsequent encounter |
| T37.8X3S | Poisoning by other specified systemic anti-infectives and antiparasitics, assault, sequela |
| T37.8X4D | Poisoning by other specified systemic anti-infectives and antiparasitics, undetermined, subsequent encounter |
| T37.8X4S | Poisoning by other specified systemic anti-infectives and antiparasitics, undetermined, sequela |
| T37.8X5D | Adverse effect of other specified systemic anti-infectives and antiparasitics, subsequent encounter |
| T37.8X5S | Adverse effect of other specified systemic anti-infectives and antiparasitics, sequela |
| T37.8X6D | Underdosing of other specified systemic anti-infectives and antiparasitics, subsequent encounter |
| T37.8X6S | Underdosing of other specified systemic anti-infectives and antiparasitics, sequela |
| T37.91XD | Poisoning by unspecified systemic anti-infective and antiparasitics, accidental (unintentional), subsequent encounter |
| T37.91XS | Poisoning by unspecified systemic anti-infective and antiparasitics, accidental (unintentional), sequela |
| T37.92XD | Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter |
| T37.92XS | Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela |
| T37.93XD | Poisoning by unspecified systemic anti-infective and antiparasitics, assault, subsequent encounter |
| T37.93XS | Poisoning by unspecified systemic anti-infective and antiparasitics, assault, sequela |
| T37.94XD | Poisoning by unspecified systemic anti-infective and antiparasitics, undetermined, subsequent encounter |
| T37.94XS | Poisoning by unspecified systemic anti-infective and antiparasitics, undetermined, sequela |
| T37.95XD | Adverse effect of unspecified systemic anti-infective and antiparasitic, subsequent encounter |
| T37.95XS | Adverse effect of unspecified systemic anti-infective and antiparasitic, sequela |
| T37.96XD | Underdosing of unspecified systemic anti-infectives and antiparasitics, subsequent encounter |
| T37.96XS | Underdosing of unspecified systemic anti-infectives and antiparasitics, sequela |
| T38.0X1D | Poisoning by glucocorticoids and synthetic analogues, accidental (unintentional), subsequent encounter |
| T38.0X1S | Poisoning by glucocorticoids and synthetic analogues, accidental (unintentional), sequela |
| T38.0X2D | Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter |
| T38.0X2S | Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela |
| T38.0X3D | Poisoning by glucocorticoids and synthetic analogues, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T38.0X3S | Poisoning by glucocorticoids and synthetic analogues, assault, sequela |
| T38.0X4D | Poisoning by glucocorticoids and synthetic analogues, undetermined, subsequent encounter |
| T38.0X4S | Poisoning by glucocorticoids and synthetic analogues, undetermined, sequela |
| T38.0X5D | Adverse effect of glucocorticoids and synthetic analogues, subsequent encounter |
| T38.0X5S | Adverse effect of glucocorticoids and synthetic analogues, sequela |
| T38.0X6D | Underdosing of glucocorticoids and synthetic analogues, subsequent encounter |
| T38.0X6S | Underdosing of glucocorticoids and synthetic analogues, sequela |
| T38.1X1D | Poisoning by thyroid hormones and substitutes, accidental (unintentional), subsequent encounter |
| T38.1X1S | Poisoning by thyroid hormones and substitutes, accidental (unintentional), sequela |
| T38.1X2D | Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter |
| T38.1X2S | Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela |
| T38.1X3D | Poisoning by thyroid hormones and substitutes, assault, subsequent encounter |
| T38.1X3S | Poisoning by thyroid hormones and substitutes, assault, sequela |
| T38.1X4D | Poisoning by thyroid hormones and substitutes, undetermined, subsequent encounter |
| T38.1X4S | Poisoning by thyroid hormones and substitutes, undetermined, sequela |
| T38.1X5D | Adverse effect of thyroid hormones and substitutes, subsequent encounter |
| T38.1X5S | Adverse effect of thyroid hormones and substitutes, sequela |
| T38.1X6D | Underdosing of thyroid hormones and substitutes, subsequent encounter |
| T38.1X6S | Underdosing of thyroid hormones and substitutes, sequela |
| T38.2X1D | Poisoning by antithyroid drugs, accidental (unintentional), subsequent encounter |
| T38.2X1S | Poisoning by antithyroid drugs, accidental (unintentional), sequela |
| T38.2X2D | Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter |
| T38.2X2S | Poisoning by antithyroid drugs, intentional self-harm, sequela |
| T38.2X3D | Poisoning by antithyroid drugs, assault, subsequent encounter |
| T38.2X3S | Poisoning by antithyroid drugs, assault, sequela |
| T38.2X4D | Poisoning by antithyroid drugs, undetermined, subsequent encounter |
| T38.2X4S | Poisoning by antithyroid drugs, undetermined, sequela |
| T38.2X5D | Adverse effect of antithyroid drugs, subsequent encounter |
| T38.2X5S | Adverse effect of antithyroid drugs, sequela |
| T38.2X6D | Underdosing of antithyroid drugs, subsequent encounter |
| T38.2X6S | Underdosing of antithyroid drugs, sequela |
| T38.3X1D | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), subsequent encounter |
| T38.3X1S | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), sequela |
| T38.3X2D | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter |
| T38.3X2S | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela |
| T38.3X3D | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, assault, subsequent encounter |
| T38.3X3S | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, assault, sequela |
| T38.3X4D | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, undetermined, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T38.3X4S | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, undetermined, sequela |
| T38.3X5D | Adverse effect of insulin and oral hypoglycemic [antidiabetic] drugs, subsequent encounter |
| T38.3X5S | Adverse effect of insulin and oral hypoglycemic [antidiabetic] drugs, sequela |
| T38.3X6D | Underdosing of insulin and oral hypoglycemic [antidiabetic] drugs, subsequent encounter |
| T38.3X6S | Underdosing of insulin and oral hypoglycemic [antidiabetic] drugs, sequela |
| T38.4X1D | Poisoning by oral contraceptives, accidental (unintentional), subsequent encounter |
| T38.4X1S | Poisoning by oral contraceptives, accidental (unintentional), sequela |
| T38.4X2D | Poisoning by oral contraceptives, intentional self-harm, subsequent encounter |
| T38.4X2S | Poisoning by oral contraceptives, intentional self-harm, sequela |
| T38.4X3D | Poisoning by oral contraceptives, assault, subsequent encounter |
| T38.4X3S | Poisoning by oral contraceptives, assault, sequela |
| T38.4X4D | Poisoning by oral contraceptives, undetermined, subsequent encounter |
| T38.4X4S | Poisoning by oral contraceptives, undetermined, sequela |
| T38.4X5D | Adverse effect of oral contraceptives, subsequent encounter |
| T38.4X5S | Adverse effect of oral contraceptives, sequela |
| T38.4X6D | Underdosing of oral contraceptives, subsequent encounter |
| T38.4X6S | Underdosing of oral contraceptives, sequela |
| T38.5X1D | Poisoning by other estrogens and progestogens, accidental (unintentional), subsequent encounter |
| T38.5X1S | Poisoning by other estrogens and progestogens, accidental (unintentional), sequela |
| T38.5X2D | Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter |
| T38.5X2S | Poisoning by other estrogens and progestogens, intentional self-harm, sequela |
| T38.5X3D | Poisoning by other estrogens and progestogens, assault, subsequent encounter |
| T38.5X3S | Poisoning by other estrogens and progestogens, assault, sequela |
| T38.5X4D | Poisoning by other estrogens and progestogens, undetermined, subsequent encounter |
| T38.5X4S | Poisoning by other estrogens and progestogens, undetermined, sequela |
| T38.5X5D | Adverse effect of other estrogens and progestogens, subsequent encounter |
| T38.5X5S | Adverse effect of other estrogens and progestogens, sequela |
| T38.5X6D | Underdosing of other estrogens and progestogens, subsequent encounter |
| T38.5X6S | Underdosing of other estrogens and progestogens, sequela |
| T38.6X1D | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, accidental (unintentional), subsequent encounter |
| T38.6X1S | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, accidental (unintentional), sequela |
| T38.6X2D | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter |
| T38.6X2S | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela |
| T38.6X3D | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, assault, subsequent encounter |
| T38.6X3S | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, assault, sequela |
| T38.6X4D | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, undetermined, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T38.6X4S | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, undetermined, sequela |
| T38.6X5D | Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, subsequent encounter |
| T38.6X5S | Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, sequela |
| T38.6X6D | Underdosing of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, subsequent encounter |
| T38.6X6S | Underdosing of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, sequela |
| T38.7X1D | Poisoning by androgens and anabolic congeners, accidental (unintentional), subsequent encounter |
| T38.7X1S | Poisoning by androgens and anabolic congeners, accidental (unintentional), sequela |
| T38.7X2D | Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter |
| T38.7X2S | Poisoning by androgens and anabolic congeners, intentional self-harm, sequela |
| T38.7X3D | Poisoning by androgens and anabolic congeners, assault, subsequent encounter |
| T38.7X3S | Poisoning by androgens and anabolic congeners, assault, sequela |
| T38.7X4D | Poisoning by androgens and anabolic congeners, undetermined, subsequent encounter |
| T38.7X4S | Poisoning by androgens and anabolic congeners, undetermined, sequela |
| T38.7X5D | Adverse effect of androgens and anabolic congeners, subsequent encounter |
| T38.7X5S | Adverse effect of androgens and anabolic congeners, sequela |
| T38.7X6D | Underdosing of androgens and anabolic congeners, subsequent encounter |
| T38.7X6S | Underdosing of androgens and anabolic congeners, sequela |
| T38.801D | Poisoning by unspecified hormones and synthetic substitutes, accidental (unintentional), subsequent encounter |
| T38.801S | Poisoning by unspecified hormones and synthetic substitutes, accidental (unintentional), sequela |
| T38.802D | Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter |
| T38.802S | Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela |
| T38.803D | Poisoning by unspecified hormones and synthetic substitutes, assault, subsequent encounter |
| T38.803S | Poisoning by unspecified hormones and synthetic substitutes, assault, sequela |
| T38.804D | Poisoning by unspecified hormones and synthetic substitutes, undetermined, subsequent encounter |
| T38.804S | Poisoning by unspecified hormones and synthetic substitutes, undetermined, sequela |
| T38.805D | Adverse effect of unspecified hormones and synthetic substitutes, subsequent encounter |
| T38.805S | Adverse effect of unspecified hormones and synthetic substitutes, sequela |
| T38.806D | Underdosing of unspecified hormones and synthetic substitutes, subsequent encounter |
| T38.806S | Underdosing of unspecified hormones and synthetic substitutes, sequela |
| T38.811D | Poisoning by anterior pituitary [adenohypophyseal] hormones, accidental (unintentional), subsequent encounter |
| T38.811S | Poisoning by anterior pituitary [adenohypophyseal] hormones, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T38.812D | Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter |
| T38.812S | Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela |
| T38.813D | Poisoning by anterior pituitary [adenohypophyseal] hormones, assault, subsequent encounter |
| T38.813S | Poisoning by anterior pituitary [adenohypophyseal] hormones, assault, sequela |
| T38.814D | Poisoning by anterior pituitary [adenohypophyseal] hormones, undetermined, subsequent encounter |
| T38.814S | Poisoning by anterior pituitary [adenohypophyseal] hormones, undetermined, sequela |
| T38.815D | Adverse effect of anterior pituitary [adenohypophyseal] hormones, subsequent encounter |
| T38.815S | Adverse effect of anterior pituitary [adenohypophyseal] hormones, sequela |
| T38.816D | Underdosing of anterior pituitary [adenohypophyseal] hormones, subsequent encounter |
| T38.816S | Underdosing of anterior pituitary [adenohypophyseal] hormones, sequela |
| T38.891D | Poisoning by other hormones and synthetic substitutes, accidental (unintentional), subsequent encounter |
| T38.891S | Poisoning by other hormones and synthetic substitutes, accidental (unintentional), sequela |
| T38.892D | Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter |
| T38.892S | Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela |
| T38.893D | Poisoning by other hormones and synthetic substitutes, assault, subsequent encounter |
| T38.893S | Poisoning by other hormones and synthetic substitutes, assault, sequela |
| T38.894D | Poisoning by other hormones and synthetic substitutes, undetermined, subsequent encounter |
| T38.894S | Poisoning by other hormones and synthetic substitutes, undetermined, sequela |
| T38.895D | Adverse effect of other hormones and synthetic substitutes, subsequent encounter |
| T38.895S | Adverse effect of other hormones and synthetic substitutes, sequela |
| T38.896D | Underdosing of other hormones and synthetic substitutes, subsequent encounter |
| T38.896S | Underdosing of other hormones and synthetic substitutes, sequela |
| T38.901D | Poisoning by unspecified hormone antagonists, accidental (unintentional), subsequent encounter |
| T38.901S | Poisoning by unspecified hormone antagonists, accidental (unintentional), sequela |
| T38.902D | Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter |
| T38.902S | Poisoning by unspecified hormone antagonists, intentional self-harm, sequela |
| T38.903D | Poisoning by unspecified hormone antagonists, assault, subsequent encounter |
| T38.903S | Poisoning by unspecified hormone antagonists, assault, sequela |
| T38.904D | Poisoning by unspecified hormone antagonists, undetermined, subsequent encounter |
| T38.904S | Poisoning by unspecified hormone antagonists, undetermined, sequela |
| T38.905D | Adverse effect of unspecified hormone antagonists, subsequent encounter |
| T38.905S | Adverse effect of unspecified hormone antagonists, sequela |
| T38.906D | Underdosing of unspecified hormone antagonists, subsequent encounter |
| T38.906S | Underdosing of unspecified hormone antagonists, sequela |
| T38.991D | Poisoning by other hormone antagonists, accidental (unintentional), subsequent encounter |
| T38.991S | Poisoning by other hormone antagonists, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T38.992D | Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter |
| T38.992S | Poisoning by other hormone antagonists, intentional self-harm, sequela |
| T38.993D | Poisoning by other hormone antagonists, assault, subsequent encounter |
| T38.993S | Poisoning by other hormone antagonists, assault, sequela |
| T38.994D | Poisoning by other hormone antagonists, undetermined, subsequent encounter |
| T38.994S | Poisoning by other hormone antagonists, undetermined, sequela |
| T38.995D | Adverse effect of other hormone antagonists, subsequent encounter |
| T38.995S | Adverse effect of other hormone antagonists, sequela |
| T38.996D | Underdosing of other hormone antagonists, subsequent encounter |
| T38.996S | Underdosing of other hormone antagonists, sequela |
| T39.011D | Poisoning by aspirin, accidental (unintentional), subsequent encounter |
| T39.011S | Poisoning by aspirin, accidental (unintentional), sequela |
| T39.012D | Poisoning by aspirin, intentional self-harm, subsequent encounter |
| T39.012S | Poisoning by aspirin, intentional self-harm, sequela |
| T39.013D | Poisoning by aspirin, assault, subsequent encounter |
| T39.013S | Poisoning by aspirin, assault, sequela |
| T39.014D | Poisoning by aspirin, undetermined, subsequent encounter |
| T39.014S | Poisoning by aspirin, undetermined, sequela |
| T39.015D | Adverse effect of aspirin, subsequent encounter |
| T39.015S | Adverse effect of aspirin, sequela |
| T39.016D | Underdosing of aspirin, subsequent encounter |
| T39.016S | Underdosing of aspirin, sequela |
| T39.091D | Poisoning by salicylates, accidental (unintentional), subsequent encounter |
| T39.091S | Poisoning by salicylates, accidental (unintentional), sequela |
| T39.092D | Poisoning by salicylates, intentional self-harm, subsequent encounter |
| T39.092S | Poisoning by salicylates, intentional self-harm, sequela |
| T39.093D | Poisoning by salicylates, assault, subsequent encounter |
| T39.093S | Poisoning by salicylates, assault, sequela |
| T39.094D | Poisoning by salicylates, undetermined, subsequent encounter |
| T39.094S | Poisoning by salicylates, undetermined, sequela |
| T39.095D | Adverse effect of salicylates, subsequent encounter |
| T39.095S | Adverse effect of salicylates, sequela |
| T39.096D | Underdosing of salicylates, subsequent encounter |
| T39.096S | Underdosing of salicylates, sequela |
| T39.1X1D | Poisoning by 4-Aminophenol derivatives, accidental (unintentional), subsequent encounter |
| T39.1X1S | Poisoning by 4-Aminophenol derivatives, accidental (unintentional), sequela |
| T39.1X2D | Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter |
| T39.1X2S | Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela |
| T39.1X3D | Poisoning by 4-Aminophenol derivatives, assault, subsequent encounter |
| T39.1X3S | Poisoning by 4-Aminophenol derivatives, assault, sequela |
| T39.1X4D | Poisoning by 4-Aminophenol derivatives, undetermined, subsequent encounter |
| T39.1X4S | Poisoning by 4-Aminophenol derivatives, undetermined, sequela |
| T39.1X5D | Adverse effect of 4-Aminophenol derivatives, subsequent encounter |
| T39.1X5S | Adverse effect of 4-Aminophenol derivatives, sequela |
| T39.1X6D | Underdosing of 4-Aminophenol derivatives, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T39.1X6S | Underdosing of 4-Aminophenol derivatives, sequela |
| T39.2X1D | Poisoning by pyrazolone derivatives, accidental (unintentional), subsequent encounter |
| T39.2X1S | Poisoning by pyrazolone derivatives, accidental (unintentional), sequela |
| T39.2X2D | Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter |
| T39.2X2S | Poisoning by pyrazolone derivatives, intentional self-harm, sequela |
| T39.2X3D | Poisoning by pyrazolone derivatives, assault, subsequent encounter |
| T39.2X3S | Poisoning by pyrazolone derivatives, assault, sequela |
| T39.2X4D | Poisoning by pyrazolone derivatives, undetermined, subsequent encounter |
| T39.2X4S | Poisoning by pyrazolone derivatives, undetermined, sequela |
| T39.2X5D | Adverse effect of pyrazolone derivatives, subsequent encounter |
| T39.2X5S | Adverse effect of pyrazolone derivatives, sequela |
| T39.2X6D | Underdosing of pyrazolone derivatives, subsequent encounter |
| T39.2X6S | Underdosing of pyrazolone derivatives, sequela |
| T39.311D | Poisoning by propionic acid derivatives, accidental (unintentional), subsequent encounter |
| T39.311S | Poisoning by propionic acid derivatives, accidental (unintentional), sequela |
| T39.312D | Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter |
| T39.312S | Poisoning by propionic acid derivatives, intentional self-harm, sequela |
| T39.313D | Poisoning by propionic acid derivatives, assault, subsequent encounter |
| T39.313S | Poisoning by propionic acid derivatives, assault, sequela |
| T39.314D | Poisoning by propionic acid derivatives, undetermined, subsequent encounter |
| T39.314S | Poisoning by propionic acid derivatives, undetermined, sequela |
| T39.315D | Adverse effect of propionic acid derivatives, subsequent encounter |
| T39.315S | Adverse effect of propionic acid derivatives, sequela |
| T39.316D | Underdosing of propionic acid derivatives, subsequent encounter |
| T39.316S | Underdosing of propionic acid derivatives, sequela |
| T39.391D | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), subsequent encounter |
| T39.391S | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), sequela |
| T39.392D | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter |
| T39.392S | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela |
| T39.393D | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, subsequent encounter |
| T39.393S | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, sequela |
| T39.394D | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, subsequent encounter |
| T39.394S | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, sequela |
| T39.395D | Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], subsequent encounter |
| T39.395S | Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], sequela |
| T39.396D | Underdosing of other nonsteroidal anti-inflammatory drugs [NSAID], subsequent encounter |
| T39.396S | Underdosing of other nonsteroidal anti-inflammatory drugs [NSAID], sequela |
| T39.4X1D | Poisoning by antirheumatics, not elsewhere classified, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T39.4X1S | Poisoning by antirheumatics, not elsewhere classified, accidental (unintentional), sequela |
| T39.4X2D | Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter |
| T39.4X2S | Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela |
| T39.4X3D | Poisoning by antirheumatics, not elsewhere classified, assault, subsequent encounter |
| T39.4X3S | Poisoning by antirheumatics, not elsewhere classified, assault, sequela |
| T39.4X4D | Poisoning by antirheumatics, not elsewhere classified, undetermined, subsequent encounter |
| T39.4X4S | Poisoning by antirheumatics, not elsewhere classified, undetermined, sequela |
| T39.4X5D | Adverse effect of antirheumatics, not elsewhere classified, subsequent encounter |
| T39.4X5S | Adverse effect of antirheumatics, not elsewhere classified, sequela |
| T39.4X6D | Underdosing of antirheumatics, not elsewhere classified, subsequent encounter |
| T39.4X6S | Underdosing of antirheumatics, not elsewhere classified, sequela |
| T39.8X1D | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, accidental (unintentional), subsequent encounter |
| T39.8X1S | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, accidental (unintentional), sequela |
| T39.8X2D | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter |
| T39.8X2S | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela |
| T39.8X3D | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, assault, subsequent encounter |
| T39.8X3S | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, assault, sequela |
| T39.8X4D | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, undetermined, subsequent encounter |
| T39.8X4S | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, undetermined, sequela |
| T39.8X5D | Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, subsequent encounter |
| T39.8X5S | Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, sequela |
| T39.8X6D | Underdosing of other nonopioid analgesics and antipyretics, not elsewhere classified, subsequent encounter |
| T39.8X6S | Underdosing of other nonopioid analgesics and antipyretics, not elsewhere classified, sequela |
| T39.91XD | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, accidental (unintentional), subsequent encounter |
| T39.91XS | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, accidental (unintentional), sequela |
| T39.92XD | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter |
| T39.92XS | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela |
| T39.93XD | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T39.93XS | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, assault, sequela |
| T39.94XD | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, undetermined, subsequent encounter |
| T39.94XS | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, undetermined, sequela |
| T39.95XD | Adverse effect of unspecified nonopioid analgesic, antipyretic and antirheumatic, subsequent encounter |
| T39.95XS | Adverse effect of unspecified nonopioid analgesic, antipyretic and antirheumatic, sequela |
| T39.96XD | Underdosing of unspecified nonopioid analgesic, antipyretic and antirheumatic, subsequent encounter |
| T39.96XS | Underdosing of unspecified nonopioid analgesic, antipyretic and antirheumatic, sequela |
| T40.0X1D | Poisoning by opium, accidental (unintentional), subsequent encounter |
| T40.0X1S | Poisoning by opium, accidental (unintentional), sequela |
| T40.0X2D | Poisoning by opium, intentional self-harm, subsequent encounter |
| T40.0X2S | Poisoning by opium, intentional self-harm, sequela |
| T40.0X3D | Poisoning by opium, assault, subsequent encounter |
| T40.0X3S | Poisoning by opium, assault, sequela |
| T40.0X4D | Poisoning by opium, undetermined, subsequent encounter |
| T40.0X4S | Poisoning by opium, undetermined, sequela |
| T40.0X5D | Adverse effect of opium, subsequent encounter |
| T40.0X5S | Adverse effect of opium, sequela |
| T40.0X6D | Underdosing of opium, subsequent encounter |
| T40.0X6S | Underdosing of opium, sequela |
| T40.1X1D | Poisoning by heroin, accidental (unintentional), subsequent encounter |
| T40.1X1S | Poisoning by heroin, accidental (unintentional), sequela |
| T40.1X2D | Poisoning by heroin, intentional self-harm, subsequent encounter |
| T40.1X2S | Poisoning by heroin, intentional self-harm, sequela |
| T40.1X3D | Poisoning by heroin, assault, subsequent encounter |
| T40.1X3S | Poisoning by heroin, assault, sequela |
| T40.1X4D | Poisoning by heroin, undetermined, subsequent encounter |
| T40.1X4S | Poisoning by heroin, undetermined, sequela |
| T40.1X5D | Adverse effect of heroin, subsequent encounter |
| T40.1X5S | Adverse effect of heroin, sequela |
| T40.2X1D | Poisoning by other opioids, accidental (unintentional), subsequent encounter |
| T40.2X1S | Poisoning by other opioids, accidental (unintentional), sequela |
| T40.2X2D | Poisoning by other opioids, intentional self-harm, subsequent encounter |
| T40.2X2S | Poisoning by other opioids, intentional self-harm, sequela |
| T40.2X3D | Poisoning by other opioids, assault, subsequent encounter |
| T40.2X3S | Poisoning by other opioids, assault, sequela |
| T40.2X4D | Poisoning by other opioids, undetermined, subsequent encounter |
| T40.2X4S | Poisoning by other opioids, undetermined, sequela |
| T40.2X5D | Adverse effect of other opioids, subsequent encounter |
| T40.2X5S | Adverse effect of other opioids, sequela |
| T40.2X6D | Underdosing of other opioids, subsequent encounter |
| T40.2X6S | Underdosing of other opioids, sequela |
| T40.3X1D | Poisoning by methadone, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T40.3X1S | Poisoning by methadone, accidental (unintentional), sequela |
| T40.3X2D | Poisoning by methadone, intentional self-harm, subsequent encounter |
| T40.3X2S | Poisoning by methadone, intentional self-harm, sequela |
| T40.3X3D | Poisoning by methadone, assault, subsequent encounter |
| T40.3X3S | Poisoning by methadone, assault, sequela |
| T40.3X4D | Poisoning by methadone, undetermined, subsequent encounter |
| T40.3X4S | Poisoning by methadone, undetermined, sequela |
| T40.3X5D | Adverse effect of methadone, subsequent encounter |
| T40.3X5S | Adverse effect of methadone, sequela |
| T40.3X6D | Underdosing of methadone, subsequent encounter |
| T40.3X6S | Underdosing of methadone, sequela |
| T40.4X1D | Poisoning by other synthetic narcotics, accidental (unintentional), subsequent encounter |
| T40.4X1S | Poisoning by other synthetic narcotics, accidental (unintentional), sequela |
| T40.4X2D | Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter |
| T40.4X2S | Poisoning by other synthetic narcotics, intentional self-harm, sequela |
| T40.4X3D | Poisoning by other synthetic narcotics, assault, subsequent encounter |
| T40.4X3S | Poisoning by other synthetic narcotics, assault, sequela |
| T40.4X4D | Poisoning by other synthetic narcotics, undetermined, subsequent encounter |
| T40.4X4S | Poisoning by other synthetic narcotics, undetermined, sequela |
| T40.4X5D | Adverse effect of other synthetic narcotics, subsequent encounter |
| T40.4X5S | Adverse effect of other synthetic narcotics, sequela |
| T40.4X6D | Underdosing of other synthetic narcotics, subsequent encounter |
| T40.4X6S | Underdosing of other synthetic narcotics, sequela |
| T40.5X1D | Poisoning by cocaine, accidental (unintentional), subsequent encounter |
| T40.5X1S | Poisoning by cocaine, accidental (unintentional), sequela |
| T40.5X2D | Poisoning by cocaine, intentional self-harm, subsequent encounter |
| T40.5X2S | Poisoning by cocaine, intentional self-harm, sequela |
| T40.5X3D | Poisoning by cocaine, assault, subsequent encounter |
| T40.5X3S | Poisoning by cocaine, assault, sequela |
| T40.5X4D | Poisoning by cocaine, undetermined, subsequent encounter |
| T40.5X4S | Poisoning by cocaine, undetermined, sequela |
| T40.5X5D | Adverse effect of cocaine, subsequent encounter |
| T40.5X5S | Adverse effect of cocaine, sequela |
| T40.5X6D | Underdosing of cocaine, subsequent encounter |
| T40.5X6S | Underdosing of cocaine, sequela |
| T40.601D | Poisoning by unspecified narcotics, accidental (unintentional), subsequent encounter |
| T40.601S | Poisoning by unspecified narcotics, accidental (unintentional), sequela |
| T40.602D | Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter |
| T40.602S | Poisoning by unspecified narcotics, intentional self-harm, sequela |
| T40.603D | Poisoning by unspecified narcotics, assault, subsequent encounter |
| T40.603S | Poisoning by unspecified narcotics, assault, sequela |
| T40.604D | Poisoning by unspecified narcotics, undetermined, subsequent encounter |
| T40.604S | Poisoning by unspecified narcotics, undetermined, sequela |
| T40.605D | Adverse effect of unspecified narcotics, subsequent encounter |
| T40.605S | Adverse effect of unspecified narcotics, sequela |
| T40.606D | Underdosing of unspecified narcotics, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T40.606S | Underdosing of unspecified narcotics, sequela |
| T40.691D | Poisoning by other narcotics, accidental (unintentional), subsequent encounter |
| T40.691S | Poisoning by other narcotics, accidental (unintentional), sequela |
| T40.692D | Poisoning by other narcotics, intentional self-harm, subsequent encounter |
| T40.692S | Poisoning by other narcotics, intentional self-harm, sequela |
| T40.693D | Poisoning by other narcotics, assault, subsequent encounter |
| T40.693S | Poisoning by other narcotics, assault, sequela |
| T40.694D | Poisoning by other narcotics, undetermined, subsequent encounter |
| T40.694S | Poisoning by other narcotics, undetermined, sequela |
| T40.695D | Adverse effect of other narcotics, subsequent encounter |
| T40.695S | Adverse effect of other narcotics, sequela |
| T40.696D | Underdosing of other narcotics, subsequent encounter |
| T40.696S | Underdosing of other narcotics, sequela |
| T40.7X1D | Poisoning by cannabis (derivatives), accidental (unintentional), subsequent encounter |
| T40.7X1S | Poisoning by cannabis (derivatives), accidental (unintentional), sequela |
| T40.7X2D | Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter |
| T40.7X2S | Poisoning by cannabis (derivatives), intentional self-harm, sequela |
| T40.7X3D | Poisoning by cannabis (derivatives), assault, subsequent encounter |
| T40.7X3S | Poisoning by cannabis (derivatives), assault, sequela |
| T40.7X4D | Poisoning by cannabis (derivatives), undetermined, subsequent encounter |
| T40.7X4S | Poisoning by cannabis (derivatives), undetermined, sequela |
| T40.7X5D | Adverse effect of cannabis (derivatives), subsequent encounter |
| T40.7X5S | Adverse effect of cannabis (derivatives), sequela |
| T40.7X6D | Underdosing of cannabis (derivatives), subsequent encounter |
| T40.7X6S | Underdosing of cannabis (derivatives), sequela |
| T40.8X1D | Poisoning by lysergide [LSD], accidental (unintentional), subsequent encounter |
| T40.8X1S | Poisoning by lysergide [LSD], accidental (unintentional), sequela |
| T40.8X2D | Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter |
| T40.8X2S | Poisoning by lysergide [LSD], intentional self-harm, sequela |
| T40.8X3D | Poisoning by lysergide [LSD], assault, subsequent encounter |
| T40.8X3S | Poisoning by lysergide [LSD], assault, sequela |
| T40.8X4D | Poisoning by lysergide [LSD], undetermined, subsequent encounter |
| T40.8X4S | Poisoning by lysergide [LSD], undetermined, sequela |
| T40.8X5D | Adverse effect of lysergide [LSD], subsequent encounter |
| T40.8X5S | Adverse effect of lysergide [LSD], sequela |
| T40.901D | Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter |
| T40.901S | Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), sequela |
| T40.902D | Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter |
| T40.902S | Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela |
| T40.903D | Poisoning by unspecified psychodysleptics [hallucinogens], assault, subsequent encounter |
| T40.903S | Poisoning by unspecified psychodysleptics [hallucinogens], assault, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T40.904D | Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, subsequent encounter |
| T40.904S | Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, sequela |
| T40.905D | Adverse effect of unspecified psychodysleptics [hallucinogens], subsequent encounter |
| T40.905S | Adverse effect of unspecified psychodysleptics [hallucinogens], sequela |
| T40.906D | Underdosing of unspecified psychodysleptics, subsequent encounter |
| T40.906S | Underdosing of unspecified psychodysleptics, sequela |
| T40.991D | Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter |
| T40.991S | Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), sequela |
| T40.992D | Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter |
| T40.992S | Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela |
| T40.993D | Poisoning by other psychodysleptics [hallucinogens], assault, subsequent encounter |
| T40.993S | Poisoning by other psychodysleptics [hallucinogens], assault, sequela |
| T40.994D | Poisoning by other psychodysleptics [hallucinogens], undetermined, subsequent encounter |
| T40.994S | Poisoning by other psychodysleptics [hallucinogens], undetermined, sequela |
| T40.995D | Adverse effect of other psychodysleptics [hallucinogens], subsequent encounter |
| T40.995S | Adverse effect of other psychodysleptics [hallucinogens], sequela |
| T40.996D | Underdosing of other psychodysleptics, subsequent encounter |
| T40.996S | Underdosing of other psychodysleptics, sequela |
| T41.0X1D | Poisoning by inhaled anesthetics, accidental (unintentional), subsequent encounter |
| T41.0X1S | Poisoning by inhaled anesthetics, accidental (unintentional), sequela |
| T41.0X2D | Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter |
| T41.0X2S | Poisoning by inhaled anesthetics, intentional self-harm, sequela |
| T41.0X3D | Poisoning by inhaled anesthetics, assault, subsequent encounter |
| T41.0X3S | Poisoning by inhaled anesthetics, assault, sequela |
| T41.0X4D | Poisoning by inhaled anesthetics, undetermined, subsequent encounter |
| T41.0X4S | Poisoning by inhaled anesthetics, undetermined, sequela |
| T41.0X5D | Adverse effect of inhaled anesthetics, subsequent encounter |
| T41.0X5S | Adverse effect of inhaled anesthetics, sequela |
| T41.0X6D | Underdosing of inhaled anesthetics, subsequent encounter |
| T41.0X6S | Underdosing of inhaled anesthetics, sequela |
| T41.1X1D | Poisoning by intravenous anesthetics, accidental (unintentional), subsequent encounter |
| T41.1X1S | Poisoning by intravenous anesthetics, accidental (unintentional), sequela |
| T41.1X2D | Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter |
| T41.1X2S | Poisoning by intravenous anesthetics, intentional self-harm, sequela |
| T41.1X3D | Poisoning by intravenous anesthetics, assault, subsequent encounter |
| T41.1X3S | Poisoning by intravenous anesthetics, assault, sequela |
| T41.1X4D | Poisoning by intravenous anesthetics, undetermined, subsequent encounter |
| T41.1X4S | Poisoning by intravenous anesthetics, undetermined, sequela |
| T41.1X5D | Adverse effect of intravenous anesthetics, subsequent encounter |
| T41.1X5S | Adverse effect of intravenous anesthetics, sequela |
| T41.1X6D | Underdosing of intravenous anesthetics, subsequent encounter |
| T41.1X6S | Underdosing of intravenous anesthetics, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T41.201D | Poisoning by unspecified general anesthetics, accidental (unintentional), subsequent encounter |
| T41.201S | Poisoning by unspecified general anesthetics, accidental (unintentional), sequela |
| T41.202D | Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter |
| T41.202S | Poisoning by unspecified general anesthetics, intentional self-harm, sequela |
| T41.203D | Poisoning by unspecified general anesthetics, assault, subsequent encounter |
| T41.203S | Poisoning by unspecified general anesthetics, assault, sequela |
| T41.204D | Poisoning by unspecified general anesthetics, undetermined, subsequent encounter |
| T41.204S | Poisoning by unspecified general anesthetics, undetermined, sequela |
| T41.205D | Adverse effect of unspecified general anesthetics, subsequent encounter |
| T41.205S | Adverse effect of unspecified general anesthetics, sequela |
| T41.206D | Underdosing of unspecified general anesthetics, subsequent encounter |
| T41.206S | Underdosing of unspecified general anesthetics, sequela |
| T41.291D | Poisoning by other general anesthetics, accidental (unintentional), subsequent encounter |
| T41.291S | Poisoning by other general anesthetics, accidental (unintentional), sequela |
| T41.292D | Poisoning by other general anesthetics, intentional self-harm, subsequent encounter |
| T41.292S | Poisoning by other general anesthetics, intentional self-harm, sequela |
| T41.293D | Poisoning by other general anesthetics, assault, subsequent encounter |
| T41.293S | Poisoning by other general anesthetics, assault, sequela |
| T41.294D | Poisoning by other general anesthetics, undetermined, subsequent encounter |
| T41.294S | Poisoning by other general anesthetics, undetermined, sequela |
| T41.295D | Adverse effect of other general anesthetics, subsequent encounter |
| T41.295S | Adverse effect of other general anesthetics, sequela |
| T41.296D | Underdosing of other general anesthetics, subsequent encounter |
| T41.296S | Underdosing of other general anesthetics, sequela |
| T41.3X1D | Poisoning by local anesthetics, accidental (unintentional), subsequent encounter |
| T41.3X1S | Poisoning by local anesthetics, accidental (unintentional), sequela |
| T41.3X2D | Poisoning by local anesthetics, intentional self-harm, subsequent encounter |
| T41.3X2S | Poisoning by local anesthetics, intentional self-harm, sequela |
| T41.3X3D | Poisoning by local anesthetics, assault, subsequent encounter |
| T41.3X3S | Poisoning by local anesthetics, assault, sequela |
| T41.3X4D | Poisoning by local anesthetics, undetermined, subsequent encounter |
| T41.3X4S | Poisoning by local anesthetics, undetermined, sequela |
| T41.3X5D | Adverse effect of local anesthetics, subsequent encounter |
| T41.3X5S | Adverse effect of local anesthetics, sequela |
| T41.3X6D | Underdosing of local anesthetics, subsequent encounter |
| T41.3X6S | Underdosing of local anesthetics, sequela |
| T41.41XD | Poisoning by unspecified anesthetic, accidental (unintentional), subsequent encounter |
| T41.41XS | Poisoning by unspecified anesthetic, accidental (unintentional), sequela |
| T41.42XD | Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter |
| T41.42XS | Poisoning by unspecified anesthetic, intentional self-harm, sequela |
| T41.43XD | Poisoning by unspecified anesthetic, assault, subsequent encounter |
| T41.43XS | Poisoning by unspecified anesthetic, assault, sequela |
| T41.44XD | Poisoning by unspecified anesthetic, undetermined, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T41.44XS | Poisoning by unspecified anesthetic, undetermined, sequela |
| T41.45XD | Adverse effect of unspecified anesthetic, subsequent encounter |
| T41.45XS | Adverse effect of unspecified anesthetic, sequela |
| T41.46XD | Underdosing of unspecified anesthetics, subsequent encounter |
| T41.46XS | Underdosing of unspecified anesthetics, sequela |
| T41.5X1D | Poisoning by therapeutic gases, accidental (unintentional), subsequent encounter |
| T41.5X1S | Poisoning by therapeutic gases, accidental (unintentional), sequela |
| T41.5X2D | Poisoning by therapeutic gases, intentional self-harm, subsequent encounter |
| T41.5X2S | Poisoning by therapeutic gases, intentional self-harm, sequela |
| T41.5X3D | Poisoning by therapeutic gases, assault, subsequent encounter |
| T41.5X3S | Poisoning by therapeutic gases, assault, sequela |
| T41.5X4D | Poisoning by therapeutic gases, undetermined, subsequent encounter |
| T41.5X4S | Poisoning by therapeutic gases, undetermined, sequela |
| T41.5X5D | Adverse effect of therapeutic gases, subsequent encounter |
| T41.5X5S | Adverse effect of therapeutic gases, sequela |
| T41.5X6D | Underdosing of therapeutic gases, subsequent encounter |
| T41.5X6S | Underdosing of therapeutic gases, sequela |
| T42.0X1D | Poisoning by hydantoin derivatives, accidental (unintentional), subsequent encounter |
| T42.0X1S | Poisoning by hydantoin derivatives, accidental (unintentional), sequela |
| T42.0X2D | Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter |
| T42.0X2S | Poisoning by hydantoin derivatives, intentional self-harm, sequela |
| T42.0X3D | Poisoning by hydantoin derivatives, assault, subsequent encounter |
| T42.0X3S | Poisoning by hydantoin derivatives, assault, sequela |
| T42.0X4D | Poisoning by hydantoin derivatives, undetermined, subsequent encounter |
| T42.0X4S | Poisoning by hydantoin derivatives, undetermined, sequela |
| T42.0X5D | Adverse effect of hydantoin derivatives, subsequent encounter |
| T42.0X5S | Adverse effect of hydantoin derivatives, sequela |
| T42.0X6D | Underdosing of hydantoin derivatives, subsequent encounter |
| T42.0X6S | Underdosing of hydantoin derivatives, sequela |
| T42.1X1D | Poisoning by iminostilbenes, accidental (unintentional), subsequent encounter |
| T42.1X1S | Poisoning by iminostilbenes, accidental (unintentional), sequela |
| T42.1X2D | Poisoning by iminostilbenes, intentional self-harm, subsequent encounter |
| T42.1X2S | Poisoning by iminostilbenes, intentional self-harm, sequela |
| T42.1X3D | Poisoning by iminostilbenes, assault, subsequent encounter |
| T42.1X3S | Poisoning by iminostilbenes, assault, sequela |
| T42.1X4D | Poisoning by iminostilbenes, undetermined, subsequent encounter |
| T42.1X4S | Poisoning by iminostilbenes, undetermined, sequela |
| T42.1X5D | Adverse effect of iminostilbenes, subsequent encounter |
| T42.1X5S | Adverse effect of iminostilbenes, sequela |
| T42.1X6D | Underdosing of iminostilbenes, subsequent encounter |
| T42.1X6S | Underdosing of iminostilbenes, sequela |
| T42.2X1D | Poisoning by succinimides and oxazolidinediones, accidental (unintentional), subsequent encounter |
| T42.2X1S | Poisoning by succinimides and oxazolidinediones, accidental (unintentional), sequela |
| T42.2X2D | Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T42.2X2S | Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela |
| T42.2X3D | Poisoning by succinimides and oxazolidinediones, assault, subsequent encounter |
| T42.2X3S | Poisoning by succinimides and oxazolidinediones, assault, sequela |
| T42.2X4D | Poisoning by succinimides and oxazolidinediones, undetermined, subsequent encounter |
| T42.2X4S | Poisoning by succinimides and oxazolidinediones, undetermined, sequela |
| T42.2X5D | Adverse effect of succinimides and oxazolidinediones, subsequent encounter |
| T42.2X5S | Adverse effect of succinimides and oxazolidinediones, sequela |
| T42.2X6D | Underdosing of succinimides and oxazolidinediones, subsequent encounter |
| T42.2X6S | Underdosing of succinimides and oxazolidinediones, sequela |
| T42.3X1D | Poisoning by barbiturates, accidental (unintentional), subsequent encounter |
| T42.3X1S | Poisoning by barbiturates, accidental (unintentional), sequela |
| T42.3X2D | Poisoning by barbiturates, intentional self-harm, subsequent encounter |
| T42.3X2S | Poisoning by barbiturates, intentional self-harm, sequela |
| T42.3X3D | Poisoning by barbiturates, assault, subsequent encounter |
| T42.3X3S | Poisoning by barbiturates, assault, sequela |
| T42.3X4D | Poisoning by barbiturates, undetermined, subsequent encounter |
| T42.3X4S | Poisoning by barbiturates, undetermined, sequela |
| T42.3X5D | Adverse effect of barbiturates, subsequent encounter |
| T42.3X5S | Adverse effect of barbiturates, sequela |
| T42.3X6D | Underdosing of barbiturates, subsequent encounter |
| T42.3X6S | Underdosing of barbiturates, sequela |
| T42.4X1D | Poisoning by benzodiazepines, accidental (unintentional), subsequent encounter |
| T42.4X1S | Poisoning by benzodiazepines, accidental (unintentional), sequela |
| T42.4X2D | Poisoning by benzodiazepines, intentional self-harm, subsequent encounter |
| T42.4X2S | Poisoning by benzodiazepines, intentional self-harm, sequela |
| T42.4X3D | Poisoning by benzodiazepines, assault, subsequent encounter |
| T42.4X3S | Poisoning by benzodiazepines, assault, sequela |
| T42.4X4D | Poisoning by benzodiazepines, undetermined, subsequent encounter |
| T42.4X4S | Poisoning by benzodiazepines, undetermined, sequela |
| T42.4X5D | Adverse effect of benzodiazepines, subsequent encounter |
| T42.4X5S | Adverse effect of benzodiazepines, sequela |
| T42.4X6D | Underdosing of benzodiazepines, subsequent encounter |
| T42.4X6S | Underdosing of benzodiazepines, sequela |
| T42.5X1D | Poisoning by mixed antiepileptics, accidental (unintentional), subsequent encounter |
| T42.5X1S | Poisoning by mixed antiepileptics, accidental (unintentional), sequela |
| T42.5X2D | Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter |
| T42.5X2S | Poisoning by mixed antiepileptics, intentional self-harm, sequela |
| T42.5X3D | Poisoning by mixed antiepileptics, assault, subsequent encounter |
| T42.5X3S | Poisoning by mixed antiepileptics, assault, sequela |
| T42.5X4D | Poisoning by mixed antiepileptics, undetermined, subsequent encounter |
| T42.5X4S | Poisoning by mixed antiepileptics, undetermined, sequela |
| T42.5X5D | Adverse effect of mixed antiepileptics, subsequent encounter |
| T42.5X5S | Adverse effect of mixed antiepileptics, sequela |
| T42.5X6D | Underdosing of mixed antiepileptics, subsequent encounter |
| T42.5X6S | Underdosing of mixed antiepileptics, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T42.6X1D | Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), subsequent encounter |
| T42.6X1S | Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela |
| T42.6X2D | Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter |
| T42.6X2S | Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela |
| T42.6X3D | Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, subsequent encounter |
| T42.6X3S | Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, sequela |
| T42.6X4D | Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, subsequent encounter |
| T42.6X4S | Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, sequela |
| T42.6X5D | Adverse effect of other antiepileptic and sedative-hypnotic drugs, subsequent encounter |
| T42.6X5S | Adverse effect of other antiepileptic and sedative-hypnotic drugs, sequela |
| T42.6X6D | Underdosing of other antiepileptic and sedative-hypnotic drugs, subsequent encounter |
| T42.6X6S | Underdosing of other antiepileptic and sedative-hypnotic drugs, sequela |
| T42.71XD | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), subsequent encounter |
| T42.71XS | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela |
| T42.72XD | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter |
| T42.72XS | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela |
| T42.73XD | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, subsequent encounter |
| T42.73XS | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, sequela |
| T42.74XD | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, subsequent encounter |
| T42.74XS | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, sequela |
| T42.75XD | Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, subsequent encounter |
| T42.75XS | Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, sequela |
| T42.76XD | Underdosing of unspecified antiepileptic and sedative-hypnotic drugs, subsequent encounter |
| T42.76XS | Underdosing of unspecified antiepileptic and sedative-hypnotic drugs, sequela |
| T42.8X1D | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, accidental (unintentional), subsequent encounter |
| T42.8X1S | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, accidental (unintentional), sequela |
| T42.8X2D | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter |
| T42.8X2S | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T42.8X3D | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, assault, subsequent encounter |
| T42.8X3S | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, assault, sequela |
| T42.8X4D | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, undetermined, subsequent encounter |
| T42.8X4S | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, undetermined, sequela |
| T42.8X5D | Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, subsequent encounter |
| T42.8X5S | Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, sequela |
| T42.8X6D | Underdosing of antiparkinsonism drugs and other central muscle-tone depressants, subsequent encounter |
| T42.8X6S | Underdosing of antiparkinsonism drugs and other central muscle-tone depressants, sequela |
| T43.011D | Poisoning by tricyclic antidepressants, accidental (unintentional), subsequent encounter |
| T43.011S | Poisoning by tricyclic antidepressants, accidental (unintentional), sequela |
| T43.012D | Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter |
| T43.012S | Poisoning by tricyclic antidepressants, intentional self-harm, sequela |
| T43.013D | Poisoning by tricyclic antidepressants, assault, subsequent encounter |
| T43.013S | Poisoning by tricyclic antidepressants, assault, sequela |
| T43.014D | Poisoning by tricyclic antidepressants, undetermined, subsequent encounter |
| T43.014S | Poisoning by tricyclic antidepressants, undetermined, sequela |
| T43.015D | Adverse effect of tricyclic antidepressants, subsequent encounter |
| T43.015S | Adverse effect of tricyclic antidepressants, sequela |
| T43.016D | Underdosing of tricyclic antidepressants, subsequent encounter |
| T43.016S | Underdosing of tricyclic antidepressants, sequela |
| T43.021D | Poisoning by tetracyclic antidepressants, accidental (unintentional), subsequent encounter |
| T43.021S | Poisoning by tetracyclic antidepressants, accidental (unintentional), sequela |
| T43.022D | Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter |
| T43.022S | Poisoning by tetracyclic antidepressants, intentional self-harm, sequela |
| T43.023D | Poisoning by tetracyclic antidepressants, assault, subsequent encounter |
| T43.023S | Poisoning by tetracyclic antidepressants, assault, sequela |
| T43.024D | Poisoning by tetracyclic antidepressants, undetermined, subsequent encounter |
| T43.024S | Poisoning by tetracyclic antidepressants, undetermined, sequela |
| T43.025D | Adverse effect of tetracyclic antidepressants, subsequent encounter |
| T43.025S | Adverse effect of tetracyclic antidepressants, sequela |
| T43.026D | Underdosing of tetracyclic antidepressants, subsequent encounter |
| T43.026S | Underdosing of tetracyclic antidepressants, sequela |
| T43.1X1D | Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), subsequent encounter |
| T43.1X1S | Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), sequela |
| T43.1X2D | Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T43.1X2S | Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela |
| T43.1X3D | Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, subsequent encounter |
| T43.1X3S | Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, sequela |
| T43.1X4D | Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, subsequent encounter |
| T43.1X4S | Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, sequela |
| T43.1X5D | Adverse effect of monoamine-oxidase-inhibitor antidepressants, subsequent encounter |
| T43.1X5S | Adverse effect of monoamine-oxidase-inhibitor antidepressants, sequela |
| T43.1X6D | Underdosing of monoamine-oxidase-inhibitor antidepressants, subsequent encounter |
| T43.1X6S | Underdosing of monoamine-oxidase-inhibitor antidepressants, sequela |
| T43.201D | Poisoning by unspecified antidepressants, accidental (unintentional), subsequent encounter |
| T43.201S | Poisoning by unspecified antidepressants, accidental (unintentional), sequela |
| T43.202D | Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter |
| T43.202S | Poisoning by unspecified antidepressants, intentional self-harm, sequela |
| T43.203D | Poisoning by unspecified antidepressants, assault, subsequent encounter |
| T43.203S | Poisoning by unspecified antidepressants, assault, sequela |
| T43.204D | Poisoning by unspecified antidepressants, undetermined, subsequent encounter |
| T43.204S | Poisoning by unspecified antidepressants, undetermined, sequela |
| T43.205D | Adverse effect of unspecified antidepressants, subsequent encounter |
| T43.205S | Adverse effect of unspecified antidepressants, sequela |
| T43.206D | Underdosing of unspecified antidepressants, subsequent encounter |
| T43.206S | Underdosing of unspecified antidepressants, sequela |
| T43.211D | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), subsequent encounter |
| T43.211S | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), sequela |
| T43.212D | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter |
| T43.212S | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela |
| T43.213D | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, subsequent encounter |
| T43.213S | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, sequela |
| T43.214D | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, subsequent encounter |
| T43.214S | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, sequela |
| T43.215D | Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, subsequent encounter |
| T43.215S | Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, sequela |
| T43.216D | Underdosing of selective serotonin and norepinephrine reuptake inhibitors, subsequent encounter |
| T43.216S | Underdosing of selective serotonin and norepinephrine reuptake inhibitors, sequela |
| T43.221D | Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T43.221S | Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), sequela |
| T43.222D | Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter |
| T43.222S | Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela |
| T43.223D | Poisoning by selective serotonin reuptake inhibitors, assault, subsequent encounter |
| T43.223S | Poisoning by selective serotonin reuptake inhibitors, assault, sequela |
| T43.224D | Poisoning by selective serotonin reuptake inhibitors, undetermined, subsequent encounter |
| T43.224S | Poisoning by selective serotonin reuptake inhibitors, undetermined, sequela |
| T43.225D | Adverse effect of selective serotonin reuptake inhibitors, subsequent encounter |
| T43.225S | Adverse effect of selective serotonin reuptake inhibitors, sequela |
| T43.226D | Underdosing of selective serotonin reuptake inhibitors, subsequent encounter |
| T43.226S | Underdosing of selective serotonin reuptake inhibitors, sequela |
| T43.291D | Poisoning by other antidepressants, accidental (unintentional), subsequent encounter |
| T43.291S | Poisoning by other antidepressants, accidental (unintentional), sequela |
| T43.292D | Poisoning by other antidepressants, intentional self-harm, subsequent encounter |
| T43.292S | Poisoning by other antidepressants, intentional self-harm, sequela |
| T43.293D | Poisoning by other antidepressants, assault, subsequent encounter |
| T43.293S | Poisoning by other antidepressants, assault, sequela |
| T43.294D | Poisoning by other antidepressants, undetermined, subsequent encounter |
| T43.294S | Poisoning by other antidepressants, undetermined, sequela |
| T43.295D | Adverse effect of other antidepressants, subsequent encounter |
| T43.295S | Adverse effect of other antidepressants, sequela |
| T43.296D | Underdosing of other antidepressants, subsequent encounter |
| T43.296S | Underdosing of other antidepressants, sequela |
| T43.3X1D | Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), subsequent encounter |
| T43.3X1S | Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), sequela |
| T43.3X2D | Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter |
| T43.3X2S | Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela |
| T43.3X3D | Poisoning by phenothiazine antipsychotics and neuroleptics, assault, subsequent encounter |
| T43.3X3S | Poisoning by phenothiazine antipsychotics and neuroleptics, assault, sequela |
| T43.3X4D | Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, subsequent encounter |
| T43.3X4S | Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, sequela |
| T43.3X5D | Adverse effect of phenothiazine antipsychotics and neuroleptics, subsequent encounter |
| T43.3X5S | Adverse effect of phenothiazine antipsychotics and neuroleptics, sequela |
| T43.3X6D | Underdosing of phenothiazine antipsychotics and neuroleptics, subsequent encounter |
| T43.3X6S | Underdosing of phenothiazine antipsychotics and neuroleptics, sequela |
| T43.4X1D | Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), subsequent encounter |
| T43.4X1S | Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T43.4X2D | Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter |
| T43.4X2S | Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela |
| T43.4X3D | Poisoning by butyrophenone and thiothixene neuroleptics, assault, subsequent encounter |
| T43.4X3S | Poisoning by butyrophenone and thiothixene neuroleptics, assault, sequela |
| T43.4X4D | Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, subsequent encounter |
| T43.4X4S | Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, sequela |
| T43.4X5D | Adverse effect of butyrophenone and thiothixene neuroleptics, subsequent encounter |
| T43.4X5S | Adverse effect of butyrophenone and thiothixene neuroleptics, sequela |
| T43.4X6D | Underdosing of butyrophenone and thiothixene neuroleptics, subsequent encounter |
| T43.4X6S | Underdosing of butyrophenone and thiothixene neuroleptics, sequela |
| T43.501D | Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), subsequent encounter |
| T43.501S | Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), sequela |
| T43.502D | Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter |
| T43.502S | Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela |
| T43.503D | Poisoning by unspecified antipsychotics and neuroleptics, assault, subsequent encounter |
| T43.503S | Poisoning by unspecified antipsychotics and neuroleptics, assault, sequela |
| T43.504D | Poisoning by unspecified antipsychotics and neuroleptics, undetermined, subsequent encounter |
| T43.504S | Poisoning by unspecified antipsychotics and neuroleptics, undetermined, sequela |
| T43.505D | Adverse effect of unspecified antipsychotics and neuroleptics, subsequent encounter |
| T43.505S | Adverse effect of unspecified antipsychotics and neuroleptics, sequela |
| T43.506D | Underdosing of unspecified antipsychotics and neuroleptics, subsequent encounter |
| T43.506S | Underdosing of unspecified antipsychotics and neuroleptics, sequela |
| T43.591D | Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), subsequent encounter |
| T43.591S | Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), sequela |
| T43.592D | Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter |
| T43.592S | Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela |
| T43.593D | Poisoning by other antipsychotics and neuroleptics, assault, subsequent encounter |
| T43.593S | Poisoning by other antipsychotics and neuroleptics, assault, sequela |
| T43.594D | Poisoning by other antipsychotics and neuroleptics, undetermined, subsequent encounter |
| T43.594S | Poisoning by other antipsychotics and neuroleptics, undetermined, sequela |
| T43.595D | Adverse effect of other antipsychotics and neuroleptics, subsequent encounter |
| T43.595S | Adverse effect of other antipsychotics and neuroleptics, sequela |
| T43.596D | Underdosing of other antipsychotics and neuroleptics, subsequent encounter |
| T43.596S | Underdosing of other antipsychotics and neuroleptics, sequela |
| T43.601D | Poisoning by unspecified psychostimulants, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T43.601S | Poisoning by unspecified psychostimulants, accidental (unintentional), sequela |
| T43.602D | Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter |
| T43.602S | Poisoning by unspecified psychostimulants, intentional self-harm, sequela |
| T43.603D | Poisoning by unspecified psychostimulants, assault, subsequent encounter |
| T43.603S | Poisoning by unspecified psychostimulants, assault, sequela |
| T43.604D | Poisoning by unspecified psychostimulants, undetermined, subsequent encounter |
| T43.604S | Poisoning by unspecified psychostimulants, undetermined, sequela |
| T43.605D | Adverse effect of unspecified psychostimulants, subsequent encounter |
| T43.605S | Adverse effect of unspecified psychostimulants, sequela |
| T43.606D | Underdosing of unspecified psychostimulants, subsequent encounter |
| T43.606S | Underdosing of unspecified psychostimulants, sequela |
| T43.611D | Poisoning by caffeine, accidental (unintentional), subsequent encounter |
| T43.611S | Poisoning by caffeine, accidental (unintentional), sequela |
| T43.612D | Poisoning by caffeine, intentional self-harm, subsequent encounter |
| T43.612S | Poisoning by caffeine, intentional self-harm, sequela |
| T43.613D | Poisoning by caffeine, assault, subsequent encounter |
| T43.613S | Poisoning by caffeine, assault, sequela |
| T43.614D | Poisoning by caffeine, undetermined, subsequent encounter |
| T43.614S | Poisoning by caffeine, undetermined, sequela |
| T43.615D | Adverse effect of caffeine, subsequent encounter |
| T43.615S | Adverse effect of caffeine, sequela |
| T43.616D | Underdosing of caffeine, subsequent encounter |
| T43.616S | Underdosing of caffeine, sequela |
| T43.621D | Poisoning by amphetamines, accidental (unintentional), subsequent encounter |
| T43.621S | Poisoning by amphetamines, accidental (unintentional), sequela |
| T43.622D | Poisoning by amphetamines, intentional self-harm, subsequent encounter |
| T43.622S | Poisoning by amphetamines, intentional self-harm, sequela |
| T43.623D | Poisoning by amphetamines, assault, subsequent encounter |
| T43.623S | Poisoning by amphetamines, assault, sequela |
| T43.624D | Poisoning by amphetamines, undetermined, subsequent encounter |
| T43.624S | Poisoning by amphetamines, undetermined, sequela |
| T43.625D | Adverse effect of amphetamines, subsequent encounter |
| T43.625S | Adverse effect of amphetamines, sequela |
| T43.626D | Underdosing of amphetamines, subsequent encounter |
| T43.626S | Underdosing of amphetamines, sequela |
| T43.631D | Poisoning by methylphenidate, accidental (unintentional), subsequent encounter |
| T43.631S | Poisoning by methylphenidate, accidental (unintentional), sequela |
| T43.632D | Poisoning by methylphenidate, intentional self-harm, subsequent encounter |
| T43.632S | Poisoning by methylphenidate, intentional self-harm, sequela |
| T43.633D | Poisoning by methylphenidate, assault, subsequent encounter |
| T43.633S | Poisoning by methylphenidate, assault, sequela |
| T43.634D | Poisoning by methylphenidate, undetermined, subsequent encounter |
| T43.634S | Poisoning by methylphenidate, undetermined, sequela |
| T43.635D | Adverse effect of methylphenidate, subsequent encounter |
| T43.635S | Adverse effect of methylphenidate, sequela |
| T43.636D | Underdosing of methylphenidate, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T43.636S | Underdosing of methylphenidate, sequela |
| T43.691D | Poisoning by other psychostimulants, accidental (unintentional), subsequent encounter |
| T43.691S | Poisoning by other psychostimulants, accidental (unintentional), sequela |
| T43.692D | Poisoning by other psychostimulants, intentional self-harm, subsequent encounter |
| T43.692S | Poisoning by other psychostimulants, intentional self-harm, sequela |
| T43.693D | Poisoning by other psychostimulants, assault, subsequent encounter |
| T43.693S | Poisoning by other psychostimulants, assault, sequela |
| T43.694D | Poisoning by other psychostimulants, undetermined, subsequent encounter |
| T43.694S | Poisoning by other psychostimulants, undetermined, sequela |
| T43.695D | Adverse effect of other psychostimulants, subsequent encounter |
| T43.695S | Adverse effect of other psychostimulants, sequela |
| T43.696D | Underdosing of other psychostimulants, subsequent encounter |
| T43.696S | Underdosing of other psychostimulants, sequela |
| T43.8X1D | Poisoning by other psychotropic drugs, accidental (unintentional), subsequent encounter |
| T43.8X1S | Poisoning by other psychotropic drugs, accidental (unintentional), sequela |
| T43.8X2D | Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter |
| T43.8X2S | Poisoning by other psychotropic drugs, intentional self-harm, sequela |
| T43.8X3D | Poisoning by other psychotropic drugs, assault, subsequent encounter |
| T43.8X3S | Poisoning by other psychotropic drugs, assault, sequela |
| T43.8X4D | Poisoning by other psychotropic drugs, undetermined, subsequent encounter |
| T43.8X4S | Poisoning by other psychotropic drugs, undetermined, sequela |
| T43.8X5D | Adverse effect of other psychotropic drugs, subsequent encounter |
| T43.8X5S | Adverse effect of other psychotropic drugs, sequela |
| T43.8X6D | Underdosing of other psychotropic drugs, subsequent encounter |
| T43.8X6S | Underdosing of other psychotropic drugs, sequela |
| T43.91XD | Poisoning by unspecified psychotropic drug, accidental (unintentional), subsequent encounter |
| T43.91XS | Poisoning by unspecified psychotropic drug, accidental (unintentional), sequela |
| T43.92XD | Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter |
| T43.92XS | Poisoning by unspecified psychotropic drug, intentional self-harm, sequela |
| T43.93XD | Poisoning by unspecified psychotropic drug, assault, subsequent encounter |
| T43.93XS | Poisoning by unspecified psychotropic drug, assault, sequela |
| T43.94XD | Poisoning by unspecified psychotropic drug, undetermined, subsequent encounter |
| T43.94XS | Poisoning by unspecified psychotropic drug, undetermined, sequela |
| T43.95XD | Adverse effect of unspecified psychotropic drug, subsequent encounter |
| T43.95XS | Adverse effect of unspecified psychotropic drug, sequela |
| T43.96XD | Underdosing of unspecified psychotropic drug, subsequent encounter |
| T43.96XS | Underdosing of unspecified psychotropic drug, sequela |
| T44.0X1D | Poisoning by anticholinesterase agents, accidental (unintentional), subsequent encounter |
| T44.0X1S | Poisoning by anticholinesterase agents, accidental (unintentional), sequela |
| T44.0X2D | Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter |
| T44.0X2S | Poisoning by anticholinesterase agents, intentional self-harm, sequela |
| T44.0X3D | Poisoning by anticholinesterase agents, assault, subsequent encounter |
| T44.0X3S | Poisoning by anticholinesterase agents, assault, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T44.0X4D | Poisoning by anticholinesterase agents, undetermined, subsequent encounter |
| T44.0X4S | Poisoning by anticholinesterase agents, undetermined, sequela |
| T44.0X5D | Adverse effect of anticholinesterase agents, subsequent encounter |
| T44.0X5S | Adverse effect of anticholinesterase agents, sequela |
| T44.0X6D | Underdosing of anticholinesterase agents, subsequent encounter |
| T44.0X6S | Underdosing of anticholinesterase agents, sequela |
| T44.1X1D | Poisoning by other parasympathomimetics [cholinergics], accidental (unintentional), subsequent encounter |
| T44.1X1S | Poisoning by other parasympathomimetics [cholinergics], accidental (unintentional), sequela |
| T44.1X2D | Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter |
| T44.1X2S | Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela |
| T44.1X3D | Poisoning by other parasympathomimetics [cholinergics], assault, subsequent encounter |
| T44.1X3S | Poisoning by other parasympathomimetics [cholinergics], assault, sequela |
| T44.1X4D | Poisoning by other parasympathomimetics [cholinergics], undetermined, subsequent encounter |
| T44.1X4S | Poisoning by other parasympathomimetics [cholinergics], undetermined, sequela |
| T44.1X5D | Adverse effect of other parasympathomimetics [cholinergics], subsequent encounter |
| T44.1X5S | Adverse effect of other parasympathomimetics [cholinergics], sequela |
| T44.1X6D | Underdosing of other parasympathomimetics, subsequent encounter |
| T44.1X6S | Underdosing of other parasympathomimetics, sequela |
| T44.2X1D | Poisoning by ganglionic blocking drugs, accidental (unintentional), subsequent encounter |
| T44.2X1S | Poisoning by ganglionic blocking drugs, accidental (unintentional), sequela |
| T44.2X2D | Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter |
| T44.2X2S | Poisoning by ganglionic blocking drugs, intentional self-harm, sequela |
| T44.2X3D | Poisoning by ganglionic blocking drugs, assault, subsequent encounter |
| T44.2X3S | Poisoning by ganglionic blocking drugs, assault, sequela |
| T44.2X4D | Poisoning by ganglionic blocking drugs, undetermined, subsequent encounter |
| T44.2X4S | Poisoning by ganglionic blocking drugs, undetermined, sequela |
| T44.2X5D | Adverse effect of ganglionic blocking drugs, subsequent encounter |
| T44.2X5S | Adverse effect of ganglionic blocking drugs, sequela |
| T44.2X6D | Underdosing of ganglionic blocking drugs, subsequent encounter |
| T44.2X6S | Underdosing of ganglionic blocking drugs, sequela |
| T44.3X1D | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, accidental (unintentional), subsequent encounter |
| T44.3X1S | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, accidental (unintentional), sequela |
| T44.3X2D | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter |
| T44.3X2S | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela |
| T44.3X3D | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, assault, subsequent encounter |
| T44.3X3S | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, assault, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T44.3X4D | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, undetermined, subsequent encounter |
| T44.3X4S | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, undetermined, sequela |
| T44.3X5D | Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, subsequent encounter |
| T44.3X5S | Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, sequela |
| T44.3X6D | Underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, subsequent encounter |
| T44.3X6S | Underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, sequela |
| T44.4X1D | Poisoning by predominantly alpha-adrenoreceptor agonists, accidental (unintentional), subsequent encounter |
| T44.4X1S | Poisoning by predominantly alpha-adrenoreceptor agonists, accidental (unintentional), sequela |
| T44.4X2D | Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter |
| T44.4X2S | Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela |
| T44.4X3D | Poisoning by predominantly alpha-adrenoreceptor agonists, assault, subsequent encounter |
| T44.4X3S | Poisoning by predominantly alpha-adrenoreceptor agonists, assault, sequela |
| T44.4X4D | Poisoning by predominantly alpha-adrenoreceptor agonists, undetermined, subsequent encounter |
| T44.4X4S | Poisoning by predominantly alpha-adrenoreceptor agonists, undetermined, sequela |
| T44.4X5D | Adverse effect of predominantly alpha-adrenoreceptor agonists, subsequent encounter |
| T44.4X5S | Adverse effect of predominantly alpha-adrenoreceptor agonists, sequela |
| T44.4X6D | Underdosing of predominantly alpha-adrenoreceptor agonists, subsequent encounter |
| T44.4X6S | Underdosing of predominantly alpha-adrenoreceptor agonists, sequela |
| T44.5X1D | Poisoning by predominantly beta-adrenoreceptor agonists, accidental (unintentional), subsequent encounter |
| T44.5X1S | Poisoning by predominantly beta-adrenoreceptor agonists, accidental (unintentional), sequela |
| T44.5X2D | Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter |
| T44.5X2S | Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela |
| T44.5X3D | Poisoning by predominantly beta-adrenoreceptor agonists, assault, subsequent encounter |
| T44.5X3S | Poisoning by predominantly beta-adrenoreceptor agonists, assault, sequela |
| T44.5X4D | Poisoning by predominantly beta-adrenoreceptor agonists, undetermined, subsequent encounter |
| T44.5X4S | Poisoning by predominantly beta-adrenoreceptor agonists, undetermined, sequela |
| T44.5X5D | Adverse effect of predominantly beta-adrenoreceptor agonists, subsequent encounter |
| T44.5X5S | Adverse effect of predominantly beta-adrenoreceptor agonists, sequela |
| T44.5X6D | Underdosing of predominantly beta-adrenoreceptor agonists, subsequent encounter |
| T44.5X6S | Underdosing of predominantly beta-adrenoreceptor agonists, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T44.6X1D | Poisoning by alpha-adrenoreceptor antagonists, accidental (unintentional), subsequent encounter |
| T44.6X1S | Poisoning by alpha-adrenoreceptor antagonists, accidental (unintentional), sequela |
| T44.6X2D | Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter |
| T44.6X2S | Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela |
| T44.6X3D | Poisoning by alpha-adrenoreceptor antagonists, assault, subsequent encounter |
| T44.6X3S | Poisoning by alpha-adrenoreceptor antagonists, assault, sequela |
| T44.6X4D | Poisoning by alpha-adrenoreceptor antagonists, undetermined, subsequent encounter |
| T44.6X4S | Poisoning by alpha-adrenoreceptor antagonists, undetermined, sequela |
| T44.6X5D | Adverse effect of alpha-adrenoreceptor antagonists, subsequent encounter |
| T44.6X5S | Adverse effect of alpha-adrenoreceptor antagonists, sequela |
| T44.6X6D | Underdosing of alpha-adrenoreceptor antagonists, subsequent encounter |
| T44.6X6S | Underdosing of alpha-adrenoreceptor antagonists, sequela |
| T44.7X1D | Poisoning by beta-adrenoreceptor antagonists, accidental (unintentional), subsequent encounter |
| T44.7X1S | Poisoning by beta-adrenoreceptor antagonists, accidental (unintentional), sequela |
| T44.7X2D | Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter |
| T44.7X2S | Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela |
| T44.7X3D | Poisoning by beta-adrenoreceptor antagonists, assault, subsequent encounter |
| T44.7X3S | Poisoning by beta-adrenoreceptor antagonists, assault, sequela |
| T44.7X4D | Poisoning by beta-adrenoreceptor antagonists, undetermined, subsequent encounter |
| T44.7X4S | Poisoning by beta-adrenoreceptor antagonists, undetermined, sequela |
| T44.7X5D | Adverse effect of beta-adrenoreceptor antagonists, subsequent encounter |
| T44.7X5S | Adverse effect of beta-adrenoreceptor antagonists, sequela |
| T44.7X6D | Underdosing of beta-adrenoreceptor antagonists, subsequent encounter |
| T44.7X6S | Underdosing of beta-adrenoreceptor antagonists, sequela |
| T44.8X1D | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, accidental (unintentional), subsequent encounter |
| T44.8X1S | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, accidental (unintentional), sequela |
| T44.8X2D | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter |
| T44.8X2S | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela |
| T44.8X3D | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, assault, subsequent encounter |
| T44.8X3S | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, assault, sequela |
| T44.8X4D | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, undetermined, subsequent encounter |
| T44.8X4S | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, undetermined, sequela |
| T44.8X5D | Adverse effect of centrally-acting and adrenergic-neuron-blocking agents, subsequent encounter |
| T44.8X5S | Adverse effect of centrally-acting and adrenergic-neuron-blocking agents, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T44.8X6D | Underdosing of centrally-acting and adrenergic-neuron-blocking agents, subsequent encounter |
| T44.8X6S | Underdosing of centrally-acting and adrenergic-neuron-blocking agents, sequela |
| T44.901D | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, accidental (unintentional), subsequent encounter |
| T44.901S | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, accidental (unintentional), sequela |
| T44.902D | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter |
| T44.902S | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela |
| T44.903D | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, assault, subsequent encounter |
| T44.903S | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, assault, sequela |
| T44.904D | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, undetermined, subsequent encounter |
| T44.904S | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, undetermined, sequela |
| T44.905D | Adverse effect of unspecified drugs primarily affecting the autonomic nervous system, subsequent encounter |
| T44.905S | Adverse effect of unspecified drugs primarily affecting the autonomic nervous system, sequela |
| T44.906D | Underdosing of unspecified drugs primarily affecting the autonomic nervous system, subsequent encounter |
| T44.906S | Underdosing of unspecified drugs primarily affecting the autonomic nervous system, sequela |
| T44.991D | Poisoning by other drug primarily affecting the autonomic nervous system, accidental (unintentional), subsequent encounter |
| T44.991S | Poisoning by other drug primarily affecting the autonomic nervous system, accidental (unintentional), sequela |
| T44.992D | Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter |
| T44.992S | Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela |
| T44.993D | Poisoning by other drug primarily affecting the autonomic nervous system, assault, subsequent encounter |
| T44.993S | Poisoning by other drug primarily affecting the autonomic nervous system, assault, sequela |
| T44.994D | Poisoning by other drug primarily affecting the autonomic nervous system, undetermined, subsequent encounter |
| T44.994S | Poisoning by other drug primarily affecting the autonomic nervous system, undetermined, sequela |
| T44.995D | Adverse effect of other drug primarily affecting the autonomic nervous system, subsequent encounter |
| T44.995S | Adverse effect of other drug primarily affecting the autonomic nervous system, sequela |
| T44.996D | Underdosing of other drug primarily affecting the autonomic nervous system, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T44.996S | Underdosing of other drug primarily affecting the autonomic nervous system, sequela |
| T45.0X1D | Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), subsequent encounter |
| T45.0X1S | Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), sequela |
| T45.0X2D | Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter |
| T45.0X2S | Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela |
| T45.0X3D | Poisoning by antiallergic and antiemetic drugs, assault, subsequent encounter |
| T45.0X3S | Poisoning by antiallergic and antiemetic drugs, assault, sequela |
| T45.0X4D | Poisoning by antiallergic and antiemetic drugs, undetermined, subsequent encounter |
| T45.0X4S | Poisoning by antiallergic and antiemetic drugs, undetermined, sequela |
| T45.0X5D | Adverse effect of antiallergic and antiemetic drugs, subsequent encounter |
| T45.0X5S | Adverse effect of antiallergic and antiemetic drugs, sequela |
| T45.0X6D | Underdosing of antiallergic and antiemetic drugs, subsequent encounter |
| T45.0X6S | Underdosing of antiallergic and antiemetic drugs, sequela |
| T45.1X1D | Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional), subsequent encounter |
| T45.1X1S | Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional), sequela |
| T45.1X2D | Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter |
| T45.1X2S | Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela |
| T45.1X3D | Poisoning by antineoplastic and immunosuppressive drugs, assault, subsequent encounter |
| T45.1X3S | Poisoning by antineoplastic and immunosuppressive drugs, assault, sequela |
| T45.1X4D | Poisoning by antineoplastic and immunosuppressive drugs, undetermined, subsequent encounter |
| T45.1X4S | Poisoning by antineoplastic and immunosuppressive drugs, undetermined, sequela |
| T45.1X5D | Adverse effect of antineoplastic and immunosuppressive drugs, subsequent encounter |
| T45.1X5S | Adverse effect of antineoplastic and immunosuppressive drugs, sequela |
| T45.1X6D | Underdosing of antineoplastic and immunosuppressive drugs, subsequent encounter |
| T45.1X6S | Underdosing of antineoplastic and immunosuppressive drugs, sequela |
| T45.2X1D | Poisoning by vitamins, accidental (unintentional), subsequent encounter |
| T45.2X1S | Poisoning by vitamins, accidental (unintentional), sequela |
| T45.2X2D | Poisoning by vitamins, intentional self-harm, subsequent encounter |
| T45.2X2S | Poisoning by vitamins, intentional self-harm, sequela |
| T45.2X3D | Poisoning by vitamins, assault, subsequent encounter |
| T45.2X3S | Poisoning by vitamins, assault, sequela |
| T45.2X4D | Poisoning by vitamins, undetermined, subsequent encounter |
| T45.2X4S | Poisoning by vitamins, undetermined, sequela |
| T45.2X5D | Adverse effect of vitamins, subsequent encounter |
| T45.2X5S | Adverse effect of vitamins, sequela |
| T45.2X6D | Underdosing of vitamins, subsequent encounter |
| T45.2X6S | Underdosing of vitamins, sequela |
| T45.3X1D | Poisoning by enzymes, accidental (unintentional), subsequent encounter |
| T45.3X1S | Poisoning by enzymes, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T45.3X2D | Poisoning by enzymes, intentional self-harm, subsequent encounter |
| T45.3X2S | Poisoning by enzymes, intentional self-harm, sequela |
| T45.3X3D | Poisoning by enzymes, assault, subsequent encounter |
| T45.3X3S | Poisoning by enzymes, assault, sequela |
| T45.3X4D | Poisoning by enzymes, undetermined, subsequent encounter |
| T45.3X4S | Poisoning by enzymes, undetermined, sequela |
| T45.3X5D | Adverse effect of enzymes, subsequent encounter |
| T45.3X5S | Adverse effect of enzymes, sequela |
| T45.3X6D | Underdosing of enzymes, subsequent encounter |
| T45.3X6S | Underdosing of enzymes, sequela |
| T45.4X1D | Poisoning by iron and its compounds, accidental (unintentional), subsequent encounter |
| T45.4X1S | Poisoning by iron and its compounds, accidental (unintentional), sequela |
| T45.4X2D | Poisoning by iron and its compounds, intentional self-harm, subsequent encounter |
| T45.4X2S | Poisoning by iron and its compounds, intentional self-harm, sequela |
| T45.4X3D | Poisoning by iron and its compounds, assault, subsequent encounter |
| T45.4X3S | Poisoning by iron and its compounds, assault, sequela |
| T45.4X4D | Poisoning by iron and its compounds, undetermined, subsequent encounter |
| T45.4X4S | Poisoning by iron and its compounds, undetermined, sequela |
| T45.4X5D | Adverse effect of iron and its compounds, subsequent encounter |
| T45.4X5S | Adverse effect of iron and its compounds, sequela |
| T45.4X6D | Underdosing of iron and its compounds, subsequent encounter |
| T45.4X6S | Underdosing of iron and its compounds, sequela |
| T45.511D | Poisoning by anticoagulants, accidental (unintentional), subsequent encounter |
| T45.511S | Poisoning by anticoagulants, accidental (unintentional), sequela |
| T45.512D | Poisoning by anticoagulants, intentional self-harm, subsequent encounter |
| T45.512S | Poisoning by anticoagulants, intentional self-harm, sequela |
| T45.513D | Poisoning by anticoagulants, assault, subsequent encounter |
| T45.513S | Poisoning by anticoagulants, assault, sequela |
| T45.514D | Poisoning by anticoagulants, undetermined, subsequent encounter |
| T45.514S | Poisoning by anticoagulants, undetermined, sequela |
| T45.515D | Adverse effect of anticoagulants, subsequent encounter |
| T45.515S | Adverse effect of anticoagulants, sequela |
| T45.516D | Underdosing of anticoagulants, subsequent encounter |
| T45.516S | Underdosing of anticoagulants, sequela |
| T45.521D | Poisoning by antithrombotic drugs, accidental (unintentional), subsequent encounter |
| T45.521S | Poisoning by antithrombotic drugs, accidental (unintentional), sequela |
| T45.522D | Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter |
| T45.522S | Poisoning by antithrombotic drugs, intentional self-harm, sequela |
| T45.523D | Poisoning by antithrombotic drugs, assault, subsequent encounter |
| T45.523S | Poisoning by antithrombotic drugs, assault, sequela |
| T45.524D | Poisoning by antithrombotic drugs, undetermined, subsequent encounter |
| T45.524S | Poisoning by antithrombotic drugs, undetermined, sequela |
| T45.525D | Adverse effect of antithrombotic drugs, subsequent encounter |
| T45.525S | Adverse effect of antithrombotic drugs, sequela |
| T45.526D | Underdosing of antithrombotic drugs, subsequent encounter |
| T45.526S | Underdosing of antithrombotic drugs, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T45.601D | Poisoning by unspecified fibrinolysis-affecting drugs, accidental (unintentional), subsequent encounter |
| T45.601S | Poisoning by unspecified fibrinolysis-affecting drugs, accidental (unintentional), sequela |
| T45.602D | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter |
| T45.602S | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela |
| T45.603D | Poisoning by unspecified fibrinolysis-affecting drugs, assault, subsequent encounter |
| T45.603S | Poisoning by unspecified fibrinolysis-affecting drugs, assault, sequela |
| T45.604D | Poisoning by unspecified fibrinolysis-affecting drugs, undetermined, subsequent encounter |
| T45.604S | Poisoning by unspecified fibrinolysis-affecting drugs, undetermined, sequela |
| T45.605D | Adverse effect of unspecified fibrinolysis-affecting drugs, subsequent encounter |
| T45.605S | Adverse effect of unspecified fibrinolysis-affecting drugs, sequela |
| T45.606D | Underdosing of unspecified fibrinolysis-affecting drugs, subsequent encounter |
| T45.606S | Underdosing of unspecified fibrinolysis-affecting drugs, sequela |
| T45.611D | Poisoning by thrombolytic drug, accidental (unintentional), subsequent encounter |
| T45.611S | Poisoning by thrombolytic drug, accidental (unintentional), sequela |
| T45.612D | Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter |
| T45.612S | Poisoning by thrombolytic drug, intentional self-harm, sequela |
| T45.613D | Poisoning by thrombolytic drug, assault, subsequent encounter |
| T45.613S | Poisoning by thrombolytic drug, assault, sequela |
| T45.614D | Poisoning by thrombolytic drug, undetermined, subsequent encounter |
| T45.614S | Poisoning by thrombolytic drug, undetermined, sequela |
| T45.615D | Adverse effect of thrombolytic drugs, subsequent encounter |
| T45.615S | Adverse effect of thrombolytic drugs, sequela |
| T45.616D | Underdosing of thrombolytic drugs, subsequent encounter |
| T45.616S | Underdosing of thrombolytic drugs, sequela |
| T45.621D | Poisoning by hemostatic drug, accidental (unintentional), subsequent encounter |
| T45.621S | Poisoning by hemostatic drug, accidental (unintentional), sequela |
| T45.622D | Poisoning by hemostatic drug, intentional self-harm, subsequent encounter |
| T45.622S | Poisoning by hemostatic drug, intentional self-harm, sequela |
| T45.623D | Poisoning by hemostatic drug, assault, subsequent encounter |
| T45.623S | Poisoning by hemostatic drug, assault, sequela |
| T45.624D | Poisoning by hemostatic drug, undetermined, subsequent encounter |
| T45.624S | Poisoning by hemostatic drug, undetermined, sequela |
| T45.625D | Adverse effect of hemostatic drug, subsequent encounter |
| T45.625S | Adverse effect of hemostatic drug, sequela |
| T45.626D | Underdosing of hemostatic drugs, subsequent encounter |
| T45.626S | Underdosing of hemostatic drugs, sequela |
| T45.691D | Poisoning by other fibrinolysis-affecting drugs, accidental (unintentional), subsequent encounter |
| T45.691S | Poisoning by other fibrinolysis-affecting drugs, accidental (unintentional), sequela |
| T45.692D | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter |
| T45.692S | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela |
| T45.693D | Poisoning by other fibrinolysis-affecting drugs, assault, subsequent encounter |
| T45.693S | Poisoning by other fibrinolysis-affecting drugs, assault, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T45.694D | Poisoning by other fibrinolysis-affecting drugs, undetermined, subsequent encounter |
| T45.694S | Poisoning by other fibrinolysis-affecting drugs, undetermined, sequela |
| T45.695D | Adverse effect of other fibrinolysis-affecting drugs, subsequent encounter |
| T45.695S | Adverse effect of other fibrinolysis-affecting drugs, sequela |
| T45.696D | Underdosing of other fibrinolysis-affecting drugs, subsequent encounter |
| T45.696S | Underdosing of other fibrinolysis-affecting drugs, sequela |
| T45.7X1D | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), subsequent encounter |
| T45.7X1S | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), sequela |
| T45.7X2D | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter |
| T45.7X2S | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela |
| T45.7X3D | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, subsequent encounter |
| T45.7X3S | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, sequela |
| T45.7X4D | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, subsequent encounter |
| T45.7X4S | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, sequela |
| T45.7X5D | Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, subsequent encounter |
| T45.7X5S | Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, sequela |
| T45.7X6D | Underdosing of anticoagulant antagonist, vitamin K and other coagulants, subsequent encounter |
| T45.7X6S | Underdosing of anticoagulant antagonist, vitamin K and other coagulants, sequela |
| T45.8X1D | Poisoning by other primarily systemic and hematological agents, accidental (unintentional), subsequent encounter |
| T45.8X1S | Poisoning by other primarily systemic and hematological agents, accidental (unintentional), sequela |
| T45.8X2D | Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter |
| T45.8X2S | Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela |
| T45.8X3D | Poisoning by other primarily systemic and hematological agents, assault, subsequent encounter |
| T45.8X3S | Poisoning by other primarily systemic and hematological agents, assault, sequela |
| T45.8X4D | Poisoning by other primarily systemic and hematological agents, undetermined, subsequent encounter |
| T45.8X4S | Poisoning by other primarily systemic and hematological agents, undetermined, sequela |
| T45.8X5D | Adverse effect of other primarily systemic and hematological agents, subsequent encounter |
| T45.8X5S | Adverse effect of other primarily systemic and hematological agents, sequela |
| T45.8X6D | Underdosing of other primarily systemic and hematological agents, subsequent encounter |
| T45.8X6S | Underdosing of other primarily systemic and hematological agents, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T45.91XD | Poisoning by unspecified primarily systemic and hematological agent, accidental (unintentional), subsequent encounter |
| T45.91XS | Poisoning by unspecified primarily systemic and hematological agent, accidental (unintentional), sequela |
| T45.92XD | Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter |
| T45.92XS | Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela |
| T45.93XD | Poisoning by unspecified primarily systemic and hematological agent, assault, subsequent encounter |
| T45.93XS | Poisoning by unspecified primarily systemic and hematological agent, assault, sequela |
| T45.94XD | Poisoning by unspecified primarily systemic and hematological agent, undetermined, subsequent encounter |
| T45.94XS | Poisoning by unspecified primarily systemic and hematological agent, undetermined, sequela |
| T45.95XD | Adverse effect of unspecified primarily systemic and hematological agent, subsequent encounter |
| T45.95XS | Adverse effect of unspecified primarily systemic and hematological agent, sequela |
| T45.96XD | Underdosing of unspecified primarily systemic and hematological agent, subsequent encounter |
| T45.96XS | Underdosing of unspecified primarily systemic and hematological agent, sequela |
| T46.0X1D | Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), subsequent encounter |
| T46.0X1S | Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), sequela |
| T46.0X2D | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter |
| T46.0X2S | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela |
| T46.0X3D | Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, subsequent encounter |
| T46.0X3S | Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, sequela |
| T46.0X4D | Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, subsequent encounter |
| T46.0X4S | Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, sequela |
| T46.0X5D | Adverse effect of cardiac-stimulant glycosides and drugs of similar action, subsequent encounter |
| T46.0X5S | Adverse effect of cardiac-stimulant glycosides and drugs of similar action, sequela |
| T46.0X6D | Underdosing of cardiac-stimulant glycosides and drugs of similar action, subsequent encounter |
| T46.0X6S | Underdosing of cardiac-stimulant glycosides and drugs of similar action, sequela |
| T46.1X1D | Poisoning by calcium-channel blockers, accidental (unintentional), subsequent encounter |
| T46.1X1S | Poisoning by calcium-channel blockers, accidental (unintentional), sequela |
| T46.1X2D | Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter |
| T46.1X2S | Poisoning by calcium-channel blockers, intentional self-harm, sequela |
| T46.1X3D | Poisoning by calcium-channel blockers, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T46.1X3S | Poisoning by calcium-channel blockers, assault, sequela |
| T46.1X4D | Poisoning by calcium-channel blockers, undetermined, subsequent encounter |
| T46.1X4S | Poisoning by calcium-channel blockers, undetermined, sequela |
| T46.1X5D | Adverse effect of calcium-channel blockers, subsequent encounter |
| T46.1X5S | Adverse effect of calcium-channel blockers, sequela |
| T46.1X6D | Underdosing of calcium-channel blockers, subsequent encounter |
| T46.1X6S | Underdosing of calcium-channel blockers, sequela |
| T46.2X1D | Poisoning by other antidysrhythmic drugs, accidental (unintentional), subsequent encounter |
| T46.2X1S | Poisoning by other antidysrhythmic drugs, accidental (unintentional), sequela |
| T46.2X2D | Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter |
| T46.2X2S | Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela |
| T46.2X3D | Poisoning by other antidysrhythmic drugs, assault, subsequent encounter |
| T46.2X3S | Poisoning by other antidysrhythmic drugs, assault, sequela |
| T46.2X4D | Poisoning by other antidysrhythmic drugs, undetermined, subsequent encounter |
| T46.2X4S | Poisoning by other antidysrhythmic drugs, undetermined, sequela |
| T46.2X5D | Adverse effect of other antidysrhythmic drugs, subsequent encounter |
| T46.2X5S | Adverse effect of other antidysrhythmic drugs, sequela |
| T46.2X6D | Underdosing of other antidysrhythmic drugs, subsequent encounter |
| T46.2X6S | Underdosing of other antidysrhythmic drugs, sequela |
| T46.3X1D | Poisoning by coronary vasodilators, accidental (unintentional), subsequent encounter |
| T46.3X1S | Poisoning by coronary vasodilators, accidental (unintentional), sequela |
| T46.3X2D | Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter |
| T46.3X2S | Poisoning by coronary vasodilators, intentional self-harm, sequela |
| T46.3X3D | Poisoning by coronary vasodilators, assault, subsequent encounter |
| T46.3X3S | Poisoning by coronary vasodilators, assault, sequela |
| T46.3X4D | Poisoning by coronary vasodilators, undetermined, subsequent encounter |
| T46.3X4S | Poisoning by coronary vasodilators, undetermined, sequela |
| T46.3X5D | Adverse effect of coronary vasodilators, subsequent encounter |
| T46.3X5S | Adverse effect of coronary vasodilators, sequela |
| T46.3X6D | Underdosing of coronary vasodilators, subsequent encounter |
| T46.3X6S | Underdosing of coronary vasodilators, sequela |
| T46.4X1D | Poisoning by angiotensin-converting-enzyme inhibitors, accidental (unintentional), subsequent encounter |
| T46.4X1S | Poisoning by angiotensin-converting-enzyme inhibitors, accidental (unintentional), sequela |
| T46.4X2D | Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter |
| T46.4X2S | Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela |
| T46.4X3D | Poisoning by angiotensin-converting-enzyme inhibitors, assault, subsequent encounter |
| T46.4X3S | Poisoning by angiotensin-converting-enzyme inhibitors, assault, sequela |
| T46.4X4D | Poisoning by angiotensin-converting-enzyme inhibitors, undetermined, subsequent encounter |
| T46.4X4S | Poisoning by angiotensin-converting-enzyme inhibitors, undetermined, sequela |
| T46.4X5D | Adverse effect of angiotensin-converting-enzyme inhibitors, subsequent encounter |
| T46.4X5S | Adverse effect of angiotensin-converting-enzyme inhibitors, sequela |
| T46.4X6D | Underdosing of angiotensin-converting-enzyme inhibitors, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T46.4X6S | Underdosing of angiotensin-converting-enzyme inhibitors, sequela |
| T46.5X1D | Poisoning by other antihypertensive drugs, accidental (unintentional), subsequent encounter |
| T46.5X1S | Poisoning by other antihypertensive drugs, accidental (unintentional), sequela |
| T46.5X2D | Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter |
| T46.5X2S | Poisoning by other antihypertensive drugs, intentional self-harm, sequela |
| T46.5X3D | Poisoning by other antihypertensive drugs, assault, subsequent encounter |
| T46.5X3S | Poisoning by other antihypertensive drugs, assault, sequela |
| T46.5X4D | Poisoning by other antihypertensive drugs, undetermined, subsequent encounter |
| T46.5X4S | Poisoning by other antihypertensive drugs, undetermined, sequela |
| T46.5X5D | Adverse effect of other antihypertensive drugs, subsequent encounter |
| T46.5X5S | Adverse effect of other antihypertensive drugs, sequela |
| T46.5X6D | Underdosing of other antihypertensive drugs, subsequent encounter |
| T46.5X6S | Underdosing of other antihypertensive drugs, sequela |
| T46.6X1D | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, accidental (unintentional), subsequent encounter |
| T46.6X1S | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, accidental (unintentional), sequela |
| T46.6X2D | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter |
| T46.6X2S | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela |
| T46.6X3D | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, assault, subsequent encounter |
| T46.6X3S | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, assault, sequela |
| T46.6X4D | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, undetermined, subsequent encounter |
| T46.6X4S | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, undetermined, sequela |
| T46.6X5D | Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, subsequent encounter |
| T46.6X5S | Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, sequela |
| T46.6X6D | Underdosing of antihyperlipidemic and antiarteriosclerotic drugs, subsequent encounter |
| T46.6X6S | Underdosing of antihyperlipidemic and antiarteriosclerotic drugs, sequela |
| T46.7X1D | Poisoning by peripheral vasodilators, accidental (unintentional), subsequent encounter |
| T46.7X1S | Poisoning by peripheral vasodilators, accidental (unintentional), sequela |
| T46.7X2D | Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter |
| T46.7X2S | Poisoning by peripheral vasodilators, intentional self-harm, sequela |
| T46.7X3D | Poisoning by peripheral vasodilators, assault, subsequent encounter |
| T46.7X3S | Poisoning by peripheral vasodilators, assault, sequela |
| T46.7X4D | Poisoning by peripheral vasodilators, undetermined, subsequent encounter |
| T46.7X4S | Poisoning by peripheral vasodilators, undetermined, sequela |
| T46.7X5D | Adverse effect of peripheral vasodilators, subsequent encounter |
| T46.7X5S | Adverse effect of peripheral vasodilators, sequela |
| T46.7X6D | Underdosing of peripheral vasodilators, subsequent encounter |
| T46.7X6S | Underdosing of peripheral vasodilators, sequela |
| T46.8X1D | Poisoning by antivaricose drugs, including sclerosing agents, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T46.8X1S | Poisoning by antivaricose drugs, including sclerosing agents, accidental (unintentional), sequela |
| T46.8X2D | Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter |
| T46.8X2S | Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela |
| T46.8X3D | Poisoning by antivaricose drugs, including sclerosing agents, assault, subsequent encounter |
| T46.8X3S | Poisoning by antivaricose drugs, including sclerosing agents, assault, sequela |
| T46.8X4D | Poisoning by antivaricose drugs, including sclerosing agents, undetermined, subsequent encounter |
| T46.8X4S | Poisoning by antivaricose drugs, including sclerosing agents, undetermined, sequela |
| T46.8X5D | Adverse effect of antivaricose drugs, including sclerosing agents, subsequent encounter |
| T46.8X5S | Adverse effect of antivaricose drugs, including sclerosing agents, sequela |
| T46.8X6D | Underdosing of antivaricose drugs, including sclerosing agents, subsequent encounter |
| T46.8X6S | Underdosing of antivaricose drugs, including sclerosing agents, sequela |
| T46.901D | Poisoning by unspecified agents primarily affecting the cardiovascular system, accidental (unintentional), subsequent encounter |
| T46.901S | Poisoning by unspecified agents primarily affecting the cardiovascular system, accidental (unintentional), sequela |
| T46.902D | Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter |
| T46.902S | Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela |
| T46.903D | Poisoning by unspecified agents primarily affecting the cardiovascular system, assault, subsequent encounter |
| T46.903S | Poisoning by unspecified agents primarily affecting the cardiovascular system, assault, sequela |
| T46.904D | Poisoning by unspecified agents primarily affecting the cardiovascular system, undetermined, subsequent encounter |
| T46.904S | Poisoning by unspecified agents primarily affecting the cardiovascular system, undetermined, sequela |
| T46.905D | Adverse effect of unspecified agents primarily affecting the cardiovascular system, subsequent encounter |
| T46.905S | Adverse effect of unspecified agents primarily affecting the cardiovascular system, sequela |
| T46.906D | Underdosing of unspecified agents primarily affecting the cardiovascular system, subsequent encounter |
| T46.906S | Underdosing of unspecified agents primarily affecting the cardiovascular system, sequela |
| T46.991D | Poisoning by other agents primarily affecting the cardiovascular system, accidental (unintentional), subsequent encounter |
| T46.991S | Poisoning by other agents primarily affecting the cardiovascular system, accidental (unintentional), sequela |
| T46.992D | Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter |
| T46.992S | Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T46.993D | Poisoning by other agents primarily affecting the cardiovascular system, assault, subsequent encounter |
| T46.993S | Poisoning by other agents primarily affecting the cardiovascular system, assault, sequela |
| T46.994D | Poisoning by other agents primarily affecting the cardiovascular system, undetermined, subsequent encounter |
| T46.994S | Poisoning by other agents primarily affecting the cardiovascular system, undetermined, sequela |
| T46.995D | Adverse effect of other agents primarily affecting the cardiovascular system, subsequent encounter |
| T46.995S | Adverse effect of other agents primarily affecting the cardiovascular system, sequela |
| T46.996D | Underdosing of other agents primarily affecting the cardiovascular system, subsequent encounter |
| T46.996S | Underdosing of other agents primarily affecting the cardiovascular system, sequela |
| T47.0X1D | Poisoning by histamine H2-receptor blockers, accidental (unintentional), subsequent encounter |
| T47.0X1S | Poisoning by histamine H2-receptor blockers, accidental (unintentional), sequela |
| T47.0X2D | Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter |
| T47.0X2S | Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela |
| T47.0X3D | Poisoning by histamine H2-receptor blockers, assault, subsequent encounter |
| T47.0X3S | Poisoning by histamine H2-receptor blockers, assault, sequela |
| T47.0X4D | Poisoning by histamine H2-receptor blockers, undetermined, subsequent encounter |
| T47.0X4S | Poisoning by histamine H2-receptor blockers, undetermined, sequela |
| T47.0X5D | Adverse effect of histamine H2-receptor blockers, subsequent encounter |
| T47.0X5S | Adverse effect of histamine H2-receptor blockers, sequela |
| T47.0X6D | Underdosing of histamine H2-receptor blockers, subsequent encounter |
| T47.0X6S | Underdosing of histamine H2-receptor blockers, sequela |
| T47.1X1D | Poisoning by other antacids and anti-gastric-secretion drugs, accidental (unintentional), subsequent encounter |
| T47.1X1S | Poisoning by other antacids and anti-gastric-secretion drugs, accidental (unintentional), sequela |
| T47.1X2D | Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter |
| T47.1X2S | Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela |
| T47.1X3D | Poisoning by other antacids and anti-gastric-secretion drugs, assault, subsequent encounter |
| T47.1X3S | Poisoning by other antacids and anti-gastric-secretion drugs, assault, sequela |
| T47.1X4D | Poisoning by other antacids and anti-gastric-secretion drugs, undetermined, subsequent encounter |
| T47.1X4S | Poisoning by other antacids and anti-gastric-secretion drugs, undetermined, sequela |
| T47.1X5D | Adverse effect of other antacids and anti-gastric-secretion drugs, subsequent encounter |
| T47.1X5S | Adverse effect of other antacids and anti-gastric-secretion drugs, sequela |
| T47.1X6D | Underdosing of other antacids and anti-gastric-secretion drugs, subsequent encounter |
| T47.1X6S | Underdosing of other antacids and anti-gastric-secretion drugs, sequela |
| T47.2X1D | Poisoning by stimulant laxatives, accidental (unintentional), subsequent encounter |
| T47.2X1S | Poisoning by stimulant laxatives, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T47.2X2D | Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter |
| T47.2X2S | Poisoning by stimulant laxatives, intentional self-harm, sequela |
| T47.2X3D | Poisoning by stimulant laxatives, assault, subsequent encounter |
| T47.2X3S | Poisoning by stimulant laxatives, assault, sequela |
| T47.2X4D | Poisoning by stimulant laxatives, undetermined, subsequent encounter |
| T47.2X4S | Poisoning by stimulant laxatives, undetermined, sequela |
| T47.2X5D | Adverse effect of stimulant laxatives, subsequent encounter |
| T47.2X5S | Adverse effect of stimulant laxatives, sequela |
| T47.2X6D | Underdosing of stimulant laxatives, subsequent encounter |
| T47.2X6S | Underdosing of stimulant laxatives, sequela |
| T47.3X1D | Poisoning by saline and osmotic laxatives, accidental (unintentional), subsequent encounter |
| T47.3X1S | Poisoning by saline and osmotic laxatives, accidental (unintentional), sequela |
| T47.3X2D | Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter |
| T47.3X2S | Poisoning by saline and osmotic laxatives, intentional self-harm, sequela |
| T47.3X3D | Poisoning by saline and osmotic laxatives, assault, subsequent encounter |
| T47.3X3S | Poisoning by saline and osmotic laxatives, assault, sequela |
| T47.3X4D | Poisoning by saline and osmotic laxatives, undetermined, subsequent encounter |
| T47.3X4S | Poisoning by saline and osmotic laxatives, undetermined, sequela |
| T47.3X5D | Adverse effect of saline and osmotic laxatives, subsequent encounter |
| T47.3X5S | Adverse effect of saline and osmotic laxatives, sequela |
| T47.3X6D | Underdosing of saline and osmotic laxatives, subsequent encounter |
| T47.3X6S | Underdosing of saline and osmotic laxatives, sequela |
| T47.4X1D | Poisoning by other laxatives, accidental (unintentional), subsequent encounter |
| T47.4X1S | Poisoning by other laxatives, accidental (unintentional), sequela |
| T47.4X2D | Poisoning by other laxatives, intentional self-harm, subsequent encounter |
| T47.4X2S | Poisoning by other laxatives, intentional self-harm, sequela |
| T47.4X3D | Poisoning by other laxatives, assault, subsequent encounter |
| T47.4X3S | Poisoning by other laxatives, assault, sequela |
| T47.4X4D | Poisoning by other laxatives, undetermined, subsequent encounter |
| T47.4X4S | Poisoning by other laxatives, undetermined, sequela |
| T47.4X5D | Adverse effect of other laxatives, subsequent encounter |
| T47.4X5S | Adverse effect of other laxatives, sequela |
| T47.4X6D | Underdosing of other laxatives, subsequent encounter |
| T47.4X6S | Underdosing of other laxatives, sequela |
| T47.5X1D | Poisoning by digestants, accidental (unintentional), subsequent encounter |
| T47.5X1S | Poisoning by digestants, accidental (unintentional), sequela |
| T47.5X2D | Poisoning by digestants, intentional self-harm, subsequent encounter |
| T47.5X2S | Poisoning by digestants, intentional self-harm, sequela |
| T47.5X3D | Poisoning by digestants, assault, subsequent encounter |
| T47.5X3S | Poisoning by digestants, assault, sequela |
| T47.5X4D | Poisoning by digestants, undetermined, subsequent encounter |
| T47.5X4S | Poisoning by digestants, undetermined, sequela |
| T47.5X5D | Adverse effect of digestants, subsequent encounter |
| T47.5X5S | Adverse effect of digestants, sequela |
| T47.5X6D | Underdosing of digestants, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T47.5X6S | Underdosing of digestants, sequela |
| T47.6X1D | Poisoning by antidiarrheal drugs, accidental (unintentional), subsequent encounter |
| T47.6X1S | Poisoning by antidiarrheal drugs, accidental (unintentional), sequela |
| T47.6X2D | Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter |
| T47.6X2S | Poisoning by antidiarrheal drugs, intentional self-harm, sequela |
| T47.6X3D | Poisoning by antidiarrheal drugs, assault, subsequent encounter |
| T47.6X3S | Poisoning by antidiarrheal drugs, assault, sequela |
| T47.6X4D | Poisoning by antidiarrheal drugs, undetermined, subsequent encounter |
| T47.6X4S | Poisoning by antidiarrheal drugs, undetermined, sequela |
| T47.6X5D | Adverse effect of antidiarrheal drugs, subsequent encounter |
| T47.6X5S | Adverse effect of antidiarrheal drugs, sequela |
| T47.6X6D | Underdosing of antidiarrheal drugs, subsequent encounter |
| T47.6X6S | Underdosing of antidiarrheal drugs, sequela |
| T47.7X1D | Poisoning by emetics, accidental (unintentional), subsequent encounter |
| T47.7X1S | Poisoning by emetics, accidental (unintentional), sequela |
| T47.7X2D | Poisoning by emetics, intentional self-harm, subsequent encounter |
| T47.7X2S | Poisoning by emetics, intentional self-harm, sequela |
| T47.7X3D | Poisoning by emetics, assault, subsequent encounter |
| T47.7X3S | Poisoning by emetics, assault, sequela |
| T47.7X4D | Poisoning by emetics, undetermined, subsequent encounter |
| T47.7X4S | Poisoning by emetics, undetermined, sequela |
| T47.7X5D | Adverse effect of emetics, subsequent encounter |
| T47.7X5S | Adverse effect of emetics, sequela |
| T47.7X6D | Underdosing of emetics, subsequent encounter |
| T47.7X6S | Underdosing of emetics, sequela |
| T47.8X1D | Poisoning by other agents primarily affecting gastrointestinal system, accidental (unintentional), subsequent encounter |
| T47.8X1S | Poisoning by other agents primarily affecting gastrointestinal system, accidental (unintentional), sequela |
| T47.8X2D | Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter |
| T47.8X2S | Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela |
| T47.8X3D | Poisoning by other agents primarily affecting gastrointestinal system, assault, subsequent encounter |
| T47.8X3S | Poisoning by other agents primarily affecting gastrointestinal system, assault, sequela |
| T47.8X4D | Poisoning by other agents primarily affecting gastrointestinal system, undetermined, subsequent encounter |
| T47.8X4S | Poisoning by other agents primarily affecting gastrointestinal system, undetermined, sequela |
| T47.8X5D | Adverse effect of other agents primarily affecting gastrointestinal system, subsequent encounter |
| T47.8X5S | Adverse effect of other agents primarily affecting gastrointestinal system, sequela |
| T47.8X6D | Underdosing of other agents primarily affecting gastrointestinal system, subsequent encounter |
| T47.8X6S | Underdosing of other agents primarily affecting gastrointestinal system, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T47.91XD | Poisoning by unspecified agents primarily affecting the gastrointestinal system, accidental (unintentional), subsequent encounter |
| T47.91XS | Poisoning by unspecified agents primarily affecting the gastrointestinal system, accidental (unintentional), sequela |
| T47.92XD | Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter |
| T47.92XS | Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela |
| T47.93XD | Poisoning by unspecified agents primarily affecting the gastrointestinal system, assault, subsequent encounter |
| T47.93XS | Poisoning by unspecified agents primarily affecting the gastrointestinal system, assault, sequela |
| T47.94XD | Poisoning by unspecified agents primarily affecting the gastrointestinal system, undetermined, subsequent encounter |
| T47.94XS | Poisoning by unspecified agents primarily affecting the gastrointestinal system, undetermined, sequela |
| T47.95XD | Adverse effect of unspecified agents primarily affecting the gastrointestinal system, subsequent encounter |
| T47.95XS | Adverse effect of unspecified agents primarily affecting the gastrointestinal system, sequela |
| T47.96XD | Underdosing of unspecified agents primarily affecting the gastrointestinal system, subsequent encounter |
| T47.96XS | Underdosing of unspecified agents primarily affecting the gastrointestinal system, sequela |
| T48.0X1D | Poisoning by oxytocic drugs, accidental (unintentional), subsequent encounter |
| T48.0X1S | Poisoning by oxytocic drugs, accidental (unintentional), sequela |
| T48.0X2D | Poisoning by oxytocic drugs, intentional self-harm, subsequent encounter |
| T48.0X2S | Poisoning by oxytocic drugs, intentional self-harm, sequela |
| T48.0X3D | Poisoning by oxytocic drugs, assault, subsequent encounter |
| T48.0X3S | Poisoning by oxytocic drugs, assault, sequela |
| T48.0X4D | Poisoning by oxytocic drugs, undetermined, subsequent encounter |
| T48.0X4S | Poisoning by oxytocic drugs, undetermined, sequela |
| T48.0X5D | Adverse effect of oxytocic drugs, subsequent encounter |
| T48.0X5S | Adverse effect of oxytocic drugs, sequela |
| T48.0X6D | Underdosing of oxytocic drugs, subsequent encounter |
| T48.0X6S | Underdosing of oxytocic drugs, sequela |
| T48.1X1D | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], accidental (unintentional), subsequent encounter |
| T48.1X1S | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], accidental (unintentional), sequela |
| T48.1X2D | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter |
| T48.1X2S | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela |
| T48.1X3D | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], assault, subsequent encounter |
| T48.1X3S | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], assault, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T48.1X4D | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], undetermined, subsequent encounter |
| T48.1X4S | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], undetermined, sequela |
| T48.1X5D | Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], subsequent encounter |
| T48.1X5S | Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], sequela |
| T48.1X6D | Underdosing of skeletal muscle relaxants [neuromuscular blocking agents], subsequent encounter |
| T48.1X6S | Underdosing of skeletal muscle relaxants [neuromuscular blocking agents], sequela |
| T48.201D | Poisoning by unspecified drugs acting on muscles, accidental (unintentional), subsequent encounter |
| T48.201S | Poisoning by unspecified drugs acting on muscles, accidental (unintentional), sequela |
| T48.202D | Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter |
| T48.202S | Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela |
| T48.203D | Poisoning by unspecified drugs acting on muscles, assault, subsequent encounter |
| T48.203S | Poisoning by unspecified drugs acting on muscles, assault, sequela |
| T48.204D | Poisoning by unspecified drugs acting on muscles, undetermined, subsequent encounter |
| T48.204S | Poisoning by unspecified drugs acting on muscles, undetermined, sequela |
| T48.205D | Adverse effect of unspecified drugs acting on muscles, subsequent encounter |
| T48.205S | Adverse effect of unspecified drugs acting on muscles, sequela |
| T48.206D | Underdosing of unspecified drugs acting on muscles, subsequent encounter |
| T48.206S | Underdosing of unspecified drugs acting on muscles, sequela |
| T48.291D | Poisoning by other drugs acting on muscles, accidental (unintentional), subsequent encounter |
| T48.291S | Poisoning by other drugs acting on muscles, accidental (unintentional), sequela |
| T48.292D | Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter |
| T48.292S | Poisoning by other drugs acting on muscles, intentional self-harm, sequela |
| T48.293D | Poisoning by other drugs acting on muscles, assault, subsequent encounter |
| T48.293S | Poisoning by other drugs acting on muscles, assault, sequela |
| T48.294D | Poisoning by other drugs acting on muscles, undetermined, subsequent encounter |
| T48.294S | Poisoning by other drugs acting on muscles, undetermined, sequela |
| T48.295D | Adverse effect of other drugs acting on muscles, subsequent encounter |
| T48.295S | Adverse effect of other drugs acting on muscles, sequela |
| T48.296D | Underdosing of other drugs acting on muscles, subsequent encounter |
| T48.296S | Underdosing of other drugs acting on muscles, sequela |
| T48.3X1D | Poisoning by antitussives, accidental (unintentional), subsequent encounter |
| T48.3X1S | Poisoning by antitussives, accidental (unintentional), sequela |
| T48.3X2D | Poisoning by antitussives, intentional self-harm, subsequent encounter |
| T48.3X2S | Poisoning by antitussives, intentional self-harm, sequela |
| T48.3X3D | Poisoning by antitussives, assault, subsequent encounter |
| T48.3X3S | Poisoning by antitussives, assault, sequela |
| T48.3X4D | Poisoning by antitussives, undetermined, subsequent encounter |
| T48.3X4S | Poisoning by antitussives, undetermined, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T48.3X5D | Adverse effect of antitussives, subsequent encounter |
| T48.3X5S | Adverse effect of antitussives, sequela |
| T48.3X6D | Underdosing of antitussives, subsequent encounter |
| T48.3X6S | Underdosing of antitussives, sequela |
| T48.4X1D | Poisoning by expectorants, accidental (unintentional), subsequent encounter |
| T48.4X1S | Poisoning by expectorants, accidental (unintentional), sequela |
| T48.4X2D | Poisoning by expectorants, intentional self-harm, subsequent encounter |
| T48.4X2S | Poisoning by expectorants, intentional self-harm, sequela |
| T48.4X3D | Poisoning by expectorants, assault, subsequent encounter |
| T48.4X3S | Poisoning by expectorants, assault, sequela |
| T48.4X4D | Poisoning by expectorants, undetermined, subsequent encounter |
| T48.4X4S | Poisoning by expectorants, undetermined, sequela |
| T48.4X5D | Adverse effect of expectorants, subsequent encounter |
| T48.4X5S | Adverse effect of expectorants, sequela |
| T48.4X6D | Underdosing of expectorants, subsequent encounter |
| T48.4X6S | Underdosing of expectorants, sequela |
| T48.5X1D | Poisoning by other anti-common-cold drugs, accidental (unintentional), subsequent encounter |
| T48.5X1S | Poisoning by other anti-common-cold drugs, accidental (unintentional), sequela |
| T48.5X2D | Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter |
| T48.5X2S | Poisoning by other anti-common-cold drugs, intentional self-harm, sequela |
| T48.5X3D | Poisoning by other anti-common-cold drugs, assault, subsequent encounter |
| T48.5X3S | Poisoning by other anti-common-cold drugs, assault, sequela |
| T48.5X4D | Poisoning by other anti-common-cold drugs, undetermined, subsequent encounter |
| T48.5X4S | Poisoning by other anti-common-cold drugs, undetermined, sequela |
| T48.5X5D | Adverse effect of other anti-common-cold drugs, subsequent encounter |
| T48.5X5S | Adverse effect of other anti-common-cold drugs, sequela |
| T48.5X6D | Underdosing of other anti-common-cold drugs, subsequent encounter |
| T48.5X6S | Underdosing of other anti-common-cold drugs, sequela |
| T48.6X1D | Poisoning by antiasthmatics, accidental (unintentional), subsequent encounter |
| T48.6X1S | Poisoning by antiasthmatics, accidental (unintentional), sequela |
| T48.6X2D | Poisoning by antiasthmatics, intentional self-harm, subsequent encounter |
| T48.6X2S | Poisoning by antiasthmatics, intentional self-harm, sequela |
| T48.6X3D | Poisoning by antiasthmatics, assault, subsequent encounter |
| T48.6X3S | Poisoning by antiasthmatics, assault, sequela |
| T48.6X4D | Poisoning by antiasthmatics, undetermined, subsequent encounter |
| T48.6X4S | Poisoning by antiasthmatics, undetermined, sequela |
| T48.6X5D | Adverse effect of antiasthmatics, subsequent encounter |
| T48.6X5S | Adverse effect of antiasthmatics, sequela |
| T48.6X6D | Underdosing of antiasthmatics, subsequent encounter |
| T48.6X6S | Underdosing of antiasthmatics, sequela |
| T48.901D | Poisoning by unspecified agents primarily acting on the respiratory system, accidental (unintentional), subsequent encounter |
| T48.901S | Poisoning by unspecified agents primarily acting on the respiratory system, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T48.902D | Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter |
| T48.902S | Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela |
| T48.903D | Poisoning by unspecified agents primarily acting on the respiratory system, assault, subsequent encounter |
| T48.903S | Poisoning by unspecified agents primarily acting on the respiratory system, assault, sequela |
| T48.904D | Poisoning by unspecified agents primarily acting on the respiratory system, undetermined, subsequent encounter |
| T48.904S | Poisoning by unspecified agents primarily acting on the respiratory system, undetermined, sequela |
| T48.905D | Adverse effect of unspecified agents primarily acting on the respiratory system, subsequent encounter |
| T48.905S | Adverse effect of unspecified agents primarily acting on the respiratory system, sequela |
| T48.906D | Underdosing of unspecified agents primarily acting on the respiratory system, subsequent encounter |
| T48.906S | Underdosing of unspecified agents primarily acting on the respiratory system, sequela |
| T48.991D | Poisoning by other agents primarily acting on the respiratory system, accidental (unintentional), subsequent encounter |
| T48.991S | Poisoning by other agents primarily acting on the respiratory system, accidental (unintentional), sequela |
| T48.992D | Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter |
| T48.992S | Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela |
| T48.993D | Poisoning by other agents primarily acting on the respiratory system, assault, subsequent encounter |
| T48.993S | Poisoning by other agents primarily acting on the respiratory system, assault, sequela |
| T48.994D | Poisoning by other agents primarily acting on the respiratory system, undetermined, subsequent encounter |
| T48.994S | Poisoning by other agents primarily acting on the respiratory system, undetermined, sequela |
| T48.995D | Adverse effect of other agents primarily acting on the respiratory system, subsequent encounter |
| T48.995S | Adverse effect of other agents primarily acting on the respiratory system, sequela |
| T48.996D | Underdosing of other agents primarily acting on the respiratory system, subsequent encounter |
| T48.996S | Underdosing of other agents primarily acting on the respiratory system, sequela |
| T49.0X1D | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, accidental (unintentional), subsequent encounter |
| T49.0X1S | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, accidental (unintentional), sequela |
| T49.0X2D | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter |
| T49.0X2S | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T49.0X3D | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, assault, subsequent encounter |
| T49.0X3S | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, assault, sequela |
| T49.0X4D | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, undetermined, subsequent encounter |
| T49.0X4S | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, undetermined, sequela |
| T49.0X5D | Adverse effect of local antifungal, anti-infective and anti-inflammatory drugs, subsequent encounter |
| T49.0X5S | Adverse effect of local antifungal, anti-infective and anti-inflammatory drugs, sequela |
| T49.0X6D | Underdosing of local antifungal, anti-infective and anti-inflammatory drugs, subsequent encounter |
| T49.0X6S | Underdosing of local antifungal, anti-infective and anti-inflammatory drugs, sequela |
| T49.1X1D | Poisoning by antipruritics, accidental (unintentional), subsequent encounter |
| T49.1X1S | Poisoning by antipruritics, accidental (unintentional), sequela |
| T49.1X2D | Poisoning by antipruritics, intentional self-harm, subsequent encounter |
| T49.1X2S | Poisoning by antipruritics, intentional self-harm, sequela |
| T49.1X3D | Poisoning by antipruritics, assault, subsequent encounter |
| T49.1X3S | Poisoning by antipruritics, assault, sequela |
| T49.1X4D | Poisoning by antipruritics, undetermined, subsequent encounter |
| T49.1X4S | Poisoning by antipruritics, undetermined, sequela |
| T49.1X5D | Adverse effect of antipruritics, subsequent encounter |
| T49.1X5S | Adverse effect of antipruritics, sequela |
| T49.1X6D | Underdosing of antipruritics, subsequent encounter |
| T49.1X6S | Underdosing of antipruritics, sequela |
| T49.2X1D | Poisoning by local astringents and local detergents, accidental (unintentional), subsequent encounter |
| T49.2X1S | Poisoning by local astringents and local detergents, accidental (unintentional), sequela |
| T49.2X2D | Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter |
| T49.2X2S | Poisoning by local astringents and local detergents, intentional self-harm, sequela |
| T49.2X3D | Poisoning by local astringents and local detergents, assault, subsequent encounter |
| T49.2X3S | Poisoning by local astringents and local detergents, assault, sequela |
| T49.2X4D | Poisoning by local astringents and local detergents, undetermined, subsequent encounter |
| T49.2X4S | Poisoning by local astringents and local detergents, undetermined, sequela |
| T49.2X5D | Adverse effect of local astringents and local detergents, subsequent encounter |
| T49.2X5S | Adverse effect of local astringents and local detergents, sequela |
| T49.2X6D | Underdosing of local astringents and local detergents, subsequent encounter |
| T49.2X6S | Underdosing of local astringents and local detergents, sequela |
| T49.3X1D | Poisoning by emollients, demulcents and protectants, accidental (unintentional), subsequent encounter |
| T49.3X1S | Poisoning by emollients, demulcents and protectants, accidental (unintentional), sequela |
| T49.3X2D | Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter |
| T49.3X2S | Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela |
| T49.3X3D | Poisoning by emollients, demulcents and protectants, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T49.3X3S | Poisoning by emollients, demulcents and protectants, assault, sequela |
| T49.3X4D | Poisoning by emollients, demulcents and protectants, undetermined, subsequent encounter |
| T49.3X4S | Poisoning by emollients, demulcents and protectants, undetermined, sequela |
| T49.3X5D | Adverse effect of emollients, demulcents and protectants, subsequent encounter |
| T49.3X5S | Adverse effect of emollients, demulcents and protectants, sequela |
| T49.3X6D | Underdosing of emollients, demulcents and protectants, subsequent encounter |
| T49.3X6S | Underdosing of emollients, demulcents and protectants, sequela |
| T49.4X1D | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, accidental (unintentional), subsequent encounter |
| T49.4X1S | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, accidental (unintentional), sequela |
| T49.4X2D | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter |
| T49.4X2S | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela |
| T49.4X3D | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, assault, subsequent encounter |
| T49.4X3S | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, assault, sequela |
| T49.4X4D | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, undetermined, subsequent encounter |
| T49.4X4S | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, undetermined, sequela |
| T49.4X5D | Adverse effect of keratolytics, keratoplastics, and other hair treatment drugs and preparations, subsequent encounter |
| T49.4X5S | Adverse effect of keratolytics, keratoplastics, and other hair treatment drugs and preparations, sequela |
| T49.4X6D | Underdosing of keratolytics, keratoplastics, and other hair treatment drugs and preparations, subsequent encounter |
| T49.4X6S | Underdosing of keratolytics, keratoplastics, and other hair treatment drugs and preparations, sequela |
| T49.5X1D | Poisoning by ophthalmological drugs and preparations, accidental (unintentional), subsequent encounter |
| T49.5X1S | Poisoning by ophthalmological drugs and preparations, accidental (unintentional), sequela |
| T49.5X2D | Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter |
| T49.5X2S | Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela |
| T49.5X3D | Poisoning by ophthalmological drugs and preparations, assault, subsequent encounter |
| T49.5X3S | Poisoning by ophthalmological drugs and preparations, assault, sequela |
| T49.5X4D | Poisoning by ophthalmological drugs and preparations, undetermined, subsequent encounter |
| T49.5X4S | Poisoning by ophthalmological drugs and preparations, undetermined, sequela |
| T49.5X5D | Adverse effect of ophthalmological drugs and preparations, subsequent encounter |
| T49.5X5S | Adverse effect of ophthalmological drugs and preparations, sequela |
| T49.5X6D | Underdosing of ophthalmological drugs and preparations, subsequent encounter |
| T49.5X6S | Underdosing of ophthalmological drugs and preparations, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T49.6X1D | Poisoning by otorhinolaryngological drugs and preparations, accidental (unintentional), subsequent encounter |
| T49.6X1S | Poisoning by otorhinolaryngological drugs and preparations, accidental (unintentional), sequela |
| T49.6X2D | Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter |
| T49.6X2S | Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela |
| T49.6X3D | Poisoning by otorhinolaryngological drugs and preparations, assault, subsequent encounter |
| T49.6X3S | Poisoning by otorhinolaryngological drugs and preparations, assault, sequela |
| T49.6X4D | Poisoning by otorhinolaryngological drugs and preparations, undetermined, subsequent encounter |
| T49.6X4S | Poisoning by otorhinolaryngological drugs and preparations, undetermined, sequela |
| T49.6X5D | Adverse effect of otorhinolaryngological drugs and preparations, subsequent encounter |
| T49.6X5S | Adverse effect of otorhinolaryngological drugs and preparations, sequela |
| T49.6X6D | Underdosing of otorhinolaryngological drugs and preparations, subsequent encounter |
| T49.6X6S | Underdosing of otorhinolaryngological drugs and preparations, sequela |
| T49.7X1D | Poisoning by dental drugs, topically applied, accidental (unintentional), subsequent encounter |
| T49.7X1S | Poisoning by dental drugs, topically applied, accidental (unintentional), sequela |
| T49.7X2D | Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter |
| T49.7X2S | Poisoning by dental drugs, topically applied, intentional self-harm, sequela |
| T49.7X3D | Poisoning by dental drugs, topically applied, assault, subsequent encounter |
| T49.7X3S | Poisoning by dental drugs, topically applied, assault, sequela |
| T49.7X4D | Poisoning by dental drugs, topically applied, undetermined, subsequent encounter |
| T49.7X4S | Poisoning by dental drugs, topically applied, undetermined, sequela |
| T49.7X5D | Adverse effect of dental drugs, topically applied, subsequent encounter |
| T49.7X5S | Adverse effect of dental drugs, topically applied, sequela |
| T49.7X6D | Underdosing of dental drugs, topically applied, subsequent encounter |
| T49.7X6S | Underdosing of dental drugs, topically applied, sequela |
| T49.8X1D | Poisoning by other topical agents, accidental (unintentional), subsequent encounter |
| T49.8X1S | Poisoning by other topical agents, accidental (unintentional), sequela |
| T49.8X2D | Poisoning by other topical agents, intentional self-harm, subsequent encounter |
| T49.8X2S | Poisoning by other topical agents, intentional self-harm, sequela |
| T49.8X3D | Poisoning by other topical agents, assault, subsequent encounter |
| T49.8X3S | Poisoning by other topical agents, assault, sequela |
| T49.8X4D | Poisoning by other topical agents, undetermined, subsequent encounter |
| T49.8X4S | Poisoning by other topical agents, undetermined, sequela |
| T49.8X5D | Adverse effect of other topical agents, subsequent encounter |
| T49.8X5S | Adverse effect of other topical agents, sequela |
| T49.8X6D | Underdosing of other topical agents, subsequent encounter |
| T49.8X6S | Underdosing of other topical agents, sequela |
| T49.91XD | Poisoning by unspecified topical agent, accidental (unintentional), subsequent encounter |
| T49.91XS | Poisoning by unspecified topical agent, accidental (unintentional), sequela |
| T49.92XD | Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter |
| T49.92XS | Poisoning by unspecified topical agent, intentional self-harm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T49.93XD | Poisoning by unspecified topical agent, assault, subsequent encounter |
| T49.93XS | Poisoning by unspecified topical agent, assault, sequela |
| T49.94XD | Poisoning by unspecified topical agent, undetermined, subsequent encounter |
| T49.94XS | Poisoning by unspecified topical agent, undetermined, sequela |
| T49.95XD | Adverse effect of unspecified topical agent, subsequent encounter |
| T49.95XS | Adverse effect of unspecified topical agent, sequela |
| T49.96XD | Underdosing of unspecified topical agent, subsequent encounter |
| T49.96XS | Underdosing of unspecified topical agent, sequela |
| T50.0X1D | Poisoning by mineralocorticoids and their antagonists, accidental (unintentional), subsequent encounter |
| T50.0X1S | Poisoning by mineralocorticoids and their antagonists, accidental (unintentional), sequela |
| T50.0X2D | Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter |
| T50.0X2S | Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela |
| T50.0X3D | Poisoning by mineralocorticoids and their antagonists, assault, subsequent encounter |
| T50.0X3S | Poisoning by mineralocorticoids and their antagonists, assault, sequela |
| T50.0X4D | Poisoning by mineralocorticoids and their antagonists, undetermined, subsequent encounter |
| T50.0X4S | Poisoning by mineralocorticoids and their antagonists, undetermined, sequela |
| T50.0X5D | Adverse effect of mineralocorticoids and their antagonists, subsequent encounter |
| T50.0X5S | Adverse effect of mineralocorticoids and their antagonists, sequela |
| T50.0X6D | Underdosing of mineralocorticoids and their antagonists, subsequent encounter |
| T50.0X6S | Underdosing of mineralocorticoids and their antagonists, sequela |
| T50.1X1D | Poisoning by loop [high-ceiling] diuretics, accidental (unintentional), subsequent encounter |
| T50.1X1S | Poisoning by loop [high-ceiling] diuretics, accidental (unintentional), sequela |
| T50.1X2D | Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter |
| T50.1X2S | Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela |
| T50.1X3D | Poisoning by loop [high-ceiling] diuretics, assault, subsequent encounter |
| T50.1X3S | Poisoning by loop [high-ceiling] diuretics, assault, sequela |
| T50.1X4D | Poisoning by loop [high-ceiling] diuretics, undetermined, subsequent encounter |
| T50.1X4S | Poisoning by loop [high-ceiling] diuretics, undetermined, sequela |
| T50.1X5D | Adverse effect of loop [high-ceiling] diuretics, subsequent encounter |
| T50.1X5S | Adverse effect of loop [high-ceiling] diuretics, sequela |
| T50.1X6D | Underdosing of loop [high-ceiling] diuretics, subsequent encounter |
| T50.1X6S | Underdosing of loop [high-ceiling] diuretics, sequela |
| T50.2X1D | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, accidental (unintentional), subsequent encounter |
| T50.2X1S | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, accidental (unintentional), sequela |
| T50.2X2D | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, subsequent encounter |
| T50.2X2S | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela |
| T50.2X3D | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T50.2X3S | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, assault, sequela |
| T50.2X4D | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, undetermined, subsequent encounter |
| T50.2X4S | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, undetermined, sequela |
| T50.2X5D | Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, subsequent encounter |
| T50.2X5S | Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, sequela |
| T50.2X6D | Underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, subsequent encounter |
| T50.2X6S | Underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, sequela |
| T50.3X1D | Poisoning by electrolytic, caloric and water-balance agents, accidental (unintentional), subsequent encounter |
| T50.3X1S | Poisoning by electrolytic, caloric and water-balance agents, accidental (unintentional), sequela |
| T50.3X2D | Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter |
| T50.3X2S | Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela |
| T50.3X3D | Poisoning by electrolytic, caloric and water-balance agents, assault, subsequent encounter |
| T50.3X3S | Poisoning by electrolytic, caloric and water-balance agents, assault, sequela |
| T50.3X4D | Poisoning by electrolytic, caloric and water-balance agents, undetermined, subsequent encounter |
| T50.3X4S | Poisoning by electrolytic, caloric and water-balance agents, undetermined, sequela |
| T50.3X5D | Adverse effect of electrolytic, caloric and water-balance agents, subsequent encounter |
| T50.3X5S | Adverse effect of electrolytic, caloric and water-balance agents, sequela |
| T50.3X6D | Underdosing of electrolytic, caloric and water-balance agents, subsequent encounter |
| T50.3X6S | Underdosing of electrolytic, caloric and water-balance agents, sequela |
| T50.4X1D | Poisoning by drugs affecting uric acid metabolism, accidental (unintentional), subsequent encounter |
| T50.4X1S | Poisoning by drugs affecting uric acid metabolism, accidental (unintentional), sequela |
| T50.4X2D | Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter |
| T50.4X2S | Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela |
| T50.4X3D | Poisoning by drugs affecting uric acid metabolism, assault, subsequent encounter |
| T50.4X3S | Poisoning by drugs affecting uric acid metabolism, assault, sequela |
| T50.4X4D | Poisoning by drugs affecting uric acid metabolism, undetermined, subsequent encounter |
| T50.4X4S | Poisoning by drugs affecting uric acid metabolism, undetermined, sequela |
| T50.4X5D | Adverse effect of drugs affecting uric acid metabolism, subsequent encounter |
| T50.4X5S | Adverse effect of drugs affecting uric acid metabolism, sequela |
| T50.4X6D | Underdosing of drugs affecting uric acid metabolism, subsequent encounter |
| T50.4X6S | Underdosing of drugs affecting uric acid metabolism, sequela |
| T50.5X1D | Poisoning by appetite depressants, accidental (unintentional), subsequent encounter |
| T50.5X1S | Poisoning by appetite depressants, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T50.5X2D | Poisoning by appetite depressants, intentional self-harm, subsequent encounter |
| T50.5X2S | Poisoning by appetite depressants, intentional self-harm, sequela |
| T50.5X3D | Poisoning by appetite depressants, assault, subsequent encounter |
| T50.5X3S | Poisoning by appetite depressants, assault, sequela |
| T50.5X4D | Poisoning by appetite depressants, undetermined, subsequent encounter |
| T50.5X4S | Poisoning by appetite depressants, undetermined, sequela |
| T50.5X5D | Adverse effect of appetite depressants, subsequent encounter |
| T50.5X5S | Adverse effect of appetite depressants, sequela |
| T50.5X6D | Underdosing of appetite depressants, subsequent encounter |
| T50.5X6S | Underdosing of appetite depressants, sequela |
| T50.6X1D | Poisoning by antidotes and chelating agents, accidental (unintentional), subsequent encounter |
| T50.6X1S | Poisoning by antidotes and chelating agents, accidental (unintentional), sequela |
| T50.6X2D | Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter |
| T50.6X2S | Poisoning by antidotes and chelating agents, intentional self-harm, sequela |
| T50.6X3D | Poisoning by antidotes and chelating agents, assault, subsequent encounter |
| T50.6X3S | Poisoning by antidotes and chelating agents, assault, sequela |
| T50.6X4D | Poisoning by antidotes and chelating agents, undetermined, subsequent encounter |
| T50.6X4S | Poisoning by antidotes and chelating agents, undetermined, sequela |
| T50.6X5D | Adverse effect of antidotes and chelating agents, subsequent encounter |
| T50.6X5S | Adverse effect of antidotes and chelating agents, sequela |
| T50.6X6D | Underdosing of antidotes and chelating agents, subsequent encounter |
| T50.6X6S | Underdosing of antidotes and chelating agents, sequela |
| T50.7X1D | Poisoning by analeptics and opioid receptor antagonists, accidental (unintentional), subsequent encounter |
| T50.7X1S | Poisoning by analeptics and opioid receptor antagonists, accidental (unintentional), sequela |
| T50.7X2D | Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter |
| T50.7X2S | Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela |
| T50.7X3D | Poisoning by analeptics and opioid receptor antagonists, assault, subsequent encounter |
| T50.7X3S | Poisoning by analeptics and opioid receptor antagonists, assault, sequela |
| T50.7X4D | Poisoning by analeptics and opioid receptor antagonists, undetermined, subsequent encounter |
| T50.7X4S | Poisoning by analeptics and opioid receptor antagonists, undetermined, sequela |
| T50.7X5D | Adverse effect of analeptics and opioid receptor antagonists, subsequent encounter |
| T50.7X5S | Adverse effect of analeptics and opioid receptor antagonists, sequela |
| T50.7X6D | Underdosing of analeptics and opioid receptor antagonists, subsequent encounter |
| T50.7X6S | Underdosing of analeptics and opioid receptor antagonists, sequela |
| T50.8X1D | Poisoning by diagnostic agents, accidental (unintentional), subsequent encounter |
| T50.8X1S | Poisoning by diagnostic agents, accidental (unintentional), sequela |
| T50.8X2D | Poisoning by diagnostic agents, intentional self-harm, subsequent encounter |
| T50.8X2S | Poisoning by diagnostic agents, intentional self-harm, sequela |
| T50.8X3D | Poisoning by diagnostic agents, assault, subsequent encounter |
| T50.8X3S | Poisoning by diagnostic agents, assault, sequela |
| T50.8X4D | Poisoning by diagnostic agents, undetermined, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T50.8X4S | Poisoning by diagnostic agents, undetermined, sequela |
| T50.8X5D | Adverse effect of diagnostic agents, subsequent encounter |
| T50.8X5S | Adverse effect of diagnostic agents, sequela |
| T50.8X6D | Underdosing of diagnostic agents, subsequent encounter |
| T50.8X6S | Underdosing of diagnostic agents, sequela |
| T50.901D | Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), subsequent encounter |
| T50.901S | Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), sequela |
| T50.902D | Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter |
| T50.902S | Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela |
| T50.903D | Poisoning by unspecified drugs, medicaments and biological substances, assault, subsequent encounter |
| T50.903S | Poisoning by unspecified drugs, medicaments and biological substances, assault, sequela |
| T50.904D | Poisoning by unspecified drugs, medicaments and biological substances, undetermined, subsequent encounter |
| T50.904S | Poisoning by unspecified drugs, medicaments and biological substances, undetermined, sequela |
| T50.905D | Adverse effect of unspecified drugs, medicaments and biological substances, subsequent encounter |
| T50.905S | Adverse effect of unspecified drugs, medicaments and biological substances, sequela |
| T50.906D | Underdosing of unspecified drugs, medicaments and biological substances, subsequent encounter |
| T50.906S | Underdosing of unspecified drugs, medicaments and biological substances, sequela |
| T50.991D | Poisoning by other drugs, medicaments and biological substances, accidental (unintentional), subsequent encounter |
| T50.991S | Poisoning by other drugs, medicaments and biological substances, accidental (unintentional), sequela |
| T50.992D | Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter |
| T50.992S | Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela |
| T50.993D | Poisoning by other drugs, medicaments and biological substances, assault, subsequent encounter |
| T50.993S | Poisoning by other drugs, medicaments and biological substances, assault, sequela |
| T50.994D | Poisoning by other drugs, medicaments and biological substances, undetermined, subsequent encounter |
| T50.994S | Poisoning by other drugs, medicaments and biological substances, undetermined, sequela |
| T50.995D | Adverse effect of other drugs, medicaments and biological substances, subsequent encounter |
| T50.995S | Adverse effect of other drugs, medicaments and biological substances, sequela |
| T50.996D | Underdosing of other drugs, medicaments and biological substances, subsequent encounter |
| T50.996S | Underdosing of other drugs, medicaments and biological substances, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T50.A11D | Poisoning by pertussis vaccine, including combinations with a pertussis component, accidental (unintentional), subsequent encounter |
| T50.A11S | Poisoning by pertussis vaccine, including combinations with a pertussis component, accidental (unintentional), sequela |
| T50.A12D | Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, subsequent encounter |
| T50.A12S | Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela |
| T50.A13D | Poisoning by pertussis vaccine, including combinations with a pertussis component, assault, subsequent encounter |
| T50.A13S | Poisoning by pertussis vaccine, including combinations with a pertussis component, assault, sequela |
| T50.A14D | Poisoning by pertussis vaccine, including combinations with a pertussis component, undetermined, subsequent encounter |
| T50.A14S | Poisoning by pertussis vaccine, including combinations with a pertussis component, undetermined, sequela |
| T50.A15D | Adverse effect of pertussis vaccine, including combinations with a pertussis component, subsequent encounter |
| T50.A15S | Adverse effect of pertussis vaccine, including combinations with a pertussis component, sequela |
| T50.A16D | Underdosing of pertussis vaccine, including combinations with a pertussis component, subsequent encounter |
| T50.A16S | Underdosing of pertussis vaccine, including combinations with a pertussis component, sequela |
| T50.A21D | Poisoning by mixed bacterial vaccines without a pertussis component, accidental (unintentional), subsequent encounter |
| T50.A21S | Poisoning by mixed bacterial vaccines without a pertussis component, accidental (unintentional), sequela |
| T50.A22D | Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter |
| T50.A22S | Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela |
| T50.A23D | Poisoning by mixed bacterial vaccines without a pertussis component, assault, subsequent encounter |
| T50.A23S | Poisoning by mixed bacterial vaccines without a pertussis component, assault, sequela |
| T50.A24D | Poisoning by mixed bacterial vaccines without a pertussis component, undetermined, subsequent encounter |
| T50.A24S | Poisoning by mixed bacterial vaccines without a pertussis component, undetermined, sequela |
| T50.A25D | Adverse effect of mixed bacterial vaccines without a pertussis component, subsequent encounter |
| T50.A25S | Adverse effect of mixed bacterial vaccines without a pertussis component, sequela |
| T50.A26D | Underdosing of mixed bacterial vaccines without a pertussis component, subsequent encounter |
| T50.A26S | Underdosing of mixed bacterial vaccines without a pertussis component, sequela |
| T50.A91D | Poisoning by other bacterial vaccines, accidental (unintentional), subsequent encounter |
| T50.A91S | Poisoning by other bacterial vaccines, accidental (unintentional), sequela |
| T50.A92D | Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T50.A92S | Poisoning by other bacterial vaccines, intentional self-harm, sequela |
| T50.A93D | Poisoning by other bacterial vaccines, assault, subsequent encounter |
| T50.A93S | Poisoning by other bacterial vaccines, assault, sequela |
| T50.A94D | Poisoning by other bacterial vaccines, undetermined, subsequent encounter |
| T50.A94S | Poisoning by other bacterial vaccines, undetermined, sequela |
| T50.A95D | Adverse effect of other bacterial vaccines, subsequent encounter |
| T50.A95S | Adverse effect of other bacterial vaccines, sequela |
| T50.A96D | Underdosing of other bacterial vaccines, subsequent encounter |
| T50.A96S | Underdosing of other bacterial vaccines, sequela |
| T50.B11D | Poisoning by smallpox vaccines, accidental (unintentional), subsequent encounter |
| T50.B11S | Poisoning by smallpox vaccines, accidental (unintentional), sequela |
| T50.B12D | Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter |
| T50.B12S | Poisoning by smallpox vaccines, intentional self-harm, sequela |
| T50.B13D | Poisoning by smallpox vaccines, assault, subsequent encounter |
| T50.B13S | Poisoning by smallpox vaccines, assault, sequela |
| T50.B14D | Poisoning by smallpox vaccines, undetermined, subsequent encounter |
| T50.B14S | Poisoning by smallpox vaccines, undetermined, sequela |
| T50.B15D | Adverse effect of smallpox vaccines, subsequent encounter |
| T50.B15S | Adverse effect of smallpox vaccines, sequela |
| T50.B16D | Underdosing of smallpox vaccines, subsequent encounter |
| T50.B16S | Underdosing of smallpox vaccines, sequela |
| T50.B91D | Poisoning by other viral vaccines, accidental (unintentional), subsequent encounter |
| T50.B91S | Poisoning by other viral vaccines, accidental (unintentional), sequela |
| T50.B92D | Poisoning by other viral vaccines, intentional self-harm, subsequent encounter |
| T50.B92S | Poisoning by other viral vaccines, intentional self-harm, sequela |
| T50.B93D | Poisoning by other viral vaccines, assault, subsequent encounter |
| T50.B93S | Poisoning by other viral vaccines, assault, sequela |
| T50.B94D | Poisoning by other viral vaccines, undetermined, subsequent encounter |
| T50.B94S | Poisoning by other viral vaccines, undetermined, sequela |
| T50.B95D | Adverse effect of other viral vaccines, subsequent encounter |
| T50.B95S | Adverse effect of other viral vaccines, sequela |
| T50.B96D | Underdosing of other viral vaccines, subsequent encounter |
| T50.B96S | Underdosing of other viral vaccines, sequela |
| T50.Z11D | Poisoning by immunoglobulin, accidental (unintentional), subsequent encounter |
| T50.Z11S | Poisoning by immunoglobulin, accidental (unintentional), sequela |
| T50.Z12D | Poisoning by immunoglobulin, intentional self-harm, subsequent encounter |
| T50.Z12S | Poisoning by immunoglobulin, intentional self-harm, sequela |
| T50.Z13D | Poisoning by immunoglobulin, assault, subsequent encounter |
| T50.Z13S | Poisoning by immunoglobulin, assault, sequela |
| T50.Z14D | Poisoning by immunoglobulin, undetermined, subsequent encounter |
| T50.Z14S | Poisoning by immunoglobulin, undetermined, sequela |
| T50.Z15D | Adverse effect of immunoglobulin, subsequent encounter |
| T50.Z15S | Adverse effect of immunoglobulin, sequela |
| T50.Z16D | Underdosing of immunoglobulin, subsequent encounter |
| T50.Z16S | Underdosing of immunoglobulin, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T50.Z91D | Poisoning by other vaccines and biological substances, accidental (unintentional), subsequent encounter |
| T50.Z91S | Poisoning by other vaccines and biological substances, accidental (unintentional), sequela |
| T50.Z92D | Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter |
| T50.Z92S | Poisoning by other vaccines and biological substances, intentional self-harm, sequela |
| T50.Z93D | Poisoning by other vaccines and biological substances, assault, subsequent encounter |
| T50.Z93S | Poisoning by other vaccines and biological substances, assault, sequela |
| T50.Z94D | Poisoning by other vaccines and biological substances, undetermined, subsequent encounter |
| T50.Z94S | Poisoning by other vaccines and biological substances, undetermined, sequela |
| T50.Z95D | Adverse effect of other vaccines and biological substances, subsequent encounter |
| T50.Z95S | Adverse effect of other vaccines and biological substances, sequela |
| T50.Z96D | Underdosing of other vaccines and biological substances, subsequent encounter |
| T50.Z96S | Underdosing of other vaccines and biological substances, sequela |
| T51.0X1D | Toxic effect of ethanol, accidental (unintentional), subsequent encounter |
| T51.0X1S | Toxic effect of ethanol, accidental (unintentional), sequela |
| T51.0X2D | Toxic effect of ethanol, intentional self-harm, subsequent encounter |
| T51.0X2S | Toxic effect of ethanol, intentional self-harm, sequela |
| T51.0X3D | Toxic effect of ethanol, assault, subsequent encounter |
| T51.0X3S | Toxic effect of ethanol, assault, sequela |
| T51.0X4D | Toxic effect of ethanol, undetermined, subsequent encounter |
| T51.0X4S | Toxic effect of ethanol, undetermined, sequela |
| T51.1X1D | Toxic effect of methanol, accidental (unintentional), subsequent encounter |
| T51.1X1S | Toxic effect of methanol, accidental (unintentional), sequela |
| T51.1X2D | Toxic effect of methanol, intentional self-harm, subsequent encounter |
| T51.1X2S | Toxic effect of methanol, intentional self-harm, sequela |
| T51.1X3D | Toxic effect of methanol, assault, subsequent encounter |
| T51.1X3S | Toxic effect of methanol, assault, sequela |
| T51.1X4D | Toxic effect of methanol, undetermined, subsequent encounter |
| T51.1X4S | Toxic effect of methanol, undetermined, sequela |
| T51.2X1D | Toxic effect of 2-Propanol, accidental (unintentional), subsequent encounter |
| T51.2X1S | Toxic effect of 2-Propanol, accidental (unintentional), sequela |
| T51.2X2D | Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter |
| T51.2X2S | Toxic effect of 2-Propanol, intentional self-harm, sequela |
| T51.2X3D | Toxic effect of 2-Propanol, assault, subsequent encounter |
| T51.2X3S | Toxic effect of 2-Propanol, assault, sequela |
| T51.2X4D | Toxic effect of 2-Propanol, undetermined, subsequent encounter |
| T51.2X4S | Toxic effect of 2-Propanol, undetermined, sequela |
| T51.3X1D | Toxic effect of fusel oil, accidental (unintentional), subsequent encounter |
| T51.3X1S | Toxic effect of fusel oil, accidental (unintentional), sequela |
| T51.3X2D | Toxic effect of fusel oil, intentional self-harm, subsequent encounter |
| T51.3X2S | Toxic effect of fusel oil, intentional self-harm, sequela |
| T51.3X3D | Toxic effect of fusel oil, assault, subsequent encounter |
| T51.3X3S | Toxic effect of fusel oil, assault, sequela |
| T51.3X4D | Toxic effect of fusel oil, undetermined, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T51.3X4S | Toxic effect of fusel oil, undetermined, sequela |
| T51.8X1D | Toxic effect of other alcohols, accidental (unintentional), subsequent encounter |
| T51.8X1S | Toxic effect of other alcohols, accidental (unintentional), sequela |
| T51.8X2D | Toxic effect of other alcohols, intentional self-harm, subsequent encounter |
| T51.8X2S | Toxic effect of other alcohols, intentional self-harm, sequela |
| T51.8X3D | Toxic effect of other alcohols, assault, subsequent encounter |
| T51.8X3S | Toxic effect of other alcohols, assault, sequela |
| T51.8X4D | Toxic effect of other alcohols, undetermined, subsequent encounter |
| T51.8X4S | Toxic effect of other alcohols, undetermined, sequela |
| T51.91XD | Toxic effect of unspecified alcohol, accidental (unintentional), subsequent encounter |
| T51.91XS | Toxic effect of unspecified alcohol, accidental (unintentional), sequela |
| T51.92XD | Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter |
| T51.92XS | Toxic effect of unspecified alcohol, intentional self-harm, sequela |
| T51.93XD | Toxic effect of unspecified alcohol, assault, subsequent encounter |
| T51.93XS | Toxic effect of unspecified alcohol, assault, sequela |
| T51.94XD | Toxic effect of unspecified alcohol, undetermined, subsequent encounter |
| T51.94XS | Toxic effect of unspecified alcohol, undetermined, sequela |
| T52.0X1D | Toxic effect of petroleum products, accidental (unintentional), subsequent encounter |
| T52.0X1S | Toxic effect of petroleum products, accidental (unintentional), sequela |
| T52.0X2D | Toxic effect of petroleum products, intentional self-harm, subsequent encounter |
| T52.0X2S | Toxic effect of petroleum products, intentional self-harm, sequela |
| T52.0X3D | Toxic effect of petroleum products, assault, subsequent encounter |
| T52.0X3S | Toxic effect of petroleum products, assault, sequela |
| T52.0X4D | Toxic effect of petroleum products, undetermined, subsequent encounter |
| T52.0X4S | Toxic effect of petroleum products, undetermined, sequela |
| T52.1X1D | Toxic effect of benzene, accidental (unintentional), subsequent encounter |
| T52.1X1S | Toxic effect of benzene, accidental (unintentional), sequela |
| T52.1X2D | Toxic effect of benzene, intentional self-harm, subsequent encounter |
| T52.1X2S | Toxic effect of benzene, intentional self-harm, sequela |
| T52.1X3D | Toxic effect of benzene, assault, subsequent encounter |
| T52.1X3S | Toxic effect of benzene, assault, sequela |
| T52.1X4D | Toxic effect of benzene, undetermined, subsequent encounter |
| T52.1X4S | Toxic effect of benzene, undetermined, sequela |
| T52.2X1D | Toxic effect of homologues of benzene, accidental (unintentional), subsequent encounter |
| T52.2X1S | Toxic effect of homologues of benzene, accidental (unintentional), sequela |
| T52.2X2D | Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter |
| T52.2X2S | Toxic effect of homologues of benzene, intentional self-harm, sequela |
| T52.2X3D | Toxic effect of homologues of benzene, assault, subsequent encounter |
| T52.2X3S | Toxic effect of homologues of benzene, assault, sequela |
| T52.2X4D | Toxic effect of homologues of benzene, undetermined, subsequent encounter |
| T52.2X4S | Toxic effect of homologues of benzene, undetermined, sequela |
| T52.3X1D | Toxic effect of glycols, accidental (unintentional), subsequent encounter |
| T52.3X1S | Toxic effect of glycols, accidental (unintentional), sequela |
| T52.3X2D | Toxic effect of glycols, intentional self-harm, subsequent encounter |
| T52.3X2S | Toxic effect of glycols, intentional self-harm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T52.3X3D | Toxic effect of glycols, assault, subsequent encounter |
| T52.3X3S | Toxic effect of glycols, assault, sequela |
| T52.3X4D | Toxic effect of glycols, undetermined, subsequent encounter |
| T52.3X4S | Toxic effect of glycols, undetermined, sequela |
| T52.4X1D | Toxic effect of ketones, accidental (unintentional), subsequent encounter |
| T52.4X1S | Toxic effect of ketones, accidental (unintentional), sequela |
| T52.4X2D | Toxic effect of ketones, intentional self-harm, subsequent encounter |
| T52.4X2S | Toxic effect of ketones, intentional self-harm, sequela |
| T52.4X3D | Toxic effect of ketones, assault, subsequent encounter |
| T52.4X3S | Toxic effect of ketones, assault, sequela |
| T52.4X4D | Toxic effect of ketones, undetermined, subsequent encounter |
| T52.4X4S | Toxic effect of ketones, undetermined, sequela |
| T52.8X1D | Toxic effect of other organic solvents, accidental (unintentional), subsequent encounter |
| T52.8X1S | Toxic effect of other organic solvents, accidental (unintentional), sequela |
| T52.8X2D | Toxic effect of other organic solvents, intentional self-harm, subsequent encounter |
| T52.8X2S | Toxic effect of other organic solvents, intentional self-harm, sequela |
| T52.8X3D | Toxic effect of other organic solvents, assault, subsequent encounter |
| T52.8X3S | Toxic effect of other organic solvents, assault, sequela |
| T52.8X4D | Toxic effect of other organic solvents, undetermined, subsequent encounter |
| T52.8X4S | Toxic effect of other organic solvents, undetermined, sequela |
| T52.91XD | Toxic effect of unspecified organic solvent, accidental (unintentional), subsequent encounter |
| T52.91XS | Toxic effect of unspecified organic solvent, accidental (unintentional), sequela |
| T52.92XD | Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter |
| T52.92XS | Toxic effect of unspecified organic solvent, intentional self-harm, sequela |
| T52.93XD | Toxic effect of unspecified organic solvent, assault, subsequent encounter |
| T52.93XS | Toxic effect of unspecified organic solvent, assault, sequela |
| T52.94XD | Toxic effect of unspecified organic solvent, undetermined, subsequent encounter |
| T52.94XS | Toxic effect of unspecified organic solvent, undetermined, sequela |
| T53.0X1D | Toxic effect of carbon tetrachloride, accidental (unintentional), subsequent encounter |
| T53.0X1S | Toxic effect of carbon tetrachloride, accidental (unintentional), sequela |
| T53.0X2D | Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter |
| T53.0X2S | Toxic effect of carbon tetrachloride, intentional self-harm, sequela |
| T53.0X3D | Toxic effect of carbon tetrachloride, assault, subsequent encounter |
| T53.0X3S | Toxic effect of carbon tetrachloride, assault, sequela |
| T53.0X4D | Toxic effect of carbon tetrachloride, undetermined, subsequent encounter |
| T53.0X4S | Toxic effect of carbon tetrachloride, undetermined, sequela |
| T53.1X1D | Toxic effect of chloroform, accidental (unintentional), subsequent encounter |
| T53.1X1S | Toxic effect of chloroform, accidental (unintentional), sequela |
| T53.1X2D | Toxic effect of chloroform, intentional self-harm, subsequent encounter |
| T53.1X2S | Toxic effect of chloroform, intentional self-harm, sequela |
| T53.1X3D | Toxic effect of chloroform, assault, subsequent encounter |
| T53.1X3S | Toxic effect of chloroform, assault, sequela |
| T53.1X4D | Toxic effect of chloroform, undetermined, subsequent encounter |
| T53.1X4S | Toxic effect of chloroform, undetermined, sequela |
| T53.2X1D | Toxic effect of trichloroethylene, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T53.2X1S | Toxic effect of trichloroethylene, accidental (unintentional), sequela |
| T53.2X2D | Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter |
| T53.2X2S | Toxic effect of trichloroethylene, intentional self-harm, sequela |
| T53.2X3D | Toxic effect of trichloroethylene, assault, subsequent encounter |
| T53.2X3S | Toxic effect of trichloroethylene, assault, sequela |
| T53.2X4D | Toxic effect of trichloroethylene, undetermined, subsequent encounter |
| T53.2X4S | Toxic effect of trichloroethylene, undetermined, sequela |
| T53.3X1D | Toxic effect of tetrachloroethylene, accidental (unintentional), subsequent encounter |
| T53.3X1S | Toxic effect of tetrachloroethylene, accidental (unintentional), sequela |
| T53.3X2D | Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter |
| T53.3X2S | Toxic effect of tetrachloroethylene, intentional self-harm, sequela |
| T53.3X3D | Toxic effect of tetrachloroethylene, assault, subsequent encounter |
| T53.3X3S | Toxic effect of tetrachloroethylene, assault, sequela |
| T53.3X4D | Toxic effect of tetrachloroethylene, undetermined, subsequent encounter |
| T53.3X4S | Toxic effect of tetrachloroethylene, undetermined, sequela |
| T53.4X1D | Toxic effect of dichloromethane, accidental (unintentional), subsequent encounter |
| T53.4X1S | Toxic effect of dichloromethane, accidental (unintentional), sequela |
| T53.4X2D | Toxic effect of dichloromethane, intentional self-harm, subsequent encounter |
| T53.4X2S | Toxic effect of dichloromethane, intentional self-harm, sequela |
| T53.4X3D | Toxic effect of dichloromethane, assault, subsequent encounter |
| T53.4X3S | Toxic effect of dichloromethane, assault, sequela |
| T53.4X4D | Toxic effect of dichloromethane, undetermined, subsequent encounter |
| T53.4X4S | Toxic effect of dichloromethane, undetermined, sequela |
| T53.5X1D | Toxic effect of chlorofluorocarbons, accidental (unintentional), subsequent encounter |
| T53.5X1S | Toxic effect of chlorofluorocarbons, accidental (unintentional), sequela |
| T53.5X2D | Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter |
| T53.5X2S | Toxic effect of chlorofluorocarbons, intentional self-harm, sequela |
| T53.5X3D | Toxic effect of chlorofluorocarbons, assault, subsequent encounter |
| T53.5X3S | Toxic effect of chlorofluorocarbons, assault, sequela |
| T53.5X4D | Toxic effect of chlorofluorocarbons, undetermined, subsequent encounter |
| T53.5X4S | Toxic effect of chlorofluorocarbons, undetermined, sequela |
| T53.6X1D | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, accidental (unintentional), subsequent encounter |
| T53.6X1S | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, accidental (unintentional), sequela |
| T53.6X2D | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter |
| T53.6X2S | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela |
| T53.6X3D | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, assault, subsequent encounter |
| T53.6X3S | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, assault, sequela |
| T53.6X4D | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, undetermined, subsequent encounter |
| T53.6X4S | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, undetermined, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T53.7X1D | Toxic effect of other halogen derivatives of aromatic hydrocarbons, accidental (unintentional), subsequent encounter |
| T53.7X1S | Toxic effect of other halogen derivatives of aromatic hydrocarbons, accidental (unintentional), sequela |
| T53.7X2D | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter |
| T53.7X2S | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela |
| T53.7X3D | Toxic effect of other halogen derivatives of aromatic hydrocarbons, assault, subsequent encounter |
| T53.7X3S | Toxic effect of other halogen derivatives of aromatic hydrocarbons, assault, sequela |
| T53.7X4D | Toxic effect of other halogen derivatives of aromatic hydrocarbons, undetermined, subsequent encounter |
| T53.7X4S | Toxic effect of other halogen derivatives of aromatic hydrocarbons, undetermined, sequela |
| T53.91XD | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, accidental (unintentional), subsequent encounter |
| T53.91XS | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, accidental (unintentional), sequela |
| T53.92XD | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter |
| T53.92XS | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela |
| T53.93XD | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, assault, subsequent encounter |
| T53.93XS | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, assault, sequela |
| T53.94XD | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, undetermined, subsequent encounter |
| T53.94XS | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, undetermined, sequela |
| T54.0X1D | Toxic effect of phenol and phenol homologues, accidental (unintentional), subsequent encounter |
| T54.0X1S | Toxic effect of phenol and phenol homologues, accidental (unintentional), sequela |
| T54.0X2D | Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter |
| T54.0X2S | Toxic effect of phenol and phenol homologues, intentional self-harm, sequela |
| T54.0X3D | Toxic effect of phenol and phenol homologues, assault, subsequent encounter |
| T54.0X3S | Toxic effect of phenol and phenol homologues, assault, sequela |
| T54.0X4D | Toxic effect of phenol and phenol homologues, undetermined, subsequent encounter |
| T54.0X4S | Toxic effect of phenol and phenol homologues, undetermined, sequela |
| T54.1X1D | Toxic effect of other corrosive organic compounds, accidental (unintentional), subsequent encounter |
| T54.1X1S | Toxic effect of other corrosive organic compounds, accidental (unintentional), sequela |
| T54.1X2D | Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter |
| T54.1X2S | Toxic effect of other corrosive organic compounds, intentional self-harm, sequela |
| T54.1X3D | Toxic effect of other corrosive organic compounds, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T54.1X3S | Toxic effect of other corrosive organic compounds, assault, sequela |
| T54.1X4D | Toxic effect of other corrosive organic compounds, undetermined, subsequent encounter |
| T54.1X4S | Toxic effect of other corrosive organic compounds, undetermined, sequela |
| T54.2X1D | Toxic effect of corrosive acids and acid-like substances, accidental (unintentional), subsequent encounter |
| T54.2X1S | Toxic effect of corrosive acids and acid-like substances, accidental (unintentional), sequela |
| T54.2X2D | Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter |
| T54.2X2S | Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela |
| T54.2X3D | Toxic effect of corrosive acids and acid-like substances, assault, subsequent encounter |
| T54.2X3S | Toxic effect of corrosive acids and acid-like substances, assault, sequela |
| T54.2X4D | Toxic effect of corrosive acids and acid-like substances, undetermined, subsequent encounter |
| T54.2X4S | Toxic effect of corrosive acids and acid-like substances, undetermined, sequela |
| T54.3X1D | Toxic effect of corrosive alkalis and alkali-like substances, accidental (unintentional), subsequent encounter |
| T54.3X1S | Toxic effect of corrosive alkalis and alkali-like substances, accidental (unintentional), sequela |
| T54.3X2D | Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter |
| T54.3X2S | Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela |
| T54.3X3D | Toxic effect of corrosive alkalis and alkali-like substances, assault, subsequent encounter |
| T54.3X3S | Toxic effect of corrosive alkalis and alkali-like substances, assault, sequela |
| T54.3X4D | Toxic effect of corrosive alkalis and alkali-like substances, undetermined, subsequent encounter |
| T54.3X4S | Toxic effect of corrosive alkalis and alkali-like substances, undetermined, sequela |
| T54.91XD | Toxic effect of unspecified corrosive substance, accidental (unintentional), subsequent encounter |
| T54.91XS | Toxic effect of unspecified corrosive substance, accidental (unintentional), sequela |
| T54.92XD | Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter |
| T54.92XS | Toxic effect of unspecified corrosive substance, intentional self-harm, sequela |
| T54.93XD | Toxic effect of unspecified corrosive substance, assault, subsequent encounter |
| T54.93XS | Toxic effect of unspecified corrosive substance, assault, sequela |
| T54.94XD | Toxic effect of unspecified corrosive substance, undetermined, subsequent encounter |
| T54.94XS | Toxic effect of unspecified corrosive substance, undetermined, sequela |
| T55.0X1D | Toxic effect of soaps, accidental (unintentional), subsequent encounter |
| T55.0X1S | Toxic effect of soaps, accidental (unintentional), sequela |
| T55.0X2D | Toxic effect of soaps, intentional self-harm, subsequent encounter |
| T55.0X2S | Toxic effect of soaps, intentional self-harm, sequela |
| T55.0X3D | Toxic effect of soaps, assault, subsequent encounter |
| T55.0X3S | Toxic effect of soaps, assault, sequela |
| T55.0X4D | Toxic effect of soaps, undetermined, subsequent encounter |
| T55.0X4S | Toxic effect of soaps, undetermined, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T55.1X1D | Toxic effect of detergents, accidental (unintentional), subsequent encounter |
| T55.1X1S | Toxic effect of detergents, accidental (unintentional), sequela |
| T55.1X2D | Toxic effect of detergents, intentional self-harm, subsequent encounter |
| T55.1X2S | Toxic effect of detergents, intentional self-harm, sequela |
| T55.1X3D | Toxic effect of detergents, assault, subsequent encounter |
| T55.1X3S | Toxic effect of detergents, assault, sequela |
| T55.1X4D | Toxic effect of detergents, undetermined, subsequent encounter |
| T55.1X4S | Toxic effect of detergents, undetermined, sequela |
| T56.0X1D | Toxic effect of lead and its compounds, accidental (unintentional), subsequent encounter |
| T56.0X1S | Toxic effect of lead and its compounds, accidental (unintentional), sequela |
| T56.0X2D | Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter |
| T56.0X2S | Toxic effect of lead and its compounds, intentional self-harm, sequela |
| T56.0X3D | Toxic effect of lead and its compounds, assault, subsequent encounter |
| T56.0X3S | Toxic effect of lead and its compounds, assault, sequela |
| T56.0X4D | Toxic effect of lead and its compounds, undetermined, subsequent encounter |
| T56.0X4S | Toxic effect of lead and its compounds, undetermined, sequela |
| T56.1X1D | Toxic effect of mercury and its compounds, accidental (unintentional), subsequent encounter |
| T56.1X1S | Toxic effect of mercury and its compounds, accidental (unintentional), sequela |
| T56.1X2D | Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter |
| T56.1X2S | Toxic effect of mercury and its compounds, intentional self-harm, sequela |
| T56.1X3D | Toxic effect of mercury and its compounds, assault, subsequent encounter |
| T56.1X3S | Toxic effect of mercury and its compounds, assault, sequela |
| T56.1X4D | Toxic effect of mercury and its compounds, undetermined, subsequent encounter |
| T56.1X4S | Toxic effect of mercury and its compounds, undetermined, sequela |
| T56.2X1D | Toxic effect of chromium and its compounds, accidental (unintentional), subsequent encounter |
| T56.2X1S | Toxic effect of chromium and its compounds, accidental (unintentional), sequela |
| T56.2X2D | Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter |
| T56.2X2S | Toxic effect of chromium and its compounds, intentional self-harm, sequela |
| T56.2X3D | Toxic effect of chromium and its compounds, assault, subsequent encounter |
| T56.2X3S | Toxic effect of chromium and its compounds, assault, sequela |
| T56.2X4D | Toxic effect of chromium and its compounds, undetermined, subsequent encounter |
| T56.2X4S | Toxic effect of chromium and its compounds, undetermined, sequela |
| T56.3X1D | Toxic effect of cadmium and its compounds, accidental (unintentional), subsequent encounter |
| T56.3X1S | Toxic effect of cadmium and its compounds, accidental (unintentional), sequela |
| T56.3X2D | Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter |
| T56.3X2S | Toxic effect of cadmium and its compounds, intentional self-harm, sequela |
| T56.3X3D | Toxic effect of cadmium and its compounds, assault, subsequent encounter |
| T56.3X3S | Toxic effect of cadmium and its compounds, assault, sequela |
| T56.3X4D | Toxic effect of cadmium and its compounds, undetermined, subsequent encounter |
| T56.3X4S | Toxic effect of cadmium and its compounds, undetermined, sequela |
| T56.4X1D | Toxic effect of copper and its compounds, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T56.4X1S | Toxic effect of copper and its compounds, accidental (unintentional), sequela |
| T56.4X2D | Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter |
| T56.4X2S | Toxic effect of copper and its compounds, intentional self-harm, sequela |
| T56.4X3D | Toxic effect of copper and its compounds, assault, subsequent encounter |
| T56.4X3S | Toxic effect of copper and its compounds, assault, sequela |
| T56.4X4D | Toxic effect of copper and its compounds, undetermined, subsequent encounter |
| T56.4X4S | Toxic effect of copper and its compounds, undetermined, sequela |
| T56.5X1D | Toxic effect of zinc and its compounds, accidental (unintentional), subsequent encounter |
| T56.5X1S | Toxic effect of zinc and its compounds, accidental (unintentional), sequela |
| T56.5X2D | Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter |
| T56.5X2S | Toxic effect of zinc and its compounds, intentional self-harm, sequela |
| T56.5X3D | Toxic effect of zinc and its compounds, assault, subsequent encounter |
| T56.5X3S | Toxic effect of zinc and its compounds, assault, sequela |
| T56.5X4D | Toxic effect of zinc and its compounds, undetermined, subsequent encounter |
| T56.5X4S | Toxic effect of zinc and its compounds, undetermined, sequela |
| T56.6X1D | Toxic effect of tin and its compounds, accidental (unintentional), subsequent encounter |
| T56.6X1S | Toxic effect of tin and its compounds, accidental (unintentional), sequela |
| T56.6X2D | Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter |
| T56.6X2S | Toxic effect of tin and its compounds, intentional self-harm, sequela |
| T56.6X3D | Toxic effect of tin and its compounds, assault, subsequent encounter |
| T56.6X3S | Toxic effect of tin and its compounds, assault, sequela |
| T56.6X4D | Toxic effect of tin and its compounds, undetermined, subsequent encounter |
| T56.6X4S | Toxic effect of tin and its compounds, undetermined, sequela |
| T56.7X1D | Toxic effect of beryllium and its compounds, accidental (unintentional), subsequent encounter |
| T56.7X1S | Toxic effect of beryllium and its compounds, accidental (unintentional), sequela |
| T56.7X2D | Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter |
| T56.7X2S | Toxic effect of beryllium and its compounds, intentional self-harm, sequela |
| T56.7X3D | Toxic effect of beryllium and its compounds, assault, subsequent encounter |
| T56.7X3S | Toxic effect of beryllium and its compounds, assault, sequela |
| T56.7X4D | Toxic effect of beryllium and its compounds, undetermined, subsequent encounter |
| T56.7X4S | Toxic effect of beryllium and its compounds, undetermined, sequela |
| T56.811D | Toxic effect of thallium, accidental (unintentional), subsequent encounter |
| T56.811S | Toxic effect of thallium, accidental (unintentional), sequela |
| T56.812D | Toxic effect of thallium, intentional self-harm, subsequent encounter |
| T56.812S | Toxic effect of thallium, intentional self-harm, sequela |
| T56.813D | Toxic effect of thallium, assault, subsequent encounter |
| T56.813S | Toxic effect of thallium, assault, sequela |
| T56.814D | Toxic effect of thallium, undetermined, subsequent encounter |
| T56.814S | Toxic effect of thallium, undetermined, sequela |
| T56.891D | Toxic effect of other metals, accidental (unintentional), subsequent encounter |
| T56.891S | Toxic effect of other metals, accidental (unintentional), sequela |
| T56.892D | Toxic effect of other metals, intentional self-harm, subsequent encounter |
| T56.892S | Toxic effect of other metals, intentional self-harm, sequela |
| T56.893D | Toxic effect of other metals, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T56.893S | Toxic effect of other metals, assault, sequela |
| T56.894D | Toxic effect of other metals, undetermined, subsequent encounter |
| T56.894S | Toxic effect of other metals, undetermined, sequela |
| T56.91XD | Toxic effect of unspecified metal, accidental (unintentional), subsequent encounter |
| T56.91XS | Toxic effect of unspecified metal, accidental (unintentional), sequela |
| T56.92XD | Toxic effect of unspecified metal, intentional self-harm, subsequent encounter |
| T56.92XS | Toxic effect of unspecified metal, intentional self-harm, sequela |
| T56.93XD | Toxic effect of unspecified metal, assault, subsequent encounter |
| T56.93XS | Toxic effect of unspecified metal, assault, sequela |
| T56.94XD | Toxic effect of unspecified metal, undetermined, subsequent encounter |
| T56.94XS | Toxic effect of unspecified metal, undetermined, sequela |
| T57.0X1D | Toxic effect of arsenic and its compounds, accidental (unintentional), subsequent encounter |
| T57.0X1S | Toxic effect of arsenic and its compounds, accidental (unintentional), sequela |
| T57.0X2D | Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter |
| T57.0X2S | Toxic effect of arsenic and its compounds, intentional self-harm, sequela |
| T57.0X3D | Toxic effect of arsenic and its compounds, assault, subsequent encounter |
| T57.0X3S | Toxic effect of arsenic and its compounds, assault, sequela |
| T57.0X4D | Toxic effect of arsenic and its compounds, undetermined, subsequent encounter |
| T57.0X4S | Toxic effect of arsenic and its compounds, undetermined, sequela |
| T57.1X1D | Toxic effect of phosphorus and its compounds, accidental (unintentional), subsequent encounter |
| T57.1X1S | Toxic effect of phosphorus and its compounds, accidental (unintentional), sequela |
| T57.1X2D | Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter |
| T57.1X2S | Toxic effect of phosphorus and its compounds, intentional self-harm, sequela |
| T57.1X3D | Toxic effect of phosphorus and its compounds, assault, subsequent encounter |
| T57.1X3S | Toxic effect of phosphorus and its compounds, assault, sequela |
| T57.1X4D | Toxic effect of phosphorus and its compounds, undetermined, subsequent encounter |
| T57.1X4S | Toxic effect of phosphorus and its compounds, undetermined, sequela |
| T57.2X1D | Toxic effect of manganese and its compounds, accidental (unintentional), subsequent encounter |
| T57.2X1S | Toxic effect of manganese and its compounds, accidental (unintentional), sequela |
| T57.2X2D | Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter |
| T57.2X2S | Toxic effect of manganese and its compounds, intentional self-harm, sequela |
| T57.2X3D | Toxic effect of manganese and its compounds, assault, subsequent encounter |
| T57.2X3S | Toxic effect of manganese and its compounds, assault, sequela |
| T57.2X4D | Toxic effect of manganese and its compounds, undetermined, subsequent encounter |
| T57.2X4S | Toxic effect of manganese and its compounds, undetermined, sequela |
| T57.3X1D | Toxic effect of hydrogen cyanide, accidental (unintentional), subsequent encounter |
| T57.3X1S | Toxic effect of hydrogen cyanide, accidental (unintentional), sequela |
| T57.3X2D | Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter |
| T57.3X2S | Toxic effect of hydrogen cyanide, intentional self-harm, sequela |
| T57.3X3D | Toxic effect of hydrogen cyanide, assault, subsequent encounter |
| T57.3X3S | Toxic effect of hydrogen cyanide, assault, sequela |
| T57.3X4D | Toxic effect of hydrogen cyanide, undetermined, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T57.3X4S | Toxic effect of hydrogen cyanide, undetermined, sequela |
| T57.8X1D | Toxic effect of other specified inorganic substances, accidental (unintentional), subsequent encounter |
| T57.8X1S | Toxic effect of other specified inorganic substances, accidental (unintentional), sequela |
| T57.8X2D | Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter |
| T57.8X2S | Toxic effect of other specified inorganic substances, intentional self-harm, sequela |
| T57.8X3D | Toxic effect of other specified inorganic substances, assault, subsequent encounter |
| T57.8X3S | Toxic effect of other specified inorganic substances, assault, sequela |
| T57.8X4D | Toxic effect of other specified inorganic substances, undetermined, subsequent encounter |
| T57.8X4S | Toxic effect of other specified inorganic substances, undetermined, sequela |
| T57.91XD | Toxic effect of unspecified inorganic substance, accidental (unintentional), subsequent encounter |
| T57.91XS | Toxic effect of unspecified inorganic substance, accidental (unintentional), sequela |
| T57.92XD | Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter |
| T57.92XS | Toxic effect of unspecified inorganic substance, intentional self-harm, sequela |
| T57.93XD | Toxic effect of unspecified inorganic substance, assault, subsequent encounter |
| T57.93XS | Toxic effect of unspecified inorganic substance, assault, sequela |
| T57.94XD | Toxic effect of unspecified inorganic substance, undetermined, subsequent encounter |
| T57.94XS | Toxic effect of unspecified inorganic substance, undetermined, sequela |
| T58.01XD | Toxic effect of carbon monoxide from motor vehicle exhaust, accidental (unintentional), subsequent encounter |
| T58.01XS | Toxic effect of carbon monoxide from motor vehicle exhaust, accidental (unintentional), sequela |
| T58.02XD | Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter |
| T58.02XS | Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela |
| T58.03XD | Toxic effect of carbon monoxide from motor vehicle exhaust, assault, subsequent encounter |
| T58.03XS | Toxic effect of carbon monoxide from motor vehicle exhaust, assault, sequela |
| T58.04XD | Toxic effect of carbon monoxide from motor vehicle exhaust, undetermined, subsequent encounter |
| T58.04XS | Toxic effect of carbon monoxide from motor vehicle exhaust, undetermined, sequela |
| T58.11XD | Toxic effect of carbon monoxide from utility gas, accidental (unintentional), subsequent encounter |
| T58.11XS | Toxic effect of carbon monoxide from utility gas, accidental (unintentional), sequela |
| T58.12XD | Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter |
| T58.12XS | Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela |
| T58.13XD | Toxic effect of carbon monoxide from utility gas, assault, subsequent encounter |
| T58.13XS | Toxic effect of carbon monoxide from utility gas, assault, sequela |
| T58.14XD | Toxic effect of carbon monoxide from utility gas, undetermined, subsequent encounter |
| T58.14XS | Toxic effect of carbon monoxide from utility gas, undetermined, sequela |
| T58.2X1D | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T58.2X1S | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, accidental (unintentional), sequela |
| T58.2X2D | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, subsequent encounter |
| T58.2X2S | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela |
| T58.2X3D | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, assault, subsequent encounter |
| T58.2X3S | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, assault, sequela |
| T58.2X4D | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, undetermined, subsequent encounter |
| T58.2X4S | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, undetermined, sequela |
| T58.8X1D | Toxic effect of carbon monoxide from other source, accidental (unintentional), subsequent encounter |
| T58.8X1S | Toxic effect of carbon monoxide from other source, accidental (unintentional), sequela |
| T58.8X2D | Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter |
| T58.8X2S | Toxic effect of carbon monoxide from other source, intentional self-harm, sequela |
| T58.8X3D | Toxic effect of carbon monoxide from other source, assault, subsequent encounter |
| T58.8X3S | Toxic effect of carbon monoxide from other source, assault, sequela |
| T58.8X4D | Toxic effect of carbon monoxide from other source, undetermined, subsequent encounter |
| T58.8X4S | Toxic effect of carbon monoxide from other source, undetermined, sequela |
| T58.91XD | Toxic effect of carbon monoxide from unspecified source, accidental (unintentional), subsequent encounter |
| T58.91XS | Toxic effect of carbon monoxide from unspecified source, accidental (unintentional), sequela |
| T58.92XD | Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter |
| T58.92XS | Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela |
| T58.93XD | Toxic effect of carbon monoxide from unspecified source, assault, subsequent encounter |
| T58.93XS | Toxic effect of carbon monoxide from unspecified source, assault, sequela |
| T58.94XD | Toxic effect of carbon monoxide from unspecified source, undetermined, subsequent encounter |
| T58.94XS | Toxic effect of carbon monoxide from unspecified source, undetermined, sequela |
| T59.0X1D | Toxic effect of nitrogen oxides, accidental (unintentional), subsequent encounter |
| T59.0X1S | Toxic effect of nitrogen oxides, accidental (unintentional), sequela |
| T59.0X2D | Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter |
| T59.0X2S | Toxic effect of nitrogen oxides, intentional self-harm, sequela |
| T59.0X3D | Toxic effect of nitrogen oxides, assault, subsequent encounter |
| T59.0X3S | Toxic effect of nitrogen oxides, assault, sequela |
| T59.0X4D | Toxic effect of nitrogen oxides, undetermined, subsequent encounter |
| T59.0X4S | Toxic effect of nitrogen oxides, undetermined, sequela |
| T59.1X1D | Toxic effect of sulfur dioxide, accidental (unintentional), subsequent encounter |
| T59.1X1S | Toxic effect of sulfur dioxide, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T59.1X2D | Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter |
| T59.1X2S | Toxic effect of sulfur dioxide, intentional self-harm, sequela |
| T59.1X3D | Toxic effect of sulfur dioxide, assault, subsequent encounter |
| T59.1X3S | Toxic effect of sulfur dioxide, assault, sequela |
| T59.1X4D | Toxic effect of sulfur dioxide, undetermined, subsequent encounter |
| T59.1X4S | Toxic effect of sulfur dioxide, undetermined, sequela |
| T59.2X1D | Toxic effect of formaldehyde, accidental (unintentional), subsequent encounter |
| T59.2X1S | Toxic effect of formaldehyde, accidental (unintentional), sequela |
| T59.2X2D | Toxic effect of formaldehyde, intentional self-harm, subsequent encounter |
| T59.2X2S | Toxic effect of formaldehyde, intentional self-harm, sequela |
| T59.2X3D | Toxic effect of formaldehyde, assault, subsequent encounter |
| T59.2X3S | Toxic effect of formaldehyde, assault, sequela |
| T59.2X4D | Toxic effect of formaldehyde, undetermined, subsequent encounter |
| T59.2X4S | Toxic effect of formaldehyde, undetermined, sequela |
| T59.3X1D | Toxic effect of lacrimogenic gas, accidental (unintentional), subsequent encounter |
| T59.3X1S | Toxic effect of lacrimogenic gas, accidental (unintentional), sequela |
| T59.3X2D | Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter |
| T59.3X2S | Toxic effect of lacrimogenic gas, intentional self-harm, sequela |
| T59.3X3D | Toxic effect of lacrimogenic gas, assault, subsequent encounter |
| T59.3X3S | Toxic effect of lacrimogenic gas, assault, sequela |
| T59.3X4D | Toxic effect of lacrimogenic gas, undetermined, subsequent encounter |
| T59.3X4S | Toxic effect of lacrimogenic gas, undetermined, sequela |
| T59.4X1D | Toxic effect of chlorine gas, accidental (unintentional), subsequent encounter |
| T59.4X1S | Toxic effect of chlorine gas, accidental (unintentional), sequela |
| T59.4X2D | Toxic effect of chlorine gas, intentional self-harm, subsequent encounter |
| T59.4X2S | Toxic effect of chlorine gas, intentional self-harm, sequela |
| T59.4X3D | Toxic effect of chlorine gas, assault, subsequent encounter |
| T59.4X3S | Toxic effect of chlorine gas, assault, sequela |
| T59.4X4D | Toxic effect of chlorine gas, undetermined, subsequent encounter |
| T59.4X4S | Toxic effect of chlorine gas, undetermined, sequela |
| T59.5X1D | Toxic effect of fluorine gas and hydrogen fluoride, accidental (unintentional), subsequent encounter |
| T59.5X1S | Toxic effect of fluorine gas and hydrogen fluoride, accidental (unintentional), sequela |
| T59.5X2D | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter |
| T59.5X2S | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela |
| T59.5X3D | Toxic effect of fluorine gas and hydrogen fluoride, assault, subsequent encounter |
| T59.5X3S | Toxic effect of fluorine gas and hydrogen fluoride, assault, sequela |
| T59.5X4D | Toxic effect of fluorine gas and hydrogen fluoride, undetermined, subsequent encounter |
| T59.5X4S | Toxic effect of fluorine gas and hydrogen fluoride, undetermined, sequela |
| T59.6X1D | Toxic effect of hydrogen sulfide, accidental (unintentional), subsequent encounter |
| T59.6X1S | Toxic effect of hydrogen sulfide, accidental (unintentional), sequela |
| T59.6X2D | Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter |
| T59.6X2S | Toxic effect of hydrogen sulfide, intentional self-harm, sequela |
| T59.6X3D | Toxic effect of hydrogen sulfide, assault, subsequent encounter |
| T59.6X3S | Toxic effect of hydrogen sulfide, assault, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T59.6X4D | Toxic effect of hydrogen sulfide, undetermined, subsequent encounter |
| T59.6X4S | Toxic effect of hydrogen sulfide, undetermined, sequela |
| T59.7X1D | Toxic effect of carbon dioxide, accidental (unintentional), subsequent encounter |
| T59.7X1S | Toxic effect of carbon dioxide, accidental (unintentional), sequela |
| T59.7X2D | Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter |
| T59.7X2S | Toxic effect of carbon dioxide, intentional self-harm, sequela |
| T59.7X3D | Toxic effect of carbon dioxide, assault, subsequent encounter |
| T59.7X3S | Toxic effect of carbon dioxide, assault, sequela |
| T59.7X4D | Toxic effect of carbon dioxide, undetermined, subsequent encounter |
| T59.7X4S | Toxic effect of carbon dioxide, undetermined, sequela |
| T59.811D | Toxic effect of smoke, accidental (unintentional), subsequent encounter |
| T59.811S | Toxic effect of smoke, accidental (unintentional), sequela |
| T59.812D | Toxic effect of smoke, intentional self-harm, subsequent encounter |
| T59.812S | Toxic effect of smoke, intentional self-harm, sequela |
| T59.813D | Toxic effect of smoke, assault, subsequent encounter |
| T59.813S | Toxic effect of smoke, assault, sequela |
| T59.814D | Toxic effect of smoke, undetermined, subsequent encounter |
| T59.814S | Toxic effect of smoke, undetermined, sequela |
| T59.891D | Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), subsequent encounter |
| T59.891S | Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), sequela |
| T59.892D | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter |
| T59.892S | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela |
| T59.893D | Toxic effect of other specified gases, fumes and vapors, assault, subsequent encounter |
| T59.893S | Toxic effect of other specified gases, fumes and vapors, assault, sequela |
| T59.894D | Toxic effect of other specified gases, fumes and vapors, undetermined, subsequent encounter |
| T59.894S | Toxic effect of other specified gases, fumes and vapors, undetermined, sequela |
| T59.91XD | Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), subsequent encounter |
| T59.91XS | Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), sequela |
| T59.92XD | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter |
| T59.92XS | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela |
| T59.93XD | Toxic effect of unspecified gases, fumes and vapors, assault, subsequent encounter |
| T59.93XS | Toxic effect of unspecified gases, fumes and vapors, assault, sequela |
| T59.94XD | Toxic effect of unspecified gases, fumes and vapors, undetermined, subsequent encounter |
| T59.94XS | Toxic effect of unspecified gases, fumes and vapors, undetermined, sequela |
| T60.0X1D | Toxic effect of organophosphate and carbamate insecticides, accidental (unintentional), subsequent encounter |
| T60.0X1S | Toxic effect of organophosphate and carbamate insecticides, accidental (unintentional), sequela |
| T60.0X2D | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T60.0X2S | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela |
| T60.0X3D | Toxic effect of organophosphate and carbamate insecticides, assault, subsequent encounter |
| T60.0X3S | Toxic effect of organophosphate and carbamate insecticides, assault, sequela |
| T60.0X4D | Toxic effect of organophosphate and carbamate insecticides, undetermined, subsequent encounter |
| T60.0X4S | Toxic effect of organophosphate and carbamate insecticides, undetermined, sequela |
| T60.1X1D | Toxic effect of halogenated insecticides, accidental (unintentional), subsequent encounter |
| T60.1X1S | Toxic effect of halogenated insecticides, accidental (unintentional), sequela |
| T60.1X2D | Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter |
| T60.1X2S | Toxic effect of halogenated insecticides, intentional self-harm, sequela |
| T60.1X3D | Toxic effect of halogenated insecticides, assault, subsequent encounter |
| T60.1X3S | Toxic effect of halogenated insecticides, assault, sequela |
| T60.1X4D | Toxic effect of halogenated insecticides, undetermined, subsequent encounter |
| T60.1X4S | Toxic effect of halogenated insecticides, undetermined, sequela |
| T60.2X1D | Toxic effect of other insecticides, accidental (unintentional), subsequent encounter |
| T60.2X1S | Toxic effect of other insecticides, accidental (unintentional), sequela |
| T60.2X2D | Toxic effect of other insecticides, intentional self-harm, subsequent encounter |
| T60.2X2S | Toxic effect of other insecticides, intentional self-harm, sequela |
| T60.2X3D | Toxic effect of other insecticides, assault, subsequent encounter |
| T60.2X3S | Toxic effect of other insecticides, assault, sequela |
| T60.2X4D | Toxic effect of other insecticides, undetermined, subsequent encounter |
| T60.2X4S | Toxic effect of other insecticides, undetermined, sequela |
| T60.3X1D | Toxic effect of herbicides and fungicides, accidental (unintentional), subsequent encounter |
| T60.3X1S | Toxic effect of herbicides and fungicides, accidental (unintentional), sequela |
| T60.3X2D | Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter |
| T60.3X2S | Toxic effect of herbicides and fungicides, intentional self-harm, sequela |
| T60.3X3D | Toxic effect of herbicides and fungicides, assault, subsequent encounter |
| T60.3X3S | Toxic effect of herbicides and fungicides, assault, sequela |
| T60.3X4D | Toxic effect of herbicides and fungicides, undetermined, subsequent encounter |
| T60.3X4S | Toxic effect of herbicides and fungicides, undetermined, sequela |
| T60.4X1D | Toxic effect of rodenticides, accidental (unintentional), subsequent encounter |
| T60.4X1S | Toxic effect of rodenticides, accidental (unintentional), sequela |
| T60.4X2D | Toxic effect of rodenticides, intentional self-harm, subsequent encounter |
| T60.4X2S | Toxic effect of rodenticides, intentional self-harm, sequela |
| T60.4X3D | Toxic effect of rodenticides, assault, subsequent encounter |
| T60.4X3S | Toxic effect of rodenticides, assault, sequela |
| T60.4X4D | Toxic effect of rodenticides, undetermined, subsequent encounter |
| T60.4X4S | Toxic effect of rodenticides, undetermined, sequela |
| T60.8X1D | Toxic effect of other pesticides, accidental (unintentional), subsequent encounter |
| T60.8X1S | Toxic effect of other pesticides, accidental (unintentional), sequela |
| T60.8X2D | Toxic effect of other pesticides, intentional self-harm, subsequent encounter |
| T60.8X2S | Toxic effect of other pesticides, intentional self-harm, sequela |
| T60.8X3D | Toxic effect of other pesticides, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T60.8X3S | Toxic effect of other pesticides, assault, sequela |
| T60.8X4D | Toxic effect of other pesticides, undetermined, subsequent encounter |
| T60.8X4S | Toxic effect of other pesticides, undetermined, sequela |
| T60.91XD | Toxic effect of unspecified pesticide, accidental (unintentional), subsequent encounter |
| T60.91XS | Toxic effect of unspecified pesticide, accidental (unintentional), sequela |
| T60.92XD | Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter |
| T60.92XS | Toxic effect of unspecified pesticide, intentional self-harm, sequela |
| T60.93XD | Toxic effect of unspecified pesticide, assault, subsequent encounter |
| T60.93XS | Toxic effect of unspecified pesticide, assault, sequela |
| T60.94XD | Toxic effect of unspecified pesticide, undetermined, subsequent encounter |
| T60.94XS | Toxic effect of unspecified pesticide, undetermined, sequela |
| T61.01XD | Ciguatera fish poisoning, accidental (unintentional), subsequent encounter |
| T61.01XS | Ciguatera fish poisoning, accidental (unintentional), sequela |
| T61.02XD | Ciguatera fish poisoning, intentional self-harm, subsequent encounter |
| T61.02XS | Ciguatera fish poisoning, intentional self-harm, sequela |
| T61.03XD | Ciguatera fish poisoning, assault, subsequent encounter |
| T61.03XS | Ciguatera fish poisoning, assault, sequela |
| T61.04XD | Ciguatera fish poisoning, undetermined, subsequent encounter |
| T61.04XS | Ciguatera fish poisoning, undetermined, sequela |
| T61.11XD | Scombroid fish poisoning, accidental (unintentional), subsequent encounter |
| T61.11XS | Scombroid fish poisoning, accidental (unintentional), sequela |
| T61.12XD | Scombroid fish poisoning, intentional self-harm, subsequent encounter |
| T61.12XS | Scombroid fish poisoning, intentional self-harm, sequela |
| T61.13XD | Scombroid fish poisoning, assault, subsequent encounter |
| T61.13XS | Scombroid fish poisoning, assault, sequela |
| T61.14XD | Scombroid fish poisoning, undetermined, subsequent encounter |
| T61.14XS | Scombroid fish poisoning, undetermined, sequela |
| T61.771D | Other fish poisoning, accidental (unintentional), subsequent encounter |
| T61.771S | Other fish poisoning, accidental (unintentional), sequela |
| T61.772D | Other fish poisoning, intentional self-harm, subsequent encounter |
| T61.772S | Other fish poisoning, intentional self-harm, sequela |
| T61.773D | Other fish poisoning, assault, subsequent encounter |
| T61.773S | Other fish poisoning, assault, sequela |
| T61.774D | Other fish poisoning, undetermined, subsequent encounter |
| T61.774S | Other fish poisoning, undetermined, sequela |
| T61.781D | Other shellfish poisoning, accidental (unintentional), subsequent encounter |
| T61.781S | Other shellfish poisoning, accidental (unintentional), sequela |
| T61.782D | Other shellfish poisoning, intentional self-harm, subsequent encounter |
| T61.782S | Other shellfish poisoning, intentional self-harm, sequela |
| T61.783D | Other shellfish poisoning, assault, subsequent encounter |
| T61.783S | Other shellfish poisoning, assault, sequela |
| T61.784D | Other shellfish poisoning, undetermined, subsequent encounter |
| T61.784S | Other shellfish poisoning, undetermined, sequela |
| T61.8X1D | Toxic effect of other seafood, accidental (unintentional), subsequent encounter |
| T61.8X1S | Toxic effect of other seafood, accidental (unintentional), sequela |
| T61.8X2D | Toxic effect of other seafood, intentional self-harm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T61.8X2S | Toxic effect of other seafood, intentional self-harm, sequela |
| T61.8X3D | Toxic effect of other seafood, assault, subsequent encounter |
| T61.8X3S | Toxic effect of other seafood, assault, sequela |
| T61.8X4D | Toxic effect of other seafood, undetermined, subsequent encounter |
| T61.8X4S | Toxic effect of other seafood, undetermined, sequela |
| T61.91XD | Toxic effect of unspecified seafood, accidental (unintentional), subsequent encounter |
| T61.91XS | Toxic effect of unspecified seafood, accidental (unintentional), sequela |
| T61.92XD | Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter |
| T61.92XS | Toxic effect of unspecified seafood, intentional self-harm, sequela |
| T61.93XD | Toxic effect of unspecified seafood, assault, subsequent encounter |
| T61.93XS | Toxic effect of unspecified seafood, assault, sequela |
| T61.94XD | Toxic effect of unspecified seafood, undetermined, subsequent encounter |
| T61.94XS | Toxic effect of unspecified seafood, undetermined, sequela |
| T62.0X1D | Toxic effect of ingested mushrooms, accidental (unintentional), subsequent encounter |
| T62.0X1S | Toxic effect of ingested mushrooms, accidental (unintentional), sequela |
| T62.0X2D | Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter |
| T62.0X2S | Toxic effect of ingested mushrooms, intentional self-harm, sequela |
| T62.0X3D | Toxic effect of ingested mushrooms, assault, subsequent encounter |
| T62.0X3S | Toxic effect of ingested mushrooms, assault, sequela |
| T62.0X4D | Toxic effect of ingested mushrooms, undetermined, subsequent encounter |
| T62.0X4S | Toxic effect of ingested mushrooms, undetermined, sequela |
| T62.1X1D | Toxic effect of ingested berries, accidental (unintentional), subsequent encounter |
| T62.1X1S | Toxic effect of ingested berries, accidental (unintentional), sequela |
| T62.1X2D | Toxic effect of ingested berries, intentional self-harm, subsequent encounter |
| T62.1X2S | Toxic effect of ingested berries, intentional self-harm, sequela |
| T62.1X3D | Toxic effect of ingested berries, assault, subsequent encounter |
| T62.1X3S | Toxic effect of ingested berries, assault, sequela |
| T62.1X4D | Toxic effect of ingested berries, undetermined, subsequent encounter |
| T62.1X4S | Toxic effect of ingested berries, undetermined, sequela |
| T62.2X1D | Toxic effect of other ingested (parts of) plant(s), accidental (unintentional), subsequent encounter |
| T62.2X1S | Toxic effect of other ingested (parts of) plant(s), accidental (unintentional), sequela |
| T62.2X2D | Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter |
| T62.2X2S | Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela |
| T62.2X3D | Toxic effect of other ingested (parts of) plant(s), assault, subsequent encounter |
| T62.2X3S | Toxic effect of other ingested (parts of) plant(s), assault, sequela |
| T62.2X4D | Toxic effect of other ingested (parts of) plant(s), undetermined, subsequent encounter |
| T62.2X4S | Toxic effect of other ingested (parts of) plant(s), undetermined, sequela |
| T62.8X1D | Toxic effect of other specified noxious substances eaten as food, accidental (unintentional), subsequent encounter |
| T62.8X1S | Toxic effect of other specified noxious substances eaten as food, accidental (unintentional), sequela |
| T62.8X2D | Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter |
| T62.8X2S | Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T62.8X3D | Toxic effect of other specified noxious substances eaten as food, assault, subsequent encounter |
| T62.8X3S | Toxic effect of other specified noxious substances eaten as food, assault, sequela |
| T62.8X4D | Toxic effect of other specified noxious substances eaten as food, undetermined, subsequent encounter |
| T62.8X4S | Toxic effect of other specified noxious substances eaten as food, undetermined, sequela |
| T62.91XD | Toxic effect of unspecified noxious substance eaten as food, accidental (unintentional), subsequent encounter |
| T62.91XS | Toxic effect of unspecified noxious substance eaten as food, accidental (unintentional), sequela |
| T62.92XD | Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter |
| T62.92XS | Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela |
| T62.93XD | Toxic effect of unspecified noxious substance eaten as food, assault, subsequent encounter |
| T62.93XS | Toxic effect of unspecified noxious substance eaten as food, assault, sequela |
| T62.94XD | Toxic effect of unspecified noxious substance eaten as food, undetermined, subsequent encounter |
| T62.94XS | Toxic effect of unspecified noxious substance eaten as food, undetermined, sequela |
| T63.001D | Toxic effect of unspecified snake venom, accidental (unintentional), subsequent encounter |
| T63.001S | Toxic effect of unspecified snake venom, accidental (unintentional), sequela |
| T63.002D | Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter |
| T63.002S | Toxic effect of unspecified snake venom, intentional self-harm, sequela |
| T63.003D | Toxic effect of unspecified snake venom, assault, subsequent encounter |
| T63.003S | Toxic effect of unspecified snake venom, assault, sequela |
| T63.004D | Toxic effect of unspecified snake venom, undetermined, subsequent encounter |
| T63.004S | Toxic effect of unspecified snake venom, undetermined, sequela |
| T63.011D | Toxic effect of rattlesnake venom, accidental (unintentional), subsequent encounter |
| T63.011S | Toxic effect of rattlesnake venom, accidental (unintentional), sequela |
| T63.012D | Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter |
| T63.012S | Toxic effect of rattlesnake venom, intentional self-harm, sequela |
| T63.013D | Toxic effect of rattlesnake venom, assault, subsequent encounter |
| T63.013S | Toxic effect of rattlesnake venom, assault, sequela |
| T63.014D | Toxic effect of rattlesnake venom, undetermined, subsequent encounter |
| T63.014S | Toxic effect of rattlesnake venom, undetermined, sequela |
| T63.021D | Toxic effect of coral snake venom, accidental (unintentional), subsequent encounter |
| T63.021S | Toxic effect of coral snake venom, accidental (unintentional), sequela |
| T63.022D | Toxic effect of coral snake venom, intentional self-harm, subsequent encounter |
| T63.022S | Toxic effect of coral snake venom, intentional self-harm, sequela |
| T63.023D | Toxic effect of coral snake venom, assault, subsequent encounter |
| T63.023S | Toxic effect of coral snake venom, assault, sequela |
| T63.024D | Toxic effect of coral snake venom, undetermined, subsequent encounter |
| T63.024S | Toxic effect of coral snake venom, undetermined, sequela |
| T63.031D | Toxic effect of taipan venom, accidental (unintentional), subsequent encounter |
| T63.031S | Toxic effect of taipan venom, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T63.032D | Toxic effect of taipan venom, intentional self-harm, subsequent encounter |
| T63.032S | Toxic effect of taipan venom, intentional self-harm, sequela |
| T63.033D | Toxic effect of taipan venom, assault, subsequent encounter |
| T63.033S | Toxic effect of taipan venom, assault, sequela |
| T63.034D | Toxic effect of taipan venom, undetermined, subsequent encounter |
| T63.034S | Toxic effect of taipan venom, undetermined, sequela |
| T63.041D | Toxic effect of cobra venom, accidental (unintentional), subsequent encounter |
| T63.041S | Toxic effect of cobra venom, accidental (unintentional), sequela |
| T63.042D | Toxic effect of cobra venom, intentional self-harm, subsequent encounter |
| T63.042S | Toxic effect of cobra venom, intentional self-harm, sequela |
| T63.043D | Toxic effect of cobra venom, assault, subsequent encounter |
| T63.043S | Toxic effect of cobra venom, assault, sequela |
| T63.044D | Toxic effect of cobra venom, undetermined, subsequent encounter |
| T63.044S | Toxic effect of cobra venom, undetermined, sequela |
| T63.061D | Toxic effect of venom of other North and South American snake, accidental (unintentional), subsequent encounter |
| T63.061S | Toxic effect of venom of other North and South American snake, accidental (unintentional), sequela |
| T63.062D | Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter |
| T63.062S | Toxic effect of venom of other North and South American snake, intentional self-harm, sequela |
| T63.063D | Toxic effect of venom of other North and South American snake, assault, subsequent encounter |
| T63.063S | Toxic effect of venom of other North and South American snake, assault, sequela |
| T63.064D | Toxic effect of venom of other North and South American snake, undetermined, subsequent encounter |
| T63.064S | Toxic effect of venom of other North and South American snake, undetermined, sequela |
| T63.071D | Toxic effect of venom of other Australian snake, accidental (unintentional), subsequent encounter |
| T63.071S | Toxic effect of venom of other Australian snake, accidental (unintentional), sequela |
| T63.072D | Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter |
| T63.072S | Toxic effect of venom of other Australian snake, intentional self-harm, sequela |
| T63.073D | Toxic effect of venom of other Australian snake, assault, subsequent encounter |
| T63.073S | Toxic effect of venom of other Australian snake, assault, sequela |
| T63.074D | Toxic effect of venom of other Australian snake, undetermined, subsequent encounter |
| T63.074S | Toxic effect of venom of other Australian snake, undetermined, sequela |
| T63.081D | Toxic effect of venom of other African and Asian snake, accidental (unintentional), subsequent encounter |
| T63.081S | Toxic effect of venom of other African and Asian snake, accidental (unintentional), sequela |
| T63.082D | Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter |
| T63.082S | Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela |
| T63.083D | Toxic effect of venom of other African and Asian snake, assault, subsequent encounter |
| T63.083S | Toxic effect of venom of other African and Asian snake, assault, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T63.084D | Toxic effect of venom of other African and Asian snake, undetermined, subsequent encounter |
| T63.084S | Toxic effect of venom of other African and Asian snake, undetermined, sequela |
| T63.091D | Toxic effect of venom of other snake, accidental (unintentional), subsequent encounter |
| T63.091S | Toxic effect of venom of other snake, accidental (unintentional), sequela |
| T63.092D | Toxic effect of venom of other snake, intentional self-harm, subsequent encounter |
| T63.092S | Toxic effect of venom of other snake, intentional self-harm, sequela |
| T63.093D | Toxic effect of venom of other snake, assault, subsequent encounter |
| T63.093S | Toxic effect of venom of other snake, assault, sequela |
| T63.094D | Toxic effect of venom of other snake, undetermined, subsequent encounter |
| T63.094S | Toxic effect of venom of other snake, undetermined, sequela |
| T63.111D | Toxic effect of venom of gila monster, accidental (unintentional), subsequent encounter |
| T63.111S | Toxic effect of venom of gila monster, accidental (unintentional), sequela |
| T63.112D | Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter |
| T63.112S | Toxic effect of venom of gila monster, intentional self-harm, sequela |
| T63.113D | Toxic effect of venom of gila monster, assault, subsequent encounter |
| T63.113S | Toxic effect of venom of gila monster, assault, sequela |
| T63.114D | Toxic effect of venom of gila monster, undetermined, subsequent encounter |
| T63.114S | Toxic effect of venom of gila monster, undetermined, sequela |
| T63.121D | Toxic effect of venom of other venomous lizard, accidental (unintentional), subsequent encounter |
| T63.121S | Toxic effect of venom of other venomous lizard, accidental (unintentional), sequela |
| T63.122D | Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter |
| T63.122S | Toxic effect of venom of other venomous lizard, intentional self-harm, sequela |
| T63.123D | Toxic effect of venom of other venomous lizard, assault, subsequent encounter |
| T63.123S | Toxic effect of venom of other venomous lizard, assault, sequela |
| T63.124D | Toxic effect of venom of other venomous lizard, undetermined, subsequent encounter |
| T63.124S | Toxic effect of venom of other venomous lizard, undetermined, sequela |
| T63.191D | Toxic effect of venom of other reptiles, accidental (unintentional), subsequent encounter |
| T63.191S | Toxic effect of venom of other reptiles, accidental (unintentional), sequela |
| T63.192D | Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter |
| T63.192S | Toxic effect of venom of other reptiles, intentional self-harm, sequela |
| T63.193D | Toxic effect of venom of other reptiles, assault, subsequent encounter |
| T63.193S | Toxic effect of venom of other reptiles, assault, sequela |
| T63.194D | Toxic effect of venom of other reptiles, undetermined, subsequent encounter |
| T63.194S | Toxic effect of venom of other reptiles, undetermined, sequela |
| T63.2X1D | Toxic effect of venom of scorpion, accidental (unintentional), subsequent encounter |
| T63.2X1S | Toxic effect of venom of scorpion, accidental (unintentional), sequela |
| T63.2X2D | Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter |
| T63.2X2S | Toxic effect of venom of scorpion, intentional self-harm, sequela |
| T63.2X3D | Toxic effect of venom of scorpion, assault, subsequent encounter |
| T63.2X3S | Toxic effect of venom of scorpion, assault, sequela |
| T63.2X4D | Toxic effect of venom of scorpion, undetermined, subsequent encounter |
| T63.2X4S | Toxic effect of venom of scorpion, undetermined, sequela |
| T63.301D | Toxic effect of unspecified spider venom, accidental (unintentional), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T63.301S | Toxic effect of unspecified spider venom, accidental (unintentional), sequela |
| T63.302D | Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter |
| T63.302S | Toxic effect of unspecified spider venom, intentional self-harm, sequela |
| T63.303D | Toxic effect of unspecified spider venom, assault, subsequent encounter |
| T63.303S | Toxic effect of unspecified spider venom, assault, sequela |
| T63.304D | Toxic effect of unspecified spider venom, undetermined, subsequent encounter |
| T63.304S | Toxic effect of unspecified spider venom, undetermined, sequela |
| T63.311D | Toxic effect of venom of black widow spider, accidental (unintentional), subsequent encounter |
| T63.311S | Toxic effect of venom of black widow spider, accidental (unintentional), sequela |
| T63.312D | Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter |
| T63.312S | Toxic effect of venom of black widow spider, intentional self-harm, sequela |
| T63.313D | Toxic effect of venom of black widow spider, assault, subsequent encounter |
| T63.313S | Toxic effect of venom of black widow spider, assault, sequela |
| T63.314D | Toxic effect of venom of black widow spider, undetermined, subsequent encounter |
| T63.314S | Toxic effect of venom of black widow spider, undetermined, sequela |
| T63.321D | Toxic effect of venom of tarantula, accidental (unintentional), subsequent encounter |
| T63.321S | Toxic effect of venom of tarantula, accidental (unintentional), sequela |
| T63.322D | Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter |
| T63.322S | Toxic effect of venom of tarantula, intentional self-harm, sequela |
| T63.323D | Toxic effect of venom of tarantula, assault, subsequent encounter |
| T63.323S | Toxic effect of venom of tarantula, assault, sequela |
| T63.324D | Toxic effect of venom of tarantula, undetermined, subsequent encounter |
| T63.324S | Toxic effect of venom of tarantula, undetermined, sequela |
| T63.331D | Toxic effect of venom of brown recluse spider, accidental (unintentional), subsequent encounter |
| T63.331S | Toxic effect of venom of brown recluse spider, accidental (unintentional), sequela |
| T63.332D | Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter |
| T63.332S | Toxic effect of venom of brown recluse spider, intentional self-harm, sequela |
| T63.333D | Toxic effect of venom of brown recluse spider, assault, subsequent encounter |
| T63.333S | Toxic effect of venom of brown recluse spider, assault, sequela |
| T63.334D | Toxic effect of venom of brown recluse spider, undetermined, subsequent encounter |
| T63.334S | Toxic effect of venom of brown recluse spider, undetermined, sequela |
| T63.391D | Toxic effect of venom of other spider, accidental (unintentional), subsequent encounter |
| T63.391S | Toxic effect of venom of other spider, accidental (unintentional), sequela |
| T63.392D | Toxic effect of venom of other spider, intentional self-harm, subsequent encounter |
| T63.392S | Toxic effect of venom of other spider, intentional self-harm, sequela |
| T63.393D | Toxic effect of venom of other spider, assault, subsequent encounter |
| T63.393S | Toxic effect of venom of other spider, assault, sequela |
| T63.394D | Toxic effect of venom of other spider, undetermined, subsequent encounter |
| T63.394S | Toxic effect of venom of other spider, undetermined, sequela |
| T63.411D | Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), subsequent encounter |
| T63.411S | Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T63.412D | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter |
| T63.412S | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela |
| T63.413D | Toxic effect of venom of centipedes and venomous millipedes, assault, subsequent encounter |
| T63.413S | Toxic effect of venom of centipedes and venomous millipedes, assault, sequela |
| T63.414D | Toxic effect of venom of centipedes and venomous millipedes, undetermined, subsequent encounter |
| T63.414S | Toxic effect of venom of centipedes and venomous millipedes, undetermined, sequela |
| T63.421D | Toxic effect of venom of ants, accidental (unintentional), subsequent encounter |
| T63.421S | Toxic effect of venom of ants, accidental (unintentional), sequela |
| T63.422D | Toxic effect of venom of ants, intentional self-harm, subsequent encounter |
| T63.422S | Toxic effect of venom of ants, intentional self-harm, sequela |
| T63.423D | Toxic effect of venom of ants, assault, subsequent encounter |
| T63.423S | Toxic effect of venom of ants, assault, sequela |
| T63.424D | Toxic effect of venom of ants, undetermined, subsequent encounter |
| T63.424S | Toxic effect of venom of ants, undetermined, sequela |
| T63.431D | Toxic effect of venom of caterpillars, accidental (unintentional), subsequent encounter |
| T63.431S | Toxic effect of venom of caterpillars, accidental (unintentional), sequela |
| T63.432D | Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter |
| T63.432S | Toxic effect of venom of caterpillars, intentional self-harm, sequela |
| T63.433D | Toxic effect of venom of caterpillars, assault, subsequent encounter |
| T63.433S | Toxic effect of venom of caterpillars, assault, sequela |
| T63.434D | Toxic effect of venom of caterpillars, undetermined, subsequent encounter |
| T63.434S | Toxic effect of venom of caterpillars, undetermined, sequela |
| T63.441D | Toxic effect of venom of bees, accidental (unintentional), subsequent encounter |
| T63.441S | Toxic effect of venom of bees, accidental (unintentional), sequela |
| T63.442D | Toxic effect of venom of bees, intentional self-harm, subsequent encounter |
| T63.442S | Toxic effect of venom of bees, intentional self-harm, sequela |
| T63.443D | Toxic effect of venom of bees, assault, subsequent encounter |
| T63.443S | Toxic effect of venom of bees, assault, sequela |
| T63.444D | Toxic effect of venom of bees, undetermined, subsequent encounter |
| T63.444S | Toxic effect of venom of bees, undetermined, sequela |
| T63.451D | Toxic effect of venom of hornets, accidental (unintentional), subsequent encounter |
| T63.451S | Toxic effect of venom of hornets, accidental (unintentional), sequela |
| T63.452D | Toxic effect of venom of hornets, intentional self-harm, subsequent encounter |
| T63.452S | Toxic effect of venom of hornets, intentional self-harm, sequela |
| T63.453D | Toxic effect of venom of hornets, assault, subsequent encounter |
| T63.453S | Toxic effect of venom of hornets, assault, sequela |
| T63.454D | Toxic effect of venom of hornets, undetermined, subsequent encounter |
| T63.454S | Toxic effect of venom of hornets, undetermined, sequela |
| T63.461D | Toxic effect of venom of wasps, accidental (unintentional), subsequent encounter |
| T63.461S | Toxic effect of venom of wasps, accidental (unintentional), sequela |
| T63.462D | Toxic effect of venom of wasps, intentional self-harm, subsequent encounter |
| T63.462S | Toxic effect of venom of wasps, intentional self-harm, sequela |
| T63.463D | Toxic effect of venom of wasps, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T63.463S | Toxic effect of venom of wasps, assault, sequela |
| T63.464D | Toxic effect of venom of wasps, undetermined, subsequent encounter |
| T63.464S | Toxic effect of venom of wasps, undetermined, sequela |
| T63.481D | Toxic effect of venom of other arthropod, accidental (unintentional), subsequent encounter |
| T63.481S | Toxic effect of venom of other arthropod, accidental (unintentional), sequela |
| T63.482D | Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter |
| T63.482S | Toxic effect of venom of other arthropod, intentional self-harm, sequela |
| T63.483D | Toxic effect of venom of other arthropod, assault, subsequent encounter |
| T63.483S | Toxic effect of venom of other arthropod, assault, sequela |
| T63.484D | Toxic effect of venom of other arthropod, undetermined, subsequent encounter |
| T63.484S | Toxic effect of venom of other arthropod, undetermined, sequela |
| T63.511D | Toxic effect of contact with stingray, accidental (unintentional), subsequent encounter |
| T63.511S | Toxic effect of contact with stingray, accidental (unintentional), sequela |
| T63.512D | Toxic effect of contact with stingray, intentional self-harm, subsequent encounter |
| T63.512S | Toxic effect of contact with stingray, intentional self-harm, sequela |
| T63.513D | Toxic effect of contact with stingray, assault, subsequent encounter |
| T63.513S | Toxic effect of contact with stingray, assault, sequela |
| T63.514D | Toxic effect of contact with stingray, undetermined, subsequent encounter |
| T63.514S | Toxic effect of contact with stingray, undetermined, sequela |
| T63.591D | Toxic effect of contact with other venomous fish, accidental (unintentional), subsequent encounter |
| T63.591S | Toxic effect of contact with other venomous fish, accidental (unintentional), sequela |
| T63.592D | Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter |
| T63.592S | Toxic effect of contact with other venomous fish, intentional self-harm, sequela |
| T63.593D | Toxic effect of contact with other venomous fish, assault, subsequent encounter |
| T63.593S | Toxic effect of contact with other venomous fish, assault, sequela |
| T63.594D | Toxic effect of contact with other venomous fish, undetermined, subsequent encounter |
| T63.594S | Toxic effect of contact with other venomous fish, undetermined, sequela |
| T63.611D | Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), subsequent encounter |
| T63.611S | Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), sequela |
| T63.612D | Toxic effect of contact with Portugese Man-o-war, intentional self-harm, subsequent encounter |
| T63.612S | Toxic effect of contact with Portugese Man-o-war, intentional self-harm, sequela |
| T63.613D | Toxic effect of contact with Portugese Man-o-war, assault, subsequent encounter |
| T63.613S | Toxic effect of contact with Portugese Man-o-war, assault, sequela |
| T63.614D | Toxic effect of contact with Portugese Man-o-war, undetermined, subsequent encounter |
| T63.614S | Toxic effect of contact with Portugese Man-o-war, undetermined, sequela |
| T63.621D | Toxic effect of contact with other jellyfish, accidental (unintentional), subsequent encounter |
| T63.621S | Toxic effect of contact with other jellyfish, accidental (unintentional), sequela |
| T63.622D | Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter |
| T63.622S | Toxic effect of contact with other jellyfish, intentional self-harm, sequela |
| T63.623D | Toxic effect of contact with other jellyfish, assault, subsequent encounter |
| T63.623S | Toxic effect of contact with other jellyfish, assault, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T63.624D | Toxic effect of contact with other jellyfish, undetermined, subsequent encounter |
| T63.624S | Toxic effect of contact with other jellyfish, undetermined, sequela |
| T63.631D | Toxic effect of contact with sea anemone, accidental (unintentional), subsequent encounter |
| T63.631S | Toxic effect of contact with sea anemone, accidental (unintentional), sequela |
| T63.632D | Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter |
| T63.632S | Toxic effect of contact with sea anemone, intentional self-harm, sequela |
| T63.633D | Toxic effect of contact with sea anemone, assault, subsequent encounter |
| T63.633S | Toxic effect of contact with sea anemone, assault, sequela |
| T63.634D | Toxic effect of contact with sea anemone, undetermined, subsequent encounter |
| T63.634S | Toxic effect of contact with sea anemone, undetermined, sequela |
| T63.691D | Toxic effect of contact with other venomous marine animals, accidental (unintentional), subsequent encounter |
| T63.691S | Toxic effect of contact with other venomous marine animals, accidental (unintentional), sequela |
| T63.692D | Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter |
| T63.692S | Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela |
| T63.693D | Toxic effect of contact with other venomous marine animals, assault, subsequent encounter |
| T63.693S | Toxic effect of contact with other venomous marine animals, assault, sequela |
| T63.694D | Toxic effect of contact with other venomous marine animals, undetermined, subsequent encounter |
| T63.694S | Toxic effect of contact with other venomous marine animals, undetermined, sequela |
| T63.711D | Toxic effect of contact with venomous marine plant, accidental (unintentional), subsequent encounter |
| T63.711S | Toxic effect of contact with venomous marine plant, accidental (unintentional), sequela |
| T63.712D | Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter |
| T63.712S | Toxic effect of contact with venomous marine plant, intentional self-harm, sequela |
| T63.713D | Toxic effect of contact with venomous marine plant, assault, subsequent encounter |
| T63.713S | Toxic effect of contact with venomous marine plant, assault, sequela |
| T63.714D | Toxic effect of contact with venomous marine plant, undetermined, subsequent encounter |
| T63.714S | Toxic effect of contact with venomous marine plant, undetermined, sequela |
| T63.791D | Toxic effect of contact with other venomous plant, accidental (unintentional), subsequent encounter |
| T63.791S | Toxic effect of contact with other venomous plant, accidental (unintentional), sequela |
| T63.792D | Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter |
| T63.792S | Toxic effect of contact with other venomous plant, intentional self-harm, sequela |
| T63.793D | Toxic effect of contact with other venomous plant, assault, subsequent encounter |
| T63.793S | Toxic effect of contact with other venomous plant, assault, sequela |
| T63.794D | Toxic effect of contact with other venomous plant, undetermined, subsequent encounter |
| T63.794S | Toxic effect of contact with other venomous plant, undetermined, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T63.811D | Toxic effect of contact with venomous frog, accidental (unintentional), subsequent encounter |
| T63.811S | Toxic effect of contact with venomous frog, accidental (unintentional), sequela |
| T63.812D | Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter |
| T63.812S | Toxic effect of contact with venomous frog, intentional self-harm, sequela |
| T63.813D | Toxic effect of contact with venomous frog, assault, subsequent encounter |
| T63.813S | Toxic effect of contact with venomous frog, assault, sequela |
| T63.814D | Toxic effect of contact with venomous frog, undetermined, subsequent encounter |
| T63.814S | Toxic effect of contact with venomous frog, undetermined, sequela |
| T63.821D | Toxic effect of contact with venomous toad, accidental (unintentional), subsequent encounter |
| T63.821S | Toxic effect of contact with venomous toad, accidental (unintentional), sequela |
| T63.822D | Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter |
| T63.822S | Toxic effect of contact with venomous toad, intentional self-harm, sequela |
| T63.823D | Toxic effect of contact with venomous toad, assault, subsequent encounter |
| T63.823S | Toxic effect of contact with venomous toad, assault, sequela |
| T63.824D | Toxic effect of contact with venomous toad, undetermined, subsequent encounter |
| T63.824S | Toxic effect of contact with venomous toad, undetermined, sequela |
| T63.831D | Toxic effect of contact with other venomous amphibian, accidental (unintentional), subsequent encounter |
| T63.831S | Toxic effect of contact with other venomous amphibian, accidental (unintentional), sequela |
| T63.832D | Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter |
| T63.832S | Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela |
| T63.833D | Toxic effect of contact with other venomous amphibian, assault, subsequent encounter |
| T63.833S | Toxic effect of contact with other venomous amphibian, assault, sequela |
| T63.834D | Toxic effect of contact with other venomous amphibian, undetermined, subsequent encounter |
| T63.834S | Toxic effect of contact with other venomous amphibian, undetermined, sequela |
| T63.891D | Toxic effect of contact with other venomous animals, accidental (unintentional), subsequent encounter |
| T63.891S | Toxic effect of contact with other venomous animals, accidental (unintentional), sequela |
| T63.892D | Toxic effect of contact with other venomous animals, intentional self-harm, subsequent encounter |
| T63.892S | Toxic effect of contact with other venomous animals, intentional self-harm, sequela |
| T63.893D | Toxic effect of contact with other venomous animals, assault, subsequent encounter |
| T63.893S | Toxic effect of contact with other venomous animals, assault, sequela |
| T63.894D | Toxic effect of contact with other venomous animals, undetermined, subsequent encounter |
| T63.894S | Toxic effect of contact with other venomous animals, undetermined, sequela |
| T63.91XD | Toxic effect of contact with unspecified venomous animal, accidental (unintentional), subsequent encounter |
| T63.91XS | Toxic effect of contact with unspecified venomous animal, accidental (unintentional), sequela |
| T63.92XD | Toxic effect of contact with unspecified venomous animal, intentional self-harm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T63.92XS | Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela |
| T63.93XD | Toxic effect of contact with unspecified venomous animal, assault, subsequent encounter |
| T63.93XS | Toxic effect of contact with unspecified venomous animal, assault, sequela |
| T63.94XD | Toxic effect of contact with unspecified venomous animal, undetermined, subsequent encounter |
| T63.94XS | Toxic effect of contact with unspecified venomous animal, undetermined, sequela |
| T64.01XD | Toxic effect of aflatoxin, accidental (unintentional), subsequent encounter |
| T64.01XS | Toxic effect of aflatoxin, accidental (unintentional), sequela |
| T64.02XD | Toxic effect of aflatoxin, intentional self-harm, subsequent encounter |
| T64.02XS | Toxic effect of aflatoxin, intentional self-harm, sequela |
| T64.03XD | Toxic effect of aflatoxin, assault, subsequent encounter |
| T64.03XS | Toxic effect of aflatoxin, assault, sequela |
| T64.04XD | Toxic effect of aflatoxin, undetermined, subsequent encounter |
| T64.04XS | Toxic effect of aflatoxin, undetermined, sequela |
| T64.81XD | Toxic effect of other mycotoxin food contaminants, accidental (unintentional), subsequent encounter |
| T64.81XS | Toxic effect of other mycotoxin food contaminants, accidental (unintentional), sequela |
| T64.82XD | Toxic effect of other mycotoxin food contaminants, intentional self-harm, subsequent encounter |
| T64.82XS | Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela |
| T64.83XD | Toxic effect of other mycotoxin food contaminants, assault, subsequent encounter |
| T64.83XS | Toxic effect of other mycotoxin food contaminants, assault, sequela |
| T64.84XD | Toxic effect of other mycotoxin food contaminants, undetermined, subsequent encounter |
| T64.84XS | Toxic effect of other mycotoxin food contaminants, undetermined, sequela |
| T65.0X1D | Toxic effect of cyanides, accidental (unintentional), subsequent encounter |
| T65.0X1S | Toxic effect of cyanides, accidental (unintentional), sequela |
| T65.0X2D | Toxic effect of cyanides, intentional self-harm, subsequent encounter |
| T65.0X2S | Toxic effect of cyanides, intentional self-harm, sequela |
| T65.0X3D | Toxic effect of cyanides, assault, subsequent encounter |
| T65.0X3S | Toxic effect of cyanides, assault, sequela |
| T65.0X4D | Toxic effect of cyanides, undetermined, subsequent encounter |
| T65.0X4S | Toxic effect of cyanides, undetermined, sequela |
| T65.1X1D | Toxic effect of strychnine and its salts, accidental (unintentional), subsequent encounter |
| T65.1X1S | Toxic effect of strychnine and its salts, accidental (unintentional), sequela |
| T65.1X2D | Toxic effect of strychnine and its salts, intentional self-harm, subsequent encounter |
| T65.1X2S | Toxic effect of strychnine and its salts, intentional self-harm, sequela |
| T65.1X3D | Toxic effect of strychnine and its salts, assault, subsequent encounter |
| T65.1X3S | Toxic effect of strychnine and its salts, assault, sequela |
| T65.1X4D | Toxic effect of strychnine and its salts, undetermined, subsequent encounter |
| T65.1X4S | Toxic effect of strychnine and its salts, undetermined, sequela |
| T65.211D | Toxic effect of chewing tobacco, accidental (unintentional), subsequent encounter |
| T65.211S | Toxic effect of chewing tobacco, accidental (unintentional), sequela |
| T65.212D | Toxic effect of chewing tobacco, intentional self-harm, subsequent encounter |
| T65.212S | Toxic effect of chewing tobacco, intentional self-harm, sequela |
| T65.213D | Toxic effect of chewing tobacco, assault, subsequent encounter |
| T65.213S | Toxic effect of chewing tobacco, assault, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T65.214D | Toxic effect of chewing tobacco, undetermined, subsequent encounter |
| T65.214S | Toxic effect of chewing tobacco, undetermined, sequela |
| T65.221D | Toxic effect of tobacco cigarettes, accidental (unintentional), subsequent encounter |
| T65.221S | Toxic effect of tobacco cigarettes, accidental (unintentional), sequela |
| T65.222D | Toxic effect of tobacco cigarettes, intentional self-harm, subsequent encounter |
| T65.222S | Toxic effect of tobacco cigarettes, intentional self-harm, sequela |
| T65.223D | Toxic effect of tobacco cigarettes, assault, subsequent encounter |
| T65.223S | Toxic effect of tobacco cigarettes, assault, sequela |
| T65.224D | Toxic effect of tobacco cigarettes, undetermined, subsequent encounter |
| T65.224S | Toxic effect of tobacco cigarettes, undetermined, sequela |
| T65.291D | Toxic effect of other tobacco and nicotine, accidental (unintentional), subsequent encounter |
| T65.291S | Toxic effect of other tobacco and nicotine, accidental (unintentional), sequela |
| T65.292D | Toxic effect of other tobacco and nicotine, intentional self-harm, subsequent encounter |
| T65.292S | Toxic effect of other tobacco and nicotine, intentional self-harm, sequela |
| T65.293D | Toxic effect of other tobacco and nicotine, assault, subsequent encounter |
| T65.293S | Toxic effect of other tobacco and nicotine, assault, sequela |
| T65.294D | Toxic effect of other tobacco and nicotine, undetermined, subsequent encounter |
| T65.294S | Toxic effect of other tobacco and nicotine, undetermined, sequela |
| T65.3X1D | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, accidental (unintentional), subsequent encounter |
| T65.3X1S | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, accidental (unintentional), sequela |
| T65.3X2D | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, subsequent encounter |
| T65.3X2S | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela |
| T65.3X3D | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, assault, subsequent encounter |
| T65.3X3S | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, assault, sequela |
| T65.3X4D | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, undetermined, subsequent encounter |
| T65.3X4S | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, undetermined, sequela |
| T65.4X1D | Toxic effect of carbon disulfide, accidental (unintentional), subsequent encounter |
| T65.4X1S | Toxic effect of carbon disulfide, accidental (unintentional), sequela |
| T65.4X2D | Toxic effect of carbon disulfide, intentional self-harm, subsequent encounter |
| T65.4X2S | Toxic effect of carbon disulfide, intentional self-harm, sequela |
| T65.4X3D | Toxic effect of carbon disulfide, assault, subsequent encounter |
| T65.4X3S | Toxic effect of carbon disulfide, assault, sequela |
| T65.4X4D | Toxic effect of carbon disulfide, undetermined, subsequent encounter |
| T65.4X4S | Toxic effect of carbon disulfide, undetermined, sequela |
| T65.5X1D | Toxic effect of nitroglycerin and other nitric acids and esters, accidental (unintentional), subsequent encounter |
| T65.5X1S | Toxic effect of nitroglycerin and other nitric acids and esters, accidental (unintentional), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T65.5X2D | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter |
| T65.5X2S | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela |
| T65.5X3D | Toxic effect of nitroglycerin and other nitric acids and esters, assault, subsequent encounter |
| T65.5X3S | Toxic effect of nitroglycerin and other nitric acids and esters, assault, sequela |
| T65.5X4D | Toxic effect of nitroglycerin and other nitric acids and esters, undetermined, subsequent encounter |
| T65.5X4S | Toxic effect of nitroglycerin and other nitric acids and esters, undetermined, sequela |
| T65.6X1D | Toxic effect of paints and dyes, not elsewhere classified, accidental (unintentional), subsequent encounter |
| T65.6X1S | Toxic effect of paints and dyes, not elsewhere classified, accidental (unintentional), sequela |
| T65.6X2D | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter |
| T65.6X2S | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela |
| T65.6X3D | Toxic effect of paints and dyes, not elsewhere classified, assault, subsequent encounter |
| T65.6X3S | Toxic effect of paints and dyes, not elsewhere classified, assault, sequela |
| T65.6X4D | Toxic effect of paints and dyes, not elsewhere classified, undetermined, subsequent encounter |
| T65.6X4S | Toxic effect of paints and dyes, not elsewhere classified, undetermined, sequela |
| T65.811D | Toxic effect of latex, accidental (unintentional), subsequent encounter |
| T65.811S | Toxic effect of latex, accidental (unintentional), sequela |
| T65.812D | Toxic effect of latex, intentional self-harm, subsequent encounter |
| T65.812S | Toxic effect of latex, intentional self-harm, sequela |
| T65.813D | Toxic effect of latex, assault, subsequent encounter |
| T65.813S | Toxic effect of latex, assault, sequela |
| T65.814D | Toxic effect of latex, undetermined, subsequent encounter |
| T65.814S | Toxic effect of latex, undetermined, sequela |
| T65.821D | Toxic effect of harmful algae and algae toxins, accidental (unintentional), subsequent encounter |
| T65.821S | Toxic effect of harmful algae and algae toxins, accidental (unintentional), sequela |
| T65.822D | Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter |
| T65.822S | Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela |
| T65.823D | Toxic effect of harmful algae and algae toxins, assault, subsequent encounter |
| T65.823S | Toxic effect of harmful algae and algae toxins, assault, sequela |
| T65.824D | Toxic effect of harmful algae and algae toxins, undetermined, subsequent encounter |
| T65.824S | Toxic effect of harmful algae and algae toxins, undetermined, sequela |
| T65.831D | Toxic effect of fiberglass, accidental (unintentional), subsequent encounter |
| T65.831S | Toxic effect of fiberglass, accidental (unintentional), sequela |
| T65.832D | Toxic effect of fiberglass, intentional self-harm, subsequent encounter |
| T65.832S | Toxic effect of fiberglass, intentional self-harm, sequela |
| T65.833D | Toxic effect of fiberglass, assault, subsequent encounter |
| T65.833S | Toxic effect of fiberglass, assault, sequela |
| T65.834D | Toxic effect of fiberglass, undetermined, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T65.834S | Toxic effect of fiberglass, undetermined, sequela |
| T65.891D | Toxic effect of other specified substances, accidental (unintentional), subsequent encounter |
| T65.891S | Toxic effect of other specified substances, accidental (unintentional), sequela |
| T65.892D | Toxic effect of other specified substances, intentional self-harm, subsequent encounter |
| T65.892S | Toxic effect of other specified substances, intentional self-harm, sequela |
| T65.893D | Toxic effect of other specified substances, assault, subsequent encounter |
| T65.893S | Toxic effect of other specified substances, assault, sequela |
| T65.894D | Toxic effect of other specified substances, undetermined, subsequent encounter |
| T65.894S | Toxic effect of other specified substances, undetermined, sequela |
| T65.91XD | Toxic effect of unspecified substance, accidental (unintentional), subsequent encounter |
| T65.91XS | Toxic effect of unspecified substance, accidental (unintentional), sequela |
| T65.92XD | Toxic effect of unspecified substance, intentional self-harm, subsequent encounter |
| T65.92XS | Toxic effect of unspecified substance, intentional self-harm, sequela |
| T65.93XD | Toxic effect of unspecified substance, assault, subsequent encounter |
| T65.93XS | Toxic effect of unspecified substance, assault, sequela |
| T65.94XD | Toxic effect of unspecified substance, undetermined, subsequent encounter |
| T65.94XS | Toxic effect of unspecified substance, undetermined, sequela |
| T66.XXXD | Radiation sickness, unspecified, subsequent encounter |
| T66.XXXS | Radiation sickness, unspecified, sequela |
| T67.0XXD | Heatstroke and sunstroke, subsequent encounter |
| T67.0XXS | Heatstroke and sunstroke, sequela |
| T67.1XXD | Heat syncope, subsequent encounter |
| T67.1XXS | Heat syncope, sequela |
| T67.2XXD | Heat cramp, subsequent encounter |
| T67.2XXS | Heat cramp, sequela |
| T67.3XXD | Heat exhaustion, anhydrotic, subsequent encounter |
| T67.3XXS | Heat exhaustion, anhydrotic, sequela |
| T67.4XXD | Heat exhaustion due to salt depletion, subsequent encounter |
| T67.4XXS | Heat exhaustion due to salt depletion, sequela |
| T67.5XXD | Heat exhaustion, unspecified, subsequent encounter |
| T67.5XXS | Heat exhaustion, unspecified, sequela |
| T67.6XXD | Heat fatigue, transient, subsequent encounter |
| T67.6XXS | Heat fatigue, transient, sequela |
| T67.7XXD | Heat edema, subsequent encounter |
| T67.7XXS | Heat edema, sequela |
| T67.8XXD | Other effects of heat and light, subsequent encounter |
| T67.8XXS | Other effects of heat and light, sequela |
| T67.9XXD | Effect of heat and light, unspecified, subsequent encounter |
| T67.9XXS | Effect of heat and light, unspecified, sequela |
| T68.XXXD | Hypothermia, subsequent encounter |
| T68.XXXS | Hypothermia, sequela |
| T69.011D | Immersion hand, right hand, subsequent encounter |
| T69.011S | Immersion hand, right hand, sequela |
| T69.012D | Immersion hand, left hand, subsequent encounter |
| T69.012S | Immersion hand, left hand, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T69.019D | Immersion hand, unspecified hand, subsequent encounter |
| T69.019S | Immersion hand, unspecified hand, sequela |
| T69.021D | Immersion foot, right foot, subsequent encounter |
| T69.021S | Immersion foot, right foot, sequela |
| T69.022D | Immersion foot, left foot, subsequent encounter |
| T69.022S | Immersion foot, left foot, sequela |
| T69.029D | Immersion foot, unspecified foot, subsequent encounter |
| T69.029S | Immersion foot, unspecified foot, sequela |
| T69.1XXD | Chilblains, subsequent encounter |
| T69.1XXS | Chilblains, sequela |
| T69.8XXD | Other specified effects of reduced temperature, subsequent encounter |
| T69.8XXS | Other specified effects of reduced temperature, sequela |
| T69.9XXD | Effect of reduced temperature, unspecified, subsequent encounter |
| T69.9XXS | Effect of reduced temperature, unspecified, sequela |
| T70.0XXD | Otitic barotrauma, subsequent encounter |
| T70.0XXS | Otitic barotrauma, sequela |
| T70.1XXD | Sinus barotrauma, subsequent encounter |
| T70.1XXS | Sinus barotrauma, sequela |
| T70.20XD | Unspecified effects of high altitude, subsequent encounter |
| T70.20XS | Unspecified effects of high altitude, sequela |
| T70.29XD | Other effects of high altitude, subsequent encounter |
| T70.29XS | Other effects of high altitude, sequela |
| T70.3XXD | Caisson disease [decompression sickness], subsequent encounter |
| T70.3XXS | Caisson disease [decompression sickness], sequela |
| T70.4XXD | Effects of high-pressure fluids, subsequent encounter |
| T70.4XXS | Effects of high-pressure fluids, sequela |
| T70.8XXD | Other effects of air pressure and water pressure, subsequent encounter |
| T70.8XXS | Other effects of air pressure and water pressure, sequela |
| T70.9XXD | Effect of air pressure and water pressure, unspecified, subsequent encounter |
| T70.9XXS | Effect of air pressure and water pressure, unspecified, sequela |
| T71.111D | Asphyxiation due to smothering under pillow, accidental, subsequent encounter |
| T71.111S | Asphyxiation due to smothering under pillow, accidental, sequela |
| T71.112D | Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter |
| T71.112S | Asphyxiation due to smothering under pillow, intentional self-harm, sequela |
| T71.113D | Asphyxiation due to smothering under pillow, assault, subsequent encounter |
| T71.113S | Asphyxiation due to smothering under pillow, assault, sequela |
| T71.114D | Asphyxiation due to smothering under pillow, undetermined, subsequent encounter |
| T71.114S | Asphyxiation due to smothering under pillow, undetermined, sequela |
| T71.121D | Asphyxiation due to plastic bag, accidental, subsequent encounter |
| T71.121S | Asphyxiation due to plastic bag, accidental, sequela |
| T71.122D | Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter |
| T71.122S | Asphyxiation due to plastic bag, intentional self-harm, sequela |
| T71.123D | Asphyxiation due to plastic bag, assault, subsequent encounter |
| T71.123S | Asphyxiation due to plastic bag, assault, sequela |
| T71.124D | Asphyxiation due to plastic bag, undetermined, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T71.124S | Asphyxiation due to plastic bag, undetermined, sequela |
| T71.131D | Asphyxiation due to being trapped in bed linens, accidental, subsequent encounter |
| T71.131S | Asphyxiation due to being trapped in bed linens, accidental, sequela |
| T71.132D | Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter |
| T71.132S | Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela |
| T71.133D | Asphyxiation due to being trapped in bed linens, assault, subsequent encounter |
| T71.133S | Asphyxiation due to being trapped in bed linens, assault, sequela |
| T71.134D | Asphyxiation due to being trapped in bed linens, undetermined, subsequent encounter |
| T71.134S | Asphyxiation due to being trapped in bed linens, undetermined, sequela |
| T71.141D | Asphyxiation due to smothering under another person's body (in bed), accidental, subsequent encounter |
| T71.141S | Asphyxiation due to smothering under another person's body (in bed), accidental, sequela |
| T71.143D | Asphyxiation due to smothering under another person's body (in bed), assault, subsequent encounter |
| T71.143S | Asphyxiation due to smothering under another person's body (in bed), assault, sequela |
| T71.144D | Asphyxiation due to smothering under another person's body (in bed), undetermined, subsequent encounter |
| T71.144S | Asphyxiation due to smothering under another person's body (in bed), undetermined, sequela |
| T71.151D | Asphyxiation due to smothering in furniture, accidental, subsequent encounter |
| T71.151S | Asphyxiation due to smothering in furniture, accidental, sequela |
| T71.152D | Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter |
| T71.152S | Asphyxiation due to smothering in furniture, intentional self-harm, sequela |
| T71.153D | Asphyxiation due to smothering in furniture, assault, subsequent encounter |
| T71.153S | Asphyxiation due to smothering in furniture, assault, sequela |
| T71.154D | Asphyxiation due to smothering in furniture, undetermined, subsequent encounter |
| T71.154S | Asphyxiation due to smothering in furniture, undetermined, sequela |
| T71.161D | Asphyxiation due to hanging, accidental, subsequent encounter |
| T71.161S | Asphyxiation due to hanging, accidental, sequela |
| T71.162D | Asphyxiation due to hanging, intentional self-harm, subsequent encounter |
| T71.162S | Asphyxiation due to hanging, intentional self-harm, sequela |
| T71.163D | Asphyxiation due to hanging, assault, subsequent encounter |
| T71.163S | Asphyxiation due to hanging, assault, sequela |
| T71.164D | Asphyxiation due to hanging, undetermined, subsequent encounter |
| T71.164S | Asphyxiation due to hanging, undetermined, sequela |
| T71.191D | Asphyxiation due to mechanical threat to breathing due to other causes, accidental, subsequent encounter |
| T71.191S | Asphyxiation due to mechanical threat to breathing due to other causes, accidental, sequela |
| T71.192D | Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter |
| T71.192S | Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela |
| T71.193D | Asphyxiation due to mechanical threat to breathing due to other causes, assault, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T71.193S | Asphyxiation due to mechanical threat to breathing due to other causes, assault, sequela |
| T71.194D | Asphyxiation due to mechanical threat to breathing due to other causes, undetermined, subsequent encounter |
| T71.194S | Asphyxiation due to mechanical threat to breathing due to other causes, undetermined, sequela |
| T71.20XD | Asphyxiation due to systemic oxygen deficiency due to low oxygen content in ambient air due to unspecified cause, subsequent encounter |
| T71.20XS | Asphyxiation due to systemic oxygen deficiency due to low oxygen content in ambient air due to unspecified cause, sequela |
| T71.21XD | Asphyxiation due to cave-in or falling earth, subsequent encounter |
| T71.21XS | Asphyxiation due to cave-in or falling earth, sequela |
| T71.221D | Asphyxiation due to being trapped in a car trunk, accidental, subsequent encounter |
| T71.221S | Asphyxiation due to being trapped in a car trunk, accidental, sequela |
| T71.222D | Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter |
| T71.222S | Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela |
| T71.223D | Asphyxiation due to being trapped in a car trunk, assault, subsequent encounter |
| T71.223S | Asphyxiation due to being trapped in a car trunk, assault, sequela |
| T71.224D | Asphyxiation due to being trapped in a car trunk, undetermined, subsequent encounter |
| T71.224S | Asphyxiation due to being trapped in a car trunk, undetermined, sequela |
| T71.231D | Asphyxiation due to being trapped in a (discarded) refrigerator, accidental, subsequent encounter |
| T71.231S | Asphyxiation due to being trapped in a (discarded) refrigerator, accidental, sequela |
| T71.232D | Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter |
| T71.232S | Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela |
| T71.233D | Asphyxiation due to being trapped in a (discarded) refrigerator, assault, subsequent encounter |
| T71.233S | Asphyxiation due to being trapped in a (discarded) refrigerator, assault, sequela |
| T71.234D | Asphyxiation due to being trapped in a (discarded) refrigerator, undetermined, subsequent encounter |
| T71.234S | Asphyxiation due to being trapped in a (discarded) refrigerator, undetermined, sequela |
| T71.29XD | Asphyxiation due to being trapped in other low oxygen environment, subsequent encounter |
| T71.29XS | Asphyxiation due to being trapped in other low oxygen environment, sequela |
| T71.9XXD | Asphyxiation due to unspecified cause, subsequent encounter |
| T71.9XXS | Asphyxiation due to unspecified cause, sequela |
| T73.0XXD | Starvation, subsequent encounter |
| T73.0XXS | Starvation, sequela |
| T73.1XXD | Deprivation of water, subsequent encounter |
| T73.1XXS | Deprivation of water, sequela |
| T73.2XXD | Exhaustion due to exposure, subsequent encounter |
| T73.2XXS | Exhaustion due to exposure, sequela |
| T73.3XXD | Exhaustion due to excessive exertion, subsequent encounter |
| T73.3XXS | Exhaustion due to excessive exertion, sequela |
| T73.8XXD | Other effects of deprivation, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T73.8XXS | Other effects of deprivation, sequela |
| T73.9XXD | Effect of deprivation, unspecified, subsequent encounter |
| T73.9XXS | Effect of deprivation, unspecified, sequela |
| T74.01XD | Adult neglect or abandonment, confirmed, subsequent encounter |
| T74.01XS | Adult neglect or abandonment, confirmed, sequela |
| T74.02XD | Child neglect or abandonment, confirmed, subsequent encounter |
| T74.02XS | Child neglect or abandonment, confirmed, sequela |
| T74.11XD | Adult physical abuse, confirmed, subsequent encounter |
| T74.11XS | Adult physical abuse, confirmed, sequela |
| T74.12XD | Child physical abuse, confirmed, subsequent encounter |
| T74.12XS | Child physical abuse, confirmed, sequela |
| T74.21XD | Adult sexual abuse, confirmed, subsequent encounter |
| T74.21XS | Adult sexual abuse, confirmed, sequela |
| T74.22XD | Child sexual abuse, confirmed, subsequent encounter |
| T74.22XS | Child sexual abuse, confirmed, sequela |
| T74.31XD | Adult psychological abuse, confirmed, subsequent encounter |
| T74.31XS | Adult psychological abuse, confirmed, sequela |
| T74.32XD | Child psychological abuse, confirmed, subsequent encounter |
| T74.32XS | Child psychological abuse, confirmed, sequela |
| T74.4XXD | Shaken infant syndrome, subsequent encounter |
| T74.4XXS | Shaken infant syndrome, sequela |
| T74.91XD | Unspecified adult maltreatment, confirmed, subsequent encounter |
| T74.91XS | Unspecified adult maltreatment, confirmed, sequela |
| T74.92XD | Unspecified child maltreatment, confirmed, subsequent encounter |
| T74.92XS | Unspecified child maltreatment, confirmed, sequela |
| T75.00XD | Unspecified effects of lightning, subsequent encounter |
| T75.00XS | Unspecified effects of lightning, sequela |
| T75.01XD | Shock due to being struck by lightning, subsequent encounter |
| T75.01XS | Shock due to being struck by lightning, sequela |
| T75.09XD | Other effects of lightning, subsequent encounter |
| T75.09XS | Other effects of lightning, sequela |
| T75.1XXD | Unspecified effects of drowning and nonfatal submersion, subsequent encounter |
| T75.1XXS | Unspecified effects of drowning and nonfatal submersion, sequela |
| T75.20XD | Unspecified effects of vibration, subsequent encounter |
| T75.20XS | Unspecified effects of vibration, sequela |
| T75.21XD | Pneumatic hammer syndrome, subsequent encounter |
| T75.21XS | Pneumatic hammer syndrome, sequela |
| T75.22XD | Traumatic vasospastic syndrome, subsequent encounter |
| T75.22XS | Traumatic vasospastic syndrome, sequela |
| T75.23XD | Vertigo from infrasound, subsequent encounter |
| T75.23XS | Vertigo from infrasound, sequela |
| T75.29XD | Other effects of vibration, subsequent encounter |
| T75.29XS | Other effects of vibration, sequela |
| T75.3XXD | Motion sickness, subsequent encounter |
| T75.3XXS | Motion sickness, sequela |
| T75.4XXD | Electrocution, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T75.4XXS | Electrocution, sequela |
| T75.81XD | Effects of abnormal gravitation [G] forces, subsequent encounter |
| T75.81XS | Effects of abnormal gravitation [G] forces, sequela |
| T75.82XD | Effects of weightlessness, subsequent encounter |
| T75.82XS | Effects of weightlessness, sequela |
| T75.89XD | Other specified effects of external causes, subsequent encounter |
| T75.89XS | Other specified effects of external causes, sequela |
| T76.01XD | Adult neglect or abandonment, suspected, subsequent encounter |
| T76.01XS | Adult neglect or abandonment, suspected, sequela |
| T76.02XD | Child neglect or abandonment, suspected, subsequent encounter |
| T76.02XS | Child neglect or abandonment, suspected, sequela |
| T76.11XD | Adult physical abuse, suspected, subsequent encounter |
| T76.11XS | Adult physical abuse, suspected, sequela |
| T76.12XD | Child physical abuse, suspected, subsequent encounter |
| T76.12XS | Child physical abuse, suspected, sequela |
| T76.21XD | Adult sexual abuse, suspected, subsequent encounter |
| T76.21XS | Adult sexual abuse, suspected, sequela |
| T76.22XD | Child sexual abuse, suspected, subsequent encounter |
| T76.22XS | Child sexual abuse, suspected, sequela |
| T76.31XD | Adult psychological abuse, suspected, subsequent encounter |
| T76.31XS | Adult psychological abuse, suspected, sequela |
| T76.32XD | Child psychological abuse, suspected, subsequent encounter |
| T76.32XS | Child psychological abuse, suspected, sequela |
| T76.91XD | Unspecified adult maltreatment, suspected, subsequent encounter |
| T76.91XS | Unspecified adult maltreatment, suspected, sequela |
| T76.92XD | Unspecified child maltreatment, suspected, subsequent encounter |
| T76.92XS | Unspecified child maltreatment, suspected, sequela |
| T78.00XD | Anaphylactic reaction due to unspecified food, subsequent encounter |
| T78.00XS | Anaphylactic reaction due to unspecified food, sequela |
| T78.01XD | Anaphylactic reaction due to peanuts, subsequent encounter |
| T78.01XS | Anaphylactic reaction due to peanuts, sequela |
| T78.02XD | Anaphylactic reaction due to shellfish (crustaceans), subsequent encounter |
| T78.02XS | Anaphylactic reaction due to shellfish (crustaceans), sequela |
| T78.03XD | Anaphylactic reaction due to other fish, subsequent encounter |
| T78.03XS | Anaphylactic reaction due to other fish, sequela |
| T78.04XD | Anaphylactic reaction due to fruits and vegetables, subsequent encounter |
| T78.04XS | Anaphylactic reaction due to fruits and vegetables, sequela |
| T78.05XD | Anaphylactic reaction due to tree nuts and seeds, subsequent encounter |
| T78.05XS | Anaphylactic reaction due to tree nuts and seeds, sequela |
| T78.06XD | Anaphylactic reaction due to food additives, subsequent encounter |
| T78.06XS | Anaphylactic reaction due to food additives, sequela |
| T78.07XD | Anaphylactic reaction due to milk and dairy products, subsequent encounter |
| T78.07XS | Anaphylactic reaction due to milk and dairy products, sequela |
| T78.08XD | Anaphylactic reaction due to eggs, subsequent encounter |
| T78.08XS | Anaphylactic reaction due to eggs, sequela |
| T78.09XD | Anaphylactic reaction due to other food products, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T78.09XS | Anaphylactic reaction due to other food products, sequela |
| T78.1XXD | Other adverse food reactions, not elsewhere classified, subsequent encounter |
| T78.1XXS | Other adverse food reactions, not elsewhere classified, sequela |
| T78.2XXD | Anaphylactic shock, unspecified, subsequent encounter |
| T78.2XXS | Anaphylactic shock, unspecified, sequela |
| T78.3XXD | Angioneurotic edema, subsequent encounter |
| T78.3XXS | Angioneurotic edema, sequela |
| T78.40XD | Allergy, unspecified, subsequent encounter |
| T78.40XS | Allergy, unspecified, sequela |
| T78.41XD | Arthus phenomenon, subsequent encounter |
| T78.41XS | Arthus phenomenon, sequela |
| T78.49XD | Other allergy, subsequent encounter |
| T78.49XS | Other allergy, sequela |
| T78.8XXD | Other adverse effects, not elsewhere classified, subsequent encounter |
| T78.8XXS | Other adverse effects, not elsewhere classified, sequela |
| T79.0XXD | Air embolism (traumatic), subsequent encounter |
| T79.0XXS | Air embolism (traumatic), sequela |
| T79.1XXD | Fat embolism (traumatic), subsequent encounter |
| T79.1XXS | Fat embolism (traumatic), sequela |
| T79.2XXD | Traumatic secondary and recurrent hemorrhage and seroma, subsequent encounter |
| T79.2XXS | Traumatic secondary and recurrent hemorrhage and seroma, sequela |
| T79.4XXD | Traumatic shock, subsequent encounter |
| T79.4XXS | Traumatic shock, sequela |
| T79.5XXD | Traumatic anuria, subsequent encounter |
| T79.5XXS | Traumatic anuria, sequela |
| T79.6XXD | Traumatic ischemia of muscle, subsequent encounter |
| T79.6XXS | Traumatic ischemia of muscle, sequela |
| T79.7XXD | Traumatic subcutaneous emphysema, subsequent encounter |
| T79.7XXS | Traumatic subcutaneous emphysema, sequela |
| T79.8XXD | Other early complications of trauma, subsequent encounter |
| T79.8XXS | Other early complications of trauma, sequela |
| T79.9XXD | Unspecified early complication of trauma, subsequent encounter |
| T79.9XXS | Unspecified early complication of trauma, sequela |
| T79.A0XD | Compartment syndrome, unspecified, subsequent encounter |
| T79.A0XS | Compartment syndrome, unspecified, sequela |
| T79.A11D | Traumatic compartment syndrome of right upper extremity, subsequent encounter |
| T79.A11S | Traumatic compartment syndrome of right upper extremity, sequela |
| T79.A12D | Traumatic compartment syndrome of left upper extremity, subsequent encounter |
| T79.A12S | Traumatic compartment syndrome of left upper extremity, sequela |
| T79.A19D | Traumatic compartment syndrome of unspecified upper extremity, subsequent encounter |
| T79.A19S | Traumatic compartment syndrome of unspecified upper extremity, sequela |
| T79.A21D | Traumatic compartment syndrome of right lower extremity, subsequent encounter |
| T79.A21S | Traumatic compartment syndrome of right lower extremity, sequela |
| T79.A22D | Traumatic compartment syndrome of left lower extremity, subsequent encounter |
| T79.A22S | Traumatic compartment syndrome of left lower extremity, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T79.A29D | Traumatic compartment syndrome of unspecified lower extremity, subsequent encounter |
| T79.A29S | Traumatic compartment syndrome of unspecified lower extremity, sequela |
| T79.A3XD | Traumatic compartment syndrome of abdomen, subsequent encounter |
| T79.A3XS | Traumatic compartment syndrome of abdomen, sequela |
| T79.A9XD | Traumatic compartment syndrome of other sites, subsequent encounter |
| T79.A9XS | Traumatic compartment syndrome of other sites, sequela |
| T80.0XXD | Air embolism following infusion, transfusion and therapeutic injection, subsequent encounter |
| T80.0XXS | Air embolism following infusion, transfusion and therapeutic injection, sequela |
| T80.1XXD | Vascular complications following infusion, transfusion and therapeutic injection, subsequent encounter |
| T80.1XXS | Vascular complications following infusion, transfusion and therapeutic injection, sequela |
| T80.211D | Bloodstream infection due to central venous catheter, subsequent encounter |
| T80.211S | Bloodstream infection due to central venous catheter, sequela |
| T80.212D | Local infection due to central venous catheter, subsequent encounter |
| T80.212S | Local infection due to central venous catheter, sequela |
| T80.218D | Other infection due to central venous catheter, subsequent encounter |
| T80.218S | Other infection due to central venous catheter, sequela |
| T80.219D | Unspecified infection due to central venous catheter, subsequent encounter |
| T80.219S | Unspecified infection due to central venous catheter, sequela |
| T80.22XD | Acute infection following transfusion, infusion, or injection of blood and blood products, subsequent encounter |
| T80.22XS | Acute infection following transfusion, infusion, or injection of blood and blood products, sequela |
| T80.29XD | Infection following other infusion, transfusion and therapeutic injection, subsequent encounter |
| T80.29XS | Infection following other infusion, transfusion and therapeutic injection, sequela |
| T80.30XD | ABO incompatibility reaction due to transfusion of blood or blood products, unspecified, subsequent encounter |
| T80.30XS | ABO incompatibility reaction due to transfusion of blood or blood products, unspecified, sequela |
| T80.310D | ABO incompatibility with acute hemolytic transfusion reaction, subsequent encounter |
| T80.310S | ABO incompatibility with acute hemolytic transfusion reaction, sequela |
| T80.311D | ABO incompatibility with delayed hemolytic transfusion reaction, subsequent encounter |
| T80.311S | ABO incompatibility with delayed hemolytic transfusion reaction, sequela |
| T80.319D | ABO incompatibility with hemolytic transfusion reaction, unspecified, subsequent encounter |
| T80.319S | ABO incompatibility with hemolytic transfusion reaction, unspecified, sequela |
| T80.39XD | Other ABO incompatibility reaction due to transfusion of blood or blood products, subsequent encounter |
| T80.39XS | Other ABO incompatibility reaction due to transfusion of blood or blood products, sequela |
| T80.40XD | Rh incompatibility reaction due to transfusion of blood or blood products, unspecified, subsequent encounter |
| T80.40XS | Rh incompatibility reaction due to transfusion of blood or blood products, unspecified, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T80.410D | Rh incompatibility with acute hemolytic transfusion reaction, subsequent encounter |
| T80.410S | Rh incompatibility with acute hemolytic transfusion reaction, sequela |
| T80.411D | Rh incompatibility with delayed hemolytic transfusion reaction, subsequent encounter |
| T80.411S | Rh incompatibility with delayed hemolytic transfusion reaction, sequela |
| T80.419D | Rh incompatibility with hemolytic transfusion reaction, unspecified, subsequent encounter |
| T80.419S | Rh incompatibility with hemolytic transfusion reaction, unspecified, sequela |
| T80.49XD | Other Rh incompatibility reaction due to transfusion of blood or blood products, subsequent encounter |
| T80.49XS | Other Rh incompatibility reaction due to transfusion of blood or blood products, sequela |
| T80.51XD | Anaphylactic reaction due to administration of blood and blood products, subsequent encounter |
| T80.51XS | Anaphylactic reaction due to administration of blood and blood products, sequela |
| T80.52XD | Anaphylactic reaction due to vaccination, subsequent encounter |
| T80.52XS | Anaphylactic reaction due to vaccination, sequela |
| T80.59XD | Anaphylactic reaction due to other serum, subsequent encounter |
| T80.59XS | Anaphylactic reaction due to other serum, sequela |
| T80.61XD | Other serum reaction due to administration of blood and blood products, subsequent encounter |
| T80.61XS | Other serum reaction due to administration of blood and blood products, sequela |
| T80.62XD | Other serum reaction due to vaccination, subsequent encounter |
| T80.62XS | Other serum reaction due to vaccination, sequela |
| T80.69XD | Other serum reaction due to other serum, subsequent encounter |
| T80.69XS | Other serum reaction due to other serum, sequela |
| T80.810D | Extravasation of vesicant antineoplastic chemotherapy, subsequent encounter |
| T80.810S | Extravasation of vesicant antineoplastic chemotherapy, sequela |
| T80.818D | Extravasation of other vesicant agent, subsequent encounter |
| T80.818S | Extravasation of other vesicant agent, sequela |
| T80.89XD | Other complications following infusion, transfusion and therapeutic injection, subsequent encounter |
| T80.89XS | Other complications following infusion, transfusion and therapeutic injection, sequela |
| T80.90XD | Unspecified complication following infusion and therapeutic injection, subsequent encounter |
| T80.90XS | Unspecified complication following infusion and therapeutic injection, sequela |
| T80.910D | Acute hemolytic transfusion reaction, unspecified incompatibility, subsequent encounter |
| T80.910S | Acute hemolytic transfusion reaction, unspecified incompatibility, sequela |
| T80.911D | Delayed hemolytic transfusion reaction, unspecified incompatibility, subsequent encounter |
| T80.911S | Delayed hemolytic transfusion reaction, unspecified incompatibility, sequela |
| T80.919D | Hemolytic transfusion reaction, unspecified incompatibility, unspecified as acute or delayed, subsequent encounter |
| T80.919S | Hemolytic transfusion reaction, unspecified incompatibility, unspecified as acute or delayed, sequela |
| T80.92XD | Unspecified transfusion reaction, subsequent encounter |
| T80.92XS | Unspecified transfusion reaction, sequela |
| T80.A0XD | Non-ABO incompatibility reaction due to transfusion of blood or blood products, unspecified, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T80.A0XS | Non-ABO incompatibility reaction due to transfusion of blood or blood products, unspecified, sequela |
| T80.A10D | Non-ABO incompatibility with acute hemolytic transfusion reaction, subsequent encounter |
| T80.A10S | Non-ABO incompatibility with acute hemolytic transfusion reaction, sequela |
| T80.A11D | Non-ABO incompatibility with delayed hemolytic transfusion reaction, subsequent encounter |
| T80.A11S | Non-ABO incompatibility with delayed hemolytic transfusion reaction, sequela |
| T80.A19D | Non-ABO incompatibility with hemolytic transfusion reaction, unspecified, subsequent encounter |
| T80.A19S | Non-ABO incompatibility with hemolytic transfusion reaction, unspecified, sequela |
| T80.A9XD | Other non-ABO incompatibility reaction due to transfusion of blood or blood products, subsequent encounter |
| T80.A9XS | Other non-ABO incompatibility reaction due to transfusion of blood or blood products, sequela |
| T81.10XD | Postprocedural shock unspecified, subsequent encounter |
| T81.10XS | Postprocedural shock unspecified, sequela |
| T81.11XD | Postprocedural cardiogenic shock, subsequent encounter |
| T81.11XS | Postprocedural cardiogenic shock, sequela |
| T81.12XD | Postprocedural septic shock, subsequent encounter |
| T81.12XS | Postprocedural septic shock, sequela |
| T81.19XD | Other postprocedural shock, subsequent encounter |
| T81.19XS | Other postprocedural shock, sequela |
| T81.30XD | Disruption of wound, unspecified, subsequent encounter |
| T81.30XS | Disruption of wound, unspecified, sequela |
| T81.31XD | Disruption of external operation (surgical) wound, not elsewhere classified, subsequent encounter |
| T81.31XS | Disruption of external operation (surgical) wound, not elsewhere classified, sequela |
| T81.32XD | Disruption of internal operation (surgical) wound, not elsewhere classified, subsequent encounter |
| T81.32XS | Disruption of internal operation (surgical) wound, not elsewhere classified, sequela |
| T81.33XD | Disruption of traumatic injury wound repair, subsequent encounter |
| T81.33XS | Disruption of traumatic injury wound repair, sequela |
| T81.4XXD | Infection following a procedure, subsequent encounter |
| T81.4XXS | Infection following a procedure, sequela |
| T81.500D | Unspecified complication of foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.500S | Unspecified complication of foreign body accidentally left in body following surgical operation, sequela |
| T81.501D | Unspecified complication of foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.501S | Unspecified complication of foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.502D | Unspecified complication of foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.502S | Unspecified complication of foreign body accidentally left in body following kidney dialysis, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T81.503D | Unspecified complication of foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.503S | Unspecified complication of foreign body accidentally left in body following injection or immunization, sequela |
| T81.504D | Unspecified complication of foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.504S | Unspecified complication of foreign body accidentally left in body following endoscopic examination, sequela |
| T81.505D | Unspecified complication of foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.505S | Unspecified complication of foreign body accidentally left in body following heart catheterization, sequela |
| T81.506D | Unspecified complication of foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.506S | Unspecified complication of foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.507D | Unspecified complication of foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.507S | Unspecified complication of foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.508D | Unspecified complication of foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.508S | Unspecified complication of foreign body accidentally left in body following other procedure, sequela |
| T81.509D | Unspecified complication of foreign body accidentally left in body following unspecified procedure, subsequent encounter |
| T81.509S | Unspecified complication of foreign body accidentally left in body following unspecified procedure, sequela |
| T81.510D | Adhesions due to foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.510S | Adhesions due to foreign body accidentally left in body following surgical operation, sequela |
| T81.511D | Adhesions due to foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.511S | Adhesions due to foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.512D | Adhesions due to foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.512S | Adhesions due to foreign body accidentally left in body following kidney dialysis, sequela |
| T81.513D | Adhesions due to foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.513S | Adhesions due to foreign body accidentally left in body following injection or immunization, sequela |
| T81.514D | Adhesions due to foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.514S | Adhesions due to foreign body accidentally left in body following endoscopic examination, sequela |
| T81.515D | Adhesions due to foreign body accidentally left in body following heart catheterization, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T81.515S | Adhesions due to foreign body accidentally left in body following heart catheterization, sequela |
| T81.516D | Adhesions due to foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.516S | Adhesions due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.517D | Adhesions due to foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.517S | Adhesions due to foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.518D | Adhesions due to foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.518S | Adhesions due to foreign body accidentally left in body following other procedure, sequela |
| T81.519D | Adhesions due to foreign body accidentally left in body following unspecified procedure, subsequent encounter |
| T81.519S | Adhesions due to foreign body accidentally left in body following unspecified procedure, sequela |
| T81.520D | Obstruction due to foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.520S | Obstruction due to foreign body accidentally left in body following surgical operation, sequela |
| T81.521D | Obstruction due to foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.521S | Obstruction due to foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.522D | Obstruction due to foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.522S | Obstruction due to foreign body accidentally left in body following kidney dialysis, sequela |
| T81.523D | Obstruction due to foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.523S | Obstruction due to foreign body accidentally left in body following injection or immunization, sequela |
| T81.524D | Obstruction due to foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.524S | Obstruction due to foreign body accidentally left in body following endoscopic examination, sequela |
| T81.525D | Obstruction due to foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.525S | Obstruction due to foreign body accidentally left in body following heart catheterization, sequela |
| T81.526D | Obstruction due to foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.526S | Obstruction due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.527D | Obstruction due to foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.527S | Obstruction due to foreign body accidentally left in body following removal of catheter or packing, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T81.528D | Obstruction due to foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.528S | Obstruction due to foreign body accidentally left in body following other procedure, sequela |
| T81.529D | Obstruction due to foreign body accidentally left in body following unspecified procedure, subsequent encounter |
| T81.529S | Obstruction due to foreign body accidentally left in body following unspecified procedure, sequela |
| T81.530D | Perforation due to foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.530S | Perforation due to foreign body accidentally left in body following surgical operation, sequela |
| T81.531D | Perforation due to foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.531S | Perforation due to foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.532D | Perforation due to foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.532S | Perforation due to foreign body accidentally left in body following kidney dialysis, sequela |
| T81.533D | Perforation due to foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.533S | Perforation due to foreign body accidentally left in body following injection or immunization, sequela |
| T81.534D | Perforation due to foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.534S | Perforation due to foreign body accidentally left in body following endoscopic examination, sequela |
| T81.535D | Perforation due to foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.535S | Perforation due to foreign body accidentally left in body following heart catheterization, sequela |
| T81.536D | Perforation due to foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.536S | Perforation due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.537D | Perforation due to foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.537S | Perforation due to foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.538D | Perforation due to foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.538S | Perforation due to foreign body accidentally left in body following other procedure, sequela |
| T81.539D | Perforation due to foreign body accidentally left in body following unspecified procedure, subsequent encounter |
| T81.539S | Perforation due to foreign body accidentally left in body following unspecified procedure, sequela |
| T81.590D | Other complications of foreign body accidentally left in body following surgical operation, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T81.590S | Other complications of foreign body accidentally left in body following surgical operation, sequela |
| T81.591D | Other complications of foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.591S | Other complications of foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.592D | Other complications of foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.592S | Other complications of foreign body accidentally left in body following kidney dialysis, sequela |
| T81.593D | Other complications of foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.593S | Other complications of foreign body accidentally left in body following injection or immunization, sequela |
| T81.594D | Other complications of foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.594S | Other complications of foreign body accidentally left in body following endoscopic examination, sequela |
| T81.595D | Other complications of foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.595S | Other complications of foreign body accidentally left in body following heart catheterization, sequela |
| T81.596D | Other complications of foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.596S | Other complications of foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.597D | Other complications of foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.597S | Other complications of foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.598D | Other complications of foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.598S | Other complications of foreign body accidentally left in body following other procedure, sequela |
| T81.599D | Other complications of foreign body accidentally left in body following unspecified procedure, subsequent encounter |
| T81.599S | Other complications of foreign body accidentally left in body following unspecified procedure, sequela |
| T81.60XD | Unspecified acute reaction to foreign substance accidentally left during a procedure, subsequent encounter |
| T81.60XS | Unspecified acute reaction to foreign substance accidentally left during a procedure, sequela |
| T81.61XD | Aseptic peritonitis due to foreign substance accidentally left during a procedure, subsequent encounter |
| T81.61XS | Aseptic peritonitis due to foreign substance accidentally left during a procedure, sequela |
| T81.69XD | Other acute reaction to foreign substance accidentally left during a procedure, subsequent encounter |
| T81.69XS | Other acute reaction to foreign substance accidentally left during a procedure, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T81.710D | Complication of mesenteric artery following a procedure, not elsewhere classified, subsequent encounter |
| T81.710S | Complication of mesenteric artery following a procedure, not elsewhere classified, sequela |
| T81.711D | Complication of renal artery following a procedure, not elsewhere classified, subsequent encounter |
| T81.711S | Complication of renal artery following a procedure, not elsewhere classified, sequela |
| T81.718D | Complication of other artery following a procedure, not elsewhere classified, subsequent encounter |
| T81.718S | Complication of other artery following a procedure, not elsewhere classified, sequela |
| T81.719D | Complication of unspecified artery following a procedure, not elsewhere classified, subsequent encounter |
| T81.719S | Complication of unspecified artery following a procedure, not elsewhere classified, sequela |
| T81.72XD | Complication of vein following a procedure, not elsewhere classified, subsequent encounter |
| T81.72XS | Complication of vein following a procedure, not elsewhere classified, sequela |
| T81.81XD | Complication of inhalation therapy, subsequent encounter |
| T81.81XS | Complication of inhalation therapy, sequela |
| T81.82XD | Emphysema (subcutaneous) resulting from a procedure, subsequent encounter |
| T81.82XS | Emphysema (subcutaneous) resulting from a procedure, sequela |
| T81.83XD | Persistent postprocedural fistula, subsequent encounter |
| T81.83XS | Persistent postprocedural fistula, sequela |
| T81.89XD | Other complications of procedures, not elsewhere classified, subsequent encounter |
| T81.89XS | Other complications of procedures, not elsewhere classified, sequela |
| T81.9XXD | Unspecified complication of procedure, subsequent encounter |
| T81.9XXS | Unspecified complication of procedure, sequela |
| T82.01XD | Breakdown (mechanical) of heart valve prosthesis, subsequent encounter |
| T82.01XS | Breakdown (mechanical) of heart valve prosthesis, sequela |
| T82.02XD | Displacement of heart valve prosthesis, subsequent encounter |
| T82.02XS | Displacement of heart valve prosthesis, sequela |
| T82.03XD | Leakage of heart valve prosthesis, subsequent encounter |
| T82.03XS | Leakage of heart valve prosthesis, sequela |
| T82.09XD | Other mechanical complication of heart valve prosthesis, subsequent encounter |
| T82.09XS | Other mechanical complication of heart valve prosthesis, sequela |
| T82.110D | Breakdown (mechanical) of cardiac electrode, subsequent encounter |
| T82.110S | Breakdown (mechanical) of cardiac electrode, sequela |
| T82.111D | Breakdown (mechanical) of cardiac pulse generator (battery), subsequent encounter |
| T82.111S | Breakdown (mechanical) of cardiac pulse generator (battery), sequela |
| T82.118D | Breakdown (mechanical) of other cardiac electronic device, subsequent encounter |
| T82.118S | Breakdown (mechanical) of other cardiac electronic device, sequela |
| T82.119D | Breakdown (mechanical) of unspecified cardiac electronic device, subsequent encounter |
| T82.119S | Breakdown (mechanical) of unspecified cardiac electronic device, sequela |
| T82.120D | Displacement of cardiac electrode, subsequent encounter |
| T82.120S | Displacement of cardiac electrode, sequela |
| T82.121D | Displacement of cardiac pulse generator (battery), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T82.121S | Displacement of cardiac pulse generator (battery), sequela |
| T82.128D | Displacement of other cardiac electronic device, subsequent encounter |
| T82.128S | Displacement of other cardiac electronic device, sequela |
| T82.129D | Displacement of unspecified cardiac electronic device, subsequent encounter |
| T82.129S | Displacement of unspecified cardiac electronic device, sequela |
| T82.190D | Other mechanical complication of cardiac electrode, subsequent encounter |
| T82.190S | Other mechanical complication of cardiac electrode, sequela |
| T82.191D | Other mechanical complication of cardiac pulse generator (battery), subsequent encounter |
| T82.191S | Other mechanical complication of cardiac pulse generator (battery), sequela |
| T82.198D | Other mechanical complication of other cardiac electronic device, subsequent encounter |
| T82.198S | Other mechanical complication of other cardiac electronic device, sequela |
| T82.199D | Other mechanical complication of unspecified cardiac device, subsequent encounter |
| T82.199S | Other mechanical complication of unspecified cardiac device, sequela |
| T82.211D | Breakdown (mechanical) of coronary artery bypass graft, subsequent encounter |
| T82.211S | Breakdown (mechanical) of coronary artery bypass graft, sequela |
| T82.212D | Displacement of coronary artery bypass graft, subsequent encounter |
| T82.212S | Displacement of coronary artery bypass graft, sequela |
| T82.213D | Leakage of coronary artery bypass graft, subsequent encounter |
| T82.213S | Leakage of coronary artery bypass graft, sequela |
| T82.218D | Other mechanical complication of coronary artery bypass graft, subsequent encounter |
| T82.218S | Other mechanical complication of coronary artery bypass graft, sequela |
| T82.221D | Breakdown (mechanical) of biological heart valve graft, subsequent encounter |
| T82.221S | Breakdown (mechanical) of biological heart valve graft, sequela |
| T82.222D | Displacement of biological heart valve graft, subsequent encounter |
| T82.222S | Displacement of biological heart valve graft, sequela |
| T82.223D | Leakage of biological heart valve graft, subsequent encounter |
| T82.223S | Leakage of biological heart valve graft, sequela |
| T82.228D | Other mechanical complication of biological heart valve graft, subsequent encounter |
| T82.228S | Other mechanical complication of biological heart valve graft, sequela |
| T82.310D | Breakdown (mechanical) of aortic (bifurcation) graft (replacement), subsequent encounter |
| T82.310S | Breakdown (mechanical) of aortic (bifurcation) graft (replacement), sequela |
| T82.311D | Breakdown (mechanical) of carotid arterial graft (bypass), subsequent encounter |
| T82.311S | Breakdown (mechanical) of carotid arterial graft (bypass), sequela |
| T82.312D | Breakdown (mechanical) of femoral arterial graft (bypass), subsequent encounter |
| T82.312S | Breakdown (mechanical) of femoral arterial graft (bypass), sequela |
| T82.318D | Breakdown (mechanical) of other vascular grafts, subsequent encounter |
| T82.318S | Breakdown (mechanical) of other vascular grafts, sequela |
| T82.319D | Breakdown (mechanical) of unspecified vascular grafts, subsequent encounter |
| T82.319S | Breakdown (mechanical) of unspecified vascular grafts, sequela |
| T82.320D | Displacement of aortic (bifurcation) graft (replacement), subsequent encounter |
| T82.320S | Displacement of aortic (bifurcation) graft (replacement), sequela |
| T82.321D | Displacement of carotid arterial graft (bypass), subsequent encounter |
| T82.321S | Displacement of carotid arterial graft (bypass), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T82.322D | Displacement of femoral arterial graft (bypass), subsequent encounter |
| T82.322S | Displacement of femoral arterial graft (bypass), sequela |
| T82.328D | Displacement of other vascular grafts, subsequent encounter |
| T82.328S | Displacement of other vascular grafts, sequela |
| T82.329D | Displacement of unspecified vascular grafts, subsequent encounter |
| T82.329S | Displacement of unspecified vascular grafts, sequela |
| T82.330D | Leakage of aortic (bifurcation) graft (replacement), subsequent encounter |
| T82.330S | Leakage of aortic (bifurcation) graft (replacement), sequela |
| T82.331D | Leakage of carotid arterial graft (bypass), subsequent encounter |
| T82.331S | Leakage of carotid arterial graft (bypass), sequela |
| T82.332D | Leakage of femoral arterial graft (bypass), subsequent encounter |
| T82.332S | Leakage of femoral arterial graft (bypass), sequela |
| T82.338D | Leakage of other vascular grafts, subsequent encounter |
| T82.338S | Leakage of other vascular grafts, sequela |
| T82.339D | Leakage of unspecified vascular graft, subsequent encounter |
| T82.339S | Leakage of unspecified vascular graft, sequela |
| T82.390D | Other mechanical complication of aortic (bifurcation) graft (replacement), subsequent encounter |
| T82.390S | Other mechanical complication of aortic (bifurcation) graft (replacement), sequela |
| T82.391D | Other mechanical complication of carotid arterial graft (bypass), subsequent encounter |
| T82.391S | Other mechanical complication of carotid arterial graft (bypass), sequela |
| T82.392D | Other mechanical complication of femoral arterial graft (bypass), subsequent encounter |
| T82.392S | Other mechanical complication of femoral arterial graft (bypass), sequela |
| T82.398D | Other mechanical complication of other vascular grafts, subsequent encounter |
| T82.398S | Other mechanical complication of other vascular grafts, sequela |
| T82.399D | Other mechanical complication of unspecified vascular grafts, subsequent encounter |
| T82.399S | Other mechanical complication of unspecified vascular grafts, sequela |
| T82.41XD | Breakdown (mechanical) of vascular dialysis catheter, subsequent encounter |
| T82.41XS | Breakdown (mechanical) of vascular dialysis catheter, sequela |
| T82.42XD | Displacement of vascular dialysis catheter, subsequent encounter |
| T82.42XS | Displacement of vascular dialysis catheter, sequela |
| T82.43XD | Leakage of vascular dialysis catheter, subsequent encounter |
| T82.43XS | Leakage of vascular dialysis catheter, sequela |
| T82.49XD | Other complication of vascular dialysis catheter, subsequent encounter |
| T82.49XS | Other complication of vascular dialysis catheter, sequela |
| T82.510D | Breakdown (mechanical) of surgically created arteriovenous fistula, subsequent encounter |
| T82.510S | Breakdown (mechanical) of surgically created arteriovenous fistula, sequela |
| T82.511D | Breakdown (mechanical) of surgically created arteriovenous shunt, subsequent encounter |
| T82.511S | Breakdown (mechanical) of surgically created arteriovenous shunt, sequela |
| T82.512D | Breakdown (mechanical) of artificial heart, subsequent encounter |
| T82.512S | Breakdown (mechanical) of artificial heart, sequela |
| T82.513D | Breakdown (mechanical) of balloon (counterpulsation) device, subsequent encounter |
| T82.513S | Breakdown (mechanical) of balloon (counterpulsation) device, sequela |
| T82.514D | Breakdown (mechanical) of infusion catheter, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T82.514S | Breakdown (mechanical) of infusion catheter, sequela |
| T82.515D | Breakdown (mechanical) of umbrella device, subsequent encounter |
| T82.515S | Breakdown (mechanical) of umbrella device, sequela |
| T82.518D | Breakdown (mechanical) of other cardiac and vascular devices and implants, subsequent encounter |
| T82.518S | Breakdown (mechanical) of other cardiac and vascular devices and implants, sequela |
| T82.519D | Breakdown (mechanical) of unspecified cardiac and vascular devices and implants, subsequent encounter |
| T82.519S | Breakdown (mechanical) of unspecified cardiac and vascular devices and implants, sequela |
| T82.520D | Displacement of surgically created arteriovenous fistula, subsequent encounter |
| T82.520S | Displacement of surgically created arteriovenous fistula, sequela |
| T82.521D | Displacement of surgically created arteriovenous shunt, subsequent encounter |
| T82.521S | Displacement of surgically created arteriovenous shunt, sequela |
| T82.522D | Displacement of artificial heart, subsequent encounter |
| T82.522S | Displacement of artificial heart, sequela |
| T82.523D | Displacement of balloon (counterpulsation) device, subsequent encounter |
| T82.523S | Displacement of balloon (counterpulsation) device, sequela |
| T82.524D | Displacement of infusion catheter, subsequent encounter |
| T82.524S | Displacement of infusion catheter, sequela |
| T82.525D | Displacement of umbrella device, subsequent encounter |
| T82.525S | Displacement of umbrella device, sequela |
| T82.528D | Displacement of other cardiac and vascular devices and implants, subsequent encounter |
| T82.528S | Displacement of other cardiac and vascular devices and implants, sequela |
| T82.529D | Displacement of unspecified cardiac and vascular devices and implants, subsequent encounter |
| T82.529S | Displacement of unspecified cardiac and vascular devices and implants, sequela |
| T82.530D | Leakage of surgically created arteriovenous fistula, subsequent encounter |
| T82.530S | Leakage of surgically created arteriovenous fistula, sequela |
| T82.531D | Leakage of surgically created arteriovenous shunt, subsequent encounter |
| T82.531S | Leakage of surgically created arteriovenous shunt, sequela |
| T82.532D | Leakage of artificial heart, subsequent encounter |
| T82.532S | Leakage of artificial heart, sequela |
| T82.533D | Leakage of balloon (counterpulsation) device, subsequent encounter |
| T82.533S | Leakage of balloon (counterpulsation) device, sequela |
| T82.534D | Leakage of infusion catheter, subsequent encounter |
| T82.534S | Leakage of infusion catheter, sequela |
| T82.535D | Leakage of umbrella device, subsequent encounter |
| T82.535S | Leakage of umbrella device, sequela |
| T82.538D | Leakage of other cardiac and vascular devices and implants, subsequent encounter |
| T82.538S | Leakage of other cardiac and vascular devices and implants, sequela |
| T82.539D | Leakage of unspecified cardiac and vascular devices and implants, subsequent encounter |
| T82.539S | Leakage of unspecified cardiac and vascular devices and implants, sequela |
| T82.590D | Other mechanical complication of surgically created arteriovenous fistula, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T82.590S | Other mechanical complication of surgically created arteriovenous fistula, sequela |
| T82.591D | Other mechanical complication of surgically created arteriovenous shunt, subsequent encounter |
| T82.591S | Other mechanical complication of surgically created arteriovenous shunt, sequela |
| T82.592D | Other mechanical complication of artificial heart, subsequent encounter |
| T82.592S | Other mechanical complication of artificial heart, sequela |
| T82.593D | Other mechanical complication of balloon (counterpulsation) device, subsequent encounter |
| T82.593S | Other mechanical complication of balloon (counterpulsation) device, sequela |
| T82.594D | Other mechanical complication of infusion catheter, subsequent encounter |
| T82.594S | Other mechanical complication of infusion catheter, sequela |
| T82.595D | Other mechanical complication of umbrella device, subsequent encounter |
| T82.595S | Other mechanical complication of umbrella device, sequela |
| T82.598D | Other mechanical complication of other cardiac and vascular devices and implants, subsequent encounter |
| T82.598S | Other mechanical complication of other cardiac and vascular devices and implants, sequela |
| T82.599D | Other mechanical complication of unspecified cardiac and vascular devices and implants, subsequent encounter |
| T82.599S | Other mechanical complication of unspecified cardiac and vascular devices and implants, sequela |
| T82.6XXD | Infection and inflammatory reaction due to cardiac valve prosthesis, subsequent encounter |
| T82.6XXS | Infection and inflammatory reaction due to cardiac valve prosthesis, sequela |
| T82.7XXD | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts, subsequent encounter |
| T82.7XXS | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts, sequela |
| T82.817D | Embolism of cardiac prosthetic devices, implants and grafts, subsequent encounter |
| T82.817S | Embolism of cardiac prosthetic devices, implants and grafts, sequela |
| T82.818D | Embolism of vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.818S | Embolism of vascular prosthetic devices, implants and grafts, sequela |
| T82.827D | Fibrosis of cardiac prosthetic devices, implants and grafts, subsequent encounter |
| T82.827S | Fibrosis of cardiac prosthetic devices, implants and grafts, sequela |
| T82.828D | Fibrosis of vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.828S | Fibrosis of vascular prosthetic devices, implants and grafts, sequela |
| T82.837D | Hemorrhage of cardiac prosthetic devices, implants and grafts, subsequent encounter |
| T82.837S | Hemorrhage of cardiac prosthetic devices, implants and grafts, sequela |
| T82.838D | Hemorrhage of vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.838S | Hemorrhage of vascular prosthetic devices, implants and grafts, sequela |
| T82.847D | Pain from cardiac prosthetic devices, implants and grafts, subsequent encounter |
| T82.847S | Pain from cardiac prosthetic devices, implants and grafts, sequela |
| T82.848D | Pain from vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.848S | Pain from vascular prosthetic devices, implants and grafts, sequela |
| T82.857D | Stenosis of cardiac prosthetic devices, implants and grafts, subsequent encounter |
| T82.857S | Stenosis of cardiac prosthetic devices, implants and grafts, sequela |
| T82.858D | Stenosis of vascular prosthetic devices, implants and grafts, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T82.858S | Stenosis of vascular prosthetic devices, implants and grafts, sequela |
| T82.867D | Thrombosis of cardiac prosthetic devices, implants and grafts, subsequent encounter |
| T82.867S | Thrombosis of cardiac prosthetic devices, implants and grafts, sequela |
| T82.868D | Thrombosis of vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.868S | Thrombosis of vascular prosthetic devices, implants and grafts, sequela |
| T82.897D | Other specified complication of cardiac prosthetic devices, implants and grafts, subsequent encounter |
| T82.897S | Other specified complication of cardiac prosthetic devices, implants and grafts, sequela |
| T82.898D | Other specified complication of vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.898S | Other specified complication of vascular prosthetic devices, implants and grafts, sequela |
| T82.9XXD | Unspecified complication of cardiac and vascular prosthetic device, implant and graft, subsequent encounter |
| T82.9XXS | Unspecified complication of cardiac and vascular prosthetic device, implant and graft, sequela |
| T83.010D | Breakdown (mechanical) of cystostomy catheter, subsequent encounter |
| T83.010S | Breakdown (mechanical) of cystostomy catheter, sequela |
| T83.018D | Breakdown (mechanical) of other indwelling urethral catheter, subsequent encounter |
| T83.018S | Breakdown (mechanical) of other indwelling urethral catheter, sequela |
| T83.020D | Displacement of cystostomy catheter, subsequent encounter |
| T83.020S | Displacement of cystostomy catheter, sequela |
| T83.028D | Displacement of other indwelling urethral catheter, subsequent encounter |
| T83.028S | Displacement of other indwelling urethral catheter, sequela |
| T83.030D | Leakage of cystostomy catheter, subsequent encounter |
| T83.030S | Leakage of cystostomy catheter, sequela |
| T83.038D | Leakage of other indwelling urethral catheter, subsequent encounter |
| T83.038S | Leakage of other indwelling urethral catheter, sequela |
| T83.090D | Other mechanical complication of cystostomy catheter, subsequent encounter |
| T83.090S | Other mechanical complication of cystostomy catheter, sequela |
| T83.098D | Other mechanical complication of other indwelling urethral catheter, subsequent encounter |
| T83.098S | Other mechanical complication of other indwelling urethral catheter, sequela |
| T83.110D | Breakdown (mechanical) of urinary electronic stimulator device, subsequent encounter |
| T83.110S | Breakdown (mechanical) of urinary electronic stimulator device, sequela |
| T83.111D | Breakdown (mechanical) of urinary sphincter implant, subsequent encounter |
| T83.111S | Breakdown (mechanical) of urinary sphincter implant, sequela |
| T83.112D | Breakdown (mechanical) of urinary stent, subsequent encounter |
| T83.112S | Breakdown (mechanical) of urinary stent, sequela |
| T83.118D | Breakdown (mechanical) of other urinary devices and implants, subsequent encounter |
| T83.118S | Breakdown (mechanical) of other urinary devices and implants, sequela |
| T83.120D | Displacement of urinary electronic stimulator device, subsequent encounter |
| T83.120S | Displacement of urinary electronic stimulator device, sequela |
| T83.121D | Displacement of urinary sphincter implant, subsequent encounter |
| T83.121S | Displacement of urinary sphincter implant, sequela |
| T83.122D | Displacement of urinary stent, subsequent encounter |
| T83.122S | Displacement of urinary stent, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T83.128D | Displacement of other urinary devices and implants, subsequent encounter |
| T83.128S | Displacement of other urinary devices and implants, sequela |
| T83.190D | Other mechanical complication of urinary electronic stimulator device, subsequent encounter |
| T83.190S | Other mechanical complication of urinary electronic stimulator device, sequela |
| T83.191D | Other mechanical complication of urinary sphincter implant, subsequent encounter |
| T83.191S | Other mechanical complication of urinary sphincter implant, sequela |
| T83.192D | Other mechanical complication of urinary stent, subsequent encounter |
| T83.192S | Other mechanical complication of urinary stent, sequela |
| T83.198D | Other mechanical complication of other urinary devices and implants, subsequent encounter |
| T83.198S | Other mechanical complication of other urinary devices and implants, sequela |
| T83.21XD | Breakdown (mechanical) of graft of urinary organ, subsequent encounter |
| T83.21XS | Breakdown (mechanical) of graft of urinary organ, sequela |
| T83.22XD | Displacement of graft of urinary organ, subsequent encounter |
| T83.22XS | Displacement of graft of urinary organ, sequela |
| T83.23XD | Leakage of graft of urinary organ, subsequent encounter |
| T83.23XS | Leakage of graft of urinary organ, sequela |
| T83.29XD | Other mechanical complication of graft of urinary organ, subsequent encounter |
| T83.29XS | Other mechanical complication of graft of urinary organ, sequela |
| T83.31XD | Breakdown (mechanical) of intrauterine contraceptive device, subsequent encounter |
| T83.31XS | Breakdown (mechanical) of intrauterine contraceptive device, sequela |
| T83.32XD | Displacement of intrauterine contraceptive device, subsequent encounter |
| T83.32XS | Displacement of intrauterine contraceptive device, sequela |
| T83.39XD | Other mechanical complication of intrauterine contraceptive device, subsequent encounter |
| T83.39XS | Other mechanical complication of intrauterine contraceptive device, sequela |
| T83.410D | Breakdown (mechanical) of penile (implanted) prosthesis, subsequent encounter |
| T83.410S | Breakdown (mechanical) of penile (implanted) prosthesis, sequela |
| T83.418D | Breakdown (mechanical) of other prosthetic devices, implants and grafts of genital tract, subsequent encounter |
| T83.418S | Breakdown (mechanical) of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.420D | Displacement of penile (implanted) prosthesis, subsequent encounter |
| T83.420S | Displacement of penile (implanted) prosthesis, sequela |
| T83.428D | Displacement of other prosthetic devices, implants and grafts of genital tract, subsequent encounter |
| T83.428S | Displacement of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.490D | Other mechanical complication of penile (implanted) prosthesis, subsequent encounter |
| T83.490S | Other mechanical complication of penile (implanted) prosthesis, sequela |
| T83.498D | Other mechanical complication of other prosthetic devices, implants and grafts of genital tract, subsequent encounter |
| T83.498S | Other mechanical complication of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.51XD | Infection and inflammatory reaction due to indwelling urinary catheter, subsequent encounter |
| T83.51XS | Infection and inflammatory reaction due to indwelling urinary catheter, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T83.59XD | Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system, subsequent encounter |
| T83.59XS | Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system, sequela |
| T83.6XXD | Infection and inflammatory reaction due to prosthetic device, implant and graft in genital tract, subsequent encounter |
| T83.6XXS | Infection and inflammatory reaction due to prosthetic device, implant and graft in genital tract, sequela |
| T83.711D | Erosion of implanted vaginal mesh and other prosthetic materials to surrounding organ or tissue, subsequent encounter |
| T83.711S | Erosion of implanted vaginal mesh and other prosthetic materials to surrounding organ or tissue, sequela |
| T83.718D | Erosion of other implanted mesh and other prosthetic materials to surrounding organ or tissue, subsequent encounter |
| T83.718S | Erosion of other implanted mesh and other prosthetic materials to surrounding organ or tissue, sequela |
| T83.721D | Exposure of implanted vaginal mesh and other prosthetic materials into vagina, subsequent encounter |
| T83.721S | Exposure of implanted vaginal mesh and other prosthetic materials into vagina, sequela |
| T83.728D | Exposure of other implanted mesh and other prosthetic materials to surrounding organ or tissue, subsequent encounter |
| T83.728S | Exposure of other implanted mesh and other prosthetic materials to surrounding organ or tissue, sequela |
| T83.81XD | Embolism of genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.81XS | Embolism of genitourinary prosthetic devices, implants and grafts, sequela |
| T83.82XD | Fibrosis of genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.82XS | Fibrosis of genitourinary prosthetic devices, implants and grafts, sequela |
| T83.83XD | Hemorrhage of genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.83XS | Hemorrhage of genitourinary prosthetic devices, implants and grafts, sequela |
| T83.84XD | Pain from genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.84XS | Pain from genitourinary prosthetic devices, implants and grafts, sequela |
| T83.85XD | Stenosis of genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.85XS | Stenosis of genitourinary prosthetic devices, implants and grafts, sequela |
| T83.86XD | Thrombosis of genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.86XS | Thrombosis of genitourinary prosthetic devices, implants and grafts, sequela |
| T83.89XD | Other specified complication of genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.89XS | Other specified complication of genitourinary prosthetic devices, implants and grafts, sequela |
| T83.9XXD | Unspecified complication of genitourinary prosthetic device, implant and graft, subsequent encounter |
| T83.9XXS | Unspecified complication of genitourinary prosthetic device, implant and graft, sequela |
| T84.010D | Broken internal right hip prosthesis, subsequent encounter |
| T84.010S | Broken internal right hip prosthesis, sequela |
| T84.011D | Broken internal left hip prosthesis, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T84.011S | Broken internal left hip prosthesis, sequela |
| T84.012D | Broken internal right knee prosthesis, subsequent encounter |
| T84.012S | Broken internal right knee prosthesis, sequela |
| T84.013D | Broken internal left knee prosthesis, subsequent encounter |
| T84.013S | Broken internal left knee prosthesis, sequela |
| T84.018D | Broken internal joint prosthesis, other site, subsequent encounter |
| T84.018S | Broken internal joint prosthesis, other site, sequela |
| T84.019D | Broken internal joint prosthesis, unspecified site, subsequent encounter |
| T84.019S | Broken internal joint prosthesis, unspecified site, sequela |
| T84.020D | Dislocation of internal right hip prosthesis, subsequent encounter |
| T84.020S | Dislocation of internal right hip prosthesis, sequela |
| T84.021D | Dislocation of internal left hip prosthesis, subsequent encounter |
| T84.021S | Dislocation of internal left hip prosthesis, sequela |
| T84.022D | Instability of internal right knee prosthesis, subsequent encounter |
| T84.022S | Instability of internal right knee prosthesis, sequela |
| T84.023D | Instability of internal left knee prosthesis, subsequent encounter |
| T84.023S | Instability of internal left knee prosthesis, sequela |
| T84.028D | Dislocation of other internal joint prosthesis, subsequent encounter |
| T84.028S | Dislocation of other internal joint prosthesis, sequela |
| T84.029D | Dislocation of unspecified internal joint prosthesis, subsequent encounter |
| T84.029S | Dislocation of unspecified internal joint prosthesis, sequela |
| T84.030D | Mechanical loosening of internal right hip prosthetic joint, subsequent encounter |
| T84.030S | Mechanical loosening of internal right hip prosthetic joint, sequela |
| T84.031D | Mechanical loosening of internal left hip prosthetic joint, subsequent encounter |
| T84.031S | Mechanical loosening of internal left hip prosthetic joint, sequela |
| T84.032D | Mechanical loosening of internal right knee prosthetic joint, subsequent encounter |
| T84.032S | Mechanical loosening of internal right knee prosthetic joint, sequela |
| T84.033D | Mechanical loosening of internal left knee prosthetic joint, subsequent encounter |
| T84.033S | Mechanical loosening of internal left knee prosthetic joint, sequela |
| T84.038D | Mechanical loosening of other internal prosthetic joint, subsequent encounter |
| T84.038S | Mechanical loosening of other internal prosthetic joint, sequela |
| T84.039D | Mechanical loosening of unspecified internal prosthetic joint, subsequent encounter |
| T84.039S | Mechanical loosening of unspecified internal prosthetic joint, sequela |
| T84.040D | Periprosthetic fracture around internal prosthetic right hip joint, subsequent encounter |
| T84.040S | Periprosthetic fracture around internal prosthetic right hip joint, sequela |
| T84.041D | Periprosthetic fracture around internal prosthetic left hip joint, subsequent encounter |
| T84.041S | Periprosthetic fracture around internal prosthetic left hip joint, sequela |
| T84.042D | Periprosthetic fracture around internal prosthetic right knee joint, subsequent encounter |
| T84.042S | Periprosthetic fracture around internal prosthetic right knee joint, sequela |
| T84.043D | Periprosthetic fracture around internal prosthetic left knee joint, subsequent encounter |
| T84.043S | Periprosthetic fracture around internal prosthetic left knee joint, sequela |
| T84.048D | Periprosthetic fracture around other internal prosthetic joint, subsequent encounter |
| T84.048S | Periprosthetic fracture around other internal prosthetic joint, sequela |
| T84.049D | Periprosthetic fracture around unspecified internal prosthetic joint, subsequent encounter |
| T84.049S | Periprosthetic fracture around unspecified internal prosthetic joint, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T84.050D | Periprosthetic osteolysis of internal prosthetic right hip joint, subsequent encounter |
| T84.050S | Periprosthetic osteolysis of internal prosthetic right hip joint, sequela |
| T84.051D | Periprosthetic osteolysis of internal prosthetic left hip joint, subsequent encounter |
| T84.051S | Periprosthetic osteolysis of internal prosthetic left hip joint, sequela |
| T84.052D | Periprosthetic osteolysis of internal prosthetic right knee joint, subsequent encounter |
| T84.052S | Periprosthetic osteolysis of internal prosthetic right knee joint, sequela |
| T84.053D | Periprosthetic osteolysis of internal prosthetic left knee joint, subsequent encounter |
| T84.053S | Periprosthetic osteolysis of internal prosthetic left knee joint, sequela |
| T84.058D | Periprosthetic osteolysis of other internal prosthetic joint, subsequent encounter |
| T84.058S | Periprosthetic osteolysis of other internal prosthetic joint, sequela |
| T84.059D | Periprosthetic osteolysis of unspecified internal prosthetic joint, subsequent encounter |
| T84.059S | Periprosthetic osteolysis of unspecified internal prosthetic joint, sequela |
| T84.060D | Wear of articular bearing surface of internal prosthetic right hip joint, subsequent encounter |
| T84.060S | Wear of articular bearing surface of internal prosthetic right hip joint, sequela |
| T84.061D | Wear of articular bearing surface of internal prosthetic left hip joint, subsequent encounter |
| T84.061S | Wear of articular bearing surface of internal prosthetic left hip joint, sequela |
| T84.062D | Wear of articular bearing surface of internal prosthetic right knee joint, subsequent encounter |
| T84.062S | Wear of articular bearing surface of internal prosthetic right knee joint, sequela |
| T84.063D | Wear of articular bearing surface of internal prosthetic left knee joint, subsequent encounter |
| T84.063S | Wear of articular bearing surface of internal prosthetic left knee joint, sequela |
| T84.068D | Wear of articular bearing surface of other internal prosthetic joint, subsequent encounter |
| T84.068S | Wear of articular bearing surface of other internal prosthetic joint, sequela |
| T84.069D | Wear of articular bearing surface of unspecified internal prosthetic joint, subsequent encounter |
| T84.069S | Wear of articular bearing surface of unspecified internal prosthetic joint, sequela |
| T84.090D | Other mechanical complication of internal right hip prosthesis, subsequent encounter |
| T84.090S | Other mechanical complication of internal right hip prosthesis, sequela |
| T84.091D | Other mechanical complication of internal left hip prosthesis, subsequent encounter |
| T84.091S | Other mechanical complication of internal left hip prosthesis, sequela |
| T84.092D | Other mechanical complication of internal right knee prosthesis, subsequent encounter |
| T84.092S | Other mechanical complication of internal right knee prosthesis, sequela |
| T84.093D | Other mechanical complication of internal left knee prosthesis, subsequent encounter |
| T84.093S | Other mechanical complication of internal left knee prosthesis, sequela |
| T84.098D | Other mechanical complication of other internal joint prosthesis, subsequent encounter |
| T84.098S | Other mechanical complication of other internal joint prosthesis, sequela |
| T84.099D | Other mechanical complication of unspecified internal joint prosthesis, subsequent encounter |
| T84.099S | Other mechanical complication of unspecified internal joint prosthesis, sequela |
| T84.110D | Breakdown (mechanical) of internal fixation device of right humerus, subsequent encounter |
| T84.110S | Breakdown (mechanical) of internal fixation device of right humerus, sequela |
| T84.111D | Breakdown (mechanical) of internal fixation device of left humerus, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T84.111S | Breakdown (mechanical) of internal fixation device of left humerus, sequela |
| T84.112D | Breakdown (mechanical) of internal fixation device of bone of right forearm, subsequent encounter |
| T84.112S | Breakdown (mechanical) of internal fixation device of bone of right forearm, sequela |
| T84.113D | Breakdown (mechanical) of internal fixation device of bone of left forearm, subsequent encounter |
| T84.113S | Breakdown (mechanical) of internal fixation device of bone of left forearm, sequela |
| T84.114D | Breakdown (mechanical) of internal fixation device of right femur, subsequent encounter |
| T84.114S | Breakdown (mechanical) of internal fixation device of right femur, sequela |
| T84.115D | Breakdown (mechanical) of internal fixation device of left femur, subsequent encounter |
| T84.115S | Breakdown (mechanical) of internal fixation device of left femur, sequela |
| T84.116D | Breakdown (mechanical) of internal fixation device of bone of right lower leg, subsequent encounter |
| T84.116S | Breakdown (mechanical) of internal fixation device of bone of right lower leg, sequela |
| T84.117D | Breakdown (mechanical) of internal fixation device of bone of left lower leg, subsequent encounter |
| T84.117S | Breakdown (mechanical) of internal fixation device of bone of left lower leg, sequela |
| T84.119D | Breakdown (mechanical) of internal fixation device of unspecified bone of limb, subsequent encounter |
| T84.119S | Breakdown (mechanical) of internal fixation device of unspecified bone of limb, sequela |
| T84.120D | Displacement of internal fixation device of right humerus, subsequent encounter |
| T84.120S | Displacement of internal fixation device of right humerus, sequela |
| T84.121D | Displacement of internal fixation device of left humerus, subsequent encounter |
| T84.121S | Displacement of internal fixation device of left humerus, sequela |
| T84.122D | Displacement of internal fixation device of bone of right forearm, subsequent encounter |
| T84.122S | Displacement of internal fixation device of bone of right forearm, sequela |
| T84.123D | Displacement of internal fixation device of bone of left forearm, subsequent encounter |
| T84.123S | Displacement of internal fixation device of bone of left forearm, sequela |
| T84.124D | Displacement of internal fixation device of right femur, subsequent encounter |
| T84.124S | Displacement of internal fixation device of right femur, sequela |
| T84.125D | Displacement of internal fixation device of left femur, subsequent encounter |
| T84.125S | Displacement of internal fixation device of left femur, sequela |
| T84.126D | Displacement of internal fixation device of bone of right lower leg, subsequent encounter |
| T84.126S | Displacement of internal fixation device of bone of right lower leg, sequela |
| T84.127D | Displacement of internal fixation device of bone of left lower leg, subsequent encounter |
| T84.127S | Displacement of internal fixation device of bone of left lower leg, sequela |
| T84.129D | Displacement of internal fixation device of unspecified bone of limb, subsequent encounter |
| T84.129S | Displacement of internal fixation device of unspecified bone of limb, sequela |
| T84.190D | Other mechanical complication of internal fixation device of right humerus, subsequent encounter |
| T84.190S | Other mechanical complication of internal fixation device of right humerus, sequela |
| T84.191D | Other mechanical complication of internal fixation device of left humerus, subsequent encounter |
| T84.191S | Other mechanical complication of internal fixation device of left humerus, sequela |
| T84.192D | Other mechanical complication of internal fixation device of bone of right forearm, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T84.192S | Other mechanical complication of internal fixation device of bone of right forearm, sequela |
| T84.193D | Other mechanical complication of internal fixation device of bone of left forearm, subsequent encounter |
| T84.193S | Other mechanical complication of internal fixation device of bone of left forearm, sequela |
| T84.194D | Other mechanical complication of internal fixation device of right femur, subsequent encounter |
| T84.194S | Other mechanical complication of internal fixation device of right femur, sequela |
| T84.195D | Other mechanical complication of internal fixation device of left femur, subsequent encounter |
| T84.195S | Other mechanical complication of internal fixation device of left femur, sequela |
| T84.196D | Other mechanical complication of internal fixation device of bone of right lower leg, subsequent encounter |
| T84.196S | Other mechanical complication of internal fixation device of bone of right lower leg, sequela |
| T84.197D | Other mechanical complication of internal fixation device of bone of left lower leg, subsequent encounter |
| T84.197S | Other mechanical complication of internal fixation device of bone of left lower leg, sequela |
| T84.199D | Other mechanical complication of internal fixation device of unspecified bone of limb, subsequent encounter |
| T84.199S | Other mechanical complication of internal fixation device of unspecified bone of limb, sequela |
| T84.210D | Breakdown (mechanical) of internal fixation device of bones of hand and fingers, subsequent encounter |
| T84.210S | Breakdown (mechanical) of internal fixation device of bones of hand and fingers, sequela |
| T84.213D | Breakdown (mechanical) of internal fixation device of bones of foot and toes, subsequent encounter |
| T84.213S | Breakdown (mechanical) of internal fixation device of bones of foot and toes, sequela |
| T84.216D | Breakdown (mechanical) of internal fixation device of vertebrae, subsequent encounter |
| T84.216S | Breakdown (mechanical) of internal fixation device of vertebrae, sequela |
| T84.218D | Breakdown (mechanical) of internal fixation device of other bones, subsequent encounter |
| T84.218S | Breakdown (mechanical) of internal fixation device of other bones, sequela |
| T84.220D | Displacement of internal fixation device of bones of hand and fingers, subsequent encounter |
| T84.220S | Displacement of internal fixation device of bones of hand and fingers, sequela |
| T84.223D | Displacement of internal fixation device of bones of foot and toes, subsequent encounter |
| T84.223S | Displacement of internal fixation device of bones of foot and toes, sequela |
| T84.226D | Displacement of internal fixation device of vertebrae, subsequent encounter |
| T84.226S | Displacement of internal fixation device of vertebrae, sequela |
| T84.228D | Displacement of internal fixation device of other bones, subsequent encounter |
| T84.228S | Displacement of internal fixation device of other bones, sequela |
| T84.290D | Other mechanical complication of internal fixation device of bones of hand and fingers, subsequent encounter |
| T84.290S | Other mechanical complication of internal fixation device of bones of hand and fingers, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T84.293D | Other mechanical complication of internal fixation device of bones of foot and toes, subsequent encounter |
| T84.293S | Other mechanical complication of internal fixation device of bones of foot and toes, sequela |
| T84.296D | Other mechanical complication of internal fixation device of vertebrae, subsequent encounter |
| T84.296S | Other mechanical complication of internal fixation device of vertebrae, sequela |
| T84.298D | Other mechanical complication of internal fixation device of other bones, subsequent encounter |
| T84.298S | Other mechanical complication of internal fixation device of other bones, sequela |
| T84.310D | Breakdown (mechanical) of electronic bone stimulator, subsequent encounter |
| T84.310S | Breakdown (mechanical) of electronic bone stimulator, sequela |
| T84.318D | Breakdown (mechanical) of other bone devices, implants and grafts, subsequent encounter |
| T84.318S | Breakdown (mechanical) of other bone devices, implants and grafts, sequela |
| T84.320D | Displacement of electronic bone stimulator, subsequent encounter |
| T84.320S | Displacement of electronic bone stimulator, sequela |
| T84.328D | Displacement of other bone devices, implants and grafts, subsequent encounter |
| T84.328S | Displacement of other bone devices, implants and grafts, sequela |
| T84.390D | Other mechanical complication of electronic bone stimulator, subsequent encounter |
| T84.390S | Other mechanical complication of electronic bone stimulator, sequela |
| T84.398D | Other mechanical complication of other bone devices, implants and grafts, subsequent encounter |
| T84.398S | Other mechanical complication of other bone devices, implants and grafts, sequela |
| T84.410D | Breakdown (mechanical) of muscle and tendon graft, subsequent encounter |
| T84.410S | Breakdown (mechanical) of muscle and tendon graft, sequela |
| T84.418D | Breakdown (mechanical) of other internal orthopedic devices, implants and grafts, subsequent encounter |
| T84.418S | Breakdown (mechanical) of other internal orthopedic devices, implants and grafts, sequela |
| T84.420D | Displacement of muscle and tendon graft, subsequent encounter |
| T84.420S | Displacement of muscle and tendon graft, sequela |
| T84.428D | Displacement of other internal orthopedic devices, implants and grafts, subsequent encounter |
| T84.428S | Displacement of other internal orthopedic devices, implants and grafts, sequela |
| T84.490D | Other mechanical complication of muscle and tendon graft, subsequent encounter |
| T84.490S | Other mechanical complication of muscle and tendon graft, sequela |
| T84.498D | Other mechanical complication of other internal orthopedic devices, implants and grafts, subsequent encounter |
| T84.498S | Other mechanical complication of other internal orthopedic devices, implants and grafts, sequela |
| T84.50XD | Infection and inflammatory reaction due to unspecified internal joint prosthesis, subsequent encounter |
| T84.50XS | Infection and inflammatory reaction due to unspecified internal joint prosthesis, sequela |
| T84.51XD | Infection and inflammatory reaction due to internal right hip prosthesis, subsequent encounter |
| T84.51XS | Infection and inflammatory reaction due to internal right hip prosthesis, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| T84.52XD | Infection and inflammatory reaction due to internal left hip prosthesis, subsequent encounter |
| T84.52XS | Infection and inflammatory reaction due to internal left hip prosthesis, sequela |
| T84.53XD | Infection and inflammatory reaction due to internal right knee prosthesis, subsequent encounter |
| T84.53XS | Infection and inflammatory reaction due to internal right knee prosthesis, sequela |
| T84.54XD | Infection and inflammatory reaction due to internal left knee prosthesis, subsequent encounter |
| T84.54XS | Infection and inflammatory reaction due to internal left knee prosthesis, sequela |
| T84.59XD | Infection and inflammatory reaction due to other internal joint prosthesis, subsequent encounter |
| T84.59XS | Infection and inflammatory reaction due to other internal joint prosthesis, sequela |
| T84.60XD | Infection and inflammatory reaction due to internal fixation device of unspecified site, subsequent encounter |
| T84.60XS | Infection and inflammatory reaction due to internal fixation device of unspecified site, sequela |
| T84.610D | Infection and inflammatory reaction due to internal fixation device of right humerus, subsequent encounter |
| T84.610S | Infection and inflammatory reaction due to internal fixation device of right humerus, sequela |
| T84.611D | Infection and inflammatory reaction due to internal fixation device of left humerus, subsequent encounter |
| T84.611S | Infection and inflammatory reaction due to internal fixation device of left humerus, sequela |
| T84.612D | Infection and inflammatory reaction due to internal fixation device of right radius, subsequent encounter |
| T84.612S | Infection and inflammatory reaction due to internal fixation device of right radius, sequela |
| T84.613D | Infection and inflammatory reaction due to internal fixation device of left radius, subsequent encounter |
| T84.613S | Infection and inflammatory reaction due to internal fixation device of left radius, sequela |
| T84.614D | Infection and inflammatory reaction due to internal fixation device of right ulna, subsequent encounter |
| T84.614S | Infection and inflammatory reaction due to internal fixation device of right ulna, sequela |
| T84.615D | Infection and inflammatory reaction due to internal fixation device of left ulna, subsequent encounter |
| T84.615S | Infection and inflammatory reaction due to internal fixation device of left ulna, sequela |
| T84.619D | Infection and inflammatory reaction due to internal fixation device of unspecified bone of arm, subsequent encounter |
| T84.619S | Infection and inflammatory reaction due to internal fixation device of unspecified bone of arm, sequela |
| T84.620D | Infection and inflammatory reaction due to internal fixation device of right femur, subsequent encounter |
| T84.620S | Infection and inflammatory reaction due to internal fixation device of right femur, sequela |
| T84.621D | Infection and inflammatory reaction due to internal fixation device of left femur, subsequent encounter |
| T84.621S | Infection and inflammatory reaction due to internal fixation device of left femur, sequela |
| T84.622D | Infection and inflammatory reaction due to internal fixation device of right tibia, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T84.622S | Infection and inflammatory reaction due to internal fixation device of right tibia, sequela |
| T84.623D | Infection and inflammatory reaction due to internal fixation device of left tibia, subsequent encounter |
| T84.623S | Infection and inflammatory reaction due to internal fixation device of left tibia, sequela |
| T84.624D | Infection and inflammatory reaction due to internal fixation device of right fibula, subsequent encounter |
| T84.624S | Infection and inflammatory reaction due to internal fixation device of right fibula, sequela |
| T84.625D | Infection and inflammatory reaction due to internal fixation device of left fibula, subsequent encounter |
| T84.625S | Infection and inflammatory reaction due to internal fixation device of left fibula, sequela |
| T84.629D | Infection and inflammatory reaction due to internal fixation device of unspecified bone of leg, subsequent encounter |
| T84.629S | Infection and inflammatory reaction due to internal fixation device of unspecified bone of leg, sequela |
| T84.63XD | Infection and inflammatory reaction due to internal fixation device of spine, subsequent encounter |
| T84.63XS | Infection and inflammatory reaction due to internal fixation device of spine, sequela |
| T84.69XD | Infection and inflammatory reaction due to internal fixation device of other site, subsequent encounter |
| T84.69XS | Infection and inflammatory reaction due to internal fixation device of other site, sequela |
| T84.7XXD | Infection and inflammatory reaction due to other internal orthopedic prosthetic devices, implants and grafts, subsequent encounter |
| T84.7XXS | Infection and inflammatory reaction due to other internal orthopedic prosthetic devices, implants and grafts, sequela |
| T84.81XD | Embolism due to internal orthopedic prosthetic devices, implants and grafts, subsequent encounter |
| T84.81XS | Embolism due to internal orthopedic prosthetic devices, implants and grafts, sequela |
| T84.82XD | Fibrosis due to internal orthopedic prosthetic devices, implants and grafts, subsequent encounter |
| T84.82XS | Fibrosis due to internal orthopedic prosthetic devices, implants and grafts, sequela |
| T84.83XD | Hemorrhage due to internal orthopedic prosthetic devices, implants and grafts, subsequent encounter |
| T84.83XS | Hemorrhage due to internal orthopedic prosthetic devices, implants and grafts, sequela |
| T84.84XD | Pain due to internal orthopedic prosthetic devices, implants and grafts, subsequent encounter |
| T84.84XS | Pain due to internal orthopedic prosthetic devices, implants and grafts, sequela |
| T84.85XD | Stenosis due to internal orthopedic prosthetic devices, implants and grafts, subsequent encounter |
| T84.85XS | Stenosis due to internal orthopedic prosthetic devices, implants and grafts, sequela |
| T84.86XD | Thrombosis due to internal orthopedic prosthetic devices, implants and grafts, subsequent encounter |
| T84.86XS | Thrombosis due to internal orthopedic prosthetic devices, implants and grafts, sequela |
| T84.89XD | Other specified complication of internal orthopedic prosthetic devices, implants and grafts, subsequent encounter |
| T84.89XS | Other specified complication of internal orthopedic prosthetic devices, implants and grafts, sequela |
| T84.9XXD | Unspecified complication of internal orthopedic prosthetic device, implant and graft, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T84.9XXS | Unspecified complication of internal orthopedic prosthetic device, implant and graft, sequela |
| T85.01XD | Breakdown (mechanical) of ventricular intracranial (communicating) shunt, subsequent encounter |
| T85.01XS | Breakdown (mechanical) of ventricular intracranial (communicating) shunt, sequela |
| T85.02XD | Displacement of ventricular intracranial (communicating) shunt, subsequent encounter |
| T85.02XS | Displacement of ventricular intracranial (communicating) shunt, sequela |
| T85.03XD | Leakage of ventricular intracranial (communicating) shunt, subsequent encounter |
| T85.03XS | Leakage of ventricular intracranial (communicating) shunt, sequela |
| T85.09XD | Other mechanical complication of ventricular intracranial (communicating) shunt, subsequent encounter |
| T85.09XS | Other mechanical complication of ventricular intracranial (communicating) shunt, sequela |
| T85.110D | Breakdown (mechanical) of implanted electronic neurostimulator (electrode) of brain, subsequent encounter |
| T85.110S | Breakdown (mechanical) of implanted electronic neurostimulator (electrode) of brain, sequela |
| T85.111D | Breakdown (mechanical) of implanted electronic neurostimulator (electrode) of peripheral nerve, subsequent encounter |
| T85.111S | Breakdown (mechanical) of implanted electronic neurostimulator (electrode) of peripheral nerve, sequela |
| T85.112D | Breakdown (mechanical) of implanted electronic neurostimulator (electrode) of spinal cord, subsequent encounter |
| T85.112S | Breakdown (mechanical) of implanted electronic neurostimulator (electrode) of spinal cord, sequela |
| T85.118D | Breakdown (mechanical) of other implanted electronic stimulator of nervous system, subsequent encounter |
| T85.118S | Breakdown (mechanical) of other implanted electronic stimulator of nervous system, sequela |
| T85.120D | Displacement of implanted electronic neurostimulator (electrode) of brain, subsequent encounter |
| T85.120S | Displacement of implanted electronic neurostimulator (electrode) of brain, sequela |
| T85.121D | Displacement of implanted electronic neurostimulator (electrode) of peripheral nerve, subsequent encounter |
| T85.121S | Displacement of implanted electronic neurostimulator (electrode) of peripheral nerve, sequela |
| T85.122D | Displacement of implanted electronic neurostimulator (electrode) of spinal cord, subsequent encounter |
| T85.122S | Displacement of implanted electronic neurostimulator (electrode) of spinal cord, sequela |
| T85.128D | Displacement of other implanted electronic stimulator of nervous system, subsequent encounter |
| T85.128S | Displacement of other implanted electronic stimulator of nervous system, sequela |
| T85.190D | Other mechanical complication of implanted electronic neurostimulator (electrode) of brain, subsequent encounter |
| T85.190S | Other mechanical complication of implanted electronic neurostimulator (electrode) of brain, sequela |
| T85.191D | Other mechanical complication of implanted electronic neurostimulator (electrode) of peripheral nerve, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T85.191S | Other mechanical complication of implanted electronic neurostimulator (electrode) of peripheral nerve, sequela |
| T85.192D | Other mechanical complication of implanted electronic neurostimulator (electrode) of spinal cord, subsequent encounter |
| T85.192S | Other mechanical complication of implanted electronic neurostimulator (electrode) of spinal cord, sequela |
| T85.199D | Other mechanical complication of other implanted electronic stimulator of nervous system, subsequent encounter |
| T85.199S | Other mechanical complication of other implanted electronic stimulator of nervous system, sequela |
| T85.21XD | Breakdown (mechanical) of intraocular lens, subsequent encounter |
| T85.21XS | Breakdown (mechanical) of intraocular lens, sequela |
| T85.22XD | Displacement of intraocular lens, subsequent encounter |
| T85.22XS | Displacement of intraocular lens, sequela |
| T85.29XD | Other mechanical complication of intraocular lens, subsequent encounter |
| T85.29XS | Other mechanical complication of intraocular lens, sequela |
| T85.310D | Breakdown (mechanical) of prosthetic orbit of right eye, subsequent encounter |
| T85.310S | Breakdown (mechanical) of prosthetic orbit of right eye, sequela |
| T85.311D | Breakdown (mechanical) of prosthetic orbit of left eye, subsequent encounter |
| T85.311S | Breakdown (mechanical) of prosthetic orbit of left eye, sequela |
| T85.318D | Breakdown (mechanical) of other ocular prosthetic devices, implants and grafts, subsequent encounter |
| T85.318S | Breakdown (mechanical) of other ocular prosthetic devices, implants and grafts, sequela |
| T85.320D | Displacement of prosthetic orbit of right eye, subsequent encounter |
| T85.320S | Displacement of prosthetic orbit of right eye, sequela |
| T85.321D | Displacement of prosthetic orbit of left eye, subsequent encounter |
| T85.321S | Displacement of prosthetic orbit of left eye, sequela |
| T85.328D | Displacement of other ocular prosthetic devices, implants and grafts, subsequent encounter |
| T85.328S | Displacement of other ocular prosthetic devices, implants and grafts, sequela |
| T85.390D | Other mechanical complication of prosthetic orbit of right eye, subsequent encounter |
| T85.390S | Other mechanical complication of prosthetic orbit of right eye, sequela |
| T85.391D | Other mechanical complication of prosthetic orbit of left eye, subsequent encounter |
| T85.391S | Other mechanical complication of prosthetic orbit of left eye, sequela |
| T85.398D | Other mechanical complication of other ocular prosthetic devices, implants and grafts, subsequent encounter |
| T85.398S | Other mechanical complication of other ocular prosthetic devices, implants and grafts, sequela |
| T85.41XD | Breakdown (mechanical) of breast prosthesis and implant, subsequent encounter |
| T85.41XS | Breakdown (mechanical) of breast prosthesis and implant, sequela |
| T85.42XD | Displacement of breast prosthesis and implant, subsequent encounter |
| T85.42XS | Displacement of breast prosthesis and implant, sequela |
| T85.43XD | Leakage of breast prosthesis and implant, subsequent encounter |
| T85.43XS | Leakage of breast prosthesis and implant, sequela |
| T85.44XD | Capsular contracture of breast implant, subsequent encounter |
| T85.44XS | Capsular contracture of breast implant, sequela |
| T85.49XD | Other mechanical complication of breast prosthesis and implant, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T85.49XS | Other mechanical complication of breast prosthesis and implant, sequela |
| T85.510D | Breakdown (mechanical) of bile duct prosthesis, subsequent encounter |
| T85.510S | Breakdown (mechanical) of bile duct prosthesis, sequela |
| T85.511D | Breakdown (mechanical) of esophageal anti-reflux device, subsequent encounter |
| T85.511S | Breakdown (mechanical) of esophageal anti-reflux device, sequela |
| T85.518D | Breakdown (mechanical) of other gastrointestinal prosthetic devices, implants and grafts, subsequent encounter |
| T85.518S | Breakdown (mechanical) of other gastrointestinal prosthetic devices, implants and grafts, sequela |
| T85.520D | Displacement of bile duct prosthesis, subsequent encounter |
| T85.520S | Displacement of bile duct prosthesis, sequela |
| T85.521D | Displacement of esophageal anti-reflux device, subsequent encounter |
| T85.521S | Displacement of esophageal anti-reflux device, sequela |
| T85.528D | Displacement of other gastrointestinal prosthetic devices, implants and grafts, subsequent encounter |
| T85.528S | Displacement of other gastrointestinal prosthetic devices, implants and grafts, sequela |
| T85.590D | Other mechanical complication of bile duct prosthesis, subsequent encounter |
| T85.590S | Other mechanical complication of bile duct prosthesis, sequela |
| T85.591D | Other mechanical complication of esophageal anti-reflux device, subsequent encounter |
| T85.591S | Other mechanical complication of esophageal anti-reflux device, sequela |
| T85.598D | Other mechanical complication of other gastrointestinal prosthetic devices, implants and grafts, subsequent encounter |
| T85.598S | Other mechanical complication of other gastrointestinal prosthetic devices, implants and grafts, sequela |
| T85.610D | Breakdown (mechanical) of epidural and subdural infusion catheter, subsequent encounter |
| T85.610S | Breakdown (mechanical) of epidural and subdural infusion catheter, sequela |
| T85.611D | Breakdown (mechanical) of intraperitoneal dialysis catheter, subsequent encounter |
| T85.611S | Breakdown (mechanical) of intraperitoneal dialysis catheter, sequela |
| T85.612D | Breakdown (mechanical) of permanent sutures, subsequent encounter |
| T85.612S | Breakdown (mechanical) of permanent sutures, sequela |
| T85.613D | Breakdown (mechanical) of artificial skin graft and decellularized allodermis, subsequent encounter |
| T85.613S | Breakdown (mechanical) of artificial skin graft and decellularized allodermis, sequela |
| T85.614D | Breakdown (mechanical) of insulin pump, subsequent encounter |
| T85.614S | Breakdown (mechanical) of insulin pump, sequela |
| T85.618D | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.618S | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts, sequela |
| T85.620D | Displacement of epidural and subdural infusion catheter, subsequent encounter |
| T85.620S | Displacement of epidural and subdural infusion catheter, sequela |
| T85.621D | Displacement of intraperitoneal dialysis catheter, subsequent encounter |
| T85.621S | Displacement of intraperitoneal dialysis catheter, sequela |
| T85.622D | Displacement of permanent sutures, subsequent encounter |
| T85.622S | Displacement of permanent sutures, sequela |
| T85.623D | Displacement of artificial skin graft and decellularized allodermis, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T85.623S | Displacement of artificial skin graft and decellularized allodermis, sequela |
| T85.624D | Displacement of insulin pump, subsequent encounter |
| T85.624S | Displacement of insulin pump, sequela |
| T85.628D | Displacement of other specified internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.628S | Displacement of other specified internal prosthetic devices, implants and grafts, sequela |
| T85.630D | Leakage of epidural and subdural infusion catheter, subsequent encounter |
| T85.630S | Leakage of epidural and subdural infusion catheter, sequela |
| T85.631D | Leakage of intraperitoneal dialysis catheter, subsequent encounter |
| T85.631S | Leakage of intraperitoneal dialysis catheter, sequela |
| T85.633D | Leakage of insulin pump, subsequent encounter |
| T85.633S | Leakage of insulin pump, sequela |
| T85.638D | Leakage of other specified internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.638S | Leakage of other specified internal prosthetic devices, implants and grafts, sequela |
| T85.690D | Other mechanical complication of epidural and subdural infusion catheter, subsequent encounter |
| T85.690S | Other mechanical complication of epidural and subdural infusion catheter, sequela |
| T85.691D | Other mechanical complication of intraperitoneal dialysis catheter, subsequent encounter |
| T85.691S | Other mechanical complication of intraperitoneal dialysis catheter, sequela |
| T85.692D | Other mechanical complication of permanent sutures, subsequent encounter |
| T85.692S | Other mechanical complication of permanent sutures, sequela |
| T85.693D | Other mechanical complication of artificial skin graft and decellularized allodermis, subsequent encounter |
| T85.693S | Other mechanical complication of artificial skin graft and decellularized allodermis, sequela |
| T85.694D | Other mechanical complication of insulin pump, subsequent encounter |
| T85.694S | Other mechanical complication of insulin pump, sequela |
| T85.698D | Other mechanical complication of other specified internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.698S | Other mechanical complication of other specified internal prosthetic devices, implants and grafts, sequela |
| T85.71XD | Infection and inflammatory reaction due to peritoneal dialysis catheter, subsequent encounter |
| T85.71XS | Infection and inflammatory reaction due to peritoneal dialysis catheter, sequela |
| T85.72XD | Infection and inflammatory reaction due to insulin pump, subsequent encounter |
| T85.72XS | Infection and inflammatory reaction due to insulin pump, sequela |
| T85.79XD | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.79XS | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, sequela |
| T85.81XD | Embolism due to internal prosthetic devices, implants and grafts, not elsewhere classified, subsequent encounter |
| T85.81XS | Embolism due to internal prosthetic devices, implants and grafts, not elsewhere classified, sequela |
| T85.82XD | Fibrosis due to internal prosthetic devices, implants and grafts, not elsewhere classified, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T85.82XS | Fibrosis due to internal prosthetic devices, implants and grafts, not elsewhere classified, sequela |
| T85.83XD | Hemorrhage due to internal prosthetic devices, implants and grafts, not elsewhere classified, subsequent encounter |
| T85.83XS | Hemorrhage due to internal prosthetic devices, implants and grafts, not elsewhere classified, sequela |
| T85.84XD | Pain due to internal prosthetic devices, implants and grafts, not elsewhere classified, subsequent encounter |
| T85.84XS | Pain due to internal prosthetic devices, implants and grafts, not elsewhere classified, sequela |
| T85.85XD | Stenosis due to internal prosthetic devices, implants and grafts, not elsewhere classified, subsequent encounter |
| T85.85XS | Stenosis due to internal prosthetic devices, implants and grafts, not elsewhere classified, sequela |
| T85.86XD | Thrombosis due to internal prosthetic devices, implants and grafts, not elsewhere classified, subsequent encounter |
| T85.86XS | Thrombosis due to internal prosthetic devices, implants and grafts, not elsewhere classified, sequela |
| T85.89XD | Other specified complication of internal prosthetic devices, implants and grafts, not elsewhere classified, subsequent encounter |
| T85.89XS | Other specified complication of internal prosthetic devices, implants and grafts, not elsewhere classified, sequela |
| T85.9XXD | Unspecified complication of internal prosthetic device, implant and graft, subsequent encounter |
| T85.9XXS | Unspecified complication of internal prosthetic device, implant and graft, sequela |
| T86.00 | Unspecified complication of bone marrow transplant |
| T86.01 | Bone marrow transplant rejection |
| T86.02 | Bone marrow transplant failure |
| T86.03 | Bone marrow transplant infection |
| T86.09 | Other complications of bone marrow transplant |
| T86.10 | Unspecified complication of kidney transplant |
| T86.11 | Kidney transplant rejection |
| T86.12 | Kidney transplant failure |
| T86.13 | Kidney transplant infection |
| T86.19 | Other complication of kidney transplant |
| T86.20 | Unspecified complication of heart transplant |
| T86.21 | Heart transplant rejection |
| T86.22 | Heart transplant failure |
| T86.23 | Heart transplant infection |
| T86.290 | Cardiac allograft vasculopathy |
| T86.298 | Other complications of heart transplant |
| T86.30 | Unspecified complication of heart-lung transplant |
| T86.31 | Heart-lung transplant rejection |
| T86.32 | Heart-lung transplant failure |
| T86.33 | Heart-lung transplant infection |
| T86.39 | Other complications of heart-lung transplant |
| T86.40 | Unspecified complication of liver transplant |

| ICD-10 code | ICD-10 description |
|---|---|
| T86.41 | Liver transplant rejection |
| T86.42 | Liver transplant failure |
| T86.43 | Liver transplant infection |
| T86.49 | Other complications of liver transplant |
| T86.5 | Complications of stem cell transplant |
| T86.810 | Lung transplant rejection |
| T86.811 | Lung transplant failure |
| T86.812 | Lung transplant infection |
| T86.818 | Other complications of lung transplant |
| T86.819 | Unspecified complication of lung transplant |
| T86.820 | Skin graft (allograft) rejection |
| T86.821 | Skin graft (allograft) (autograft) failure |
| T86.822 | Skin graft (allograft) (autograft) infection |
| T86.828 | Other complications of skin graft (allograft) (autograft) |
| T86.829 | Unspecified complication of skin graft (allograft) (autograft) |
| T86.830 | Bone graft rejection |
| T86.831 | Bone graft failure |
| T86.832 | Bone graft infection |
| T86.838 | Other complications of bone graft |
| T86.839 | Unspecified complication of bone graft |
| T86.840 | Corneal transplant rejection |
| T86.841 | Corneal transplant failure |
| T86.842 | Corneal transplant infection |
| T86.848 | Other complications of corneal transplant |
| T86.849 | Unspecified complication of corneal transplant |
| T86.850 | Intestine transplant rejection |
| T86.851 | Intestine transplant failure |
| T86.852 | Intestine transplant infection |
| T86.858 | Other complications of intestine transplant |
| T86.859 | Unspecified complication of intestine transplant |
| T86.890 | Other transplanted tissue rejection |
| T86.891 | Other transplanted tissue failure |
| T86.892 | Other transplanted tissue infection |
| T86.898 | Other complications of other transplanted tissue |
| T86.899 | Unspecified complication of other transplanted tissue |
| T86.90 | Unspecified complication of unspecified transplanted organ and tissue |
| T86.91 | Unspecified transplanted organ and tissue rejection |
| T86.92 | Unspecified transplanted organ and tissue failure |
| T86.93 | Unspecified transplanted organ and tissue infection |
| T86.99 | Other complications of unspecified transplanted organ and tissue |
| T87.0X1 | Complications of reattached (part of) right upper extremity |
| T87.0X2 | Complications of reattached (part of) left upper extremity |
| T87.0X9 | Complications of reattached (part of) unspecified upper extremity |
| T87.1X1 | Complications of reattached (part of) right lower extremity |
| T87.1X2 | Complications of reattached (part of) left lower extremity |
| T87.1X9 | Complications of reattached (part of) unspecified lower extremity |

| ICD-10 code | ICD-10 description |
|---|---|
| T87.2 | Complications of other reattached body part |
| T87.30 | Neuroma of amputation stump, unspecified extremity |
| T87.31 | Neuroma of amputation stump, right upper extremity |
| T87.32 | Neuroma of amputation stump, left upper extremity |
| T87.33 | Neuroma of amputation stump, right lower extremity |
| T87.34 | Neuroma of amputation stump, left lower extremity |
| T87.40 | Infection of amputation stump, unspecified extremity |
| T87.41 | Infection of amputation stump, right upper extremity |
| T87.42 | Infection of amputation stump, left upper extremity |
| T87.43 | Infection of amputation stump, right lower extremity |
| T87.44 | Infection of amputation stump, left lower extremity |
| T87.50 | Necrosis of amputation stump, unspecified extremity |
| T87.51 | Necrosis of amputation stump, right upper extremity |
| T87.52 | Necrosis of amputation stump, left upper extremity |
| T87.53 | Necrosis of amputation stump, right lower extremity |
| T87.54 | Necrosis of amputation stump, left lower extremity |
| T87.81 | Dehiscence of amputation stump |
| T87.89 | Other complications of amputation stump |
| T87.9 | Unspecified complications of amputation stump |
| T88.0XXD | Infection following immunization, subsequent encounter |
| T88.0XXS | Infection following immunization, sequela |
| T88.1XXD | Other complications following immunization, not elsewhere classified, subsequent encounter |
| T88.1XXS | Other complications following immunization, not elsewhere classified, sequela |
| T88.2XXD | Shock due to anesthesia, subsequent encounter |
| T88.2XXS | Shock due to anesthesia, sequela |
| T88.3XXD | Malignant hyperthermia due to anesthesia, subsequent encounter |
| T88.3XXS | Malignant hyperthermia due to anesthesia, sequela |
| T88.4XXD | Failed or difficult intubation, subsequent encounter |
| T88.4XXS | Failed or difficult intubation, sequela |
| T88.51XD | Hypothermia following anesthesia, subsequent encounter |
| T88.51XS | Hypothermia following anesthesia, sequela |
| T88.52XD | Failed moderate sedation during procedure, subsequent encounter |
| T88.52XS | Failed moderate sedation during procedure, sequela |
| T88.59XD | Other complications of anesthesia, subsequent encounter |
| T88.59XS | Other complications of anesthesia, sequela |
| T88.6XXD | Anaphylactic reaction due to adverse effect of correct drug or medicament properly administered, subsequent encounter |
| T88.6XXS | Anaphylactic reaction due to adverse effect of correct drug or medicament properly administered, sequela |
| T88.7XXD | Unspecified adverse effect of drug or medicament, subsequent encounter |
| T88.7XXS | Unspecified adverse effect of drug or medicament, sequela |
| T88.8XXD | Other specified complications of surgical and medical care, not elsewhere classified, subsequent encounter |
| T88.8XXS | Other specified complications of surgical and medical care, not elsewhere classified, sequela |
| T88.9XXD | Complication of surgical and medical care, unspecified, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| T88.9XXS | Complication of surgical and medical care, unspecified, sequela |
| V00.01XD | Pedestrian on foot injured in collision with roller-skater, subsequent encounter |
| V00.01XS | Pedestrian on foot injured in collision with roller-skater, sequela |
| V00.02XD | Pedestrian on foot injured in collision with skateboarder, subsequent encounter |
| V00.02XS | Pedestrian on foot injured in collision with skateboarder, sequela |
| V00.09XD | Pedestrian on foot injured in collision with other pedestrian conveyance, subsequent encounter |
| V00.09XS | Pedestrian on foot injured in collision with other pedestrian conveyance, sequela |
| V00.111D | Fall from in-line roller-skates, subsequent encounter |
| V00.111S | Fall from in-line roller-skates, sequela |
| V00.112D | In-line roller-skater colliding with stationary object, subsequent encounter |
| V00.112S | In-line roller-skater colliding with stationary object, sequela |
| V00.118D | Other in-line roller-skate accident, subsequent encounter |
| V00.118S | Other in-line roller-skate accident, sequela |
| V00.121D | Fall from non-in-line roller-skates, subsequent encounter |
| V00.121S | Fall from non-in-line roller-skates, sequela |
| V00.122D | Non-in-line roller-skater colliding with stationary object, subsequent encounter |
| V00.122S | Non-in-line roller-skater colliding with stationary object, sequela |
| V00.128D | Other non-in-line roller-skating accident, subsequent encounter |
| V00.128S | Other non-in-line roller-skating accident, sequela |
| V00.131D | Fall from skateboard, subsequent encounter |
| V00.131S | Fall from skateboard, sequela |
| V00.132D | Skateboarder colliding with stationary object, subsequent encounter |
| V00.132S | Skateboarder colliding with stationary object, sequela |
| V00.138D | Other skateboard accident, subsequent encounter |
| V00.138S | Other skateboard accident, sequela |
| V00.141D | Fall from scooter (nonmotorized), subsequent encounter |
| V00.141S | Fall from scooter (nonmotorized), sequela |
| V00.142D | Scooter (nonmotorized) colliding with stationary object, subsequent encounter |
| V00.142S | Scooter (nonmotorized) colliding with stationary object, sequela |
| V00.148D | Other scooter (nonmotorized) accident, subsequent encounter |
| V00.148S | Other scooter (nonmotorized) accident, sequela |
| V00.151D | Fall from heelies, subsequent encounter |
| V00.151S | Fall from heelies, sequela |
| V00.152D | Heelies colliding with stationary object, subsequent encounter |
| V00.152S | Heelies colliding with stationary object, sequela |
| V00.158D | Other heelies accident, subsequent encounter |
| V00.158S | Other heelies accident, sequela |
| V00.181D | Fall from other rolling-type pedestrian conveyance, subsequent encounter |
| V00.181S | Fall from other rolling-type pedestrian conveyance, sequela |
| V00.182D | Pedestrian on other rolling-type pedestrian conveyance colliding with stationary object, subsequent encounter |
| V00.182S | Pedestrian on other rolling-type pedestrian conveyance colliding with stationary object, sequela |
| V00.188D | Other accident on other rolling-type pedestrian conveyance, subsequent encounter |
| V00.188S | Other accident on other rolling-type pedestrian conveyance, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V00.211D | Fall from ice-skates, subsequent encounter |
| V00.211S | Fall from ice-skates, sequela |
| V00.212D | Ice-skater colliding with stationary object, subsequent encounter |
| V00.212S | Ice-skater colliding with stationary object, sequela |
| V00.218D | Other ice-skates accident, subsequent encounter |
| V00.218S | Other ice-skates accident, sequela |
| V00.221D | Fall from sled, subsequent encounter |
| V00.221S | Fall from sled, sequela |
| V00.222D | Sledder colliding with stationary object, subsequent encounter |
| V00.222S | Sledder colliding with stationary object, sequela |
| V00.228D | Other sled accident, subsequent encounter |
| V00.228S | Other sled accident, sequela |
| V00.281D | Fall from other gliding-type pedestrian conveyance, subsequent encounter |
| V00.281S | Fall from other gliding-type pedestrian conveyance, sequela |
| V00.282D | Pedestrian on other gliding-type pedestrian conveyance colliding with stationary object, subsequent encounter |
| V00.282S | Pedestrian on other gliding-type pedestrian conveyance colliding with stationary object, sequela |
| V00.288D | Other accident on other gliding-type pedestrian conveyance, subsequent encounter |
| V00.288S | Other accident on other gliding-type pedestrian conveyance, sequela |
| V00.311D | Fall from snowboard, subsequent encounter |
| V00.311S | Fall from snowboard, sequela |
| V00.312D | Snowboarder colliding with stationary object, subsequent encounter |
| V00.312S | Snowboarder colliding with stationary object, sequela |
| V00.318D | Other snowboard accident, subsequent encounter |
| V00.318S | Other snowboard accident, sequela |
| V00.321D | Fall from snow-skis, subsequent encounter |
| V00.321S | Fall from snow-skis, sequela |
| V00.322D | Snow-skier colliding with stationary object, subsequent encounter |
| V00.322S | Snow-skier colliding with stationary object, sequela |
| V00.328D | Other snow-ski accident, subsequent encounter |
| V00.328S | Other snow-ski accident, sequela |
| V00.381D | Fall from other flat-bottomed pedestrian conveyance, subsequent encounter |
| V00.381S | Fall from other flat-bottomed pedestrian conveyance, sequela |
| V00.382D | Pedestrian on other flat-bottomed pedestrian conveyance colliding with stationary object, subsequent encounter |
| V00.382S | Pedestrian on other flat-bottomed pedestrian conveyance colliding with stationary object, sequela |
| V00.388D | Other accident on other flat-bottomed pedestrian conveyance, subsequent encounter |
| V00.388S | Other accident on other flat-bottomed pedestrian conveyance, sequela |
| V00.811D | Fall from moving wheelchair (powered), subsequent encounter |
| V00.811S | Fall from moving wheelchair (powered), sequela |
| V00.812D | Wheelchair (powered) colliding with stationary object, subsequent encounter |
| V00.812S | Wheelchair (powered) colliding with stationary object, sequela |
| V00.818D | Other accident with wheelchair (powered), subsequent encounter |
| V00.818S | Other accident with wheelchair (powered), sequela |
| V00.821D | Fall from babystroller, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V00.821S | Fall from babystroller, sequela |
| V00.822D | Babystroller colliding with stationary object, subsequent encounter |
| V00.822S | Babystroller colliding with stationary object, sequela |
| V00.828D | Other accident with babystroller, subsequent encounter |
| V00.828S | Other accident with babystroller, sequela |
| V00.831D | Fall from motorized mobility scooter, subsequent encounter |
| V00.831S | Fall from motorized mobility scooter, sequela |
| V00.832D | Motorized mobility scooter colliding with stationary object, subsequent encounter |
| V00.832S | Motorized mobility scooter colliding with stationary object, sequela |
| V00.838D | Other accident with motorized mobility scooter, subsequent encounter |
| V00.838S | Other accident with motorized mobility scooter, sequela |
| V00.891D | Fall from other pedestrian conveyance, subsequent encounter |
| V00.891S | Fall from other pedestrian conveyance, sequela |
| V00.892D | Pedestrian on other pedestrian conveyance colliding with stationary object, subsequent encounter |
| V00.892S | Pedestrian on other pedestrian conveyance colliding with stationary object, sequela |
| V00.898D | Other accident on other pedestrian conveyance, subsequent encounter |
| V00.898S | Other accident on other pedestrian conveyance, sequela |
| V01.00XD | Pedestrian on foot injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V01.00XS | Pedestrian on foot injured in collision with pedal cycle in nontraffic accident, sequela |
| V01.01XD | Pedestrian on roller-skates injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V01.01XS | Pedestrian on roller-skates injured in collision with pedal cycle in nontraffic accident, sequela |
| V01.02XD | Pedestrian on skateboard injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V01.02XS | Pedestrian on skateboard injured in collision with pedal cycle in nontraffic accident, sequela |
| V01.09XD | Pedestrian with other conveyance injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V01.09XS | Pedestrian with other conveyance injured in collision with pedal cycle in nontraffic accident, sequela |
| V01.10XD | Pedestrian on foot injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V01.10XS | Pedestrian on foot injured in collision with pedal cycle in traffic accident, sequela |
| V01.11XD | Pedestrian on roller-skates injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V01.11XS | Pedestrian on roller-skates injured in collision with pedal cycle in traffic accident, sequela |
| V01.12XD | Pedestrian on skateboard injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V01.12XS | Pedestrian on skateboard injured in collision with pedal cycle in traffic accident, sequela |
| V01.19XD | Pedestrian with other conveyance injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V01.19XS | Pedestrian with other conveyance injured in collision with pedal cycle in traffic accident, sequela |
| V01.90XD | Pedestrian on foot injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V01.90XS | Pedestrian on foot injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, sequela |
| V01.91XD | Pedestrian on roller-skates injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V01.91XS | Pedestrian on roller-skates injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, sequela |
| V01.92XD | Pedestrian on skateboard injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V01.92XS | Pedestrian on skateboard injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, sequela |
| V01.99XD | Pedestrian with other conveyance injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V01.99XS | Pedestrian with other conveyance injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, sequela |
| V02.00XD | Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V02.00XS | Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V02.01XD | Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V02.01XS | Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V02.02XD | Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V02.02XS | Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V02.09XD | Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V02.09XS | Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V02.10XD | Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V02.10XS | Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V02.11XD | Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V02.11XS | Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V02.12XD | Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V02.12XS | Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V02.19XD | Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V02.19XS | Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V02.90XD | Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V02.90XS | Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V02.91XD | Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V02.91XS | Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V02.92XD | Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V02.92XS | Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V02.99XD | Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V02.99XS | Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V03.00XD | Pedestrian on foot injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V03.00XS | Pedestrian on foot injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V03.01XD | Pedestrian on roller-skates injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V03.01XS | Pedestrian on roller-skates injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V03.02XD | Pedestrian on skateboard injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V03.02XS | Pedestrian on skateboard injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V03.09XD | Pedestrian with other conveyance injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V03.09XS | Pedestrian with other conveyance injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V03.10XD | Pedestrian on foot injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V03.10XS | Pedestrian on foot injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V03.11XD | Pedestrian on roller-skates injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V03.11XS | Pedestrian on roller-skates injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V03.12XD | Pedestrian on skateboard injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V03.12XS | Pedestrian on skateboard injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V03.19XD | Pedestrian with other conveyance injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V03.19XS | Pedestrian with other conveyance injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V03.90XD | Pedestrian on foot injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V03.90XS | Pedestrian on foot injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, sequela |
| V03.91XD | Pedestrian on roller-skates injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V03.91XS | Pedestrian on roller-skates injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, sequela |
| V03.92XD | Pedestrian on skateboard injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V03.92XS | Pedestrian on skateboard injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, sequela |
| V03.99XD | Pedestrian with other conveyance injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V03.99XS | Pedestrian with other conveyance injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, sequela |
| V04.00XD | Pedestrian on foot injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V04.00XS | Pedestrian on foot injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V04.01XD | Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V04.01XS | Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V04.02XD | Pedestrian on skateboard injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V04.02XS | Pedestrian on skateboard injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V04.09XD | Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V04.09XS | Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V04.10XD | Pedestrian on foot injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V04.10XS | Pedestrian on foot injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V04.11XD | Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V04.11XS | Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V04.12XD | Pedestrian on skateboard injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V04.12XS | Pedestrian on skateboard injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V04.19XD | Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V04.19XS | Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V04.90XD | Pedestrian on foot injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V04.90XS | Pedestrian on foot injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, sequela |
| V04.91XD | Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V04.91XS | Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, sequela |
| V04.92XD | Pedestrian on skateboard injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V04.92XS | Pedestrian on skateboard injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, sequela |
| V04.99XD | Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V04.99XS | Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, sequela |
| V05.00XD | Pedestrian on foot injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V05.00XS | Pedestrian on foot injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V05.01XD | Pedestrian on roller-skates injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V05.01XS | Pedestrian on roller-skates injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V05.02XD | Pedestrian on skateboard injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V05.02XS | Pedestrian on skateboard injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V05.09XD | Pedestrian with other conveyance injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V05.09XS | Pedestrian with other conveyance injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V05.10XD | Pedestrian on foot injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V05.10XS | Pedestrian on foot injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V05.11XD | Pedestrian on roller-skates injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V05.11XS | Pedestrian on roller-skates injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V05.12XD | Pedestrian on skateboard injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V05.12XS | Pedestrian on skateboard injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V05.19XD | Pedestrian with other conveyance injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V05.19XS | Pedestrian with other conveyance injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V05.90XD | Pedestrian on foot injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V05.90XS | Pedestrian on foot injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V05.91XD | Pedestrian on roller-skates injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V05.91XS | Pedestrian on roller-skates injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V05.92XD | Pedestrian on skateboard injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V05.92XS | Pedestrian on skateboard injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V05.99XD | Pedestrian with other conveyance injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V05.99XS | Pedestrian with other conveyance injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V06.00XD | Pedestrian on foot injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V06.00XS | Pedestrian on foot injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V06.01XD | Pedestrian on roller-skates injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V06.01XS | Pedestrian on roller-skates injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V06.02XD | Pedestrian on skateboard injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V06.02XS | Pedestrian on skateboard injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V06.09XD | Pedestrian with other conveyance injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V06.09XS | Pedestrian with other conveyance injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V06.10XD | Pedestrian on foot injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V06.10XS | Pedestrian on foot injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V06.11XD | Pedestrian on roller-skates injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V06.11XS | Pedestrian on roller-skates injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V06.12XD | Pedestrian on skateboard injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V06.12XS | Pedestrian on skateboard injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V06.19XD | Pedestrian with other conveyance injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V06.19XS | Pedestrian with other conveyance injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V06.90XD | Pedestrian on foot injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V06.90XS | Pedestrian on foot injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V06.91XD | Pedestrian on roller-skates injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V06.91XS | Pedestrian on roller-skates injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V06.92XD | Pedestrian on skateboard injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V06.92XS | Pedestrian on skateboard injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V06.99XD | Pedestrian with other conveyance injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter |
| V06.99XS | Pedestrian with other conveyance injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, sequela |
| V09.00XD | Pedestrian injured in nontraffic accident involving unspecified motor vehicles, subsequent encounter |
| V09.00XS | Pedestrian injured in nontraffic accident involving unspecified motor vehicles, sequela |
| V09.01XD | Pedestrian injured in nontraffic accident involving military vehicle, subsequent encounter |
| V09.01XS | Pedestrian injured in nontraffic accident involving military vehicle, sequela |
| V09.09XD | Pedestrian injured in nontraffic accident involving other motor vehicles, subsequent encounter |
| V09.09XS | Pedestrian injured in nontraffic accident involving other motor vehicles, sequela |
| V09.1XXD | Pedestrian injured in unspecified nontraffic accident, subsequent encounter |
| V09.1XXS | Pedestrian injured in unspecified nontraffic accident, sequela |
| V09.20XD | Pedestrian injured in traffic accident involving unspecified motor vehicles, subsequent encounter |
| V09.20XS | Pedestrian injured in traffic accident involving unspecified motor vehicles, sequela |
| V09.21XD | Pedestrian injured in traffic accident involving military vehicle, subsequent encounter |
| V09.21XS | Pedestrian injured in traffic accident involving military vehicle, sequela |
| V09.29XD | Pedestrian injured in traffic accident involving other motor vehicles, subsequent encounter |
| V09.29XS | Pedestrian injured in traffic accident involving other motor vehicles, sequela |
| V09.3XXD | Pedestrian injured in unspecified traffic accident, subsequent encounter |
| V09.3XXS | Pedestrian injured in unspecified traffic accident, sequela |
| V09.9XXD | Pedestrian injured in unspecified transport accident, subsequent encounter |
| V09.9XXS | Pedestrian injured in unspecified transport accident, sequela |
| V10.0XXD | Pedal cycle driver injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V10.0XXS | Pedal cycle driver injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V10.1XXD | Pedal cycle passenger injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V10.1XXS | Pedal cycle passenger injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V10.2XXD | Unspecified pedal cyclist injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V10.2XXS | Unspecified pedal cyclist injured in collision with pedestrian or animal in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V10.3XXD | Person boarding or alighting a pedal cycle injured in collision with pedestrian or animal, subsequent encounter |
| V10.3XXS | Person boarding or alighting a pedal cycle injured in collision with pedestrian or animal, sequela |
| V10.4XXD | Pedal cycle driver injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V10.4XXS | Pedal cycle driver injured in collision with pedestrian or animal in traffic accident, sequela |
| V10.5XXD | Pedal cycle passenger injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V10.5XXS | Pedal cycle passenger injured in collision with pedestrian or animal in traffic accident, sequela |
| V10.9XXD | Unspecified pedal cyclist injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V10.9XXS | Unspecified pedal cyclist injured in collision with pedestrian or animal in traffic accident, sequela |
| V11.0XXD | Pedal cycle driver injured in collision with other pedal cycle in nontraffic accident, subsequent encounter |
| V11.0XXS | Pedal cycle driver injured in collision with other pedal cycle in nontraffic accident, sequela |
| V11.1XXD | Pedal cycle passenger injured in collision with other pedal cycle in nontraffic accident, subsequent encounter |
| V11.1XXS | Pedal cycle passenger injured in collision with other pedal cycle in nontraffic accident, sequela |
| V11.2XXD | Unspecified pedal cyclist injured in collision with other pedal cycle in nontraffic accident, subsequent encounter |
| V11.2XXS | Unspecified pedal cyclist injured in collision with other pedal cycle in nontraffic accident, sequela |
| V11.3XXD | Person boarding or alighting a pedal cycle injured in collision with other pedal cycle, subsequent encounter |
| V11.3XXS | Person boarding or alighting a pedal cycle injured in collision with other pedal cycle, sequela |
| V11.4XXD | Pedal cycle driver injured in collision with other pedal cycle in traffic accident, subsequent encounter |
| V11.4XXS | Pedal cycle driver injured in collision with other pedal cycle in traffic accident, sequela |
| V11.5XXD | Pedal cycle passenger injured in collision with other pedal cycle in traffic accident, subsequent encounter |
| V11.5XXS | Pedal cycle passenger injured in collision with other pedal cycle in traffic accident, sequela |
| V11.9XXD | Unspecified pedal cyclist injured in collision with other pedal cycle in traffic accident, subsequent encounter |
| V11.9XXS | Unspecified pedal cyclist injured in collision with other pedal cycle in traffic accident, sequela |
| V12.0XXD | Pedal cycle driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V12.0XXS | Pedal cycle driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V12.1XXD | Pedal cycle passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V12.1XXS | Pedal cycle passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V12.2XXD | Unspecified pedal cyclist injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V12.2XXS | Unspecified pedal cyclist injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V12.3XXD | Person boarding or alighting a pedal cycle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter |
| V12.3XXS | Person boarding or alighting a pedal cycle injured in collision with two- or three-wheeled motor vehicle, sequela |
| V12.4XXD | Pedal cycle driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V12.4XXS | Pedal cycle driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V12.5XXD | Pedal cycle passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V12.5XXS | Pedal cycle passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V12.9XXD | Unspecified pedal cyclist injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V12.9XXS | Unspecified pedal cyclist injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V13.0XXD | Pedal cycle driver injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V13.0XXS | Pedal cycle driver injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V13.1XXD | Pedal cycle passenger injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V13.1XXS | Pedal cycle passenger injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V13.2XXD | Unspecified pedal cyclist injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V13.2XXS | Unspecified pedal cyclist injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V13.3XXD | Person boarding or alighting a pedal cycle injured in collision with car, pick-up truck or van, subsequent encounter |
| V13.3XXS | Person boarding or alighting a pedal cycle injured in collision with car, pick-up truck or van, sequela |
| V13.4XXD | Pedal cycle driver injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V13.4XXS | Pedal cycle driver injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V13.5XXD | Pedal cycle passenger injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V13.5XXS | Pedal cycle passenger injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V13.9XXD | Unspecified pedal cyclist injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V13.9XXS | Unspecified pedal cyclist injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V14.0XXD | Pedal cycle driver injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V14.0XXS | Pedal cycle driver injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V14.1XXD | Pedal cycle passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V14.1XXS | Pedal cycle passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V14.2XXD | Unspecified pedal cyclist injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V14.2XXS | Unspecified pedal cyclist injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V14.3XXD | Person boarding or alighting a pedal cycle injured in collision with heavy transport vehicle or bus, subsequent encounter |
| V14.3XXS | Person boarding or alighting a pedal cycle injured in collision with heavy transport vehicle or bus, sequela |
| V14.4XXD | Pedal cycle driver injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V14.4XXS | Pedal cycle driver injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V14.5XXD | Pedal cycle passenger injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V14.5XXS | Pedal cycle passenger injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V14.9XXD | Unspecified pedal cyclist injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V14.9XXS | Unspecified pedal cyclist injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V15.0XXD | Pedal cycle driver injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V15.0XXS | Pedal cycle driver injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V15.1XXD | Pedal cycle passenger injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V15.1XXS | Pedal cycle passenger injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V15.2XXD | Unspecified pedal cyclist injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V15.2XXS | Unspecified pedal cyclist injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V15.3XXD | Person boarding or alighting a pedal cycle injured in collision with railway train or railway vehicle, subsequent encounter |
| V15.3XXS | Person boarding or alighting a pedal cycle injured in collision with railway train or railway vehicle, sequela |
| V15.4XXD | Pedal cycle driver injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V15.4XXS | Pedal cycle driver injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V15.5XXD | Pedal cycle passenger injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V15.5XXS | Pedal cycle passenger injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V15.9XXD | Unspecified pedal cyclist injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V15.9XXS | Unspecified pedal cyclist injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V16.0XXD | Pedal cycle driver injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V16.0XXS | Pedal cycle driver injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V16.1XXD | Pedal cycle passenger injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V16.1XXS | Pedal cycle passenger injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V16.2XXD | Unspecified pedal cyclist injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V16.2XXS | Unspecified pedal cyclist injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V16.3XXD | Person boarding or alighting a pedal cycle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V16.3XXS | Person boarding or alighting a pedal cycle injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V16.4XXD | Pedal cycle driver injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V16.4XXS | Pedal cycle driver injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V16.5XXD | Pedal cycle passenger injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V16.5XXS | Pedal cycle passenger injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V16.9XXD | Unspecified pedal cyclist injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V16.9XXS | Unspecified pedal cyclist injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V17.0XXD | Pedal cycle driver injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V17.0XXS | Pedal cycle driver injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V17.1XXD | Pedal cycle passenger injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V17.1XXS | Pedal cycle passenger injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V17.2XXD | Unspecified pedal cyclist injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V17.2XXS | Unspecified pedal cyclist injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V17.3XXD | Person boarding or alighting a pedal cycle injured in collision with fixed or stationary object, subsequent encounter |
| V17.3XXS | Person boarding or alighting a pedal cycle injured in collision with fixed or stationary object, sequela |
| V17.4XXD | Pedal cycle driver injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V17.4XXS | Pedal cycle driver injured in collision with fixed or stationary object in traffic accident, sequela |
| V17.5XXD | Pedal cycle passenger injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V17.5XXS | Pedal cycle passenger injured in collision with fixed or stationary object in traffic accident, sequela |
| V17.9XXD | Unspecified pedal cyclist injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V17.9XXS | Unspecified pedal cyclist injured in collision with fixed or stationary object in traffic accident, sequela |
| V18.0XXD | Pedal cycle driver injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V18.0XXS | Pedal cycle driver injured in noncollision transport accident in nontraffic accident, sequela |
| V18.1XXD | Pedal cycle passenger injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V18.1XXS | Pedal cycle passenger injured in noncollision transport accident in nontraffic accident, sequela |
| V18.2XXD | Unspecified pedal cyclist injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V18.2XXS | Unspecified pedal cyclist injured in noncollision transport accident in nontraffic accident, sequela |
| V18.3XXD | Person boarding or alighting a pedal cycle injured in noncollision transport accident, subsequent encounter |
| V18.3XXS | Person boarding or alighting a pedal cycle injured in noncollision transport accident, sequela |
| V18.4XXD | Pedal cycle driver injured in noncollision transport accident in traffic accident, subsequent encounter |
| V18.4XXS | Pedal cycle driver injured in noncollision transport accident in traffic accident, sequela |
| V18.5XXD | Pedal cycle passenger injured in noncollision transport accident in traffic accident, subsequent encounter |
| V18.5XXS | Pedal cycle passenger injured in noncollision transport accident in traffic accident, sequela |
| V18.9XXD | Unspecified pedal cyclist injured in noncollision transport accident in traffic accident, subsequent encounter |
| V18.9XXS | Unspecified pedal cyclist injured in noncollision transport accident in traffic accident, sequela |
| V19.00XD | Pedal cycle driver injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V19.00XS | Pedal cycle driver injured in collision with unspecified motor vehicles in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V19.09XD | Pedal cycle driver injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V19.09XS | Pedal cycle driver injured in collision with other motor vehicles in nontraffic accident, sequela |
| V19.10XD | Pedal cycle passenger injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V19.10XS | Pedal cycle passenger injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V19.19XD | Pedal cycle passenger injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V19.19XS | Pedal cycle passenger injured in collision with other motor vehicles in nontraffic accident, sequela |
| V19.20XD | Unspecified pedal cyclist injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V19.20XS | Unspecified pedal cyclist injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V19.29XD | Unspecified pedal cyclist injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V19.29XS | Unspecified pedal cyclist injured in collision with other motor vehicles in nontraffic accident, sequela |
| V19.3XXD | Pedal cyclist (driver) (passenger) injured in unspecified nontraffic accident, subsequent encounter |
| V19.3XXS | Pedal cyclist (driver) (passenger) injured in unspecified nontraffic accident, sequela |
| V19.40XD | Pedal cycle driver injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V19.40XS | Pedal cycle driver injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V19.49XD | Pedal cycle driver injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V19.49XS | Pedal cycle driver injured in collision with other motor vehicles in traffic accident, sequela |
| V19.50XD | Pedal cycle passenger injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V19.50XS | Pedal cycle passenger injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V19.59XD | Pedal cycle passenger injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V19.59XS | Pedal cycle passenger injured in collision with other motor vehicles in traffic accident, sequela |
| V19.60XD | Unspecified pedal cyclist injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V19.60XS | Unspecified pedal cyclist injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V19.69XD | Unspecified pedal cyclist injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V19.69XS | Unspecified pedal cyclist injured in collision with other motor vehicles in traffic accident, sequela |
| V19.81XD | Pedal cyclist (driver) (passenger) injured in transport accident with military vehicle, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V19.81XS | Pedal cyclist (driver) (passenger) injured in transport accident with military vehicle, sequela |
| V19.88XD | Pedal cyclist (driver) (passenger) injured in other specified transport accidents, subsequent encounter |
| V19.88XS | Pedal cyclist (driver) (passenger) injured in other specified transport accidents, sequela |
| V19.9XXD | Pedal cyclist (driver) (passenger) injured in unspecified traffic accident, subsequent encounter |
| V19.9XXS | Pedal cyclist (driver) (passenger) injured in unspecified traffic accident, sequela |
| V20.0XXD | Motorcycle driver injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V20.0XXS | Motorcycle driver injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V20.1XXD | Motorcycle passenger injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V20.1XXS | Motorcycle passenger injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V20.2XXD | Unspecified motorcycle rider injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V20.2XXS | Unspecified motorcycle rider injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V20.3XXD | Person boarding or alighting a motorcycle injured in collision with pedestrian or animal, subsequent encounter |
| V20.3XXS | Person boarding or alighting a motorcycle injured in collision with pedestrian or animal, sequela |
| V20.4XXD | Motorcycle driver injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V20.4XXS | Motorcycle driver injured in collision with pedestrian or animal in traffic accident, sequela |
| V20.5XXD | Motorcycle passenger injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V20.5XXS | Motorcycle passenger injured in collision with pedestrian or animal in traffic accident, sequela |
| V20.9XXD | Unspecified motorcycle rider injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V20.9XXS | Unspecified motorcycle rider injured in collision with pedestrian or animal in traffic accident, sequela |
| V21.0XXD | Motorcycle driver injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V21.0XXS | Motorcycle driver injured in collision with pedal cycle in nontraffic accident, sequela |
| V21.1XXD | Motorcycle passenger injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V21.1XXS | Motorcycle passenger injured in collision with pedal cycle in nontraffic accident, sequela |
| V21.2XXD | Unspecified motorcycle rider injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V21.2XXS | Unspecified motorcycle rider injured in collision with pedal cycle in nontraffic accident, sequela |
| V21.3XXD | Person boarding or alighting a motorcycle injured in collision with pedal cycle, subsequent encounter |
| V21.3XXS | Person boarding or alighting a motorcycle injured in collision with pedal cycle, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V21.4XXD | Motorcycle driver injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V21.4XXS | Motorcycle driver injured in collision with pedal cycle in traffic accident, sequela |
| V21.5XXD | Motorcycle passenger injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V21.5XXS | Motorcycle passenger injured in collision with pedal cycle in traffic accident, sequela |
| V21.9XXD | Unspecified motorcycle rider injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V21.9XXS | Unspecified motorcycle rider injured in collision with pedal cycle in traffic accident, sequela |
| V22.0XXD | Motorcycle driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V22.0XXS | Motorcycle driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V22.1XXD | Motorcycle passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V22.1XXS | Motorcycle passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V22.2XXD | Unspecified motorcycle rider injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V22.2XXS | Unspecified motorcycle rider injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V22.3XXD | Person boarding or alighting a motorcycle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter |
| V22.3XXS | Person boarding or alighting a motorcycle injured in collision with two- or three-wheeled motor vehicle, sequela |
| V22.4XXD | Motorcycle driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V22.4XXS | Motorcycle driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V22.5XXD | Motorcycle passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V22.5XXS | Motorcycle passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V22.9XXD | Unspecified motorcycle rider injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V22.9XXS | Unspecified motorcycle rider injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V23.0XXD | Motorcycle driver injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V23.0XXS | Motorcycle driver injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V23.1XXD | Motorcycle passenger injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V23.1XXS | Motorcycle passenger injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V23.2XXD | Unspecified motorcycle rider injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V23.2XXS | Unspecified motorcycle rider injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V23.3XXD | Person boarding or alighting a motorcycle injured in collision with car, pick-up truck or van, subsequent encounter |
| V23.3XXS | Person boarding or alighting a motorcycle injured in collision with car, pick-up truck or van, sequela |
| V23.4XXD | Motorcycle driver injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V23.4XXS | Motorcycle driver injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V23.5XXD | Motorcycle passenger injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V23.5XXS | Motorcycle passenger injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V23.9XXD | Unspecified motorcycle rider injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V23.9XXS | Unspecified motorcycle rider injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V24.0XXD | Motorcycle driver injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V24.0XXS | Motorcycle driver injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V24.1XXD | Motorcycle passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V24.1XXS | Motorcycle passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V24.2XXD | Unspecified motorcycle rider injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V24.2XXS | Unspecified motorcycle rider injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V24.3XXD | Person boarding or alighting a motorcycle injured in collision with heavy transport vehicle or bus, subsequent encounter |
| V24.3XXS | Person boarding or alighting a motorcycle injured in collision with heavy transport vehicle or bus, sequela |
| V24.4XXD | Motorcycle driver injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V24.4XXS | Motorcycle driver injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V24.5XXD | Motorcycle passenger injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V24.5XXS | Motorcycle passenger injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V24.9XXD | Unspecified motorcycle rider injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V24.9XXS | Unspecified motorcycle rider injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V25.0XXD | Motorcycle driver injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V25.0XXS | Motorcycle driver injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V25.1XXD | Motorcycle passenger injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V25.1XXS | Motorcycle passenger injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V25.2XXD | Unspecified motorcycle rider injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V25.2XXS | Unspecified motorcycle rider injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V25.3XXD | Person boarding or alighting a motorcycle injured in collision with railway train or railway vehicle, subsequent encounter |
| V25.3XXS | Person boarding or alighting a motorcycle injured in collision with railway train or railway vehicle, sequela |
| V25.4XXD | Motorcycle driver injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V25.4XXS | Motorcycle driver injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V25.5XXD | Motorcycle passenger injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V25.5XXS | Motorcycle passenger injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V25.9XXD | Unspecified motorcycle rider injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V25.9XXS | Unspecified motorcycle rider injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V26.0XXD | Motorcycle driver injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V26.0XXS | Motorcycle driver injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V26.1XXD | Motorcycle passenger injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V26.1XXS | Motorcycle passenger injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V26.2XXD | Unspecified motorcycle rider injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V26.2XXS | Unspecified motorcycle rider injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V26.3XXD | Person boarding or alighting a motorcycle injured in collision with other nonmotor vehicle, subsequent encounter |
| V26.3XXS | Person boarding or alighting a motorcycle injured in collision with other nonmotor vehicle, sequela |
| V26.4XXD | Motorcycle driver injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V26.4XXS | Motorcycle driver injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V26.5XXD | Motorcycle passenger injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V26.5XXS | Motorcycle passenger injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V26.9XXD | Unspecified motorcycle rider injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V26.9XXS | Unspecified motorcycle rider injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V27.0XXD | Motorcycle driver injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V27.0XXS | Motorcycle driver injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V27.1XXD | Motorcycle passenger injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V27.1XXS | Motorcycle passenger injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V27.2XXD | Unspecified motorcycle rider injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V27.2XXS | Unspecified motorcycle rider injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V27.3XXD | Person boarding or alighting a motorcycle injured in collision with fixed or stationary object, subsequent encounter |
| V27.3XXS | Person boarding or alighting a motorcycle injured in collision with fixed or stationary object, sequela |
| V27.4XXD | Motorcycle driver injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V27.4XXS | Motorcycle driver injured in collision with fixed or stationary object in traffic accident, sequela |
| V27.5XXD | Motorcycle passenger injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V27.5XXS | Motorcycle passenger injured in collision with fixed or stationary object in traffic accident, sequela |
| V27.9XXD | Unspecified motorcycle rider injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V27.9XXS | Unspecified motorcycle rider injured in collision with fixed or stationary object in traffic accident, sequela |
| V28.0XXD | Motorcycle driver injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V28.0XXS | Motorcycle driver injured in noncollision transport accident in nontraffic accident, sequela |
| V28.1XXD | Motorcycle passenger injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V28.1XXS | Motorcycle passenger injured in noncollision transport accident in nontraffic accident, sequela |
| V28.2XXD | Unspecified motorcycle rider injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V28.2XXS | Unspecified motorcycle rider injured in noncollision transport accident in nontraffic accident, sequela |
| V28.3XXD | Person boarding or alighting a motorcycle injured in noncollision transport accident, subsequent encounter |
| V28.3XXS | Person boarding or alighting a motorcycle injured in noncollision transport accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V28.4XXD | Motorcycle driver injured in noncollision transport accident in traffic accident, subsequent encounter |
| V28.4XXS | Motorcycle driver injured in noncollision transport accident in traffic accident, sequela |
| V28.5XXD | Motorcycle passenger injured in noncollision transport accident in traffic accident, subsequent encounter |
| V28.5XXS | Motorcycle passenger injured in noncollision transport accident in traffic accident, sequela |
| V28.9XXD | Unspecified motorcycle rider injured in noncollision transport accident in traffic accident, subsequent encounter |
| V28.9XXS | Unspecified motorcycle rider injured in noncollision transport accident in traffic accident, sequela |
| V29.00XD | Motorcycle driver injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V29.00XS | Motorcycle driver injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V29.09XD | Motorcycle driver injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V29.09XS | Motorcycle driver injured in collision with other motor vehicles in nontraffic accident, sequela |
| V29.10XD | Motorcycle passenger injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V29.10XS | Motorcycle passenger injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V29.19XD | Motorcycle passenger injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V29.19XS | Motorcycle passenger injured in collision with other motor vehicles in nontraffic accident, sequela |
| V29.20XD | Unspecified motorcycle rider injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V29.20XS | Unspecified motorcycle rider injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V29.29XD | Unspecified motorcycle rider injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V29.29XS | Unspecified motorcycle rider injured in collision with other motor vehicles in nontraffic accident, sequela |
| V29.3XXD | Motorcycle rider (driver) (passenger) injured in unspecified nontraffic accident, subsequent encounter |
| V29.3XXS | Motorcycle rider (driver) (passenger) injured in unspecified nontraffic accident, sequela |
| V29.40XD | Motorcycle driver injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V29.40XS | Motorcycle driver injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V29.49XD | Motorcycle driver injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V29.49XS | Motorcycle driver injured in collision with other motor vehicles in traffic accident, sequela |
| V29.50XD | Motorcycle passenger injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V29.50XS | Motorcycle passenger injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V29.59XD | Motorcycle passenger injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V29.59XS | Motorcycle passenger injured in collision with other motor vehicles in traffic accident, sequela |
| V29.60XD | Unspecified motorcycle rider injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V29.60XS | Unspecified motorcycle rider injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V29.69XD | Unspecified motorcycle rider injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V29.69XS | Unspecified motorcycle rider injured in collision with other motor vehicles in traffic accident, sequela |
| V29.81XD | Motorcycle rider (driver) (passenger) injured in transport accident with military vehicle, subsequent encounter |
| V29.81XS | Motorcycle rider (driver) (passenger) injured in transport accident with military vehicle, sequela |
| V29.88XD | Motorcycle rider (driver) (passenger) injured in other specified transport accidents, subsequent encounter |
| V29.88XS | Motorcycle rider (driver) (passenger) injured in other specified transport accidents, sequela |
| V29.9XXD | Motorcycle rider (driver) (passenger) injured in unspecified traffic accident, subsequent encounter |
| V29.9XXS | Motorcycle rider (driver) (passenger) injured in unspecified traffic accident, sequela |
| V30.0XXD | Driver of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V30.0XXS | Driver of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V30.1XXD | Passenger in three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V30.1XXS | Passenger in three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V30.2XXD | Person on outside of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V30.2XXS | Person on outside of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V30.3XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V30.3XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V30.4XXD | Person boarding or alighting a three-wheeled motor vehicle injured in collision with pedestrian or animal, subsequent encounter |
| V30.4XXS | Person boarding or alighting a three-wheeled motor vehicle injured in collision with pedestrian or animal, sequela |
| V30.5XXD | Driver of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V30.5XXS | Driver of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V30.6XXD | Passenger in three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V30.6XXS | Passenger in three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, sequela |
| V30.7XXD | Person on outside of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V30.7XXS | Person on outside of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, sequela |
| V30.9XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V30.9XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, sequela |
| V31.0XXD | Driver of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V31.0XXS | Driver of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, sequela |
| V31.1XXD | Passenger in three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V31.1XXS | Passenger in three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, sequela |
| V31.2XXD | Person on outside of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V31.2XXS | Person on outside of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, sequela |
| V31.3XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V31.3XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, sequela |
| V31.4XXD | Person boarding or alighting a three-wheeled motor vehicle injured in collision with pedal cycle, subsequent encounter |
| V31.4XXS | Person boarding or alighting a three-wheeled motor vehicle injured in collision with pedal cycle, sequela |
| V31.5XXD | Driver of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V31.5XXS | Driver of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, sequela |
| V31.6XXD | Passenger in three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V31.6XXS | Passenger in three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, sequela |
| V31.7XXD | Person on outside of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V31.7XXS | Person on outside of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, sequela |
| V31.9XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V31.9XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V32.0XXD | Driver of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V32.0XXS | Driver of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V32.1XXD | Passenger in three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V32.1XXS | Passenger in three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V32.2XXD | Person on outside of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V32.2XXS | Person on outside of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V32.3XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V32.3XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V32.4XXD | Person boarding or alighting a three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter |
| V32.4XXS | Person boarding or alighting a three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle, sequela |
| V32.5XXD | Driver of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V32.5XXS | Driver of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V32.6XXD | Passenger in three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V32.6XXS | Passenger in three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V32.7XXD | Person on outside of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V32.7XXS | Person on outside of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V32.9XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V32.9XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V33.0XXD | Driver of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V33.0XXS | Driver of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V33.1XXD | Passenger in three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V33.1XXS | Passenger in three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V33.2XXD | Person on outside of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V33.2XXS | Person on outside of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V33.3XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V33.3XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V33.4XXD | Person boarding or alighting a three-wheeled motor vehicle injured in collision with car, pick-up truck or van, subsequent encounter |
| V33.4XXS | Person boarding or alighting a three-wheeled motor vehicle injured in collision with car, pick-up truck or van, sequela |
| V33.5XXD | Driver of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V33.5XXS | Driver of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V33.6XXD | Passenger in three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V33.6XXS | Passenger in three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V33.7XXD | Person on outside of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V33.7XXS | Person on outside of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V33.9XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V33.9XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V34.0XXD | Driver of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V34.0XXS | Driver of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V34.1XXD | Passenger in three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V34.1XXS | Passenger in three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V34.2XXD | Person on outside of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V34.2XXS | Person on outside of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V34.3XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V34.3XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V34.4XXD | Person boarding or alighting a three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus, subsequent encounter |
| V34.4XXS | Person boarding or alighting a three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus, sequela |
| V34.5XXD | Driver of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V34.5XXS | Driver of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V34.6XXD | Passenger in three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V34.6XXS | Passenger in three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V34.7XXD | Person on outside of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V34.7XXS | Person on outside of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V34.9XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V34.9XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V35.0XXD | Driver of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V35.0XXS | Driver of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V35.1XXD | Passenger in three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V35.1XXS | Passenger in three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V35.2XXD | Person on outside of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V35.2XXS | Person on outside of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V35.3XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V35.3XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V35.4XXD | Person boarding or alighting a three-wheeled motor vehicle injured in collision with railway train or railway vehicle, subsequent encounter |
| V35.4XXS | Person boarding or alighting a three-wheeled motor vehicle injured in collision with railway train or railway vehicle, sequela |
| V35.5XXD | Driver of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V35.5XXS | Driver of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V35.6XXD | Passenger in three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V35.6XXS | Passenger in three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V35.7XXD | Person on outside of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V35.7XXS | Person on outside of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V35.9XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V35.9XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V36.0XXD | Driver of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V36.0XXS | Driver of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V36.1XXD | Passenger in three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V36.1XXS | Passenger in three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V36.2XXD | Person on outside of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V36.2XXS | Person on outside of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V36.3XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V36.3XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V36.4XXD | Person boarding or alighting a three-wheeled motor vehicle injured in collision with other nonmotor vehicle, subsequent encounter |
| V36.4XXS | Person boarding or alighting a three-wheeled motor vehicle injured in collision with other nonmotor vehicle, sequela |
| V36.5XXD | Driver of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V36.5XXS | Driver of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V36.6XXD | Passenger in three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V36.6XXS | Passenger in three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V36.7XXD | Person on outside of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V36.7XXS | Person on outside of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V36.9XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V36.9XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V37.0XXD | Driver of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V37.0XXS | Driver of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V37.1XXD | Passenger in three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V37.1XXS | Passenger in three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V37.2XXD | Person on outside of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V37.2XXS | Person on outside of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V37.3XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V37.3XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V37.4XXD | Person boarding or alighting a three-wheeled motor vehicle injured in collision with fixed or stationary object, subsequent encounter |
| V37.4XXS | Person boarding or alighting a three-wheeled motor vehicle injured in collision with fixed or stationary object, sequela |
| V37.5XXD | Driver of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V37.5XXS | Driver of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V37.6XXD | Passenger in three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V37.6XXS | Passenger in three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V37.7XXD | Person on outside of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V37.7XXS | Person on outside of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V37.9XXD | Unspecified occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V37.9XXS | Unspecified occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V38.0XXD | Driver of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V38.0XXS | Driver of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, sequela |
| V38.1XXD | Passenger in three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V38.1XXS | Passenger in three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, sequela |
| V38.2XXD | Person on outside of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V38.2XXS | Person on outside of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, sequela |
| V38.3XXD | Unspecified occupant of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V38.3XXS | Unspecified occupant of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, sequela |
| V38.4XXD | Person boarding or alighting a three-wheeled motor vehicle injured in noncollision transport accident, subsequent encounter |
| V38.4XXS | Person boarding or alighting a three-wheeled motor vehicle injured in noncollision transport accident, sequela |
| V38.5XXD | Driver of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, subsequent encounter |
| V38.5XXS | Driver of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V38.6XXD | Passenger in three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, subsequent encounter |
| V38.6XXS | Passenger in three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, sequela |
| V38.7XXD | Person on outside of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, subsequent encounter |
| V38.7XXS | Person on outside of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, sequela |
| V38.9XXD | Unspecified occupant of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, subsequent encounter |
| V38.9XXS | Unspecified occupant of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, sequela |
| V39.00XD | Driver of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V39.00XS | Driver of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V39.09XD | Driver of three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V39.09XS | Driver of three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, sequela |
| V39.10XD | Passenger in three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V39.10XS | Passenger in three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V39.19XD | Passenger in three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V39.19XS | Passenger in three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, sequela |
| V39.20XD | Unspecified occupant of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V39.20XS | Unspecified occupant of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V39.29XD | Unspecified occupant of three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V39.29XS | Unspecified occupant of three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, sequela |
| V39.3XXD | Occupant (driver) (passenger) of three-wheeled motor vehicle injured in unspecified nontraffic accident, subsequent encounter |
| V39.3XXS | Occupant (driver) (passenger) of three-wheeled motor vehicle injured in unspecified nontraffic accident, sequela |
| V39.40XD | Driver of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V39.40XS | Driver of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V39.49XD | Driver of three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V39.49XS | Driver of three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V39.50XD | Passenger in three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V39.50XS | Passenger in three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V39.59XD | Passenger in three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V39.59XS | Passenger in three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, sequela |
| V39.60XD | Unspecified occupant of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V39.60XS | Unspecified occupant of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V39.69XD | Unspecified occupant of three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V39.69XS | Unspecified occupant of three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, sequela |
| V39.81XD | Occupant (driver) (passenger) of three-wheeled motor vehicle injured in transport accident with military vehicle, subsequent encounter |
| V39.81XS | Occupant (driver) (passenger) of three-wheeled motor vehicle injured in transport accident with military vehicle, sequela |
| V39.89XD | Occupant (driver) (passenger) of three-wheeled motor vehicle injured in other specified transport accidents, subsequent encounter |
| V39.89XS | Occupant (driver) (passenger) of three-wheeled motor vehicle injured in other specified transport accidents, sequela |
| V39.9XXD | Occupant (driver) (passenger) of three-wheeled motor vehicle injured in unspecified traffic accident, subsequent encounter |
| V39.9XXS | Occupant (driver) (passenger) of three-wheeled motor vehicle injured in unspecified traffic accident, sequela |
| V40.0XXD | Car driver injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V40.0XXS | Car driver injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V40.1XXD | Car passenger injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V40.1XXS | Car passenger injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V40.2XXD | Person on outside of car injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V40.2XXS | Person on outside of car injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V40.3XXD | Unspecified car occupant injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V40.3XXS | Unspecified car occupant injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V40.4XXD | Person boarding or alighting a car injured in collision with pedestrian or animal, subsequent encounter |
| V40.4XXS | Person boarding or alighting a car injured in collision with pedestrian or animal, sequela |
| V40.5XXD | Car driver injured in collision with pedestrian or animal in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V40.5XXS | Car driver injured in collision with pedestrian or animal in traffic accident, sequela |
| V40.6XXD | Car passenger injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V40.6XXS | Car passenger injured in collision with pedestrian or animal in traffic accident, sequela |
| V40.7XXD | Person on outside of car injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V40.7XXS | Person on outside of car injured in collision with pedestrian or animal in traffic accident, sequela |
| V40.9XXD | Unspecified car occupant injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V40.9XXS | Unspecified car occupant injured in collision with pedestrian or animal in traffic accident, sequela |
| V41.0XXD | Car driver injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V41.0XXS | Car driver injured in collision with pedal cycle in nontraffic accident, sequela |
| V41.1XXD | Car passenger injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V41.1XXS | Car passenger injured in collision with pedal cycle in nontraffic accident, sequela |
| V41.2XXD | Person on outside of car injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V41.2XXS | Person on outside of car injured in collision with pedal cycle in nontraffic accident, sequela |
| V41.3XXD | Unspecified car occupant injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V41.3XXS | Unspecified car occupant injured in collision with pedal cycle in nontraffic accident, sequela |
| V41.4XXD | Person boarding or alighting a car injured in collision with pedal cycle, subsequent encounter |
| V41.4XXS | Person boarding or alighting a car injured in collision with pedal cycle, sequela |
| V41.5XXD | Car driver injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V41.5XXS | Car driver injured in collision with pedal cycle in traffic accident, sequela |
| V41.6XXD | Car passenger injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V41.6XXS | Car passenger injured in collision with pedal cycle in traffic accident, sequela |
| V41.7XXD | Person on outside of car injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V41.7XXS | Person on outside of car injured in collision with pedal cycle in traffic accident, sequela |
| V41.9XXD | Unspecified car occupant injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V41.9XXS | Unspecified car occupant injured in collision with pedal cycle in traffic accident, sequela |
| V42.0XXD | Car driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V42.0XXS | Car driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V42.1XXD | Car passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V42.1XXS | Car passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V42.2XXD | Person on outside of car injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V42.2XXS | Person on outside of car injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V42.3XXD | Unspecified car occupant injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V42.3XXS | Unspecified car occupant injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V42.4XXD | Person boarding or alighting a car injured in collision with two- or three-wheeled motor vehicle, subsequent encounter |
| V42.4XXS | Person boarding or alighting a car injured in collision with two- or three-wheeled motor vehicle, sequela |
| V42.5XXD | Car driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V42.5XXS | Car driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V42.6XXD | Car passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V42.6XXS | Car passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V42.7XXD | Person on outside of car injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V42.7XXS | Person on outside of car injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V42.9XXD | Unspecified car occupant injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V42.9XXS | Unspecified car occupant injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V43.01XD | Car driver injured in collision with sport utility vehicle in nontraffic accident, subsequent encounter |
| V43.01XS | Car driver injured in collision with sport utility vehicle in nontraffic accident, sequela |
| V43.02XD | Car driver injured in collision with other type car in nontraffic accident, subsequent encounter |
| V43.02XS | Car driver injured in collision with other type car in nontraffic accident, sequela |
| V43.03XD | Car driver injured in collision with pick-up truck in nontraffic accident, subsequent encounter |
| V43.03XS | Car driver injured in collision with pick-up truck in nontraffic accident, sequela |
| V43.04XD | Car driver injured in collision with van in nontraffic accident, subsequent encounter |
| V43.04XS | Car driver injured in collision with van in nontraffic accident, sequela |
| V43.11XD | Car passenger injured in collision with sport utility vehicle in nontraffic accident, subsequent encounter |
| V43.11XS | Car passenger injured in collision with sport utility vehicle in nontraffic accident, sequela |
| V43.12XD | Car passenger injured in collision with other type car in nontraffic accident, subsequent encounter |
| V43.12XS | Car passenger injured in collision with other type car in nontraffic accident, sequela |
| V43.13XD | Car passenger injured in collision with pick-up in nontraffic accident, subsequent encounter |
| V43.13XS | Car passenger injured in collision with pick-up in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V43.14XD | Car passenger injured in collision with van in nontraffic accident, subsequent encounter |
| V43.14XS | Car passenger injured in collision with van in nontraffic accident, sequela |
| V43.21XD | Person on outside of car injured in collision with sport utility vehicle in nontraffic accident, subsequent encounter |
| V43.21XS | Person on outside of car injured in collision with sport utility vehicle in nontraffic accident, sequela |
| V43.22XD | Person on outside of car injured in collision with other type car in nontraffic accident, subsequent encounter |
| V43.22XS | Person on outside of car injured in collision with other type car in nontraffic accident, sequela |
| V43.23XD | Person on outside of car injured in collision with pick-up truck in nontraffic accident, subsequent encounter |
| V43.23XS | Person on outside of car injured in collision with pick-up truck in nontraffic accident, sequela |
| V43.24XD | Person on outside of car injured in collision with van in nontraffic accident, subsequent encounter |
| V43.24XS | Person on outside of car injured in collision with van in nontraffic accident, sequela |
| V43.31XD | Unspecified car occupant injured in collision with sport utility vehicle in nontraffic accident, subsequent encounter |
| V43.31XS | Unspecified car occupant injured in collision with sport utility vehicle in nontraffic accident, sequela |
| V43.32XD | Unspecified car occupant injured in collision with other type car in nontraffic accident, subsequent encounter |
| V43.32XS | Unspecified car occupant injured in collision with other type car in nontraffic accident, sequela |
| V43.33XD | Unspecified car occupant injured in collision with pick-up truck in nontraffic accident, subsequent encounter |
| V43.33XS | Unspecified car occupant injured in collision with pick-up truck in nontraffic accident, sequela |
| V43.34XD | Unspecified car occupant injured in collision with van in nontraffic accident, subsequent encounter |
| V43.34XS | Unspecified car occupant injured in collision with van in nontraffic accident, sequela |
| V43.41XD | Person boarding or alighting a car injured in collision with sport utility vehicle, subsequent encounter |
| V43.41XS | Person boarding or alighting a car injured in collision with sport utility vehicle, sequela |
| V43.42XD | Person boarding or alighting a car injured in collision with other type car, subsequent encounter |
| V43.42XS | Person boarding or alighting a car injured in collision with other type car, sequela |
| V43.43XD | Person boarding or alighting a car injured in collision with pick-up truck, subsequent encounter |
| V43.43XS | Person boarding or alighting a car injured in collision with pick-up truck, sequela |
| V43.44XD | Person boarding or alighting a car injured in collision with van, subsequent encounter |
| V43.44XS | Person boarding or alighting a car injured in collision with van, sequela |
| V43.51XD | Car driver injured in collision with sport utility vehicle in traffic accident, subsequent encounter |
| V43.51XS | Car driver injured in collision with sport utility vehicle in traffic accident, sequela |
| V43.52XD | Car driver injured in collision with other type car in traffic accident, subsequent encounter |
| V43.52XS | Car driver injured in collision with other type car in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V43.53XD | Car driver injured in collision with pick-up truck in traffic accident, subsequent encounter |
| V43.53XS | Car driver injured in collision with pick-up truck in traffic accident, sequela |
| V43.54XD | Car driver injured in collision with van in traffic accident, subsequent encounter |
| V43.54XS | Car driver injured in collision with van in traffic accident, sequela |
| V43.61XD | Car passenger injured in collision with sport utility vehicle in traffic accident, subsequent encounter |
| V43.61XS | Car passenger injured in collision with sport utility vehicle in traffic accident, sequela |
| V43.62XD | Car passenger injured in collision with other type car in traffic accident, subsequent encounter |
| V43.62XS | Car passenger injured in collision with other type car in traffic accident, sequela |
| V43.63XD | Car passenger injured in collision with pick-up truck in traffic accident, subsequent encounter |
| V43.63XS | Car passenger injured in collision with pick-up truck in traffic accident, sequela |
| V43.64XD | Car passenger injured in collision with van in traffic accident, subsequent encounter |
| V43.64XS | Car passenger injured in collision with van in traffic accident, sequela |
| V43.71XD | Person on outside of car injured in collision with sport utility vehicle in traffic accident, subsequent encounter |
| V43.71XS | Person on outside of car injured in collision with sport utility vehicle in traffic accident, sequela |
| V43.72XD | Person on outside of car injured in collision with other type car in traffic accident, subsequent encounter |
| V43.72XS | Person on outside of car injured in collision with other type car in traffic accident, sequela |
| V43.73XD | Person on outside of car injured in collision with pick-up truck in traffic accident, subsequent encounter |
| V43.73XS | Person on outside of car injured in collision with pick-up truck in traffic accident, sequela |
| V43.74XD | Person on outside of car injured in collision with van in traffic accident, subsequent encounter |
| V43.74XS | Person on outside of car injured in collision with van in traffic accident, sequela |
| V43.91XD | Unspecified car occupant injured in collision with sport utility vehicle in traffic accident, subsequent encounter |
| V43.91XS | Unspecified car occupant injured in collision with sport utility vehicle in traffic accident, sequela |
| V43.92XD | Unspecified car occupant injured in collision with other type car in traffic accident, subsequent encounter |
| V43.92XS | Unspecified car occupant injured in collision with other type car in traffic accident, sequela |
| V43.93XD | Unspecified car occupant injured in collision with pick-up truck in traffic accident, subsequent encounter |
| V43.93XS | Unspecified car occupant injured in collision with pick-up truck in traffic accident, sequela |
| V43.94XD | Unspecified car occupant injured in collision with van in traffic accident, subsequent encounter |
| V43.94XS | Unspecified car occupant injured in collision with van in traffic accident, sequela |
| V44.0XXD | Car driver injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V44.0XXS | Car driver injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V44.1XXD | Car passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V44.1XXS | Car passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V44.2XXD | Person on outside of car injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V44.2XXS | Person on outside of car injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V44.3XXD | Unspecified car occupant injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V44.3XXS | Unspecified car occupant injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V44.4XXD | Person boarding or alighting a car injured in collision with heavy transport vehicle or bus, subsequent encounter |
| V44.4XXS | Person boarding or alighting a car injured in collision with heavy transport vehicle or bus, sequela |
| V44.5XXD | Car driver injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V44.5XXS | Car driver injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V44.6XXD | Car passenger injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V44.6XXS | Car passenger injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V44.7XXD | Person on outside of car injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V44.7XXS | Person on outside of car injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V44.9XXD | Unspecified car occupant injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V44.9XXS | Unspecified car occupant injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V45.0XXD | Car driver injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V45.0XXS | Car driver injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V45.1XXD | Car passenger injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V45.1XXS | Car passenger injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V45.2XXD | Person on outside of car injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V45.2XXS | Person on outside of car injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V45.3XXD | Unspecified car occupant injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V45.3XXS | Unspecified car occupant injured in collision with railway train or railway vehicle in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V45.4XXD | Person boarding or alighting a car injured in collision with railway train or railway vehicle, subsequent encounter |
| V45.4XXS | Person boarding or alighting a car injured in collision with railway train or railway vehicle, sequela |
| V45.5XXD | Car driver injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V45.5XXS | Car driver injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V45.6XXD | Car passenger injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V45.6XXS | Car passenger injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V45.7XXD | Person on outside of car injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V45.7XXS | Person on outside of car injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V45.9XXD | Unspecified car occupant injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V45.9XXS | Unspecified car occupant injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V46.0XXD | Car driver injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V46.0XXS | Car driver injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V46.1XXD | Car passenger injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V46.1XXS | Car passenger injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V46.2XXD | Person on outside of car injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V46.2XXS | Person on outside of car injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V46.3XXD | Unspecified car occupant injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V46.3XXS | Unspecified car occupant injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V46.4XXD | Person boarding or alighting a car injured in collision with other nonmotor vehicle, subsequent encounter |
| V46.4XXS | Person boarding or alighting a car injured in collision with other nonmotor vehicle, sequela |
| V46.5XXD | Car driver injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V46.5XXS | Car driver injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V46.6XXD | Car passenger injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V46.6XXS | Car passenger injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V46.7XXD | Person on outside of car injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V46.7XXS | Person on outside of car injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V46.9XXD | Unspecified car occupant injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V46.9XXS | Unspecified car occupant injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V47.01XD | Driver of sport utility vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V47.01XS | Driver of sport utility vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V47.02XD | Driver of other type car injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V47.02XS | Driver of other type car injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V47.11XD | Passenger of sport utility vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V47.11XS | Passenger of sport utility vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V47.12XD | Passenger of other type car injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V47.12XS | Passenger of other type car injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V47.2XXD | Person on outside of car injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V47.2XXS | Person on outside of car injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V47.31XD | Unspecified occupant of sport utility vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V47.31XS | Unspecified occupant of sport utility vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V47.32XD | Unspecified occupant of other type car injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V47.32XS | Unspecified occupant of other type car injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V47.4XXD | Person boarding or alighting a car injured in collision with fixed or stationary object, subsequent encounter |
| V47.4XXS | Person boarding or alighting a car injured in collision with fixed or stationary object, sequela |
| V47.51XD | Driver of sport utility vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V47.51XS | Driver of sport utility vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V47.52XD | Driver of other type car injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V47.52XS | Driver of other type car injured in collision with fixed or stationary object in traffic accident, sequela |
| V47.61XD | Passenger of sport utility vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V47.61XS | Passenger of sport utility vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V47.62XD | Passenger of other type car injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V47.62XS | Passenger of other type car injured in collision with fixed or stationary object in traffic accident, sequela |
| V47.7XXD | Person on outside of car injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V47.7XXS | Person on outside of car injured in collision with fixed or stationary object in traffic accident, sequela |
| V47.91XD | Unspecified occupant of sport utility vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V47.91XS | Unspecified occupant of sport utility vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V47.92XD | Unspecified occupant of other type car injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V47.92XS | Unspecified occupant of other type car injured in collision with fixed or stationary object in traffic accident, sequela |
| V48.0XXD | Car driver injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V48.0XXS | Car driver injured in noncollision transport accident in nontraffic accident, sequela |
| V48.1XXD | Car passenger injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V48.1XXS | Car passenger injured in noncollision transport accident in nontraffic accident, sequela |
| V48.2XXD | Person on outside of car injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V48.2XXS | Person on outside of car injured in noncollision transport accident in nontraffic accident, sequela |
| V48.3XXD | Unspecified car occupant injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V48.3XXS | Unspecified car occupant injured in noncollision transport accident in nontraffic accident, sequela |
| V48.4XXD | Person boarding or alighting a car injured in noncollision transport accident, subsequent encounter |
| V48.4XXS | Person boarding or alighting a car injured in noncollision transport accident, sequela |
| V48.5XXD | Car driver injured in noncollision transport accident in traffic accident, subsequent encounter |
| V48.5XXS | Car driver injured in noncollision transport accident in traffic accident, sequela |
| V48.6XXD | Car passenger injured in noncollision transport accident in traffic accident, subsequent encounter |
| V48.6XXS | Car passenger injured in noncollision transport accident in traffic accident, sequela |
| V48.7XXD | Person on outside of car injured in noncollision transport accident in traffic accident, subsequent encounter |
| V48.7XXS | Person on outside of car injured in noncollision transport accident in traffic accident, sequela |
| V48.9XXD | Unspecified car occupant injured in noncollision transport accident in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V48.9XXS | Unspecified car occupant injured in noncollision transport accident in traffic accident, sequela |
| V49.00XD | Driver injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V49.00XS | Driver injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V49.09XD | Driver injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V49.09XS | Driver injured in collision with other motor vehicles in nontraffic accident, sequela |
| V49.10XD | Passenger injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V49.10XS | Passenger injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V49.19XD | Passenger injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V49.19XS | Passenger injured in collision with other motor vehicles in nontraffic accident, sequela |
| V49.20XD | Unspecified car occupant injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V49.20XS | Unspecified car occupant injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V49.29XD | Unspecified car occupant injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V49.29XS | Unspecified car occupant injured in collision with other motor vehicles in nontraffic accident, sequela |
| V49.3XXD | Car occupant (driver) (passenger) injured in unspecified nontraffic accident, subsequent encounter |
| V49.3XXS | Car occupant (driver) (passenger) injured in unspecified nontraffic accident, sequela |
| V49.40XD | Driver injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V49.40XS | Driver injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V49.49XD | Driver injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V49.49XS | Driver injured in collision with other motor vehicles in traffic accident, sequela |
| V49.50XD | Passenger injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V49.50XS | Passenger injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V49.59XD | Passenger injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V49.59XS | Passenger injured in collision with other motor vehicles in traffic accident, sequela |
| V49.60XD | Unspecified car occupant injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V49.60XS | Unspecified car occupant injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V49.69XD | Unspecified car occupant injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V49.69XS | Unspecified car occupant injured in collision with other motor vehicles in traffic accident, sequela |
| V49.81XD | Car occupant (driver) (passenger) injured in transport accident with military vehicle, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V49.81XS | Car occupant (driver) (passenger) injured in transport accident with military vehicle, sequela |
| V49.88XD | Car occupant (driver) (passenger) injured in other specified transport accidents, subsequent encounter |
| V49.88XS | Car occupant (driver) (passenger) injured in other specified transport accidents, sequela |
| V49.9XXD | Car occupant (driver) (passenger) injured in unspecified traffic accident, subsequent encounter |
| V49.9XXS | Car occupant (driver) (passenger) injured in unspecified traffic accident, sequela |
| V50.0XXD | Driver of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V50.0XXS | Driver of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V50.1XXD | Passenger in pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V50.1XXS | Passenger in pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V50.2XXD | Person on outside of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V50.2XXS | Person on outside of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V50.3XXD | Unspecified occupant of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V50.3XXS | Unspecified occupant of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V50.4XXD | Person boarding or alighting a pick-up truck or van injured in collision with pedestrian or animal, subsequent encounter |
| V50.4XXS | Person boarding or alighting a pick-up truck or van injured in collision with pedestrian or animal, sequela |
| V50.5XXD | Driver of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V50.5XXS | Driver of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, sequela |
| V50.6XXD | Passenger in pick-up truck or van injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V50.6XXS | Passenger in pick-up truck or van injured in collision with pedestrian or animal in traffic accident, sequela |
| V50.7XXD | Person on outside of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V50.7XXS | Person on outside of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, sequela |
| V50.9XXD | Unspecified occupant of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V50.9XXS | Unspecified occupant of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, sequela |
| V51.0XXD | Driver of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V51.0XXS | Driver of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V51.1XXD | Passenger in pick-up truck or van injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V51.1XXS | Passenger in pick-up truck or van injured in collision with pedal cycle in nontraffic accident, sequela |
| V51.2XXD | Person on outside of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V51.2XXS | Person on outside of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, sequela |
| V51.3XXD | Unspecified occupant of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V51.3XXS | Unspecified occupant of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, sequela |
| V51.4XXD | Person boarding or alighting a pick-up truck or van injured in collision with pedal cycle, subsequent encounter |
| V51.4XXS | Person boarding or alighting a pick-up truck or van injured in collision with pedal cycle, sequela |
| V51.5XXD | Driver of pick-up truck or van injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V51.5XXS | Driver of pick-up truck or van injured in collision with pedal cycle in traffic accident, sequela |
| V51.6XXD | Passenger in pick-up truck or van injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V51.6XXS | Passenger in pick-up truck or van injured in collision with pedal cycle in traffic accident, sequela |
| V51.7XXD | Person on outside of pick-up truck or van injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V51.7XXS | Person on outside of pick-up truck or van injured in collision with pedal cycle in traffic accident, sequela |
| V51.9XXD | Unspecified occupant of pick-up truck or van injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V51.9XXS | Unspecified occupant of pick-up truck or van injured in collision with pedal cycle in traffic accident, sequela |
| V52.0XXD | Driver of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V52.0XXS | Driver of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V52.1XXD | Passenger in pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V52.1XXS | Passenger in pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V52.2XXD | Person on outside of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V52.2XXS | Person on outside of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V52.3XXD | Unspecified occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V52.3XXS | Unspecified occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V52.4XXD | Person boarding or alighting a pick-up truck or van injured in collision with two- or three-wheeled motor vehicle, subsequent encounter |
| V52.4XXS | Person boarding or alighting a pick-up truck or van injured in collision with two- or three-wheeled motor vehicle, sequela |
| V52.5XXD | Driver of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V52.5XXS | Driver of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V52.6XXD | Passenger in pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V52.6XXS | Passenger in pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V52.7XXD | Person on outside of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V52.7XXS | Person on outside of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V52.9XXD | Unspecified occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V52.9XXS | Unspecified occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V53.0XXD | Driver of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V53.0XXS | Driver of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V53.1XXD | Passenger in pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V53.1XXS | Passenger in pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V53.2XXD | Person on outside of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V53.2XXS | Person on outside of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V53.3XXD | Unspecified occupant of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V53.3XXS | Unspecified occupant of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V53.4XXD | Person boarding or alighting a pick-up truck or van injured in collision with car, pick-up truck or van, subsequent encounter |
| V53.4XXS | Person boarding or alighting a pick-up truck or van injured in collision with car, pick-up truck or van, sequela |
| V53.5XXD | Driver of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V53.5XXS | Driver of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V53.6XXD | Passenger in pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V53.6XXS | Passenger in pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V53.7XXD | Person on outside of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V53.7XXS | Person on outside of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V53.9XXD | Unspecified occupant of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V53.9XXS | Unspecified occupant of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V54.0XXD | Driver of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V54.0XXS | Driver of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V54.1XXD | Passenger in pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V54.1XXS | Passenger in pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V54.2XXD | Person on outside of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V54.2XXS | Person on outside of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V54.3XXD | Unspecified occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V54.3XXS | Unspecified occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V54.4XXD | Person boarding or alighting a pick-up truck or van injured in collision with heavy transport vehicle or bus, subsequent encounter |
| V54.4XXS | Person boarding or alighting a pick-up truck or van injured in collision with heavy transport vehicle or bus, sequela |
| V54.5XXD | Driver of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V54.5XXS | Driver of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V54.6XXD | Passenger in pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V54.6XXS | Passenger in pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V54.7XXD | Person on outside of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V54.7XXS | Person on outside of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V54.9XXD | Unspecified occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V54.9XXS | Unspecified occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V55.0XXD | Driver of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V55.0XXS | Driver of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V55.1XXD | Passenger in pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V55.1XXS | Passenger in pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V55.2XXD | Person on outside of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V55.2XXS | Person on outside of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V55.3XXD | Unspecified occupant of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V55.3XXS | Unspecified occupant of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V55.4XXD | Person boarding or alighting a pick-up truck or van injured in collision with railway train or railway vehicle, subsequent encounter |
| V55.4XXS | Person boarding or alighting a pick-up truck or van injured in collision with railway train or railway vehicle, sequela |
| V55.5XXD | Driver of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V55.5XXS | Driver of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V55.6XXD | Passenger in pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V55.6XXS | Passenger in pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V55.7XXD | Person on outside of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V55.7XXS | Person on outside of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V55.9XXD | Unspecified occupant of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V55.9XXS | Unspecified occupant of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V56.0XXD | Driver of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V56.0XXS | Driver of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V56.1XXD | Passenger in pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V56.1XXS | Passenger in pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V56.2XXD | Person on outside of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V56.2XXS | Person on outside of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V56.3XXD | Unspecified occupant of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V56.3XXS | Unspecified occupant of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V56.4XXD | Person boarding or alighting a pick-up truck or van injured in collision with other nonmotor vehicle, subsequent encounter |
| V56.4XXS | Person boarding or alighting a pick-up truck or van injured in collision with other nonmotor vehicle, sequela |
| V56.5XXD | Driver of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V56.5XXS | Driver of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V56.6XXD | Passenger in pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V56.6XXS | Passenger in pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V56.7XXD | Person on outside of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V56.7XXS | Person on outside of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V56.9XXD | Unspecified occupant of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V56.9XXS | Unspecified occupant of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V57.0XXD | Driver of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V57.0XXS | Driver of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V57.1XXD | Passenger in pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V57.1XXS | Passenger in pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V57.2XXD | Person on outside of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V57.2XXS | Person on outside of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V57.3XXD | Unspecified occupant of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V57.3XXS | Unspecified occupant of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V57.4XXD | Person boarding or alighting a pick-up truck or van injured in collision with fixed or stationary object, subsequent encounter |
| V57.4XXS | Person boarding or alighting a pick-up truck or van injured in collision with fixed or stationary object, sequela |
| V57.5XXD | Driver of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V57.5XXS | Driver of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, sequela |
| V57.6XXD | Passenger in pick-up truck or van injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V57.6XXS | Passenger in pick-up truck or van injured in collision with fixed or stationary object in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V57.7XXD | Person on outside of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V57.7XXS | Person on outside of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, sequela |
| V57.9XXD | Unspecified occupant of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V57.9XXS | Unspecified occupant of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, sequela |
| V58.0XXD | Driver of pick-up truck or van injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V58.0XXS | Driver of pick-up truck or van injured in noncollision transport accident in nontraffic accident, sequela |
| V58.1XXD | Passenger in pick-up truck or van injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V58.1XXS | Passenger in pick-up truck or van injured in noncollision transport accident in nontraffic accident, sequela |
| V58.2XXD | Person on outside of pick-up truck or van injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V58.2XXS | Person on outside of pick-up truck or van injured in noncollision transport accident in nontraffic accident, sequela |
| V58.3XXD | Unspecified occupant of pick-up truck or van injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V58.3XXS | Unspecified occupant of pick-up truck or van injured in noncollision transport accident in nontraffic accident, sequela |
| V58.4XXD | Person boarding or alighting a pick-up truck or van injured in noncollision transport accident, subsequent encounter |
| V58.4XXS | Person boarding or alighting a pick-up truck or van injured in noncollision transport accident, sequela |
| V58.5XXD | Driver of pick-up truck or van injured in noncollision transport accident in traffic accident, subsequent encounter |
| V58.5XXS | Driver of pick-up truck or van injured in noncollision transport accident in traffic accident, sequela |
| V58.6XXD | Passenger in pick-up truck or van injured in noncollision transport accident in traffic accident, subsequent encounter |
| V58.6XXS | Passenger in pick-up truck or van injured in noncollision transport accident in traffic accident, sequela |
| V58.7XXD | Person on outside of pick-up truck or van injured in noncollision transport accident in traffic accident, subsequent encounter |
| V58.7XXS | Person on outside of pick-up truck or van injured in noncollision transport accident in traffic accident, sequela |
| V58.9XXD | Unspecified occupant of pick-up truck or van injured in noncollision transport accident in traffic accident, subsequent encounter |
| V58.9XXS | Unspecified occupant of pick-up truck or van injured in noncollision transport accident in traffic accident, sequela |
| V59.00XD | Driver of pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V59.00XS | Driver of pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V59.09XD | Driver of pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V59.09XS | Driver of pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, sequela |
| V59.10XD | Passenger in pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V59.10XS | Passenger in pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V59.19XD | Passenger in pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V59.19XS | Passenger in pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, sequela |
| V59.20XD | Unspecified occupant of pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V59.20XS | Unspecified occupant of pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V59.29XD | Unspecified occupant of pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V59.29XS | Unspecified occupant of pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, sequela |
| V59.3XXD | Occupant (driver) (passenger) of pick-up truck or van injured in unspecified nontraffic accident, subsequent encounter |
| V59.3XXS | Occupant (driver) (passenger) of pick-up truck or van injured in unspecified nontraffic accident, sequela |
| V59.40XD | Driver of pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V59.40XS | Driver of pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V59.49XD | Driver of pick-up truck or van injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V59.49XS | Driver of pick-up truck or van injured in collision with other motor vehicles in traffic accident, sequela |
| V59.50XD | Passenger in pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V59.50XS | Passenger in pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V59.59XD | Passenger in pick-up truck or van injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V59.59XS | Passenger in pick-up truck or van injured in collision with other motor vehicles in traffic accident, sequela |
| V59.60XD | Unspecified occupant of pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V59.60XS | Unspecified occupant of pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V59.69XD | Unspecified occupant of pick-up truck or van injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V59.69XS | Unspecified occupant of pick-up truck or van injured in collision with other motor vehicles in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V59.81XD | Occupant (driver) (passenger) of pick-up truck or van injured in transport accident with military vehicle, subsequent encounter |
| V59.81XS | Occupant (driver) (passenger) of pick-up truck or van injured in transport accident with military vehicle, sequela |
| V59.88XD | Occupant (driver) (passenger) of pick-up truck or van injured in other specified transport accidents, subsequent encounter |
| V59.88XS | Occupant (driver) (passenger) of pick-up truck or van injured in other specified transport accidents, sequela |
| V59.9XXD | Occupant (driver) (passenger) of pick-up truck or van injured in unspecified traffic accident, subsequent encounter |
| V59.9XXS | Occupant (driver) (passenger) of pick-up truck or van injured in unspecified traffic accident, sequela |
| V60.0XXD | Driver of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V60.0XXS | Driver of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V60.1XXD | Passenger in heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V60.1XXS | Passenger in heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V60.2XXD | Person on outside of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V60.2XXS | Person on outside of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V60.3XXD | Unspecified occupant of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V60.3XXS | Unspecified occupant of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V60.4XXD | Person boarding or alighting a heavy transport vehicle injured in collision with pedestrian or animal, subsequent encounter |
| V60.4XXS | Person boarding or alighting a heavy transport vehicle injured in collision with pedestrian or animal, sequela |
| V60.5XXD | Driver of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V60.5XXS | Driver of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, sequela |
| V60.6XXD | Passenger in heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V60.6XXS | Passenger in heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, sequela |
| V60.7XXD | Person on outside of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V60.7XXS | Person on outside of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, sequela |
| V60.9XXD | Unspecified occupant of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V60.9XXS | Unspecified occupant of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V61.0XXD | Driver of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V61.0XXS | Driver of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, sequela |
| V61.1XXD | Passenger in heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V61.1XXS | Passenger in heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, sequela |
| V61.2XXD | Person on outside of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V61.2XXS | Person on outside of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, sequela |
| V61.3XXD | Unspecified occupant of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V61.3XXS | Unspecified occupant of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, sequela |
| V61.4XXD | Person boarding or alighting a heavy transport vehicle injured in collision with pedal cycle while boarding or alighting, subsequent encounter |
| V61.4XXS | Person boarding or alighting a heavy transport vehicle injured in collision with pedal cycle while boarding or alighting, sequela |
| V61.5XXD | Driver of heavy transport vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V61.5XXS | Driver of heavy transport vehicle injured in collision with pedal cycle in traffic accident, sequela |
| V61.6XXD | Passenger in heavy transport vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V61.6XXS | Passenger in heavy transport vehicle injured in collision with pedal cycle in traffic accident, sequela |
| V61.7XXD | Person on outside of heavy transport vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V61.7XXS | Person on outside of heavy transport vehicle injured in collision with pedal cycle in traffic accident, sequela |
| V61.9XXD | Unspecified occupant of heavy transport vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V61.9XXS | Unspecified occupant of heavy transport vehicle injured in collision with pedal cycle in traffic accident, sequela |
| V62.0XXD | Driver of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V62.0XXS | Driver of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V62.1XXD | Passenger in heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V62.1XXS | Passenger in heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V62.2XXD | Person on outside of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V62.2XXS | Person on outside of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V62.3XXD | Unspecified occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V62.3XXS | Unspecified occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V62.4XXD | Person boarding or alighting a heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter |
| V62.4XXS | Person boarding or alighting a heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle, sequela |
| V62.5XXD | Driver of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V62.5XXS | Driver of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V62.6XXD | Passenger in heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V62.6XXS | Passenger in heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V62.7XXD | Person on outside of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V62.7XXS | Person on outside of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V62.9XXD | Unspecified occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V62.9XXS | Unspecified occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V63.0XXD | Driver of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V63.0XXS | Driver of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V63.1XXD | Passenger in heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V63.1XXS | Passenger in heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V63.2XXD | Person on outside of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V63.2XXS | Person on outside of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V63.3XXD | Unspecified occupant of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V63.3XXS | Unspecified occupant of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V63.4XXD | Person boarding or alighting a heavy transport vehicle injured in collision with car, pick-up truck or van, subsequent encounter |
| V63.4XXS | Person boarding or alighting a heavy transport vehicle injured in collision with car, pick-up truck or van, sequela |
| V63.5XXD | Driver of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V63.5XXS | Driver of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V63.6XXD | Passenger in heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V63.6XXS | Passenger in heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V63.7XXD | Person on outside of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V63.7XXS | Person on outside of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V63.9XXD | Unspecified occupant of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V63.9XXS | Unspecified occupant of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V64.0XXD | Driver of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V64.0XXS | Driver of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V64.1XXD | Passenger in heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V64.1XXS | Passenger in heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V64.2XXD | Person on outside of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V64.2XXS | Person on outside of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V64.3XXD | Unspecified occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V64.3XXS | Unspecified occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V64.4XXD | Person boarding or alighting a heavy transport vehicle injured in collision with heavy transport vehicle or bus while boarding or alighting, subsequent encounter |
| V64.4XXS | Person boarding or alighting a heavy transport vehicle injured in collision with heavy transport vehicle or bus while boarding or alighting, sequela |
| V64.5XXD | Driver of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V64.5XXS | Driver of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V64.6XXD | Passenger in heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V64.6XXS | Passenger in heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V64.7XXD | Person on outside of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V64.7XXS | Person on outside of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V64.9XXD | Unspecified occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V64.9XXS | Unspecified occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V65.0XXD | Driver of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V65.0XXS | Driver of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V65.1XXD | Passenger in heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V65.1XXS | Passenger in heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V65.2XXD | Person on outside of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V65.2XXS | Person on outside of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V65.3XXD | Unspecified occupant of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V65.3XXS | Unspecified occupant of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V65.4XXD | Person boarding or alighting a heavy transport vehicle injured in collision with railway train or railway vehicle, subsequent encounter |
| V65.4XXS | Person boarding or alighting a heavy transport vehicle injured in collision with railway train or railway vehicle, sequela |
| V65.5XXD | Driver of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V65.5XXS | Driver of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V65.6XXD | Passenger in heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V65.6XXS | Passenger in heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V65.7XXD | Person on outside of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V65.7XXS | Person on outside of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V65.9XXD | Unspecified occupant of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V65.9XXS | Unspecified occupant of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V66.0XXD | Driver of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V66.0XXS | Driver of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V66.1XXD | Passenger in heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V66.1XXS | Passenger in heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V66.2XXD | Person on outside of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V66.2XXS | Person on outside of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V66.3XXD | Unspecified occupant of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V66.3XXS | Unspecified occupant of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V66.4XXD | Person boarding or alighting a heavy transport vehicle injured in collision with other nonmotor vehicle, subsequent encounter |
| V66.4XXS | Person boarding or alighting a heavy transport vehicle injured in collision with other nonmotor vehicle, sequela |
| V66.5XXD | Driver of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V66.5XXS | Driver of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V66.6XXD | Passenger in heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V66.6XXS | Passenger in heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V66.7XXD | Person on outside of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V66.7XXS | Person on outside of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V66.9XXD | Unspecified occupant of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V66.9XXS | Unspecified occupant of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V67.0XXD | Driver of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V67.0XXS | Driver of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V67.1XXD | Passenger in heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V67.1XXS | Passenger in heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V67.2XXD | Person on outside of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V67.2XXS | Person on outside of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V67.3XXD | Unspecified occupant of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V67.3XXS | Unspecified occupant of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V67.4XXD | Person boarding or alighting a heavy transport vehicle injured in collision with fixed or stationary object, subsequent encounter |
| V67.4XXS | Person boarding or alighting a heavy transport vehicle injured in collision with fixed or stationary object, sequela |
| V67.5XXD | Driver of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V67.5XXS | Driver of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V67.6XXD | Passenger in heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V67.6XXS | Passenger in heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V67.7XXD | Person on outside of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V67.7XXS | Person on outside of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V67.9XXD | Unspecified occupant of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V67.9XXS | Unspecified occupant of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, sequela |
| V68.0XXD | Driver of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V68.0XXS | Driver of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, sequela |
| V68.1XXD | Passenger in heavy transport vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V68.1XXS | Passenger in heavy transport vehicle injured in noncollision transport accident in nontraffic accident, sequela |
| V68.2XXD | Person on outside of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V68.2XXS | Person on outside of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, sequela |
| V68.3XXD | Unspecified occupant of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V68.3XXS | Unspecified occupant of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, sequela |
| V68.4XXD | Person boarding or alighting a heavy transport vehicle injured in noncollision transport accident, subsequent encounter |
| V68.4XXS | Person boarding or alighting a heavy transport vehicle injured in noncollision transport accident, sequela |
| V68.5XXD | Driver of heavy transport vehicle injured in noncollision transport accident in traffic accident, subsequent encounter |
| V68.5XXS | Driver of heavy transport vehicle injured in noncollision transport accident in traffic accident, sequela |
| V68.6XXD | Passenger in heavy transport vehicle injured in noncollision transport accident in traffic accident, subsequent encounter |
| V68.6XXS | Passenger in heavy transport vehicle injured in noncollision transport accident in traffic accident, sequela |
| V68.7XXD | Person on outside of heavy transport vehicle injured in noncollision transport accident in traffic accident, subsequent encounter |
| V68.7XXS | Person on outside of heavy transport vehicle injured in noncollision transport accident in traffic accident, sequela |
| V68.9XXD | Unspecified occupant of heavy transport vehicle injured in noncollision transport accident in traffic accident, subsequent encounter |
| V68.9XXS | Unspecified occupant of heavy transport vehicle injured in noncollision transport accident in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V69.00XD | Driver of heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V69.00XS | Driver of heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V69.09XD | Driver of heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V69.09XS | Driver of heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, sequela |
| V69.10XD | Passenger in heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V69.10XS | Passenger in heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V69.19XD | Passenger in heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V69.19XS | Passenger in heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, sequela |
| V69.20XD | Unspecified occupant of heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V69.20XS | Unspecified occupant of heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V69.29XD | Unspecified occupant of heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V69.29XS | Unspecified occupant of heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, sequela |
| V69.3XXD | Occupant (driver) (passenger) of heavy transport vehicle injured in unspecified nontraffic accident, subsequent encounter |
| V69.3XXS | Occupant (driver) (passenger) of heavy transport vehicle injured in unspecified nontraffic accident, sequela |
| V69.40XD | Driver of heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V69.40XS | Driver of heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V69.49XD | Driver of heavy transport vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V69.49XS | Driver of heavy transport vehicle injured in collision with other motor vehicles in traffic accident, sequela |
| V69.50XD | Passenger in heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V69.50XS | Passenger in heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V69.59XD | Passenger in heavy transport vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V69.59XS | Passenger in heavy transport vehicle injured in collision with other motor vehicles in traffic accident, sequela |
| V69.60XD | Unspecified occupant of heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V69.60XS | Unspecified occupant of heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V69.69XD | Unspecified occupant of heavy transport vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V69.69XS | Unspecified occupant of heavy transport vehicle injured in collision with other motor vehicles in traffic accident, sequela |
| V69.81XD | Occupant (driver) (passenger) of heavy transport vehicle injured in transport accidents with military vehicle, subsequent encounter |
| V69.81XS | Occupant (driver) (passenger) of heavy transport vehicle injured in transport accidents with military vehicle, sequela |
| V69.88XD | Occupant (driver) (passenger) of heavy transport vehicle injured in other specified transport accidents, subsequent encounter |
| V69.88XS | Occupant (driver) (passenger) of heavy transport vehicle injured in other specified transport accidents, sequela |
| V69.9XXD | Occupant (driver) (passenger) of heavy transport vehicle injured in unspecified traffic accident, subsequent encounter |
| V69.9XXS | Occupant (driver) (passenger) of heavy transport vehicle injured in unspecified traffic accident, sequela |
| V70.0XXD | Driver of bus injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V70.0XXS | Driver of bus injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V70.1XXD | Passenger on bus injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V70.1XXS | Passenger on bus injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V70.2XXD | Person on outside of bus injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V70.2XXS | Person on outside of bus injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V70.3XXD | Unspecified occupant of bus injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter |
| V70.3XXS | Unspecified occupant of bus injured in collision with pedestrian or animal in nontraffic accident, sequela |
| V70.4XXD | Person boarding or alighting from bus injured in collision with pedestrian or animal, subsequent encounter |
| V70.4XXS | Person boarding or alighting from bus injured in collision with pedestrian or animal, sequela |
| V70.5XXD | Driver of bus injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V70.5XXS | Driver of bus injured in collision with pedestrian or animal in traffic accident, sequela |
| V70.6XXD | Passenger on bus injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V70.6XXS | Passenger on bus injured in collision with pedestrian or animal in traffic accident, sequela |
| V70.7XXD | Person on outside of bus injured in collision with pedestrian or animal in traffic accident, subsequent encounter |
| V70.7XXS | Person on outside of bus injured in collision with pedestrian or animal in traffic accident, sequela |
| V70.9XXD | Unspecified occupant of bus injured in collision with pedestrian or animal in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V70.9XXS | Unspecified occupant of bus injured in collision with pedestrian or animal in traffic accident, sequela |
| V71.0XXD | Driver of bus injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V71.0XXS | Driver of bus injured in collision with pedal cycle in nontraffic accident, sequela |
| V71.1XXD | Passenger on bus injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V71.1XXS | Passenger on bus injured in collision with pedal cycle in nontraffic accident, sequela |
| V71.2XXD | Person on outside of bus injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V71.2XXS | Person on outside of bus injured in collision with pedal cycle in nontraffic accident, sequela |
| V71.3XXD | Unspecified occupant of bus injured in collision with pedal cycle in nontraffic accident, subsequent encounter |
| V71.3XXS | Unspecified occupant of bus injured in collision with pedal cycle in nontraffic accident, sequela |
| V71.4XXD | Person boarding or alighting from bus injured in collision with pedal cycle, subsequent encounter |
| V71.4XXS | Person boarding or alighting from bus injured in collision with pedal cycle, sequela |
| V71.5XXD | Driver of bus injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V71.5XXS | Driver of bus injured in collision with pedal cycle in traffic accident, sequela |
| V71.6XXD | Passenger on bus injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V71.6XXS | Passenger on bus injured in collision with pedal cycle in traffic accident, sequela |
| V71.7XXD | Person on outside of bus injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V71.7XXS | Person on outside of bus injured in collision with pedal cycle in traffic accident, sequela |
| V71.9XXD | Unspecified occupant of bus injured in collision with pedal cycle in traffic accident, subsequent encounter |
| V71.9XXS | Unspecified occupant of bus injured in collision with pedal cycle in traffic accident, sequela |
| V72.0XXD | Driver of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V72.0XXS | Driver of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V72.1XXD | Passenger on bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V72.1XXS | Passenger on bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V72.2XXD | Person on outside of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V72.2XXS | Person on outside of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |
| V72.3XXD | Unspecified occupant of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter |
| V72.3XXS | Unspecified occupant of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V72.4XXD | Person boarding or alighting from bus injured in collision with two- or three-wheeled motor vehicle, subsequent encounter |
| V72.4XXS | Person boarding or alighting from bus injured in collision with two- or three-wheeled motor vehicle, sequela |
| V72.5XXD | Driver of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V72.5XXS | Driver of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V72.6XXD | Passenger on bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V72.6XXS | Passenger on bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V72.7XXD | Person on outside of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V72.7XXS | Person on outside of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V72.9XXD | Unspecified occupant of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter |
| V72.9XXS | Unspecified occupant of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, sequela |
| V73.0XXD | Driver of bus injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V73.0XXS | Driver of bus injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V73.1XXD | Passenger on bus injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V73.1XXS | Passenger on bus injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V73.2XXD | Person on outside of bus injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V73.2XXS | Person on outside of bus injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V73.3XXD | Unspecified occupant of bus injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter |
| V73.3XXS | Unspecified occupant of bus injured in collision with car, pick-up truck or van in nontraffic accident, sequela |
| V73.4XXD | Person boarding or alighting from bus injured in collision with car, pick-up truck or van, subsequent encounter |
| V73.4XXS | Person boarding or alighting from bus injured in collision with car, pick-up truck or van, sequela |
| V73.5XXD | Driver of bus injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V73.5XXS | Driver of bus injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V73.6XXD | Passenger on bus injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V73.6XXS | Passenger on bus injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V73.7XXD | Person on outside of bus injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V73.7XXS | Person on outside of bus injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V73.9XXD | Unspecified occupant of bus injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter |
| V73.9XXS | Unspecified occupant of bus injured in collision with car, pick-up truck or van in traffic accident, sequela |
| V74.0XXD | Driver of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V74.0XXS | Driver of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V74.1XXD | Passenger on bus injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V74.1XXS | Passenger on bus injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V74.2XXD | Person on outside of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V74.2XXS | Person on outside of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V74.3XXD | Unspecified occupant of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter |
| V74.3XXS | Unspecified occupant of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, sequela |
| V74.4XXD | Person boarding or alighting from bus injured in collision with heavy transport vehicle or bus, subsequent encounter |
| V74.4XXS | Person boarding or alighting from bus injured in collision with heavy transport vehicle or bus, sequela |
| V74.5XXD | Driver of bus injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V74.5XXS | Driver of bus injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V74.6XXD | Passenger on bus injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V74.6XXS | Passenger on bus injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V74.7XXD | Person on outside of bus injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V74.7XXS | Person on outside of bus injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V74.9XXD | Unspecified occupant of bus injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter |
| V74.9XXS | Unspecified occupant of bus injured in collision with heavy transport vehicle or bus in traffic accident, sequela |
| V75.0XXD | Driver of bus injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V75.0XXS | Driver of bus injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V75.1XXD | Passenger on bus injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V75.1XXS | Passenger on bus injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V75.2XXD | Person on outside of bus injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V75.2XXS | Person on outside of bus injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V75.3XXD | Unspecified occupant of bus injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter |
| V75.3XXS | Unspecified occupant of bus injured in collision with railway train or railway vehicle in nontraffic accident, sequela |
| V75.4XXD | Person boarding or alighting from bus injured in collision with railway train or railway vehicle, subsequent encounter |
| V75.4XXS | Person boarding or alighting from bus injured in collision with railway train or railway vehicle, sequela |
| V75.5XXD | Driver of bus injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V75.5XXS | Driver of bus injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V75.6XXD | Passenger on bus injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V75.6XXS | Passenger on bus injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V75.7XXD | Person on outside of bus injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V75.7XXS | Person on outside of bus injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V75.9XXD | Unspecified occupant of bus injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter |
| V75.9XXS | Unspecified occupant of bus injured in collision with railway train or railway vehicle in traffic accident, sequela |
| V76.0XXD | Driver of bus injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V76.0XXS | Driver of bus injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V76.1XXD | Passenger on bus injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V76.1XXS | Passenger on bus injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V76.2XXD | Person on outside of bus injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V76.2XXS | Person on outside of bus injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V76.3XXD | Unspecified occupant of bus injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter |
| V76.3XXS | Unspecified occupant of bus injured in collision with other nonmotor vehicle in nontraffic accident, sequela |
| V76.4XXD | Person boarding or alighting from bus injured in collision with other nonmotor vehicle, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V76.4XXS | Person boarding or alighting from bus injured in collision with other nonmotor vehicle, sequela |
| V76.5XXD | Driver of bus injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V76.5XXS | Driver of bus injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V76.6XXD | Passenger on bus injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V76.6XXS | Passenger on bus injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V76.7XXD | Person on outside of bus injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V76.7XXS | Person on outside of bus injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V76.9XXD | Unspecified occupant of bus injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter |
| V76.9XXS | Unspecified occupant of bus injured in collision with other nonmotor vehicle in traffic accident, sequela |
| V77.0XXD | Driver of bus injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V77.0XXS | Driver of bus injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V77.1XXD | Passenger on bus injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V77.1XXS | Passenger on bus injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V77.2XXD | Person on outside of bus injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V77.2XXS | Person on outside of bus injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V77.3XXD | Unspecified occupant of bus injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter |
| V77.3XXS | Unspecified occupant of bus injured in collision with fixed or stationary object in nontraffic accident, sequela |
| V77.4XXD | Person boarding or alighting from bus injured in collision with fixed or stationary object, subsequent encounter |
| V77.4XXS | Person boarding or alighting from bus injured in collision with fixed or stationary object, sequela |
| V77.5XXD | Driver of bus injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V77.5XXS | Driver of bus injured in collision with fixed or stationary object in traffic accident, sequela |
| V77.6XXD | Passenger on bus injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V77.6XXS | Passenger on bus injured in collision with fixed or stationary object in traffic accident, sequela |
| V77.7XXD | Person on outside of bus injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V77.7XXS | Person on outside of bus injured in collision with fixed or stationary object in traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V77.9XXD | Unspecified occupant of bus injured in collision with fixed or stationary object in traffic accident, subsequent encounter |
| V77.9XXS | Unspecified occupant of bus injured in collision with fixed or stationary object in traffic accident, sequela |
| V78.0XXD | Driver of bus injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V78.0XXS | Driver of bus injured in noncollision transport accident in nontraffic accident, sequela |
| V78.1XXD | Passenger on bus injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V78.1XXS | Passenger on bus injured in noncollision transport accident in nontraffic accident, sequela |
| V78.2XXD | Person on outside of bus injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V78.2XXS | Person on outside of bus injured in noncollision transport accident in nontraffic accident, sequela |
| V78.3XXD | Unspecified occupant of bus injured in noncollision transport accident in nontraffic accident, subsequent encounter |
| V78.3XXS | Unspecified occupant of bus injured in noncollision transport accident in nontraffic accident, sequela |
| V78.4XXD | Person boarding or alighting from bus injured in noncollision transport accident, subsequent encounter |
| V78.4XXS | Person boarding or alighting from bus injured in noncollision transport accident, sequela |
| V78.5XXD | Driver of bus injured in noncollision transport accident in traffic accident, subsequent encounter |
| V78.5XXS | Driver of bus injured in noncollision transport accident in traffic accident, sequela |
| V78.6XXD | Passenger on bus injured in noncollision transport accident in traffic accident, subsequent encounter |
| V78.6XXS | Passenger on bus injured in noncollision transport accident in traffic accident, sequela |
| V78.7XXD | Person on outside of bus injured in noncollision transport accident in traffic accident, subsequent encounter |
| V78.7XXS | Person on outside of bus injured in noncollision transport accident in traffic accident, sequela |
| V78.9XXD | Unspecified occupant of bus injured in noncollision transport accident in traffic accident, subsequent encounter |
| V78.9XXS | Unspecified occupant of bus injured in noncollision transport accident in traffic accident, sequela |
| V79.00XD | Driver of bus injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V79.00XS | Driver of bus injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V79.09XD | Driver of bus injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V79.09XS | Driver of bus injured in collision with other motor vehicles in nontraffic accident, sequela |
| V79.10XD | Passenger on bus injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V79.10XS | Passenger on bus injured in collision with unspecified motor vehicles in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V79.19XD | Passenger on bus injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V79.19XS | Passenger on bus injured in collision with other motor vehicles in nontraffic accident, sequela |
| V79.20XD | Unspecified bus occupant injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter |
| V79.20XS | Unspecified bus occupant injured in collision with unspecified motor vehicles in nontraffic accident, sequela |
| V79.29XD | Unspecified bus occupant injured in collision with other motor vehicles in nontraffic accident, subsequent encounter |
| V79.29XS | Unspecified bus occupant injured in collision with other motor vehicles in nontraffic accident, sequela |
| V79.3XXD | Bus occupant (driver) (passenger) injured in unspecified nontraffic accident, subsequent encounter |
| V79.3XXS | Bus occupant (driver) (passenger) injured in unspecified nontraffic accident, sequela |
| V79.40XD | Driver of bus injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V79.40XS | Driver of bus injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V79.49XD | Driver of bus injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V79.49XS | Driver of bus injured in collision with other motor vehicles in traffic accident, sequela |
| V79.50XD | Passenger on bus injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V79.50XS | Passenger on bus injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V79.59XD | Passenger on bus injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V79.59XS | Passenger on bus injured in collision with other motor vehicles in traffic accident, sequela |
| V79.60XD | Unspecified bus occupant injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter |
| V79.60XS | Unspecified bus occupant injured in collision with unspecified motor vehicles in traffic accident, sequela |
| V79.69XD | Unspecified bus occupant injured in collision with other motor vehicles in traffic accident, subsequent encounter |
| V79.69XS | Unspecified bus occupant injured in collision with other motor vehicles in traffic accident, sequela |
| V79.81XD | Bus occupant (driver) (passenger) injured in transport accidents with military vehicle, subsequent encounter |
| V79.81XS | Bus occupant (driver) (passenger) injured in transport accidents with military vehicle, sequela |
| V79.88XD | Bus occupant (driver) (passenger) injured in other specified transport accidents, subsequent encounter |
| V79.88XS | Bus occupant (driver) (passenger) injured in other specified transport accidents, sequela |
| V79.9XXD | Bus occupant (driver) (passenger) injured in unspecified traffic accident, subsequent encounter |
| V79.9XXS | Bus occupant (driver) (passenger) injured in unspecified traffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V80.010D | Animal-rider injured by fall from or being thrown from horse in noncollision accident, subsequent encounter |
| V80.010S | Animal-rider injured by fall from or being thrown from horse in noncollision accident, sequela |
| V80.018D | Animal-rider injured by fall from or being thrown from other animal in noncollision accident, subsequent encounter |
| V80.018S | Animal-rider injured by fall from or being thrown from other animal in noncollision accident, sequela |
| V80.02XD | Occupant of animal-drawn vehicle injured by fall from or being thrown from animal-drawn vehicle in noncollision accident, subsequent encounter |
| V80.02XS | Occupant of animal-drawn vehicle injured by fall from or being thrown from animal-drawn vehicle in noncollision accident, sequela |
| V80.11XD | Animal-rider injured in collision with pedestrian or animal, subsequent encounter |
| V80.11XS | Animal-rider injured in collision with pedestrian or animal, sequela |
| V80.12XD | Occupant of animal-drawn vehicle injured in collision with pedestrian or animal, subsequent encounter |
| V80.12XS | Occupant of animal-drawn vehicle injured in collision with pedestrian or animal, sequela |
| V80.21XD | Animal-rider injured in collision with pedal cycle, subsequent encounter |
| V80.21XS | Animal-rider injured in collision with pedal cycle, sequela |
| V80.22XD | Occupant of animal-drawn vehicle injured in collision with pedal cycle, subsequent encounter |
| V80.22XS | Occupant of animal-drawn vehicle injured in collision with pedal cycle, sequela |
| V80.31XD | Animal-rider injured in collision with two- or three-wheeled motor vehicle, subsequent encounter |
| V80.31XS | Animal-rider injured in collision with two- or three-wheeled motor vehicle, sequela |
| V80.32XD | Occupant of animal-drawn vehicle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter |
| V80.32XS | Occupant of animal-drawn vehicle injured in collision with two- or three-wheeled motor vehicle, sequela |
| V80.41XD | Animal-rider injured in collision with car, pick-up truck, van, heavy transport vehicle or bus, subsequent encounter |
| V80.41XS | Animal-rider injured in collision with car, pick-up truck, van, heavy transport vehicle or bus, sequela |
| V80.42XD | Occupant of animal-drawn vehicle injured in collision with car, pick-up truck, van, heavy transport vehicle or bus, subsequent encounter |
| V80.42XS | Occupant of animal-drawn vehicle injured in collision with car, pick-up truck, van, heavy transport vehicle or bus, sequela |
| V80.51XD | Animal-rider injured in collision with other specified motor vehicle, subsequent encounter |
| V80.51XS | Animal-rider injured in collision with other specified motor vehicle, sequela |
| V80.52XD | Occupant of animal-drawn vehicle injured in collision with other specified motor vehicle, subsequent encounter |
| V80.52XS | Occupant of animal-drawn vehicle injured in collision with other specified motor vehicle, sequela |
| V80.61XD | Animal-rider injured in collision with railway train or railway vehicle, subsequent encounter |
| V80.61XS | Animal-rider injured in collision with railway train or railway vehicle, sequela |
| V80.62XD | Occupant of animal-drawn vehicle injured in collision with railway train or railway vehicle, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V80.62XS | Occupant of animal-drawn vehicle injured in collision with railway train or railway vehicle, sequela |
| V80.710D | Animal-rider injured in collision with other animal being ridden, subsequent encounter |
| V80.710S | Animal-rider injured in collision with other animal being ridden, sequela |
| V80.711D | Occupant of animal-drawn vehicle injured in collision with animal being ridden, subsequent encounter |
| V80.711S | Occupant of animal-drawn vehicle injured in collision with animal being ridden, sequela |
| V80.720D | Animal-rider injured in collision with animal-drawn vehicle, subsequent encounter |
| V80.720S | Animal-rider injured in collision with animal-drawn vehicle, sequela |
| V80.721D | Occupant of animal-drawn vehicle injured in collision with other animal-drawn vehicle, subsequent encounter |
| V80.721S | Occupant of animal-drawn vehicle injured in collision with other animal-drawn vehicle, sequela |
| V80.730D | Animal-rider injured in collision with streetcar, subsequent encounter |
| V80.730S | Animal-rider injured in collision with streetcar, sequela |
| V80.731D | Occupant of animal-drawn vehicle injured in collision with streetcar, subsequent encounter |
| V80.731S | Occupant of animal-drawn vehicle injured in collision with streetcar, sequela |
| V80.790D | Animal-rider injured in collision with other nonmotor vehicles, subsequent encounter |
| V80.790S | Animal-rider injured in collision with other nonmotor vehicles, sequela |
| V80.791D | Occupant of animal-drawn vehicle injured in collision with other nonmotor vehicles, subsequent encounter |
| V80.791S | Occupant of animal-drawn vehicle injured in collision with other nonmotor vehicles, sequela |
| V80.81XD | Animal-rider injured in collision with fixed or stationary object, subsequent encounter |
| V80.81XS | Animal-rider injured in collision with fixed or stationary object, sequela |
| V80.82XD | Occupant of animal-drawn vehicle injured in collision with fixed or stationary object, subsequent encounter |
| V80.82XS | Occupant of animal-drawn vehicle injured in collision with fixed or stationary object, sequela |
| V80.910D | Animal-rider injured in transport accident with military vehicle, subsequent encounter |
| V80.910S | Animal-rider injured in transport accident with military vehicle, sequela |
| V80.918D | Animal-rider injured in other transport accident, subsequent encounter |
| V80.918S | Animal-rider injured in other transport accident, sequela |
| V80.919D | Animal-rider injured in unspecified transport accident, subsequent encounter |
| V80.919S | Animal-rider injured in unspecified transport accident, sequela |
| V80.920D | Occupant of animal-drawn vehicle injured in transport accident with military vehicle, subsequent encounter |
| V80.920S | Occupant of animal-drawn vehicle injured in transport accident with military vehicle, sequela |
| V80.928D | Occupant of animal-drawn vehicle injured in other transport accident, subsequent encounter |
| V80.928S | Occupant of animal-drawn vehicle injured in other transport accident, sequela |
| V80.929D | Occupant of animal-drawn vehicle injured in unspecified transport accident, subsequent encounter |
| V80.929S | Occupant of animal-drawn vehicle injured in unspecified transport accident, sequela |
| V81.0XXD | Occupant of railway train or railway vehicle injured in collision with motor vehicle in nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V81.0XXS | Occupant of railway train or railway vehicle injured in collision with motor vehicle in nontraffic accident, sequela |
| V81.1XXD | Occupant of railway train or railway vehicle injured in collision with motor vehicle in traffic accident, subsequent encounter |
| V81.1XXS | Occupant of railway train or railway vehicle injured in collision with motor vehicle in traffic accident, sequela |
| V81.2XXD | Occupant of railway train or railway vehicle injured in collision with or hit by rolling stock, subsequent encounter |
| V81.2XXS | Occupant of railway train or railway vehicle injured in collision with or hit by rolling stock, sequela |
| V81.3XXD | Occupant of railway train or railway vehicle injured in collision with other object, subsequent encounter |
| V81.3XXS | Occupant of railway train or railway vehicle injured in collision with other object, sequela |
| V81.4XXD | Person injured while boarding or alighting from railway train or railway vehicle, subsequent encounter |
| V81.4XXS | Person injured while boarding or alighting from railway train or railway vehicle, sequela |
| V81.5XXD | Occupant of railway train or railway vehicle injured by fall in railway train or railway vehicle, subsequent encounter |
| V81.5XXS | Occupant of railway train or railway vehicle injured by fall in railway train or railway vehicle, sequela |
| V81.6XXD | Occupant of railway train or railway vehicle injured by fall from railway train or railway vehicle, subsequent encounter |
| V81.6XXS | Occupant of railway train or railway vehicle injured by fall from railway train or railway vehicle, sequela |
| V81.7XXD | Occupant of railway train or railway vehicle injured in derailment without antecedent collision, subsequent encounter |
| V81.7XXS | Occupant of railway train or railway vehicle injured in derailment without antecedent collision, sequela |
| V81.81XD | Occupant of railway train or railway vehicle injured due to explosion or fire on train, subsequent encounter |
| V81.81XS | Occupant of railway train or railway vehicle injured due to explosion or fire on train, sequela |
| V81.82XD | Occupant of railway train or railway vehicle injured due to object falling onto train, subsequent encounter |
| V81.82XS | Occupant of railway train or railway vehicle injured due to object falling onto train, sequela |
| V81.83XD | Occupant of railway train or railway vehicle injured due to collision with military vehicle, subsequent encounter |
| V81.83XS | Occupant of railway train or railway vehicle injured due to collision with military vehicle, sequela |
| V81.89XD | Occupant of railway train or railway vehicle injured due to other specified railway accident, subsequent encounter |
| V81.89XS | Occupant of railway train or railway vehicle injured due to other specified railway accident, sequela |
| V81.9XXD | Occupant of railway train or railway vehicle injured in unspecified railway accident, subsequent encounter |
| V81.9XXS | Occupant of railway train or railway vehicle injured in unspecified railway accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V82.0XXD | Occupant of streetcar injured in collision with motor vehicle in nontraffic accident, subsequent encounter |
| V82.0XXS | Occupant of streetcar injured in collision with motor vehicle in nontraffic accident, sequela |
| V82.1XXD | Occupant of streetcar injured in collision with motor vehicle in traffic accident, subsequent encounter |
| V82.1XXS | Occupant of streetcar injured in collision with motor vehicle in traffic accident, sequela |
| V82.2XXD | Occupant of streetcar injured in collision with or hit by rolling stock, subsequent encounter |
| V82.2XXS | Occupant of streetcar injured in collision with or hit by rolling stock, sequela |
| V82.3XXD | Occupant of streetcar injured in collision with other object, subsequent encounter |
| V82.3XXS | Occupant of streetcar injured in collision with other object, sequela |
| V82.4XXD | Person injured while boarding or alighting from streetcar, subsequent encounter |
| V82.4XXS | Person injured while boarding or alighting from streetcar, sequela |
| V82.5XXD | Occupant of streetcar injured by fall in streetcar, subsequent encounter |
| V82.5XXS | Occupant of streetcar injured by fall in streetcar, sequela |
| V82.6XXD | Occupant of streetcar injured by fall from streetcar, subsequent encounter |
| V82.6XXS | Occupant of streetcar injured by fall from streetcar, sequela |
| V82.7XXD | Occupant of streetcar injured in derailment without antecedent collision, subsequent encounter |
| V82.7XXS | Occupant of streetcar injured in derailment without antecedent collision, sequela |
| V82.8XXD | Occupant of streetcar injured in other specified transport accidents, subsequent encounter |
| V82.8XXS | Occupant of streetcar injured in other specified transport accidents, sequela |
| V82.9XXD | Occupant of streetcar injured in unspecified traffic accident, subsequent encounter |
| V82.9XXS | Occupant of streetcar injured in unspecified traffic accident, sequela |
| V83.0XXD | Driver of special industrial vehicle injured in traffic accident, subsequent encounter |
| V83.0XXS | Driver of special industrial vehicle injured in traffic accident, sequela |
| V83.1XXD | Passenger of special industrial vehicle injured in traffic accident, subsequent encounter |
| V83.1XXS | Passenger of special industrial vehicle injured in traffic accident, sequela |
| V83.2XXD | Person on outside of special industrial vehicle injured in traffic accident, subsequent encounter |
| V83.2XXS | Person on outside of special industrial vehicle injured in traffic accident, sequela |
| V83.3XXD | Unspecified occupant of special industrial vehicle injured in traffic accident, subsequent encounter |
| V83.3XXS | Unspecified occupant of special industrial vehicle injured in traffic accident, sequela |
| V83.4XXD | Person injured while boarding or alighting from special industrial vehicle, subsequent encounter |
| V83.4XXS | Person injured while boarding or alighting from special industrial vehicle, sequela |
| V83.5XXD | Driver of special industrial vehicle injured in nontraffic accident, subsequent encounter |
| V83.5XXS | Driver of special industrial vehicle injured in nontraffic accident, sequela |
| V83.6XXD | Passenger of special industrial vehicle injured in nontraffic accident, subsequent encounter |
| V83.6XXS | Passenger of special industrial vehicle injured in nontraffic accident, sequela |
| V83.7XXD | Person on outside of special industrial vehicle injured in nontraffic accident, subsequent encounter |
| V83.7XXS | Person on outside of special industrial vehicle injured in nontraffic accident, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V83.9XXD | Unspecified occupant of special industrial vehicle injured in nontraffic accident, subsequent encounter |
| V83.9XXS | Unspecified occupant of special industrial vehicle injured in nontraffic accident, sequela |
| V84.0XXD | Driver of special agricultural vehicle injured in traffic accident, subsequent encounter |
| V84.0XXS | Driver of special agricultural vehicle injured in traffic accident, sequela |
| V84.1XXD | Passenger of special agricultural vehicle injured in traffic accident, subsequent encounter |
| V84.1XXS | Passenger of special agricultural vehicle injured in traffic accident, sequela |
| V84.2XXD | Person on outside of special agricultural vehicle injured in traffic accident, subsequent encounter |
| V84.2XXS | Person on outside of special agricultural vehicle injured in traffic accident, sequela |
| V84.3XXD | Unspecified occupant of special agricultural vehicle injured in traffic accident, subsequent encounter |
| V84.3XXS | Unspecified occupant of special agricultural vehicle injured in traffic accident, sequela |
| V84.4XXD | Person injured while boarding or alighting from special agricultural vehicle, subsequent encounter |
| V84.4XXS | Person injured while boarding or alighting from special agricultural vehicle, sequela |
| V84.5XXD | Driver of special agricultural vehicle injured in nontraffic accident, subsequent encounter |
| V84.5XXS | Driver of special agricultural vehicle injured in nontraffic accident, sequela |
| V84.6XXD | Passenger of special agricultural vehicle injured in nontraffic accident, subsequent encounter |
| V84.6XXS | Passenger of special agricultural vehicle injured in nontraffic accident, sequela |
| V84.7XXD | Person on outside of special agricultural vehicle injured in nontraffic accident, subsequent encounter |
| V84.7XXS | Person on outside of special agricultural vehicle injured in nontraffic accident, sequela |
| V84.9XXD | Unspecified occupant of special agricultural vehicle injured in nontraffic accident, subsequent encounter |
| V84.9XXS | Unspecified occupant of special agricultural vehicle injured in nontraffic accident, sequela |
| V85.0XXD | Driver of special construction vehicle injured in traffic accident, subsequent encounter |
| V85.0XXS | Driver of special construction vehicle injured in traffic accident, sequela |
| V85.1XXD | Passenger of special construction vehicle injured in traffic accident, subsequent encounter |
| V85.1XXS | Passenger of special construction vehicle injured in traffic accident, sequela |
| V85.2XXD | Person on outside of special construction vehicle injured in traffic accident, subsequent encounter |
| V85.2XXS | Person on outside of special construction vehicle injured in traffic accident, sequela |
| V85.3XXD | Unspecified occupant of special construction vehicle injured in traffic accident, subsequent encounter |
| V85.3XXS | Unspecified occupant of special construction vehicle injured in traffic accident, sequela |
| V85.4XXD | Person injured while boarding or alighting from special construction vehicle, subsequent encounter |
| V85.4XXS | Person injured while boarding or alighting from special construction vehicle, sequela |
| V85.5XXD | Driver of special construction vehicle injured in nontraffic accident, subsequent encounter |
| V85.5XXS | Driver of special construction vehicle injured in nontraffic accident, sequela |
| V85.6XXD | Passenger of special construction vehicle injured in nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V85.6XXS | Passenger of special construction vehicle injured in nontraffic accident, sequela |
| V85.7XXD | Person on outside of special construction vehicle injured in nontraffic accident, subsequent encounter |
| V85.7XXS | Person on outside of special construction vehicle injured in nontraffic accident, sequela |
| V85.9XXD | Unspecified occupant of special construction vehicle injured in nontraffic accident, subsequent encounter |
| V85.9XXS | Unspecified occupant of special construction vehicle injured in nontraffic accident, sequela |
| V86.01XD | Driver of ambulance or fire engine injured in traffic accident, subsequent encounter |
| V86.01XS | Driver of ambulance or fire engine injured in traffic accident, sequela |
| V86.02XD | Driver of snowmobile injured in traffic accident, subsequent encounter |
| V86.02XS | Driver of snowmobile injured in traffic accident, sequela |
| V86.03XD | Driver of dune buggy injured in traffic accident, subsequent encounter |
| V86.03XS | Driver of dune buggy injured in traffic accident, sequela |
| V86.04XD | Driver of military vehicle injured in traffic accident, subsequent encounter |
| V86.04XS | Driver of military vehicle injured in traffic accident, sequela |
| V86.09XD | Driver of other special all-terrain or other off-road motor vehicle injured in traffic accident, subsequent encounter |
| V86.09XS | Driver of other special all-terrain or other off-road motor vehicle injured in traffic accident, sequela |
| V86.11XD | Passenger of ambulance or fire engine injured in traffic accident, subsequent encounter |
| V86.11XS | Passenger of ambulance or fire engine injured in traffic accident, sequela |
| V86.12XD | Passenger of snowmobile injured in traffic accident, subsequent encounter |
| V86.12XS | Passenger of snowmobile injured in traffic accident, sequela |
| V86.13XD | Passenger of dune buggy injured in traffic accident, subsequent encounter |
| V86.13XS | Passenger of dune buggy injured in traffic accident, sequela |
| V86.14XD | Passenger of military vehicle injured in traffic accident, subsequent encounter |
| V86.14XS | Passenger of military vehicle injured in traffic accident, sequela |
| V86.19XD | Passenger of other special all-terrain or other off-road motor vehicle injured in traffic accident, subsequent encounter |
| V86.19XS | Passenger of other special all-terrain or other off-road motor vehicle injured in traffic accident, sequela |
| V86.21XD | Person on outside of ambulance or fire engine injured in traffic accident, subsequent encounter |
| V86.21XS | Person on outside of ambulance or fire engine injured in traffic accident, sequela |
| V86.22XD | Person on outside of snowmobile injured in traffic accident, subsequent encounter |
| V86.22XS | Person on outside of snowmobile injured in traffic accident, sequela |
| V86.23XD | Person on outside of dune buggy injured in traffic accident, subsequent encounter |
| V86.23XS | Person on outside of dune buggy injured in traffic accident, sequela |
| V86.24XD | Person on outside of military vehicle injured in traffic accident, subsequent encounter |
| V86.24XS | Person on outside of military vehicle injured in traffic accident, sequela |
| V86.29XD | Person on outside of other special all-terrain or other off-road motor vehicle injured in traffic accident, subsequent encounter |
| V86.29XS | Person on outside of other special all-terrain or other off-road motor vehicle injured in traffic accident, sequela |
| V86.31XD | Unspecified occupant of ambulance or fire engine injured in traffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V86.31XS | Unspecified occupant of ambulance or fire engine injured in traffic accident, sequela |
| V86.32XD | Unspecified occupant of snowmobile injured in traffic accident, subsequent encounter |
| V86.32XS | Unspecified occupant of snowmobile injured in traffic accident, sequela |
| V86.33XD | Unspecified occupant of dune buggy injured in traffic accident, subsequent encounter |
| V86.33XS | Unspecified occupant of dune buggy injured in traffic accident, sequela |
| V86.34XD | Unspecified occupant of military vehicle injured in traffic accident, subsequent encounter |
| V86.34XS | Unspecified occupant of military vehicle injured in traffic accident, sequela |
| V86.39XD | Unspecified occupant of other special all-terrain or other off-road motor vehicle injured in traffic accident, subsequent encounter |
| V86.39XS | Unspecified occupant of other special all-terrain or other off-road motor vehicle injured in traffic accident, sequela |
| V86.41XD | Person injured while boarding or alighting from ambulance or fire engine, subsequent encounter |
| V86.41XS | Person injured while boarding or alighting from ambulance or fire engine, sequela |
| V86.42XD | Person injured while boarding or alighting from snowmobile, subsequent encounter |
| V86.42XS | Person injured while boarding or alighting from snowmobile, sequela |
| V86.43XD | Person injured while boarding or alighting from dune buggy, subsequent encounter |
| V86.43XS | Person injured while boarding or alighting from dune buggy, sequela |
| V86.44XD | Person injured while boarding or alighting from military vehicle, subsequent encounter |
| V86.44XS | Person injured while boarding or alighting from military vehicle, sequela |
| V86.49XD | Person injured while boarding or alighting from other special all-terrain or other off-road motor vehicle, subsequent encounter |
| V86.49XS | Person injured while boarding or alighting from other special all-terrain or other off-road motor vehicle, sequela |
| V86.51XD | Driver of ambulance or fire engine injured in nontraffic accident, subsequent encounter |
| V86.51XS | Driver of ambulance or fire engine injured in nontraffic accident, sequela |
| V86.52XD | Driver of snowmobile injured in nontraffic accident, subsequent encounter |
| V86.52XS | Driver of snowmobile injured in nontraffic accident, sequela |
| V86.53XD | Driver of dune buggy injured in nontraffic accident, subsequent encounter |
| V86.53XS | Driver of dune buggy injured in nontraffic accident, sequela |
| V86.54XD | Driver of military vehicle injured in nontraffic accident, subsequent encounter |
| V86.54XS | Driver of military vehicle injured in nontraffic accident, sequela |
| V86.59XD | Driver of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, subsequent encounter |
| V86.59XS | Driver of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, sequela |
| V86.61XD | Passenger of ambulance or fire engine injured in nontraffic accident, subsequent encounter |
| V86.61XS | Passenger of ambulance or fire engine injured in nontraffic accident, sequela |
| V86.62XD | Passenger of snowmobile injured in nontraffic accident, subsequent encounter |
| V86.62XS | Passenger of snowmobile injured in nontraffic accident, sequela |
| V86.63XD | Passenger of dune buggy injured in nontraffic accident, subsequent encounter |
| V86.63XS | Passenger of dune buggy injured in nontraffic accident, sequela |
| V86.64XD | Passenger of military vehicle injured in nontraffic accident, subsequent encounter |
| V86.64XS | Passenger of military vehicle injured in nontraffic accident, sequela |
| V86.69XD | Passenger of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V86.69XS | Passenger of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, sequela |
| V86.71XD | Person on outside of ambulance or fire engine injured in nontraffic accident, subsequent encounter |
| V86.71XS | Person on outside of ambulance or fire engine injured in nontraffic accident, sequela |
| V86.72XD | Person on outside of snowmobile injured in nontraffic accident, subsequent encounter |
| V86.72XS | Person on outside of snowmobile injured in nontraffic accident, sequela |
| V86.73XD | Person on outside of dune buggy injured in nontraffic accident, subsequent encounter |
| V86.73XS | Person on outside of dune buggy injured in nontraffic accident, sequela |
| V86.74XD | Person on outside of military vehicle injured in nontraffic accident, subsequent encounter |
| V86.74XS | Person on outside of military vehicle injured in nontraffic accident, sequela |
| V86.79XD | Person on outside of other special all-terrain or other off-road motor vehicles injured in nontraffic accident, subsequent encounter |
| V86.79XS | Person on outside of other special all-terrain or other off-road motor vehicles injured in nontraffic accident, sequela |
| V86.91XD | Unspecified occupant of ambulance or fire engine injured in nontraffic accident, subsequent encounter |
| V86.91XS | Unspecified occupant of ambulance or fire engine injured in nontraffic accident, sequela |
| V86.92XD | Unspecified occupant of snowmobile injured in nontraffic accident, subsequent encounter |
| V86.92XS | Unspecified occupant of snowmobile injured in nontraffic accident, sequela |
| V86.93XD | Unspecified occupant of dune buggy injured in nontraffic accident, subsequent encounter |
| V86.93XS | Unspecified occupant of dune buggy injured in nontraffic accident, sequela |
| V86.94XD | Unspecified occupant of military vehicle injured in nontraffic accident, subsequent encounter |
| V86.94XS | Unspecified occupant of military vehicle injured in nontraffic accident, sequela |
| V86.99XD | Unspecified occupant of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, subsequent encounter |
| V86.99XS | Unspecified occupant of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, sequela |
| V87.0XXD | Person injured in collision between car and two- or three-wheeled powered vehicle (traffic), subsequent encounter |
| V87.0XXS | Person injured in collision between car and two- or three-wheeled powered vehicle (traffic), sequela |
| V87.1XXD | Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle (traffic), subsequent encounter |
| V87.1XXS | Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle (traffic), sequela |
| V87.2XXD | Person injured in collision between car and pick-up truck or van (traffic), subsequent encounter |
| V87.2XXS | Person injured in collision between car and pick-up truck or van (traffic), sequela |
| V87.3XXD | Person injured in collision between car and bus (traffic), subsequent encounter |
| V87.3XXS | Person injured in collision between car and bus (traffic), sequela |
| V87.4XXD | Person injured in collision between car and heavy transport vehicle (traffic), subsequent encounter |
| V87.4XXS | Person injured in collision between car and heavy transport vehicle (traffic), sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V87.5XXD | Person injured in collision between heavy transport vehicle and bus (traffic), subsequent encounter |
| V87.5XXS | Person injured in collision between heavy transport vehicle and bus (traffic), sequela |
| V87.6XXD | Person injured in collision between railway train or railway vehicle and car (traffic), subsequent encounter |
| V87.6XXS | Person injured in collision between railway train or railway vehicle and car (traffic), sequela |
| V87.7XXD | Person injured in collision between other specified motor vehicles (traffic), subsequent encounter |
| V87.7XXS | Person injured in collision between other specified motor vehicles (traffic), sequela |
| V87.8XXD | Person injured in other specified noncollision transport accidents involving motor vehicle (traffic), subsequent encounter |
| V87.8XXS | Person injured in other specified noncollision transport accidents involving motor vehicle (traffic), sequela |
| V87.9XXD | Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle (traffic), subsequent encounter |
| V87.9XXS | Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle (traffic), sequela |
| V88.0XXD | Person injured in collision between car and two- or three-wheeled motor vehicle, nontraffic, subsequent encounter |
| V88.0XXS | Person injured in collision between car and two- or three-wheeled motor vehicle, nontraffic, sequela |
| V88.1XXD | Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle, nontraffic, subsequent encounter |
| V88.1XXS | Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle, nontraffic, sequela |
| V88.2XXD | Person injured in collision between car and pick-up truck or van, nontraffic, subsequent encounter |
| V88.2XXS | Person injured in collision between car and pick-up truck or van, nontraffic, sequela |
| V88.3XXD | Person injured in collision between car and bus, nontraffic, subsequent encounter |
| V88.3XXS | Person injured in collision between car and bus, nontraffic, sequela |
| V88.4XXD | Person injured in collision between car and heavy transport vehicle, nontraffic, subsequent encounter |
| V88.4XXS | Person injured in collision between car and heavy transport vehicle, nontraffic, sequela |
| V88.5XXD | Person injured in collision between heavy transport vehicle and bus, nontraffic, subsequent encounter |
| V88.5XXS | Person injured in collision between heavy transport vehicle and bus, nontraffic, sequela |
| V88.6XXD | Person injured in collision between railway train or railway vehicle and car, nontraffic, subsequent encounter |
| V88.6XXS | Person injured in collision between railway train or railway vehicle and car, nontraffic, sequela |
| V88.7XXD | Person injured in collision between other specified motor vehicle, nontraffic, subsequent encounter |
| V88.7XXS | Person injured in collision between other specified motor vehicle, nontraffic, sequela |
| V88.8XXD | Person injured in other specified noncollision transport accidents involving motor vehicle, nontraffic, subsequent encounter |
| V88.8XXS | Person injured in other specified noncollision transport accidents involving motor vehicle, nontraffic, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V88.9XXD | Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle, nontraffic, subsequent encounter |
| V88.9XXS | Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle, nontraffic, sequela |
| V89.0XXD | Person injured in unspecified motor-vehicle accident, nontraffic, subsequent encounter |
| V89.0XXS | Person injured in unspecified motor-vehicle accident, nontraffic, sequela |
| V89.1XXD | Person injured in unspecified nonmotor-vehicle accident, nontraffic, subsequent encounter |
| V89.1XXS | Person injured in unspecified nonmotor-vehicle accident, nontraffic, sequela |
| V89.2XXD | Person injured in unspecified motor-vehicle accident, traffic, subsequent encounter |
| V89.2XXS | Person injured in unspecified motor-vehicle accident, traffic, sequela |
| V89.3XXD | Person injured in unspecified nonmotor-vehicle accident, traffic, subsequent encounter |
| V89.3XXS | Person injured in unspecified nonmotor-vehicle accident, traffic, sequela |
| V89.9XXD | Person injured in unspecified vehicle accident, subsequent encounter |
| V89.9XXS | Person injured in unspecified vehicle accident, sequela |
| V90.00XD | Drowning and submersion due to merchant ship overturning, subsequent encounter |
| V90.00XS | Drowning and submersion due to merchant ship overturning, sequela |
| V90.01XD | Drowning and submersion due to passenger ship overturning, subsequent encounter |
| V90.01XS | Drowning and submersion due to passenger ship overturning, sequela |
| V90.02XD | Drowning and submersion due to fishing boat overturning, subsequent encounter |
| V90.02XS | Drowning and submersion due to fishing boat overturning, sequela |
| V90.03XD | Drowning and submersion due to other powered watercraft overturning, subsequent encounter |
| V90.03XS | Drowning and submersion due to other powered watercraft overturning, sequela |
| V90.04XD | Drowning and submersion due to sailboat overturning, subsequent encounter |
| V90.04XS | Drowning and submersion due to sailboat overturning, sequela |
| V90.05XD | Drowning and submersion due to canoe or kayak overturning, subsequent encounter |
| V90.05XS | Drowning and submersion due to canoe or kayak overturning, sequela |
| V90.06XD | Drowning and submersion due to (nonpowered) inflatable craft overturning, subsequent encounter |
| V90.06XS | Drowning and submersion due to (nonpowered) inflatable craft overturning, sequela |
| V90.08XD | Drowning and submersion due to other unpowered watercraft overturning, subsequent encounter |
| V90.08XS | Drowning and submersion due to other unpowered watercraft overturning, sequela |
| V90.09XD | Drowning and submersion due to unspecified watercraft overturning, subsequent encounter |
| V90.09XS | Drowning and submersion due to unspecified watercraft overturning, sequela |
| V90.10XD | Drowning and submersion due to merchant ship sinking, subsequent encounter |
| V90.10XS | Drowning and submersion due to merchant ship sinking, sequela |
| V90.11XD | Drowning and submersion due to passenger ship sinking, subsequent encounter |
| V90.11XS | Drowning and submersion due to passenger ship sinking, sequela |
| V90.12XD | Drowning and submersion due to fishing boat sinking, subsequent encounter |
| V90.12XS | Drowning and submersion due to fishing boat sinking, sequela |
| V90.13XD | Drowning and submersion due to other powered watercraft sinking, subsequent encounter |
| V90.13XS | Drowning and submersion due to other powered watercraft sinking, sequela |
| V90.14XD | Drowning and submersion due to sailboat sinking, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V90.14XS | Drowning and submersion due to sailboat sinking, sequela |
| V90.15XD | Drowning and submersion due to canoe or kayak sinking, subsequent encounter |
| V90.15XS | Drowning and submersion due to canoe or kayak sinking, sequela |
| V90.16XD | Drowning and submersion due to (nonpowered) inflatable craft sinking, subsequent encounter |
| V90.16XS | Drowning and submersion due to (nonpowered) inflatable craft sinking, sequela |
| V90.18XD | Drowning and submersion due to other unpowered watercraft sinking, subsequent encounter |
| V90.18XS | Drowning and submersion due to other unpowered watercraft sinking, sequela |
| V90.19XD | Drowning and submersion due to unspecified watercraft sinking, subsequent encounter |
| V90.19XS | Drowning and submersion due to unspecified watercraft sinking, sequela |
| V90.20XD | Drowning and submersion due to falling or jumping from burning merchant ship, subsequent encounter |
| V90.20XS | Drowning and submersion due to falling or jumping from burning merchant ship, sequela |
| V90.21XD | Drowning and submersion due to falling or jumping from burning passenger ship, subsequent encounter |
| V90.21XS | Drowning and submersion due to falling or jumping from burning passenger ship, sequela |
| V90.22XD | Drowning and submersion due to falling or jumping from burning fishing boat, subsequent encounter |
| V90.22XS | Drowning and submersion due to falling or jumping from burning fishing boat, sequela |
| V90.23XD | Drowning and submersion due to falling or jumping from other burning powered watercraft, subsequent encounter |
| V90.23XS | Drowning and submersion due to falling or jumping from other burning powered watercraft, sequela |
| V90.24XD | Drowning and submersion due to falling or jumping from burning sailboat, subsequent encounter |
| V90.24XS | Drowning and submersion due to falling or jumping from burning sailboat, sequela |
| V90.25XD | Drowning and submersion due to falling or jumping from burning canoe or kayak, subsequent encounter |
| V90.25XS | Drowning and submersion due to falling or jumping from burning canoe or kayak, sequela |
| V90.26XD | Drowning and submersion due to falling or jumping from burning (nonpowered) inflatable craft, subsequent encounter |
| V90.26XS | Drowning and submersion due to falling or jumping from burning (nonpowered) inflatable craft, sequela |
| V90.27XD | Drowning and submersion due to falling or jumping from burning water-skis, subsequent encounter |
| V90.27XS | Drowning and submersion due to falling or jumping from burning water-skis, sequela |
| V90.28XD | Drowning and submersion due to falling or jumping from other burning unpowered watercraft, subsequent encounter |
| V90.28XS | Drowning and submersion due to falling or jumping from other burning unpowered watercraft, sequela |
| V90.29XD | Drowning and submersion due to falling or jumping from unspecified burning watercraft, subsequent encounter |
| V90.29XS | Drowning and submersion due to falling or jumping from unspecified burning watercraft, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V90.30XD | Drowning and submersion due to falling or jumping from crushed merchant ship, subsequent encounter |
| V90.30XS | Drowning and submersion due to falling or jumping from crushed merchant ship, sequela |
| V90.31XD | Drowning and submersion due to falling or jumping from crushed passenger ship, subsequent encounter |
| V90.31XS | Drowning and submersion due to falling or jumping from crushed passenger ship, sequela |
| V90.32XD | Drowning and submersion due to falling or jumping from crushed fishing boat, subsequent encounter |
| V90.32XS | Drowning and submersion due to falling or jumping from crushed fishing boat, sequela |
| V90.33XD | Drowning and submersion due to falling or jumping from other crushed powered watercraft, subsequent encounter |
| V90.33XS | Drowning and submersion due to falling or jumping from other crushed powered watercraft, sequela |
| V90.34XD | Drowning and submersion due to falling or jumping from crushed sailboat, subsequent encounter |
| V90.34XS | Drowning and submersion due to falling or jumping from crushed sailboat, sequela |
| V90.35XD | Drowning and submersion due to falling or jumping from crushed canoe or kayak, subsequent encounter |
| V90.35XS | Drowning and submersion due to falling or jumping from crushed canoe or kayak, sequela |
| V90.36XD | Drowning and submersion due to falling or jumping from crushed (nonpowered) inflatable craft, subsequent encounter |
| V90.36XS | Drowning and submersion due to falling or jumping from crushed (nonpowered) inflatable craft, sequela |
| V90.37XD | Drowning and submersion due to falling or jumping from crushed water-skis, subsequent encounter |
| V90.37XS | Drowning and submersion due to falling or jumping from crushed water-skis, sequela |
| V90.38XD | Drowning and submersion due to falling or jumping from other crushed unpowered watercraft, subsequent encounter |
| V90.38XS | Drowning and submersion due to falling or jumping from other crushed unpowered watercraft, sequela |
| V90.39XD | Drowning and submersion due to falling or jumping from crushed unspecified watercraft, subsequent encounter |
| V90.39XS | Drowning and submersion due to falling or jumping from crushed unspecified watercraft, sequela |
| V90.80XD | Drowning and submersion due to other accident to merchant ship, subsequent encounter |
| V90.80XS | Drowning and submersion due to other accident to merchant ship, sequela |
| V90.81XD | Drowning and submersion due to other accident to passenger ship, subsequent encounter |
| V90.81XS | Drowning and submersion due to other accident to passenger ship, sequela |
| V90.82XD | Drowning and submersion due to other accident to fishing boat, subsequent encounter |
| V90.82XS | Drowning and submersion due to other accident to fishing boat, sequela |
| V90.83XD | Drowning and submersion due to other accident to other powered watercraft, subsequent encounter |
| V90.83XS | Drowning and submersion due to other accident to other powered watercraft, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V90.84XD | Drowning and submersion due to other accident to sailboat, subsequent encounter |
| V90.84XS | Drowning and submersion due to other accident to sailboat, sequela |
| V90.85XD | Drowning and submersion due to other accident to canoe or kayak, subsequent encounter |
| V90.85XS | Drowning and submersion due to other accident to canoe or kayak, sequela |
| V90.86XD | Drowning and submersion due to other accident to (nonpowered) inflatable craft, subsequent encounter |
| V90.86XS | Drowning and submersion due to other accident to (nonpowered) inflatable craft, sequela |
| V90.87XD | Drowning and submersion due to other accident to water-skis, subsequent encounter |
| V90.87XS | Drowning and submersion due to other accident to water-skis, sequela |
| V90.88XD | Drowning and submersion due to other accident to other unpowered watercraft, subsequent encounter |
| V90.88XS | Drowning and submersion due to other accident to other unpowered watercraft, sequela |
| V90.89XD | Drowning and submersion due to other accident to unspecified watercraft, subsequent encounter |
| V90.89XS | Drowning and submersion due to other accident to unspecified watercraft, sequela |
| V91.00XD | Burn due to merchant ship on fire, subsequent encounter |
| V91.00XS | Burn due to merchant ship on fire, sequela |
| V91.01XD | Burn due to passenger ship on fire, subsequent encounter |
| V91.01XS | Burn due to passenger ship on fire, sequela |
| V91.02XD | Burn due to fishing boat on fire, subsequent encounter |
| V91.02XS | Burn due to fishing boat on fire, sequela |
| V91.03XD | Burn due to other powered watercraft on fire, subsequent encounter |
| V91.03XS | Burn due to other powered watercraft on fire, sequela |
| V91.04XD | Burn due to sailboat on fire, subsequent encounter |
| V91.04XS | Burn due to sailboat on fire, sequela |
| V91.05XD | Burn due to canoe or kayak on fire, subsequent encounter |
| V91.05XS | Burn due to canoe or kayak on fire, sequela |
| V91.06XD | Burn due to (nonpowered) inflatable craft on fire, subsequent encounter |
| V91.06XS | Burn due to (nonpowered) inflatable craft on fire, sequela |
| V91.07XD | Burn due to water-skis on fire, subsequent encounter |
| V91.07XS | Burn due to water-skis on fire, sequela |
| V91.08XD | Burn due to other unpowered watercraft on fire, subsequent encounter |
| V91.08XS | Burn due to other unpowered watercraft on fire, sequela |
| V91.09XD | Burn due to unspecified watercraft on fire, subsequent encounter |
| V91.09XS | Burn due to unspecified watercraft on fire, sequela |
| V91.10XD | Crushed between merchant ship and other watercraft or other object due to collision, subsequent encounter |
| V91.10XS | Crushed between merchant ship and other watercraft or other object due to collision, sequela |
| V91.11XD | Crushed between passenger ship and other watercraft or other object due to collision, subsequent encounter |
| V91.11XS | Crushed between passenger ship and other watercraft or other object due to collision, sequela |
| V91.12XD | Crushed between fishing boat and other watercraft or other object due to collision, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V91.12XS | Crushed between fishing boat and other watercraft or other object due to collision, sequela |
| V91.13XD | Crushed between other powered watercraft and other watercraft or other object due to collision, subsequent encounter |
| V91.13XS | Crushed between other powered watercraft and other watercraft or other object due to collision, sequela |
| V91.14XD | Crushed between sailboat and other watercraft or other object due to collision, subsequent encounter |
| V91.14XS | Crushed between sailboat and other watercraft or other object due to collision, sequela |
| V91.15XD | Crushed between canoe or kayak and other watercraft or other object due to collision, subsequent encounter |
| V91.15XS | Crushed between canoe or kayak and other watercraft or other object due to collision, sequela |
| V91.16XD | Crushed between (nonpowered) inflatable craft and other watercraft or other object due to collision, subsequent encounter |
| V91.16XS | Crushed between (nonpowered) inflatable craft and other watercraft or other object due to collision, sequela |
| V91.18XD | Crushed between other unpowered watercraft and other watercraft or other object due to collision, subsequent encounter |
| V91.18XS | Crushed between other unpowered watercraft and other watercraft or other object due to collision, sequela |
| V91.19XD | Crushed between unspecified watercraft and other watercraft or other object due to collision, subsequent encounter |
| V91.19XS | Crushed between unspecified watercraft and other watercraft or other object due to collision, sequela |
| V91.20XD | Fall due to collision between merchant ship and other watercraft or other object, subsequent encounter |
| V91.20XS | Fall due to collision between merchant ship and other watercraft or other object, sequela |
| V91.21XD | Fall due to collision between passenger ship and other watercraft or other object, subsequent encounter |
| V91.21XS | Fall due to collision between passenger ship and other watercraft or other object, sequela |
| V91.22XD | Fall due to collision between fishing boat and other watercraft or other object, subsequent encounter |
| V91.22XS | Fall due to collision between fishing boat and other watercraft or other object, sequela |
| V91.23XD | Fall due to collision between other powered watercraft and other watercraft or other object, subsequent encounter |
| V91.23XS | Fall due to collision between other powered watercraft and other watercraft or other object, sequela |
| V91.24XD | Fall due to collision between sailboat and other watercraft or other object, subsequent encounter |
| V91.24XS | Fall due to collision between sailboat and other watercraft or other object, sequela |
| V91.25XD | Fall due to collision between canoe or kayak and other watercraft or other object, subsequent encounter |
| V91.25XS | Fall due to collision between canoe or kayak and other watercraft or other object, sequela |
| V91.26XD | Fall due to collision between (nonpowered) inflatable craft and other watercraft or other object, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V91.26XS | Fall due to collision between (nonpowered) inflatable craft and other watercraft or other object, sequela |
| V91.29XD | Fall due to collision between unspecified watercraft and other watercraft or other object, subsequent encounter |
| V91.29XS | Fall due to collision between unspecified watercraft and other watercraft or other object, sequela |
| V91.30XD | Hit or struck by falling object due to accident to merchant ship, subsequent encounter |
| V91.30XS | Hit or struck by falling object due to accident to merchant ship, sequela |
| V91.31XD | Hit or struck by falling object due to accident to passenger ship, subsequent encounter |
| V91.31XS | Hit or struck by falling object due to accident to passenger ship, sequela |
| V91.32XD | Hit or struck by falling object due to accident to fishing boat, subsequent encounter |
| V91.32XS | Hit or struck by falling object due to accident to fishing boat, sequela |
| V91.33XD | Hit or struck by falling object due to accident to other powered watercraft, subsequent encounter |
| V91.33XS | Hit or struck by falling object due to accident to other powered watercraft, sequela |
| V91.34XD | Hit or struck by falling object due to accident to sailboat, subsequent encounter |
| V91.34XS | Hit or struck by falling object due to accident to sailboat, sequela |
| V91.35XD | Hit or struck by falling object due to accident to canoe or kayak, subsequent encounter |
| V91.35XS | Hit or struck by falling object due to accident to canoe or kayak, sequela |
| V91.36XD | Hit or struck by falling object due to accident to (nonpowered) inflatable craft, subsequent encounter |
| V91.36XS | Hit or struck by falling object due to accident to (nonpowered) inflatable craft, sequela |
| V91.37XD | Hit or struck by falling object due to accident to water-skis, subsequent encounter |
| V91.37XS | Hit or struck by falling object due to accident to water-skis, sequela |
| V91.38XD | Hit or struck by falling object due to accident to other unpowered watercraft, subsequent encounter |
| V91.38XS | Hit or struck by falling object due to accident to other unpowered watercraft, sequela |
| V91.39XD | Hit or struck by falling object due to accident to unspecified watercraft, subsequent encounter |
| V91.39XS | Hit or struck by falling object due to accident to unspecified watercraft, sequela |
| V91.80XD | Other injury due to other accident to merchant ship, subsequent encounter |
| V91.80XS | Other injury due to other accident to merchant ship, sequela |
| V91.81XD | Other injury due to other accident to passenger ship, subsequent encounter |
| V91.81XS | Other injury due to other accident to passenger ship, sequela |
| V91.82XD | Other injury due to other accident to fishing boat, subsequent encounter |
| V91.82XS | Other injury due to other accident to fishing boat, sequela |
| V91.83XD | Other injury due to other accident to other powered watercraft, subsequent encounter |
| V91.83XS | Other injury due to other accident to other powered watercraft, sequela |
| V91.84XD | Other injury due to other accident to sailboat, subsequent encounter |
| V91.84XS | Other injury due to other accident to sailboat, sequela |
| V91.85XD | Other injury due to other accident to canoe or kayak, subsequent encounter |
| V91.85XS | Other injury due to other accident to canoe or kayak, sequela |
| V91.86XD | Other injury due to other accident to (nonpowered) inflatable craft, subsequent encounter |
| V91.86XS | Other injury due to other accident to (nonpowered) inflatable craft, sequela |
| V91.87XD | Other injury due to other accident to water-skis, subsequent encounter |
| V91.87XS | Other injury due to other accident to water-skis, sequela |
| V91.88XD | Other injury due to other accident to other unpowered watercraft, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V91.88XS | Other injury due to other accident to other unpowered watercraft, sequela |
| V91.89XD | Other injury due to other accident to unspecified watercraft, subsequent encounter |
| V91.89XS | Other injury due to other accident to unspecified watercraft, sequela |
| V92.00XD | Drowning and submersion due to fall off merchant ship, subsequent encounter |
| V92.00XS | Drowning and submersion due to fall off merchant ship, sequela |
| V92.01XD | Drowning and submersion due to fall off passenger ship, subsequent encounter |
| V92.01XS | Drowning and submersion due to fall off passenger ship, sequela |
| V92.02XD | Drowning and submersion due to fall off fishing boat, subsequent encounter |
| V92.02XS | Drowning and submersion due to fall off fishing boat, sequela |
| V92.03XD | Drowning and submersion due to fall off other powered watercraft, subsequent encounter |
| V92.03XS | Drowning and submersion due to fall off other powered watercraft, sequela |
| V92.04XD | Drowning and submersion due to fall off sailboat, subsequent encounter |
| V92.04XS | Drowning and submersion due to fall off sailboat, sequela |
| V92.05XD | Drowning and submersion due to fall off canoe or kayak, subsequent encounter |
| V92.05XS | Drowning and submersion due to fall off canoe or kayak, sequela |
| V92.06XD | Drowning and submersion due to fall off (nonpowered) inflatable craft, subsequent encounter |
| V92.06XS | Drowning and submersion due to fall off (nonpowered) inflatable craft, sequela |
| V92.07XD | Drowning and submersion due to fall off water-skis, subsequent encounter |
| V92.07XS | Drowning and submersion due to fall off water-skis, sequela |
| V92.08XD | Drowning and submersion due to fall off other unpowered watercraft, subsequent encounter |
| V92.08XS | Drowning and submersion due to fall off other unpowered watercraft, sequela |
| V92.09XD | Drowning and submersion due to fall off unspecified watercraft, subsequent encounter |
| V92.09XS | Drowning and submersion due to fall off unspecified watercraft, sequela |
| V92.10XD | Drowning and submersion due to being thrown overboard by motion of merchant ship, subsequent encounter |
| V92.10XS | Drowning and submersion due to being thrown overboard by motion of merchant ship, sequela |
| V92.11XD | Drowning and submersion due to being thrown overboard by motion of passenger ship, subsequent encounter |
| V92.11XS | Drowning and submersion due to being thrown overboard by motion of passenger ship, sequela |
| V92.12XD | Drowning and submersion due to being thrown overboard by motion of fishing boat, subsequent encounter |
| V92.12XS | Drowning and submersion due to being thrown overboard by motion of fishing boat, sequela |
| V92.13XD | Drowning and submersion due to being thrown overboard by motion of other powered watercraft, subsequent encounter |
| V92.13XS | Drowning and submersion due to being thrown overboard by motion of other powered watercraft, sequela |
| V92.14XD | Drowning and submersion due to being thrown overboard by motion of sailboat, subsequent encounter |
| V92.14XS | Drowning and submersion due to being thrown overboard by motion of sailboat, sequela |
| V92.15XD | Drowning and submersion due to being thrown overboard by motion of canoe or kayak, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V92.15XS | Drowning and submersion due to being thrown overboard by motion of canoe or kayak, sequela |
| V92.16XD | Drowning and submersion due to being thrown overboard by motion of (nonpowered) inflatable craft, subsequent encounter |
| V92.16XS | Drowning and submersion due to being thrown overboard by motion of (nonpowered) inflatable craft, sequela |
| V92.19XD | Drowning and submersion due to being thrown overboard by motion of unspecified watercraft, subsequent encounter |
| V92.19XS | Drowning and submersion due to being thrown overboard by motion of unspecified watercraft, sequela |
| V92.20XD | Drowning and submersion due to being washed overboard from merchant ship, subsequent encounter |
| V92.20XS | Drowning and submersion due to being washed overboard from merchant ship, sequela |
| V92.21XD | Drowning and submersion due to being washed overboard from passenger ship, subsequent encounter |
| V92.21XS | Drowning and submersion due to being washed overboard from passenger ship, sequela |
| V92.22XD | Drowning and submersion due to being washed overboard from fishing boat, subsequent encounter |
| V92.22XS | Drowning and submersion due to being washed overboard from fishing boat, sequela |
| V92.23XD | Drowning and submersion due to being washed overboard from other powered watercraft, subsequent encounter |
| V92.23XS | Drowning and submersion due to being washed overboard from other powered watercraft, sequela |
| V92.24XD | Drowning and submersion due to being washed overboard from sailboat, subsequent encounter |
| V92.24XS | Drowning and submersion due to being washed overboard from sailboat, sequela |
| V92.25XD | Drowning and submersion due to being washed overboard from canoe or kayak, subsequent encounter |
| V92.25XS | Drowning and submersion due to being washed overboard from canoe or kayak, sequela |
| V92.26XD | Drowning and submersion due to being washed overboard from (nonpowered) inflatable craft, subsequent encounter |
| V92.26XS | Drowning and submersion due to being washed overboard from (nonpowered) inflatable craft, sequela |
| V92.27XD | Drowning and submersion due to being washed overboard from water-skis, subsequent encounter |
| V92.27XS | Drowning and submersion due to being washed overboard from water-skis, sequela |
| V92.28XD | Drowning and submersion due to being washed overboard from other unpowered watercraft, subsequent encounter |
| V92.28XS | Drowning and submersion due to being washed overboard from other unpowered watercraft, sequela |
| V92.29XD | Drowning and submersion due to being washed overboard from unspecified watercraft, subsequent encounter |
| V92.29XS | Drowning and submersion due to being washed overboard from unspecified watercraft, sequela |
| V93.00XD | Burn due to localized fire on board merchant vessel, subsequent encounter |
| V93.00XS | Burn due to localized fire on board merchant vessel, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V93.01XD | Burn due to localized fire on board passenger vessel, subsequent encounter |
| V93.01XS | Burn due to localized fire on board passenger vessel, sequela |
| V93.02XD | Burn due to localized fire on board fishing boat, subsequent encounter |
| V93.02XS | Burn due to localized fire on board fishing boat, sequela |
| V93.03XD | Burn due to localized fire on board other powered watercraft, subsequent encounter |
| V93.03XS | Burn due to localized fire on board other powered watercraft, sequela |
| V93.04XD | Burn due to localized fire on board sailboat, subsequent encounter |
| V93.04XS | Burn due to localized fire on board sailboat, sequela |
| V93.09XD | Burn due to localized fire on board unspecified watercraft, subsequent encounter |
| V93.09XS | Burn due to localized fire on board unspecified watercraft, sequela |
| V93.10XD | Other burn on board merchant vessel, subsequent encounter |
| V93.10XS | Other burn on board merchant vessel, sequela |
| V93.11XD | Other burn on board passenger vessel, subsequent encounter |
| V93.11XS | Other burn on board passenger vessel, sequela |
| V93.12XD | Other burn on board fishing boat, subsequent encounter |
| V93.12XS | Other burn on board fishing boat, sequela |
| V93.13XD | Other burn on board other powered watercraft, subsequent encounter |
| V93.13XS | Other burn on board other powered watercraft, sequela |
| V93.14XD | Other burn on board sailboat, subsequent encounter |
| V93.14XS | Other burn on board sailboat, sequela |
| V93.19XD | Other burn on board unspecified watercraft, subsequent encounter |
| V93.19XS | Other burn on board unspecified watercraft, sequela |
| V93.20XD | Heat exposure on board merchant ship, subsequent encounter |
| V93.20XS | Heat exposure on board merchant ship, sequela |
| V93.21XD | Heat exposure on board passenger ship, subsequent encounter |
| V93.21XS | Heat exposure on board passenger ship, sequela |
| V93.22XD | Heat exposure on board fishing boat, subsequent encounter |
| V93.22XS | Heat exposure on board fishing boat, sequela |
| V93.23XD | Heat exposure on board other powered watercraft, subsequent encounter |
| V93.23XS | Heat exposure on board other powered watercraft, sequela |
| V93.24XD | Heat exposure on board sailboat, subsequent encounter |
| V93.24XS | Heat exposure on board sailboat, sequela |
| V93.29XD | Heat exposure on board unspecified watercraft, subsequent encounter |
| V93.29XS | Heat exposure on board unspecified watercraft, sequela |
| V93.30XD | Fall on board merchant ship, subsequent encounter |
| V93.30XS | Fall on board merchant ship, sequela |
| V93.31XD | Fall on board passenger ship, subsequent encounter |
| V93.31XS | Fall on board passenger ship, sequela |
| V93.32XD | Fall on board fishing boat, subsequent encounter |
| V93.32XS | Fall on board fishing boat, sequela |
| V93.33XD | Fall on board other powered watercraft, subsequent encounter |
| V93.33XS | Fall on board other powered watercraft, sequela |
| V93.34XD | Fall on board sailboat, subsequent encounter |
| V93.34XS | Fall on board sailboat, sequela |
| V93.35XD | Fall on board canoe or kayak, subsequent encounter |
| V93.35XS | Fall on board canoe or kayak, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V93.36XD | Fall on board (nonpowered) inflatable craft, subsequent encounter |
| V93.36XS | Fall on board (nonpowered) inflatable craft, sequela |
| V93.38XD | Fall on board other unpowered watercraft, subsequent encounter |
| V93.38XS | Fall on board other unpowered watercraft, sequela |
| V93.39XD | Fall on board unspecified watercraft, subsequent encounter |
| V93.39XS | Fall on board unspecified watercraft, sequela |
| V93.40XD | Struck by falling object on merchant ship, subsequent encounter |
| V93.40XS | Struck by falling object on merchant ship, sequela |
| V93.41XD | Struck by falling object on passenger ship, subsequent encounter |
| V93.41XS | Struck by falling object on passenger ship, sequela |
| V93.42XD | Struck by falling object on fishing boat, subsequent encounter |
| V93.42XS | Struck by falling object on fishing boat, sequela |
| V93.43XD | Struck by falling object on other powered watercraft, subsequent encounter |
| V93.43XS | Struck by falling object on other powered watercraft, sequela |
| V93.44XD | Struck by falling object on sailboat, subsequent encounter |
| V93.44XS | Struck by falling object on sailboat, sequela |
| V93.48XD | Struck by falling object on other unpowered watercraft, subsequent encounter |
| V93.48XS | Struck by falling object on other unpowered watercraft, sequela |
| V93.49XD | Struck by falling object on unspecified watercraft, subsequent encounter |
| V93.49XS | Struck by falling object on unspecified watercraft, sequela |
| V93.50XD | Explosion on board merchant ship, subsequent encounter |
| V93.50XS | Explosion on board merchant ship, sequela |
| V93.51XD | Explosion on board passenger ship, subsequent encounter |
| V93.51XS | Explosion on board passenger ship, sequela |
| V93.52XD | Explosion on board fishing boat, subsequent encounter |
| V93.52XS | Explosion on board fishing boat, sequela |
| V93.53XD | Explosion on board other powered watercraft, subsequent encounter |
| V93.53XS | Explosion on board other powered watercraft, sequela |
| V93.54XD | Explosion on board sailboat, subsequent encounter |
| V93.54XS | Explosion on board sailboat, sequela |
| V93.59XD | Explosion on board unspecified watercraft, subsequent encounter |
| V93.59XS | Explosion on board unspecified watercraft, sequela |
| V93.60XD | Machinery accident on board merchant ship, subsequent encounter |
| V93.60XS | Machinery accident on board merchant ship, sequela |
| V93.61XD | Machinery accident on board passenger ship, subsequent encounter |
| V93.61XS | Machinery accident on board passenger ship, sequela |
| V93.62XD | Machinery accident on board fishing boat, subsequent encounter |
| V93.62XS | Machinery accident on board fishing boat, sequela |
| V93.63XD | Machinery accident on board other powered watercraft, subsequent encounter |
| V93.63XS | Machinery accident on board other powered watercraft, sequela |
| V93.64XD | Machinery accident on board sailboat, subsequent encounter |
| V93.64XS | Machinery accident on board sailboat, sequela |
| V93.69XD | Machinery accident on board unspecified watercraft, subsequent encounter |
| V93.69XS | Machinery accident on board unspecified watercraft, sequela |
| V93.80XD | Other injury due to other accident on board merchant ship, subsequent encounter |
| V93.80XS | Other injury due to other accident on board merchant ship, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V93.81XD | Other injury due to other accident on board passenger ship, subsequent encounter |
| V93.81XS | Other injury due to other accident on board passenger ship, sequela |
| V93.82XD | Other injury due to other accident on board fishing boat, subsequent encounter |
| V93.82XS | Other injury due to other accident on board fishing boat, sequela |
| V93.83XD | Other injury due to other accident on board other powered watercraft, subsequent encounter |
| V93.83XS | Other injury due to other accident on board other powered watercraft, sequela |
| V93.84XD | Other injury due to other accident on board sailboat, subsequent encounter |
| V93.84XS | Other injury due to other accident on board sailboat, sequela |
| V93.85XD | Other injury due to other accident on board canoe or kayak, subsequent encounter |
| V93.85XS | Other injury due to other accident on board canoe or kayak, sequela |
| V93.86XD | Other injury due to other accident on board (nonpowered) inflatable craft, subsequent encounter |
| V93.86XS | Other injury due to other accident on board (nonpowered) inflatable craft, sequela |
| V93.87XD | Other injury due to other accident on board water-skis, subsequent encounter |
| V93.87XS | Other injury due to other accident on board water-skis, sequela |
| V93.88XD | Other injury due to other accident on board other unpowered watercraft, subsequent encounter |
| V93.88XS | Other injury due to other accident on board other unpowered watercraft, sequela |
| V93.89XD | Other injury due to other accident on board unspecified watercraft, subsequent encounter |
| V93.89XS | Other injury due to other accident on board unspecified watercraft, sequela |
| V94.0XXD | Hitting object or bottom of body of water due to fall from watercraft, subsequent encounter |
| V94.0XXS | Hitting object or bottom of body of water due to fall from watercraft, sequela |
| V94.11XD | Bather struck by powered watercraft, subsequent encounter |
| V94.11XS | Bather struck by powered watercraft, sequela |
| V94.12XD | Bather struck by nonpowered watercraft, subsequent encounter |
| V94.12XS | Bather struck by nonpowered watercraft, sequela |
| V94.21XD | Rider of nonpowered watercraft struck by other nonpowered watercraft, subsequent encounter |
| V94.21XS | Rider of nonpowered watercraft struck by other nonpowered watercraft, sequela |
| V94.22XD | Rider of nonpowered watercraft struck by powered watercraft, subsequent encounter |
| V94.22XS | Rider of nonpowered watercraft struck by powered watercraft, sequela |
| V94.31XD | Injury to rider of (inflatable) recreational watercraft being pulled behind other watercraft, subsequent encounter |
| V94.31XS | Injury to rider of (inflatable) recreational watercraft being pulled behind other watercraft, sequela |
| V94.32XD | Injury to rider of non-recreational watercraft being pulled behind other watercraft, subsequent encounter |
| V94.32XS | Injury to rider of non-recreational watercraft being pulled behind other watercraft, sequela |
| V94.4XXD | Injury to barefoot water-skier, subsequent encounter |
| V94.4XXS | Injury to barefoot water-skier, sequela |
| V94.810D | Civilian watercraft involved in water transport accident with military watercraft, subsequent encounter |
| V94.810S | Civilian watercraft involved in water transport accident with military watercraft, sequela |
| V94.811D | Civilian in water injured by military watercraft, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V94.811S | Civilian in water injured by military watercraft, sequela |
| V94.818D | Other water transport accident involving military watercraft, subsequent encounter |
| V94.818S | Other water transport accident involving military watercraft, sequela |
| V94.89XD | Other water transport accident, subsequent encounter |
| V94.89XS | Other water transport accident, sequela |
| V94.9XXD | Unspecified water transport accident, subsequent encounter |
| V94.9XXS | Unspecified water transport accident, sequela |
| V95.00XD | Unspecified helicopter accident injuring occupant, subsequent encounter |
| V95.00XS | Unspecified helicopter accident injuring occupant, sequela |
| V95.01XD | Helicopter crash injuring occupant, subsequent encounter |
| V95.01XS | Helicopter crash injuring occupant, sequela |
| V95.02XD | Forced landing of helicopter injuring occupant, subsequent encounter |
| V95.02XS | Forced landing of helicopter injuring occupant, sequela |
| V95.03XD | Helicopter collision injuring occupant, subsequent encounter |
| V95.03XS | Helicopter collision injuring occupant, sequela |
| V95.04XD | Helicopter fire injuring occupant, subsequent encounter |
| V95.04XS | Helicopter fire injuring occupant, sequela |
| V95.05XD | Helicopter explosion injuring occupant, subsequent encounter |
| V95.05XS | Helicopter explosion injuring occupant, sequela |
| V95.09XD | Other helicopter accident injuring occupant, subsequent encounter |
| V95.09XS | Other helicopter accident injuring occupant, sequela |
| V95.10XD | Unspecified ultralight, microlight or powered-glider accident injuring occupant, subsequent encounter |
| V95.10XS | Unspecified ultralight, microlight or powered-glider accident injuring occupant, sequela |
| V95.11XD | Ultralight, microlight or powered-glider crash injuring occupant, subsequent encounter |
| V95.11XS | Ultralight, microlight or powered-glider crash injuring occupant, sequela |
| V95.12XD | Forced landing of ultralight, microlight or powered-glider injuring occupant, subsequent encounter |
| V95.12XS | Forced landing of ultralight, microlight or powered-glider injuring occupant, sequela |
| V95.13XD | Ultralight, microlight or powered-glider collision injuring occupant, subsequent encounter |
| V95.13XS | Ultralight, microlight or powered-glider collision injuring occupant, sequela |
| V95.14XD | Ultralight, microlight or powered-glider fire injuring occupant, subsequent encounter |
| V95.14XS | Ultralight, microlight or powered-glider fire injuring occupant, sequela |
| V95.15XD | Ultralight, microlight or powered-glider explosion injuring occupant, subsequent encounter |
| V95.15XS | Ultralight, microlight or powered-glider explosion injuring occupant, sequela |
| V95.19XD | Other ultralight, microlight or powered-glider accident injuring occupant, subsequent encounter |
| V95.19XS | Other ultralight, microlight or powered-glider accident injuring occupant, sequela |
| V95.20XD | Unspecified accident to other private fixed-wing aircraft, injuring occupant, subsequent encounter |
| V95.20XS | Unspecified accident to other private fixed-wing aircraft, injuring occupant, sequela |
| V95.21XD | Other private fixed-wing aircraft crash injuring occupant, subsequent encounter |
| V95.21XS | Other private fixed-wing aircraft crash injuring occupant, sequela |
| V95.22XD | Forced landing of other private fixed-wing aircraft injuring occupant, subsequent encounter |
| V95.22XS | Forced landing of other private fixed-wing aircraft injuring occupant, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V95.23XD | Other private fixed-wing aircraft collision injuring occupant, subsequent encounter |
| V95.23XS | Other private fixed-wing aircraft collision injuring occupant, sequela |
| V95.24XD | Other private fixed-wing aircraft fire injuring occupant, subsequent encounter |
| V95.24XS | Other private fixed-wing aircraft fire injuring occupant, sequela |
| V95.25XD | Other private fixed-wing aircraft explosion injuring occupant, subsequent encounter |
| V95.25XS | Other private fixed-wing aircraft explosion injuring occupant, sequela |
| V95.29XD | Other accident to other private fixed-wing aircraft injuring occupant, subsequent encounter |
| V95.29XS | Other accident to other private fixed-wing aircraft injuring occupant, sequela |
| V95.30XD | Unspecified accident to commercial fixed-wing aircraft injuring occupant, subsequent encounter |
| V95.30XS | Unspecified accident to commercial fixed-wing aircraft injuring occupant, sequela |
| V95.31XD | Commercial fixed-wing aircraft crash injuring occupant, subsequent encounter |
| V95.31XS | Commercial fixed-wing aircraft crash injuring occupant, sequela |
| V95.32XD | Forced landing of commercial fixed-wing aircraft injuring occupant, subsequent encounter |
| V95.32XS | Forced landing of commercial fixed-wing aircraft injuring occupant, sequela |
| V95.33XD | Commercial fixed-wing aircraft collision injuring occupant, subsequent encounter |
| V95.33XS | Commercial fixed-wing aircraft collision injuring occupant, sequela |
| V95.34XD | Commercial fixed-wing aircraft fire injuring occupant, subsequent encounter |
| V95.34XS | Commercial fixed-wing aircraft fire injuring occupant, sequela |
| V95.35XD | Commercial fixed-wing aircraft explosion injuring occupant, subsequent encounter |
| V95.35XS | Commercial fixed-wing aircraft explosion injuring occupant, sequela |
| V95.39XD | Other accident to commercial fixed-wing aircraft injuring occupant, subsequent encounter |
| V95.39XS | Other accident to commercial fixed-wing aircraft injuring occupant, sequela |
| V95.40XD | Unspecified spacecraft accident injuring occupant, subsequent encounter |
| V95.40XS | Unspecified spacecraft accident injuring occupant, sequela |
| V95.41XD | Spacecraft crash injuring occupant, subsequent encounter |
| V95.41XS | Spacecraft crash injuring occupant, sequela |
| V95.42XD | Forced landing of spacecraft injuring occupant, subsequent encounter |
| V95.42XS | Forced landing of spacecraft injuring occupant, sequela |
| V95.43XD | Spacecraft collision injuring occupant, subsequent encounter |
| V95.43XS | Spacecraft collision injuring occupant, sequela |
| V95.44XD | Spacecraft fire injuring occupant, subsequent encounter |
| V95.44XS | Spacecraft fire injuring occupant, sequela |
| V95.45XD | Spacecraft explosion injuring occupant, subsequent encounter |
| V95.45XS | Spacecraft explosion injuring occupant, sequela |
| V95.49XD | Other spacecraft accident injuring occupant, subsequent encounter |
| V95.49XS | Other spacecraft accident injuring occupant, sequela |
| V95.8XXD | Other powered aircraft accidents injuring occupant, subsequent encounter |
| V95.8XXS | Other powered aircraft accidents injuring occupant, sequela |
| V95.9XXD | Unspecified aircraft accident injuring occupant, subsequent encounter |
| V95.9XXS | Unspecified aircraft accident injuring occupant, sequela |
| V96.00XD | Unspecified balloon accident injuring occupant, subsequent encounter |
| V96.00XS | Unspecified balloon accident injuring occupant, sequela |
| V96.01XD | Balloon crash injuring occupant, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| V96.01XS | Balloon crash injuring occupant, sequela |
| V96.02XD | Forced landing of balloon injuring occupant, subsequent encounter |
| V96.02XS | Forced landing of balloon injuring occupant, sequela |
| V96.03XD | Balloon collision injuring occupant, subsequent encounter |
| V96.03XS | Balloon collision injuring occupant, sequela |
| V96.04XD | Balloon fire injuring occupant, subsequent encounter |
| V96.04XS | Balloon fire injuring occupant, sequela |
| V96.05XD | Balloon explosion injuring occupant, subsequent encounter |
| V96.05XS | Balloon explosion injuring occupant, sequela |
| V96.09XD | Other balloon accident injuring occupant, subsequent encounter |
| V96.09XS | Other balloon accident injuring occupant, sequela |
| V96.10XD | Unspecified hang-glider accident injuring occupant, subsequent encounter |
| V96.10XS | Unspecified hang-glider accident injuring occupant, sequela |
| V96.11XD | Hang-glider crash injuring occupant, subsequent encounter |
| V96.11XS | Hang-glider crash injuring occupant, sequela |
| V96.12XD | Forced landing of hang-glider injuring occupant, subsequent encounter |
| V96.12XS | Forced landing of hang-glider injuring occupant, sequela |
| V96.13XD | Hang-glider collision injuring occupant, subsequent encounter |
| V96.13XS | Hang-glider collision injuring occupant, sequela |
| V96.14XD | Hang-glider fire injuring occupant, subsequent encounter |
| V96.14XS | Hang-glider fire injuring occupant, sequela |
| V96.15XD | Hang-glider explosion injuring occupant, subsequent encounter |
| V96.15XS | Hang-glider explosion injuring occupant, sequela |
| V96.19XD | Other hang-glider accident injuring occupant, subsequent encounter |
| V96.19XS | Other hang-glider accident injuring occupant, sequela |
| V96.20XD | Unspecified glider (nonpowered) accident injuring occupant, subsequent encounter |
| V96.20XS | Unspecified glider (nonpowered) accident injuring occupant, sequela |
| V96.21XD | Glider (nonpowered) crash injuring occupant, subsequent encounter |
| V96.21XS | Glider (nonpowered) crash injuring occupant, sequela |
| V96.22XD | Forced landing of glider (nonpowered) injuring occupant, subsequent encounter |
| V96.22XS | Forced landing of glider (nonpowered) injuring occupant, sequela |
| V96.23XD | Glider (nonpowered) collision injuring occupant, subsequent encounter |
| V96.23XS | Glider (nonpowered) collision injuring occupant, sequela |
| V96.24XD | Glider (nonpowered) fire injuring occupant, subsequent encounter |
| V96.24XS | Glider (nonpowered) fire injuring occupant, sequela |
| V96.25XD | Glider (nonpowered) explosion injuring occupant, subsequent encounter |
| V96.25XS | Glider (nonpowered) explosion injuring occupant, sequela |
| V96.29XD | Other glider (nonpowered) accident injuring occupant, subsequent encounter |
| V96.29XS | Other glider (nonpowered) accident injuring occupant, sequela |
| V96.8XXD | Other nonpowered-aircraft accidents injuring occupant, subsequent encounter |
| V96.8XXS | Other nonpowered-aircraft accidents injuring occupant, sequela |
| V96.9XXD | Unspecified nonpowered-aircraft accident injuring occupant, subsequent encounter |
| V96.9XXS | Unspecified nonpowered-aircraft accident injuring occupant, sequela |
| V97.0XXD | Occupant of aircraft injured in other specified air transport accidents, subsequent encounter |
| V97.0XXS | Occupant of aircraft injured in other specified air transport accidents, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| V97.1XXD | Person injured while boarding or alighting from aircraft, subsequent encounter |
| V97.1XXS | Person injured while boarding or alighting from aircraft, sequela |
| V97.21XD | Parachutist entangled in object, subsequent encounter |
| V97.21XS | Parachutist entangled in object, sequela |
| V97.22XD | Parachutist injured on landing, subsequent encounter |
| V97.22XS | Parachutist injured on landing, sequela |
| V97.29XD | Other parachutist accident, subsequent encounter |
| V97.29XS | Other parachutist accident, sequela |
| V97.31XD | Hit by object falling from aircraft, subsequent encounter |
| V97.31XS | Hit by object falling from aircraft, sequela |
| V97.32XD | Injured by rotating propeller, subsequent encounter |
| V97.32XS | Injured by rotating propeller, sequela |
| V97.33XD | Sucked into jet engine, subsequent encounter |
| V97.33XS | Sucked into jet engine, sequela |
| V97.39XD | Other injury to person on ground due to air transport accident, subsequent encounter |
| V97.39XS | Other injury to person on ground due to air transport accident, sequela |
| V97.810D | Civilian aircraft involved in air transport accident with military aircraft, subsequent encounter |
| V97.810S | Civilian aircraft involved in air transport accident with military aircraft, sequela |
| V97.811D | Civilian injured by military aircraft, subsequent encounter |
| V97.811S | Civilian injured by military aircraft, sequela |
| V97.818D | Other air transport accident involving military aircraft, subsequent encounter |
| V97.818S | Other air transport accident involving military aircraft, sequela |
| V97.89XD | Other air transport accidents, not elsewhere classified, subsequent encounter |
| V97.89XS | Other air transport accidents, not elsewhere classified, sequela |
| V98.0XXD | Accident to, on or involving cable-car, not on rails, subsequent encounter |
| V98.0XXS | Accident to, on or involving cable-car, not on rails, sequela |
| V98.1XXD | Accident to, on or involving land-yacht, subsequent encounter |
| V98.1XXS | Accident to, on or involving land-yacht, sequela |
| V98.2XXD | Accident to, on or involving ice yacht, subsequent encounter |
| V98.2XXS | Accident to, on or involving ice yacht, sequela |
| V98.3XXD | Accident to, on or involving ski lift, subsequent encounter |
| V98.3XXS | Accident to, on or involving ski lift, sequela |
| V98.8XXD | Other specified transport accidents, subsequent encounter |
| V98.8XXS | Other specified transport accidents, sequela |
| V99.XXXD | Unspecified transport accident, subsequent encounter |
| V99.XXXS | Unspecified transport accident, sequela |
| W09.0XXD | Fall on or from playground slide, subsequent encounter |
| W09.0XXS | Fall on or from playground slide, sequela |
| W09.1XXD | Fall from playground swing, subsequent encounter |
| W09.1XXS | Fall from playground swing, sequela |
| W09.2XXD | Fall on or from jungle gym, subsequent encounter |
| W09.2XXS | Fall on or from jungle gym, sequela |
| W09.8XXD | Fall on or from other playground equipment, subsequent encounter |
| W09.8XXS | Fall on or from other playground equipment, sequela |
| W14.XXXD | Fall from tree, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| W14.XXXS | Fall from tree, sequela |
| W15.XXXD | Fall from cliff, subsequent encounter |
| W15.XXXS | Fall from cliff, sequela |
| W17.0XXD | Fall into well, subsequent encounter |
| W17.0XXS | Fall into well, sequela |
| W17.1XXD | Fall into storm drain or manhole, subsequent encounter |
| W17.1XXS | Fall into storm drain or manhole, sequela |
| W18.01XD | Striking against sports equipment with subsequent fall, subsequent encounter |
| W18.01XS | Striking against sports equipment with subsequent fall, sequela |
| W21.00XD | Struck by hit or thrown ball, unspecified type, subsequent encounter |
| W21.00XS | Struck by hit or thrown ball, unspecified type, sequela |
| W21.01XD | Struck by football, subsequent encounter |
| W21.01XS | Struck by football, sequela |
| W21.02XD | Struck by soccer ball, subsequent encounter |
| W21.02XS | Struck by soccer ball, sequela |
| W21.03XD | Struck by baseball, subsequent encounter |
| W21.03XS | Struck by baseball, sequela |
| W21.04XD | Struck by golf ball, subsequent encounter |
| W21.04XS | Struck by golf ball, sequela |
| W21.05XD | Struck by basketball, subsequent encounter |
| W21.05XS | Struck by basketball, sequela |
| W21.06XD | Struck by volleyball, subsequent encounter |
| W21.06XS | Struck by volleyball, sequela |
| W21.07XD | Struck by softball, subsequent encounter |
| W21.07XS | Struck by softball, sequela |
| W21.09XD | Struck by other hit or thrown ball, subsequent encounter |
| W21.09XS | Struck by other hit or thrown ball, sequela |
| W21.11XD | Struck by baseball bat, subsequent encounter |
| W21.11XS | Struck by baseball bat, sequela |
| W21.12XD | Struck by tennis racquet, subsequent encounter |
| W21.12XS | Struck by tennis racquet, sequela |
| W21.13XD | Struck by golf club, subsequent encounter |
| W21.13XS | Struck by golf club, sequela |
| W21.19XD | Struck by other bat, racquet or club, subsequent encounter |
| W21.19XS | Struck by other bat, racquet or club, sequela |
| W21.210D | Struck by ice hockey stick, subsequent encounter |
| W21.210S | Struck by ice hockey stick, sequela |
| W21.211D | Struck by field hockey stick, subsequent encounter |
| W21.211S | Struck by field hockey stick, sequela |
| W21.220D | Struck by ice hockey puck, subsequent encounter |
| W21.220S | Struck by ice hockey puck, sequela |
| W21.221D | Struck by field hockey puck, subsequent encounter |
| W21.221S | Struck by field hockey puck, sequela |
| W21.31XD | Struck by shoe cleats, subsequent encounter |
| W21.31XS | Struck by shoe cleats, sequela |
| W21.32XD | Struck by skate blades, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| W21.32XS | Struck by skate blades, sequela |
| W21.39XD | Struck by other sports foot wear, subsequent encounter |
| W21.39XS | Struck by other sports foot wear, sequela |
| W21.4XXD | Striking against diving board, subsequent encounter |
| W21.4XXS | Striking against diving board, sequela |
| W21.81XD | Striking against or struck by football helmet, subsequent encounter |
| W21.81XS | Striking against or struck by football helmet, sequela |
| W21.89XD | Striking against or struck by other sports equipment, subsequent encounter |
| W21.89XS | Striking against or struck by other sports equipment, sequela |
| W21.9XXD | Striking against or struck by unspecified sports equipment, subsequent encounter |
| W21.9XXS | Striking against or struck by unspecified sports equipment, sequela |
| W30.0XXD | Contact with combine harvester, subsequent encounter |
| W30.0XXS | Contact with combine harvester, sequela |
| W30.1XXD | Contact with power take-off devices (PTO), subsequent encounter |
| W30.1XXS | Contact with power take-off devices (PTO), sequela |
| W30.2XXD | Contact with hay derrick, subsequent encounter |
| W30.2XXS | Contact with hay derrick, sequela |
| W30.3XXD | Contact with grain storage elevator, subsequent encounter |
| W30.3XXS | Contact with grain storage elevator, sequela |
| W30.81XD | Contact with agricultural transport vehicle in stationary use, subsequent encounter |
| W30.81XS | Contact with agricultural transport vehicle in stationary use, sequela |
| W30.89XD | Contact with other specified agricultural machinery, subsequent encounter |
| W30.89XS | Contact with other specified agricultural machinery, sequela |
| W30.9XXD | Contact with unspecified agricultural machinery, subsequent encounter |
| W30.9XXS | Contact with unspecified agricultural machinery, sequela |
| W31.0XXD | Contact with mining and earth-drilling machinery, subsequent encounter |
| W31.0XXS | Contact with mining and earth-drilling machinery, sequela |
| W31.1XXD | Contact with metalworking machines, subsequent encounter |
| W31.1XXS | Contact with metalworking machines, sequela |
| W31.2XXD | Contact with powered woodworking and forming machines, subsequent encounter |
| W31.2XXS | Contact with powered woodworking and forming machines, sequela |
| W31.3XXD | Contact with prime movers, subsequent encounter |
| W31.3XXS | Contact with prime movers, sequela |
| W31.81XD | Contact with recreational machinery, subsequent encounter |
| W31.81XS | Contact with recreational machinery, sequela |
| W31.82XD | Contact with other commercial machinery, subsequent encounter |
| W31.82XS | Contact with other commercial machinery, sequela |
| W31.83XD | Contact with special construction vehicle in stationary use, subsequent encounter |
| W31.83XS | Contact with special construction vehicle in stationary use, sequela |
| W31.89XD | Contact with other specified machinery, subsequent encounter |
| W31.89XS | Contact with other specified machinery, sequela |
| W31.9XXD | Contact with unspecified machinery, subsequent encounter |
| W31.9XXS | Contact with unspecified machinery, sequela |
| W32.0XXD | Accidental handgun discharge, subsequent encounter |
| W32.0XXS | Accidental handgun discharge, sequela |
| W32.1XXD | Accidental handgun malfunction, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| W32.1XXS | Accidental handgun malfunction, sequela |
| W33.00XD | Accidental discharge of unspecified larger firearm, subsequent encounter |
| W33.00XS | Accidental discharge of unspecified larger firearm, sequela |
| W33.01XD | Accidental discharge of shotgun, subsequent encounter |
| W33.01XS | Accidental discharge of shotgun, sequela |
| W33.02XD | Accidental discharge of hunting rifle, subsequent encounter |
| W33.02XS | Accidental discharge of hunting rifle, sequela |
| W33.03XD | Accidental discharge of machine gun, subsequent encounter |
| W33.03XS | Accidental discharge of machine gun, sequela |
| W33.09XD | Accidental discharge of other larger firearm, subsequent encounter |
| W33.09XS | Accidental discharge of other larger firearm, sequela |
| W33.10XD | Accidental malfunction of unspecified larger firearm, subsequent encounter |
| W33.10XS | Accidental malfunction of unspecified larger firearm, sequela |
| W33.11XD | Accidental malfunction of shotgun, subsequent encounter |
| W33.11XS | Accidental malfunction of shotgun, sequela |
| W33.12XD | Accidental malfunction of hunting rifle, subsequent encounter |
| W33.12XS | Accidental malfunction of hunting rifle, sequela |
| W33.13XD | Accidental malfunction of machine gun, subsequent encounter |
| W33.13XS | Accidental malfunction of machine gun, sequela |
| W33.19XD | Accidental malfunction of other larger firearm, subsequent encounter |
| W33.19XS | Accidental malfunction of other larger firearm, sequela |
| W34.00XD | Accidental discharge from unspecified firearms or gun, subsequent encounter |
| W34.00XS | Accidental discharge from unspecified firearms or gun, sequela |
| W34.010D | Accidental discharge of airgun, subsequent encounter |
| W34.010S | Accidental discharge of airgun, sequela |
| W34.011D | Accidental discharge of paintball gun, subsequent encounter |
| W34.011S | Accidental discharge of paintball gun, sequela |
| W34.018D | Accidental discharge of other gas, air or spring-operated gun, subsequent encounter |
| W34.018S | Accidental discharge of other gas, air or spring-operated gun, sequela |
| W34.09XD | Accidental discharge from other specified firearms, subsequent encounter |
| W34.09XS | Accidental discharge from other specified firearms, sequela |
| W34.10XD | Accidental malfunction from unspecified firearms or gun, subsequent encounter |
| W34.10XS | Accidental malfunction from unspecified firearms or gun, sequela |
| W34.110D | Accidental malfunction of airgun, subsequent encounter |
| W34.110S | Accidental malfunction of airgun, sequela |
| W34.111D | Accidental malfunction of paintball gun, subsequent encounter |
| W34.111S | Accidental malfunction of paintball gun, sequela |
| W34.118D | Accidental malfunction of other gas, air or spring-operated gun, subsequent encounter |
| W34.118S | Accidental malfunction of other gas, air or spring-operated gun, sequela |
| W34.19XD | Accidental malfunction from other specified firearms, subsequent encounter |
| W34.19XS | Accidental malfunction from other specified firearms, sequela |
| W35.XXXD | Explosion and rupture of boiler, subsequent encounter |
| W35.XXXS | Explosion and rupture of boiler, sequela |
| W36.1XXD | Explosion and rupture of aerosol can, subsequent encounter |
| W36.1XXS | Explosion and rupture of aerosol can, sequela |
| W36.2XXD | Explosion and rupture of air tank, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| W36.2XXS | Explosion and rupture of air tank, sequela |
| W36.3XXD | Explosion and rupture of pressurized-gas tank, subsequent encounter |
| W36.3XXS | Explosion and rupture of pressurized-gas tank, sequela |
| W36.8XXD | Explosion and rupture of other gas cylinder, subsequent encounter |
| W36.8XXS | Explosion and rupture of other gas cylinder, sequela |
| W36.9XXD | Explosion and rupture of unspecified gas cylinder, subsequent encounter |
| W36.9XXS | Explosion and rupture of unspecified gas cylinder, sequela |
| W37.0XXD | Explosion of bicycle tire, subsequent encounter |
| W37.0XXS | Explosion of bicycle tire, sequela |
| W37.8XXD | Explosion and rupture of other pressurized tire, pipe or hose, subsequent encounter |
| W37.8XXS | Explosion and rupture of other pressurized tire, pipe or hose, sequela |
| W38.XXXD | Explosion and rupture of other specified pressurized devices, subsequent encounter |
| W38.XXXS | Explosion and rupture of other specified pressurized devices, sequela |
| W39.XXXD | Discharge of firework, subsequent encounter |
| W39.XXXS | Discharge of firework, sequela |
| W40.0XXD | Explosion of blasting material, subsequent encounter |
| W40.0XXS | Explosion of blasting material, sequela |
| W40.1XXD | Explosion of explosive gases, subsequent encounter |
| W40.1XXS | Explosion of explosive gases, sequela |
| W40.8XXD | Explosion of other specified explosive materials, subsequent encounter |
| W40.8XXS | Explosion of other specified explosive materials, sequela |
| W40.9XXD | Explosion of unspecified explosive materials, subsequent encounter |
| W40.9XXS | Explosion of unspecified explosive materials, sequela |
| W52.XXXD | Crushed, pushed or stepped on by crowd or human stampede, subsequent encounter |
| W52.XXXS | Crushed, pushed or stepped on by crowd or human stampede, sequela |
| W56.01XD | Bitten by dolphin, subsequent encounter |
| W56.01XS | Bitten by dolphin, sequela |
| W56.02XD | Struck by dolphin, subsequent encounter |
| W56.02XS | Struck by dolphin, sequela |
| W56.09XD | Other contact with dolphin, subsequent encounter |
| W56.09XS | Other contact with dolphin, sequela |
| W56.11XD | Bitten by sea lion, subsequent encounter |
| W56.11XS | Bitten by sea lion, sequela |
| W56.12XD | Struck by sea lion, subsequent encounter |
| W56.12XS | Struck by sea lion, sequela |
| W56.19XD | Other contact with sea lion, subsequent encounter |
| W56.19XS | Other contact with sea lion, sequela |
| W56.21XD | Bitten by orca, subsequent encounter |
| W56.21XS | Bitten by orca, sequela |
| W56.22XD | Struck by orca, subsequent encounter |
| W56.22XS | Struck by orca, sequela |
| W56.29XD | Other contact with orca, subsequent encounter |
| W56.29XS | Other contact with orca, sequela |
| W56.31XD | Bitten by other marine mammals, subsequent encounter |
| W56.31XS | Bitten by other marine mammals, sequela |
| W56.32XD | Struck by other marine mammals, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| W56.32XS | Struck by other marine mammals, sequela |
| W56.39XD | Other contact with other marine mammals, subsequent encounter |
| W56.39XS | Other contact with other marine mammals, sequela |
| W56.41XD | Bitten by shark, subsequent encounter |
| W56.41XS | Bitten by shark, sequela |
| W56.42XD | Struck by shark, subsequent encounter |
| W56.42XS | Struck by shark, sequela |
| W56.49XD | Other contact with shark, subsequent encounter |
| W56.49XS | Other contact with shark, sequela |
| W56.51XD | Bitten by other fish, subsequent encounter |
| W56.51XS | Bitten by other fish, sequela |
| W56.52XD | Struck by other fish, subsequent encounter |
| W56.52XS | Struck by other fish, sequela |
| W56.59XD | Other contact with other fish, subsequent encounter |
| W56.59XS | Other contact with other fish, sequela |
| W56.81XD | Bitten by other nonvenomous marine animals, subsequent encounter |
| W56.81XS | Bitten by other nonvenomous marine animals, sequela |
| W56.82XD | Struck by other nonvenomous marine animals, subsequent encounter |
| W56.82XS | Struck by other nonvenomous marine animals, sequela |
| W56.89XD | Other contact with other nonvenomous marine animals, subsequent encounter |
| W56.89XS | Other contact with other nonvenomous marine animals, sequela |
| W58.01XD | Bitten by alligator, subsequent encounter |
| W58.01XS | Bitten by alligator, sequela |
| W58.02XD | Struck by alligator, subsequent encounter |
| W58.02XS | Struck by alligator, sequela |
| W58.03XD | Crushed by alligator, subsequent encounter |
| W58.03XS | Crushed by alligator, sequela |
| W58.09XD | Other contact with alligator, subsequent encounter |
| W58.09XS | Other contact with alligator, sequela |
| W58.11XD | Bitten by crocodile, subsequent encounter |
| W58.11XS | Bitten by crocodile, sequela |
| W58.12XD | Struck by crocodile, subsequent encounter |
| W58.12XS | Struck by crocodile, sequela |
| W58.13XD | Crushed by crocodile, subsequent encounter |
| W58.13XS | Crushed by crocodile, sequela |
| W58.19XD | Other contact with crocodile, subsequent encounter |
| W58.19XS | Other contact with crocodile, sequela |
| W61.01XD | Bitten by parrot, subsequent encounter |
| W61.01XS | Bitten by parrot, sequela |
| W61.02XD | Struck by parrot, subsequent encounter |
| W61.02XS | Struck by parrot, sequela |
| W61.09XD | Other contact with parrot, subsequent encounter |
| W61.09XS | Other contact with parrot, sequela |
| W61.11XD | Bitten by macaw, subsequent encounter |
| W61.11XS | Bitten by macaw, sequela |
| W61.12XD | Struck by macaw, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| W61.12XS | Struck by macaw, sequela |
| W61.19XD | Other contact with macaw, subsequent encounter |
| W61.19XS | Other contact with macaw, sequela |
| W61.21XD | Bitten by other psittacines, subsequent encounter |
| W61.21XS | Bitten by other psittacines, sequela |
| W61.22XD | Struck by other psittacines, subsequent encounter |
| W61.22XS | Struck by other psittacines, sequela |
| W61.29XD | Other contact with other psittacines, subsequent encounter |
| W61.29XS | Other contact with other psittacines, sequela |
| W61.32XD | Struck by chicken, subsequent encounter |
| W61.32XS | Struck by chicken, sequela |
| W61.33XD | Pecked by chicken, subsequent encounter |
| W61.33XS | Pecked by chicken, sequela |
| W61.39XD | Other contact with chicken, subsequent encounter |
| W61.39XS | Other contact with chicken, sequela |
| W61.42XD | Struck by turkey, subsequent encounter |
| W61.42XS | Struck by turkey, sequela |
| W61.43XD | Pecked by turkey, subsequent encounter |
| W61.43XS | Pecked by turkey, sequela |
| W61.49XD | Other contact with turkey, subsequent encounter |
| W61.49XS | Other contact with turkey, sequela |
| W61.51XD | Bitten by goose, subsequent encounter |
| W61.51XS | Bitten by goose, sequela |
| W61.52XD | Struck by goose, subsequent encounter |
| W61.52XS | Struck by goose, sequela |
| W61.59XD | Other contact with goose, subsequent encounter |
| W61.59XS | Other contact with goose, sequela |
| W61.61XD | Bitten by duck, subsequent encounter |
| W61.61XS | Bitten by duck, sequela |
| W61.62XD | Struck by duck, subsequent encounter |
| W61.62XS | Struck by duck, sequela |
| W61.69XD | Other contact with duck, subsequent encounter |
| W61.69XS | Other contact with duck, sequela |
| W61.91XD | Bitten by other birds, subsequent encounter |
| W61.91XS | Bitten by other birds, sequela |
| W61.92XD | Struck by other birds, subsequent encounter |
| W61.92XS | Struck by other birds, sequela |
| W61.99XD | Other contact with other birds, subsequent encounter |
| W61.99XS | Other contact with other birds, sequela |
| W62.0XXD | Contact with nonvenomous frogs, subsequent encounter |
| W62.0XXS | Contact with nonvenomous frogs, sequela |
| W62.1XXD | Contact with nonvenomous toads, subsequent encounter |
| W62.1XXS | Contact with nonvenomous toads, sequela |
| W62.9XXD | Contact with other nonvenomous amphibians, subsequent encounter |
| W62.9XXS | Contact with other nonvenomous amphibians, sequela |
| W89.0XXD | Exposure to welding light (arc), subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| W89.0XXS | Exposure to welding light (arc), sequela |
| W89.1XXD | Exposure to tanning bed, subsequent encounter |
| W89.1XXS | Exposure to tanning bed, sequela |
| W89.8XXD | Exposure to other man-made visible and ultraviolet light, subsequent encounter |
| W89.8XXS | Exposure to other man-made visible and ultraviolet light, sequela |
| W89.9XXD | Exposure to unspecified man-made visible and ultraviolet light, subsequent encounter |
| W89.9XXS | Exposure to unspecified man-made visible and ultraviolet light, sequela |
| X02.0XXD | Exposure to flames in controlled fire in building or structure, subsequent encounter |
| X02.0XXS | Exposure to flames in controlled fire in building or structure, sequela |
| X02.1XXD | Exposure to smoke in controlled fire in building or structure, subsequent encounter |
| X02.1XXS | Exposure to smoke in controlled fire in building or structure, sequela |
| X02.2XXD | Injury due to collapse of burning building or structure in controlled fire, subsequent encounter |
| X02.2XXS | Injury due to collapse of burning building or structure in controlled fire, sequela |
| X02.3XXD | Fall from burning building or structure in controlled fire, subsequent encounter |
| X02.3XXS | Fall from burning building or structure in controlled fire, sequela |
| X02.4XXD | Hit by object from burning building or structure in controlled fire, subsequent encounter |
| X02.4XXS | Hit by object from burning building or structure in controlled fire, sequela |
| X02.5XXD | Jump from burning building or structure in controlled fire, subsequent encounter |
| X02.5XXS | Jump from burning building or structure in controlled fire, sequela |
| X02.8XXD | Other exposure to controlled fire in building or structure, subsequent encounter |
| X02.8XXS | Other exposure to controlled fire in building or structure, sequela |
| X03.0XXD | Exposure to flames in controlled fire, not in building or structure, subsequent encounter |
| X03.0XXS | Exposure to flames in controlled fire, not in building or structure, sequela |
| X03.1XXD | Exposure to smoke in controlled fire, not in building or structure, subsequent encounter |
| X03.1XXS | Exposure to smoke in controlled fire, not in building or structure, sequela |
| X03.3XXD | Fall due to controlled fire, not in building or structure, subsequent encounter |
| X03.3XXS | Fall due to controlled fire, not in building or structure, sequela |
| X03.4XXD | Hit by object due to controlled fire, not in building or structure, subsequent encounter |
| X03.4XXS | Hit by object due to controlled fire, not in building or structure, sequela |
| X03.8XXD | Other exposure to controlled fire, not in building or structure, subsequent encounter |
| X03.8XXS | Other exposure to controlled fire, not in building or structure, sequela |
| X04.XXXD | Exposure to ignition of highly flammable material, subsequent encounter |
| X04.XXXS | Exposure to ignition of highly flammable material, sequela |
| X52.XXXD | Prolonged stay in weightless environment, subsequent encounter |
| X52.XXXS | Prolonged stay in weightless environment, sequela |
| X71.0XXD | Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter |
| X71.0XXS | Intentional self-harm by drowning and submersion while in bathtub, sequela |
| X71.1XXD | Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter |
| X71.1XXS | Intentional self-harm by drowning and submersion while in swimming pool, sequela |
| X71.2XXD | Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter |
| X71.2XXS | Intentional self-harm by drowning and submersion after jump into swimming pool, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| X71.3XXD | Intentional self-harm by drowning and submersion in natural water, subsequent encounter |
| X71.3XXS | Intentional self-harm by drowning and submersion in natural water, sequela |
| X71.8XXD | Other intentional self-harm by drowning and submersion, subsequent encounter |
| X71.8XXS | Other intentional self-harm by drowning and submersion, sequela |
| X71.9XXD | Intentional self-harm by drowning and submersion, unspecified, subsequent encounter |
| X71.9XXS | Intentional self-harm by drowning and submersion, unspecified, sequela |
| X72.XXXD | Intentional self-harm by handgun discharge, subsequent encounter |
| X72.XXXS | Intentional self-harm by handgun discharge, sequela |
| X73.0XXD | Intentional self-harm by shotgun discharge, subsequent encounter |
| X73.0XXS | Intentional self-harm by shotgun discharge, sequela |
| X73.1XXD | Intentional self-harm by hunting rifle discharge, subsequent encounter |
| X73.1XXS | Intentional self-harm by hunting rifle discharge, sequela |
| X73.2XXD | Intentional self-harm by machine gun discharge, subsequent encounter |
| X73.2XXS | Intentional self-harm by machine gun discharge, sequela |
| X73.8XXD | Intentional self-harm by other larger firearm discharge, subsequent encounter |
| X73.8XXS | Intentional self-harm by other larger firearm discharge, sequela |
| X73.9XXD | Intentional self-harm by unspecified larger firearm discharge, subsequent encounter |
| X73.9XXS | Intentional self-harm by unspecified larger firearm discharge, sequela |
| X74.01XD | Intentional self-harm by airgun, subsequent encounter |
| X74.01XS | Intentional self-harm by airgun, sequela |
| X74.02XD | Intentional self-harm by paintball gun, subsequent encounter |
| X74.02XS | Intentional self-harm by paintball gun, sequela |
| X74.09XD | Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter |
| X74.09XS | Intentional self-harm by other gas, air or spring-operated gun, sequela |
| X74.8XXD | Intentional self-harm by other firearm discharge, subsequent encounter |
| X74.8XXS | Intentional self-harm by other firearm discharge, sequela |
| X74.9XXD | Intentional self-harm by unspecified firearm discharge, subsequent encounter |
| X74.9XXS | Intentional self-harm by unspecified firearm discharge, sequela |
| X75.XXXD | Intentional self-harm by explosive material, subsequent encounter |
| X75.XXXS | Intentional self-harm by explosive material, sequela |
| X76.XXXD | Intentional self-harm by smoke, fire and flames, subsequent encounter |
| X76.XXXS | Intentional self-harm by smoke, fire and flames, sequela |
| X77.0XXD | Intentional self-harm by steam or hot vapors, subsequent encounter |
| X77.0XXS | Intentional self-harm by steam or hot vapors, sequela |
| X77.1XXD | Intentional self-harm by hot tap water, subsequent encounter |
| X77.1XXS | Intentional self-harm by hot tap water, sequela |
| X77.2XXD | Intentional self-harm by other hot fluids, subsequent encounter |
| X77.2XXS | Intentional self-harm by other hot fluids, sequela |
| X77.3XXD | Intentional self-harm by hot household appliances, subsequent encounter |
| X77.3XXS | Intentional self-harm by hot household appliances, sequela |
| X77.8XXD | Intentional self-harm by other hot objects, subsequent encounter |
| X77.8XXS | Intentional self-harm by other hot objects, sequela |
| X77.9XXD | Intentional self-harm by unspecified hot objects, subsequent encounter |
| X77.9XXS | Intentional self-harm by unspecified hot objects, sequela |
| X81.0XXD | Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| X81.0XXS | Intentional self-harm by jumping or lying in front of motor vehicle, sequela |
| X81.1XXD | Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter |
| X81.1XXS | Intentional self-harm by jumping or lying in front of (subway) train, sequela |
| X81.8XXD | Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter |
| X81.8XXS | Intentional self-harm by jumping or lying in front of other moving object, sequela |
| X82.0XXD | Intentional collision of motor vehicle with other motor vehicle, subsequent encounter |
| X82.0XXS | Intentional collision of motor vehicle with other motor vehicle, sequela |
| X82.1XXD | Intentional collision of motor vehicle with train, subsequent encounter |
| X82.1XXS | Intentional collision of motor vehicle with train, sequela |
| X82.2XXD | Intentional collision of motor vehicle with tree, subsequent encounter |
| X82.2XXS | Intentional collision of motor vehicle with tree, sequela |
| X82.8XXD | Other intentional self-harm by crashing of motor vehicle, subsequent encounter |
| X82.8XXS | Other intentional self-harm by crashing of motor vehicle, sequela |
| X83.0XXD | Intentional self-harm by crashing of aircraft, subsequent encounter |
| X83.0XXS | Intentional self-harm by crashing of aircraft, sequela |
| X83.1XXD | Intentional self-harm by electrocution, subsequent encounter |
| X83.1XXS | Intentional self-harm by electrocution, sequela |
| X83.2XXD | Intentional self-harm by exposure to extremes of cold, subsequent encounter |
| X83.2XXS | Intentional self-harm by exposure to extremes of cold, sequela |
| X83.8XXD | Intentional self-harm by other specified means, subsequent encounter |
| X83.8XXS | Intentional self-harm by other specified means, sequela |
| Y03.0XXD | Assault by being hit or run over by motor vehicle, subsequent encounter |
| Y03.0XXS | Assault by being hit or run over by motor vehicle, sequela |
| Y03.8XXD | Other assault by crashing of motor vehicle, subsequent encounter |
| Y03.8XXS | Other assault by crashing of motor vehicle, sequela |
| Y07.01 | Husband, perpetrator of maltreatment and neglect |
| Y07.02 | Wife, perpetrator of maltreatment and neglect |
| Y07.03 | Male partner, perpetrator of maltreatment and neglect |
| Y07.04 | Female partner, perpetrator of maltreatment and neglect |
| Y07.11 | Biological father, perpetrator of maltreatment and neglect |
| Y07.12 | Biological mother, perpetrator of maltreatment and neglect |
| Y07.13 | Adoptive father, perpetrator of maltreatment and neglect |
| Y07.14 | Adoptive mother, perpetrator of maltreatment and neglect |
| Y07.410 | Brother, perpetrator of maltreatment and neglect |
| Y07.411 | Sister, perpetrator of maltreatment and neglect |
| Y07.420 | Foster father, perpetrator of maltreatment and neglect |
| Y07.421 | Foster mother, perpetrator of maltreatment and neglect |
| Y07.430 | Stepfather, perpetrator of maltreatment and neglect |
| Y07.432 | Male friend of parent (co-residing in household), perpetrator of maltreatment and neglect |
| Y07.433 | Stepmother, perpetrator of maltreatment and neglect |
| Y07.434 | Female friend of parent (co-residing in household), perpetrator of maltreatment and neglect |
| Y07.435 | Stepbrother, perpetrator or maltreatment and neglect |
| Y07.436 | Stepsister, perpetrator of maltreatment and neglect |
| Y07.490 | Male cousin, perpetrator of maltreatment and neglect |

| ICD-10 code | ICD-10 description |
|---|---|
| Y07.491 | Female cousin, perpetrator of maltreatment and neglect |
| Y07.499 | Other family member, perpetrator of maltreatment and neglect |
| Y07.50 | Unspecified non-family member, perpetrator of maltreatment and neglect |
| Y07.510 | At-home childcare provider, perpetrator of maltreatment and neglect |
| Y07.511 | Daycare center childcare provider, perpetrator of maltreatment and neglect |
| Y07.512 | At-home adultcare provider, perpetrator of maltreatment and neglect |
| Y07.513 | Adultcare center provider, perpetrator of maltreatment and neglect |
| Y07.519 | Unspecified daycare provider, perpetrator of maltreatment and neglect |
| Y07.521 | Mental health provider, perpetrator of maltreatment and neglect |
| Y07.528 | Other therapist or healthcare provider, perpetrator of maltreatment and neglect |
| Y07.529 | Unspecified healthcare provider, perpetrator of maltreatment and neglect |
| Y07.53 | Teacher or instructor, perpetrator of maltreatment and neglect |
| Y07.59 | Other non-family member, perpetrator of maltreatment and neglect |
| Y07.9 | Unspecified perpetrator of maltreatment and neglect |
| Y08.81XD | Assault by crashing of aircraft, subsequent encounter |
| Y08.81XS | Assault by crashing of aircraft, sequela |
| Y08.89XD | Assault by other specified means, subsequent encounter |
| Y08.89XS | Assault by other specified means, sequela |
| Y21.0XXD | Drowning and submersion while in bathtub, undetermined intent, subsequent encounter |
| Y21.0XXS | Drowning and submersion while in bathtub, undetermined intent, sequela |
| Y21.1XXD | Drowning and submersion after fall into bathtub, undetermined intent, subsequent encounter |
| Y21.1XXS | Drowning and submersion after fall into bathtub, undetermined intent, sequela |
| Y21.2XXD | Drowning and submersion while in swimming pool, undetermined intent, subsequent encounter |
| Y21.2XXS | Drowning and submersion while in swimming pool, undetermined intent, sequela |
| Y21.3XXD | Drowning and submersion after fall into swimming pool, undetermined intent, subsequent encounter |
| Y21.3XXS | Drowning and submersion after fall into swimming pool, undetermined intent, sequela |
| Y21.4XXD | Drowning and submersion in natural water, undetermined intent, subsequent encounter |
| Y21.4XXS | Drowning and submersion in natural water, undetermined intent, sequela |
| Y21.8XXD | Other drowning and submersion, undetermined intent, subsequent encounter |
| Y21.8XXS | Other drowning and submersion, undetermined intent, sequela |
| Y21.9XXD | Unspecified drowning and submersion, undetermined intent, subsequent encounter |
| Y21.9XXS | Unspecified drowning and submersion, undetermined intent, sequela |
| Y22.XXXD | Handgun discharge, undetermined intent, subsequent encounter |
| Y22.XXXS | Handgun discharge, undetermined intent, sequela |
| Y23.0XXD | Shotgun discharge, undetermined intent, subsequent encounter |
| Y23.0XXS | Shotgun discharge, undetermined intent, sequela |
| Y23.1XXD | Hunting rifle discharge, undetermined intent, subsequent encounter |
| Y23.1XXS | Hunting rifle discharge, undetermined intent, sequela |
| Y23.2XXD | Military firearm discharge, undetermined intent, subsequent encounter |
| Y23.2XXS | Military firearm discharge, undetermined intent, sequela |
| Y23.3XXD | Machine gun discharge, undetermined intent, subsequent encounter |
| Y23.3XXS | Machine gun discharge, undetermined intent, sequela |
| Y23.8XXD | Other larger firearm discharge, undetermined intent, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| Y23.8XXS | Other larger firearm discharge, undetermined intent, sequela |
| Y23.9XXD | Unspecified larger firearm discharge, undetermined intent, subsequent encounter |
| Y23.9XXS | Unspecified larger firearm discharge, undetermined intent, sequela |
| Y24.0XXD | Airgun discharge, undetermined intent, subsequent encounter |
| Y24.0XXS | Airgun discharge, undetermined intent, sequela |
| Y24.8XXD | Other firearm discharge, undetermined intent, subsequent encounter |
| Y24.8XXS | Other firearm discharge, undetermined intent, sequela |
| Y24.9XXD | Unspecified firearm discharge, undetermined intent, subsequent encounter |
| Y24.9XXS | Unspecified firearm discharge, undetermined intent, sequela |
| Y30.XXXD | Falling, jumping or pushed from a high place, undetermined intent, subsequent encounter |
| Y30.XXXS | Falling, jumping or pushed from a high place, undetermined intent, sequela |
| Y32.XXXD | Crashing of motor vehicle, undetermined intent, subsequent encounter |
| Y32.XXXS | Crashing of motor vehicle, undetermined intent, sequela |
| Y36.000D | War operations involving explosion of unspecified marine weapon, military personnel, subsequent encounter |
| Y36.000S | War operations involving explosion of unspecified marine weapon, military personnel, sequela |
| Y36.001D | War operations involving explosion of unspecified marine weapon, civilian, subsequent encounter |
| Y36.001S | War operations involving explosion of unspecified marine weapon, civilian, sequela |
| Y36.010D | War operations involving explosion of depth-charge, military personnel, subsequent encounter |
| Y36.010S | War operations involving explosion of depth-charge, military personnel, sequela |
| Y36.011D | War operations involving explosion of depth-charge, civilian, subsequent encounter |
| Y36.011S | War operations involving explosion of depth-charge, civilian, sequela |
| Y36.020D | War operations involving explosion of marine mine, military personnel, subsequent encounter |
| Y36.020S | War operations involving explosion of marine mine, military personnel, sequela |
| Y36.021D | War operations involving explosion of marine mine, civilian, subsequent encounter |
| Y36.021S | War operations involving explosion of marine mine, civilian, sequela |
| Y36.030D | War operations involving explosion of sea-based artillery shell, military personnel, subsequent encounter |
| Y36.030S | War operations involving explosion of sea-based artillery shell, military personnel, sequela |
| Y36.031D | War operations involving explosion of sea-based artillery shell, civilian, subsequent encounter |
| Y36.031S | War operations involving explosion of sea-based artillery shell, civilian, sequela |
| Y36.040D | War operations involving explosion of torpedo, military personnel, subsequent encounter |
| Y36.040S | War operations involving explosion of torpedo, military personnel, sequela |
| Y36.041D | War operations involving explosion of torpedo, civilian, subsequent encounter |
| Y36.041S | War operations involving explosion of torpedo, civilian, sequela |
| Y36.050D | War operations involving accidental detonation of onboard marine weapons, military personnel, subsequent encounter |
| Y36.050S | War operations involving accidental detonation of onboard marine weapons, military personnel, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| Y36.051D | War operations involving accidental detonation of onboard marine weapons, civilian, subsequent encounter |
| Y36.051S | War operations involving accidental detonation of onboard marine weapons, civilian, sequela |
| Y36.090D | War operations involving explosion of other marine weapons, military personnel, subsequent encounter |
| Y36.090S | War operations involving explosion of other marine weapons, military personnel, sequela |
| Y36.091D | War operations involving explosion of other marine weapons, civilian, subsequent encounter |
| Y36.091S | War operations involving explosion of other marine weapons, civilian, sequela |
| Y36.100D | War operations involving unspecified destruction of aircraft, military personnel, subsequent encounter |
| Y36.100S | War operations involving unspecified destruction of aircraft, military personnel, sequela |
| Y36.101D | War operations involving unspecified destruction of aircraft, civilian, subsequent encounter |
| Y36.101S | War operations involving unspecified destruction of aircraft, civilian, sequela |
| Y36.110D | War operations involving destruction of aircraft due to enemy fire or explosives, military personnel, subsequent encounter |
| Y36.110S | War operations involving destruction of aircraft due to enemy fire or explosives, military personnel, sequela |
| Y36.111D | War operations involving destruction of aircraft due to enemy fire or explosives, civilian, subsequent encounter |
| Y36.111S | War operations involving destruction of aircraft due to enemy fire or explosives, civilian, sequela |
| Y36.120D | War operations involving destruction of aircraft due to collision with other aircraft, military personnel, subsequent encounter |
| Y36.120S | War operations involving destruction of aircraft due to collision with other aircraft, military personnel, sequela |
| Y36.121D | War operations involving destruction of aircraft due to collision with other aircraft, civilian, subsequent encounter |
| Y36.121S | War operations involving destruction of aircraft due to collision with other aircraft, civilian, sequela |
| Y36.130D | War operations involving destruction of aircraft due to onboard fire, military personnel, subsequent encounter |
| Y36.130S | War operations involving destruction of aircraft due to onboard fire, military personnel, sequela |
| Y36.131D | War operations involving destruction of aircraft due to onboard fire, civilian, subsequent encounter |
| Y36.131S | War operations involving destruction of aircraft due to onboard fire, civilian, sequela |
| Y36.140D | War operations involving destruction of aircraft due to accidental detonation of onboard munitions and explosives, military personnel, subsequent encounter |
| Y36.140S | War operations involving destruction of aircraft due to accidental detonation of onboard munitions and explosives, military personnel, sequela |
| Y36.141D | War operations involving destruction of aircraft due to accidental detonation of onboard munitions and explosives, civilian, subsequent encounter |
| Y36.141S | War operations involving destruction of aircraft due to accidental detonation of onboard munitions and explosives, civilian, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| Y36.190D | War operations involving other destruction of aircraft, military personnel, subsequent encounter |
| Y36.190S | War operations involving other destruction of aircraft, military personnel, sequela |
| Y36.191D | War operations involving other destruction of aircraft, civilian, subsequent encounter |
| Y36.191S | War operations involving other destruction of aircraft, civilian, sequela |
| Y36.200D | War operations involving unspecified explosion and fragments, military personnel, subsequent encounter |
| Y36.200S | War operations involving unspecified explosion and fragments, military personnel, sequela |
| Y36.201D | War operations involving unspecified explosion and fragments, civilian, subsequent encounter |
| Y36.201S | War operations involving unspecified explosion and fragments, civilian, sequela |
| Y36.210D | War operations involving explosion of aerial bomb, military personnel, subsequent encounter |
| Y36.210S | War operations involving explosion of aerial bomb, military personnel, sequela |
| Y36.211D | War operations involving explosion of aerial bomb, civilian, subsequent encounter |
| Y36.211S | War operations involving explosion of aerial bomb, civilian, sequela |
| Y36.220D | War operations involving explosion of guided missile, military personnel, subsequent encounter |
| Y36.220S | War operations involving explosion of guided missile, military personnel, sequela |
| Y36.221D | War operations involving explosion of guided missile, civilian, subsequent encounter |
| Y36.221S | War operations involving explosion of guided missile, civilian, sequela |
| Y36.230D | War operations involving explosion of improvised explosive device [IED], military personnel, subsequent encounter |
| Y36.230S | War operations involving explosion of improvised explosive device [IED], military personnel, sequela |
| Y36.231D | War operations involving explosion of improvised explosive device [IED], civilian, subsequent encounter |
| Y36.231S | War operations involving explosion of improvised explosive device [IED], civilian, sequela |
| Y36.240D | War operations involving explosion due to accidental detonation and discharge of own munitions or munitions launch device, military personnel, subsequent encounter |
| Y36.240S | War operations involving explosion due to accidental detonation and discharge of own munitions or munitions launch device, military personnel, sequela |
| Y36.241D | War operations involving explosion due to accidental detonation and discharge of own munitions or munitions launch device, civilian, subsequent encounter |
| Y36.241S | War operations involving explosion due to accidental detonation and discharge of own munitions or munitions launch device, civilian, sequela |
| Y36.250D | War operations involving fragments from munitions, military personnel, subsequent encounter |
| Y36.250S | War operations involving fragments from munitions, military personnel, sequela |
| Y36.251D | War operations involving fragments from munitions, civilian, subsequent encounter |
| Y36.251S | War operations involving fragments from munitions, civilian, sequela |
| Y36.260D | War operations involving fragments of improvised explosive device [IED], military personnel, subsequent encounter |
| Y36.260S | War operations involving fragments of improvised explosive device [IED], military personnel, sequela |
| Y36.261D | War operations involving fragments of improvised explosive device [IED], civilian, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| Y36.261S | War operations involving fragments of improvised explosive device [IED], civilian, sequela |
| Y36.270D | War operations involving fragments from weapons, military personnel, subsequent encounter |
| Y36.270S | War operations involving fragments from weapons, military personnel, sequela |
| Y36.271D | War operations involving fragments from weapons, civilian, subsequent encounter |
| Y36.271S | War operations involving fragments from weapons, civilian, sequela |
| Y36.290D | War operations involving other explosions and fragments, military personnel, subsequent encounter |
| Y36.290S | War operations involving other explosions and fragments, military personnel, sequela |
| Y36.291D | War operations involving other explosions and fragments, civilian, subsequent encounter |
| Y36.291S | War operations involving other explosions and fragments, civilian, sequela |
| Y36.300D | War operations involving unspecified fire, conflagration and hot substance, military personnel, subsequent encounter |
| Y36.300S | War operations involving unspecified fire, conflagration and hot substance, military personnel, sequela |
| Y36.301D | War operations involving unspecified fire, conflagration and hot substance, civilian, subsequent encounter |
| Y36.301S | War operations involving unspecified fire, conflagration and hot substance, civilian, sequela |
| Y36.310D | War operations involving gasoline bomb, military personnel, subsequent encounter |
| Y36.310S | War operations involving gasoline bomb, military personnel, sequela |
| Y36.311D | War operations involving gasoline bomb, civilian, subsequent encounter |
| Y36.311S | War operations involving gasoline bomb, civilian, sequela |
| Y36.320D | War operations involving incendiary bullet, military personnel, subsequent encounter |
| Y36.320S | War operations involving incendiary bullet, military personnel, sequela |
| Y36.321D | War operations involving incendiary bullet, civilian, subsequent encounter |
| Y36.321S | War operations involving incendiary bullet, civilian, sequela |
| Y36.330D | War operations involving flamethrower, military personnel, subsequent encounter |
| Y36.330S | War operations involving flamethrower, military personnel, sequela |
| Y36.331D | War operations involving flamethrower, civilian, subsequent encounter |
| Y36.331S | War operations involving flamethrower, civilian, sequela |
| Y36.390D | War operations involving other fires, conflagrations and hot substances, military personnel, subsequent encounter |
| Y36.390S | War operations involving other fires, conflagrations and hot substances, military personnel, sequela |
| Y36.391D | War operations involving other fires, conflagrations and hot substances, civilian, subsequent encounter |
| Y36.391S | War operations involving other fires, conflagrations and hot substances, civilian, sequela |
| Y36.410D | War operations involving rubber bullets, military personnel, subsequent encounter |
| Y36.410S | War operations involving rubber bullets, military personnel, sequela |
| Y36.411D | War operations involving rubber bullets, civilian, subsequent encounter |
| Y36.411S | War operations involving rubber bullets, civilian, sequela |
| Y36.420D | War operations involving firearms pellets, military personnel, subsequent encounter |
| Y36.420S | War operations involving firearms pellets, military personnel, sequela |
| Y36.421D | War operations involving firearms pellets, civilian, subsequent encounter |
| Y36.421S | War operations involving firearms pellets, civilian, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| Y36.430D | War operations involving other firearms discharge, military personnel, subsequent encounter |
| Y36.430S | War operations involving other firearms discharge, military personnel, sequela |
| Y36.431D | War operations involving other firearms discharge, civilian, subsequent encounter |
| Y36.431S | War operations involving other firearms discharge, civilian, sequela |
| Y36.440D | War operations involving unarmed hand to hand combat, military personnel, subsequent encounter |
| Y36.440S | War operations involving unarmed hand to hand combat, military personnel, sequela |
| Y36.441D | War operations involving unarmed hand to hand combat, civilian, subsequent encounter |
| Y36.441S | War operations involving unarmed hand to hand combat, civilian, sequela |
| Y36.450D | War operations involving combat using blunt or piercing object, military personnel, subsequent encounter |
| Y36.450S | War operations involving combat using blunt or piercing object, military personnel, sequela |
| Y36.451D | War operations involving combat using blunt or piercing object, civilian, subsequent encounter |
| Y36.451S | War operations involving combat using blunt or piercing object, civilian, sequela |
| Y36.460D | War operations involving intentional restriction of air and airway, military personnel, subsequent encounter |
| Y36.460S | War operations involving intentional restriction of air and airway, military personnel, sequela |
| Y36.461D | War operations involving intentional restriction of air and airway, civilian, subsequent encounter |
| Y36.461S | War operations involving intentional restriction of air and airway, civilian, sequela |
| Y36.470D | War operations involving unintentional restriction of air and airway, military personnel, subsequent encounter |
| Y36.470S | War operations involving unintentional restriction of air and airway, military personnel, sequela |
| Y36.471D | War operations involving unintentional restriction of air and airway, civilian, subsequent encounter |
| Y36.471S | War operations involving unintentional restriction of air and airway, civilian, sequela |
| Y36.490D | War operations involving other forms of conventional warfare, military personnel, subsequent encounter |
| Y36.490S | War operations involving other forms of conventional warfare, military personnel, sequela |
| Y36.491D | War operations involving other forms of conventional warfare, civilian, subsequent encounter |
| Y36.491S | War operations involving other forms of conventional warfare, civilian, sequela |
| Y36.500D | War operations involving unspecified effect of nuclear weapon, military personnel, subsequent encounter |
| Y36.500S | War operations involving unspecified effect of nuclear weapon, military personnel, sequela |
| Y36.501D | War operations involving unspecified effect of nuclear weapon, civilian, subsequent encounter |
| Y36.501S | War operations involving unspecified effect of nuclear weapon, civilian, sequela |
| Y36.510D | War operations involving direct blast effect of nuclear weapon, military personnel, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| Y36.510S | War operations involving direct blast effect of nuclear weapon, military personnel, sequela |
| Y36.511D | War operations involving direct blast effect of nuclear weapon, civilian, subsequent encounter |
| Y36.511S | War operations involving direct blast effect of nuclear weapon, civilian, sequela |
| Y36.520D | War operations involving indirect blast effect of nuclear weapon, military personnel, subsequent encounter |
| Y36.520S | War operations involving indirect blast effect of nuclear weapon, military personnel, sequela |
| Y36.521D | War operations involving indirect blast effect of nuclear weapon, civilian, subsequent encounter |
| Y36.521S | War operations involving indirect blast effect of nuclear weapon, civilian, sequela |
| Y36.530D | War operations involving thermal radiation effect of nuclear weapon, military personnel, subsequent encounter |
| Y36.530S | War operations involving thermal radiation effect of nuclear weapon, military personnel, sequela |
| Y36.531D | War operations involving thermal radiation effect of nuclear weapon, civilian, subsequent encounter |
| Y36.531S | War operations involving thermal radiation effect of nuclear weapon, civilian, sequela |
| Y36.540D | War operation involving nuclear radiation effects of nuclear weapon, military personnel, subsequent encounter |
| Y36.540S | War operation involving nuclear radiation effects of nuclear weapon, military personnel, sequela |
| Y36.541D | War operation involving nuclear radiation effects of nuclear weapon, civilian, subsequent encounter |
| Y36.541S | War operation involving nuclear radiation effects of nuclear weapon, civilian, sequela |
| Y36.590D | War operation involving other effects of nuclear weapons, military personnel, subsequent encounter |
| Y36.590S | War operation involving other effects of nuclear weapons, military personnel, sequela |
| Y36.591D | War operation involving other effects of nuclear weapons, civilian, subsequent encounter |
| Y36.591S | War operation involving other effects of nuclear weapons, civilian, sequela |
| Y36.6X0D | War operations involving biological weapons, military personnel, subsequent encounter |
| Y36.6X0S | War operations involving biological weapons, military personnel, sequela |
| Y36.6X1D | War operations involving biological weapons, civilian, subsequent encounter |
| Y36.6X1S | War operations involving biological weapons, civilian, sequela |
| Y36.7X0D | War operations involving chemical weapons and other forms of unconventional warfare, military personnel, subsequent encounter |
| Y36.7X0S | War operations involving chemical weapons and other forms of unconventional warfare, military personnel, sequela |
| Y36.7X1D | War operations involving chemical weapons and other forms of unconventional warfare, civilian, subsequent encounter |
| Y36.7X1S | War operations involving chemical weapons and other forms of unconventional warfare, civilian, sequela |
| Y36.810D | Explosion of mine placed during war operations but exploding after cessation of hostilities, military personnel, subsequent encounter |
| Y36.810S | Explosion of mine placed during war operations but exploding after cessation of hostilities, military personnel, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| Y36.811D | Explosion of mine placed during war operations but exploding after cessation of hostilities, civilian, subsequent encounter |
| Y36.811S | Explosion of mine placed during war operations but exploding after cessation of hostilities, civilian, sequela |
| Y36.820D | Explosion of bomb placed during war operations but exploding after cessation of hostilities, military personnel, subsequent encounter |
| Y36.820S | Explosion of bomb placed during war operations but exploding after cessation of hostilities, military personnel, sequela |
| Y36.821D | Explosion of bomb placed during war operations but exploding after cessation of hostilities, civilian, subsequent encounter |
| Y36.821S | Explosion of bomb placed during war operations but exploding after cessation of hostilities, civilian, sequela |
| Y36.880D | Other war operations occurring after cessation of hostilities, military personnel, subsequent encounter |
| Y36.880S | Other war operations occurring after cessation of hostilities, military personnel, sequela |
| Y36.881D | Other war operations occurring after cessation of hostilities, civilian, subsequent encounter |
| Y36.881S | Other war operations occurring after cessation of hostilities, civilian, sequela |
| Y36.890D | Unspecified war operations occurring after cessation of hostilities, military personnel, subsequent encounter |
| Y36.890S | Unspecified war operations occurring after cessation of hostilities, military personnel, sequela |
| Y36.891D | Unspecified war operations occurring after cessation of hostilities, civilian, subsequent encounter |
| Y36.891S | Unspecified war operations occurring after cessation of hostilities, civilian, sequela |
| Y36.90XD | War operations, unspecified, subsequent encounter |
| Y36.90XS | War operations, unspecified, sequela |
| Y36.91XD | War operations involving unspecified weapon of mass destruction [WMD], subsequent encounter |
| Y36.91XS | War operations involving unspecified weapon of mass destruction [WMD], sequela |
| Y36.92XD | War operations involving friendly fire, subsequent encounter |
| Y36.92XS | War operations involving friendly fire, sequela |
| Y37.000D | Military operations involving explosion of unspecified marine weapon, military personnel, subsequent encounter |
| Y37.000S | Military operations involving explosion of unspecified marine weapon, military personnel, sequela |
| Y37.001D | Military operations involving explosion of unspecified marine weapon, civilian, subsequent encounter |
| Y37.001S | Military operations involving explosion of unspecified marine weapon, civilian, sequela |
| Y37.010D | Military operations involving explosion of depth-charge, military personnel, subsequent encounter |
| Y37.010S | Military operations involving explosion of depth-charge, military personnel, sequela |
| Y37.011D | Military operations involving explosion of depth-charge, civilian, subsequent encounter |
| Y37.011S | Military operations involving explosion of depth-charge, civilian, sequela |
| Y37.020D | Military operations involving explosion of marine mine, military personnel, subsequent encounter |
| Y37.020S | Military operations involving explosion of marine mine, military personnel, sequela |
| Y37.021D | Military operations involving explosion of marine mine, civilian, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| Y37.021S | Military operations involving explosion of marine mine, civilian, sequela |
| Y37.030D | Military operations involving explosion of sea-based artillery shell, military personnel, subsequent encounter |
| Y37.030S | Military operations involving explosion of sea-based artillery shell, military personnel, sequela |
| Y37.031D | Military operations involving explosion of sea-based artillery shell, civilian, subsequent encounter |
| Y37.031S | Military operations involving explosion of sea-based artillery shell, civilian, sequela |
| Y37.040D | Military operations involving explosion of torpedo, military personnel, subsequent encounter |
| Y37.040S | Military operations involving explosion of torpedo, military personnel, sequela |
| Y37.041D | Military operations involving explosion of torpedo, civilian, subsequent encounter |
| Y37.041S | Military operations involving explosion of torpedo, civilian, sequela |
| Y37.050D | Military operations involving accidental detonation of onboard marine weapons, military personnel, subsequent encounter |
| Y37.050S | Military operations involving accidental detonation of onboard marine weapons, military personnel, sequela |
| Y37.051D | Military operations involving accidental detonation of onboard marine weapons, civilian, subsequent encounter |
| Y37.051S | Military operations involving accidental detonation of onboard marine weapons, civilian, sequela |
| Y37.090D | Military operations involving explosion of other marine weapons, military personnel, subsequent encounter |
| Y37.090S | Military operations involving explosion of other marine weapons, military personnel, sequela |
| Y37.091D | Military operations involving explosion of other marine weapons, civilian, subsequent encounter |
| Y37.091S | Military operations involving explosion of other marine weapons, civilian, sequela |
| Y37.100D | Military operations involving unspecified destruction of aircraft, military personnel, subsequent encounter |
| Y37.100S | Military operations involving unspecified destruction of aircraft, military personnel, sequela |
| Y37.101D | Military operations involving unspecified destruction of aircraft, civilian, subsequent encounter |
| Y37.101S | Military operations involving unspecified destruction of aircraft, civilian, sequela |
| Y37.110D | Military operations involving destruction of aircraft due to enemy fire or explosives, military personnel, subsequent encounter |
| Y37.110S | Military operations involving destruction of aircraft due to enemy fire or explosives, military personnel, sequela |
| Y37.111D | Military operations involving destruction of aircraft due to enemy fire or explosives, civilian, subsequent encounter |
| Y37.111S | Military operations involving destruction of aircraft due to enemy fire or explosives, civilian, sequela |
| Y37.120D | Military operations involving destruction of aircraft due to collision with other aircraft, military personnel, subsequent encounter |
| Y37.120S | Military operations involving destruction of aircraft due to collision with other aircraft, military personnel, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| Y37.121D | Military operations involving destruction of aircraft due to collision with other aircraft, civilian, subsequent encounter |
| Y37.121S | Military operations involving destruction of aircraft due to collision with other aircraft, civilian, sequela |
| Y37.130D | Military operations involving destruction of aircraft due to onboard fire, military personnel, subsequent encounter |
| Y37.130S | Military operations involving destruction of aircraft due to onboard fire, military personnel, sequela |
| Y37.131D | Military operations involving destruction of aircraft due to onboard fire, civilian, subsequent encounter |
| Y37.131S | Military operations involving destruction of aircraft due to onboard fire, civilian, sequela |
| Y37.140D | Military operations involving destruction of aircraft due to accidental detonation of onboard munitions and explosives, military personnel, subsequent encounter |
| Y37.140S | Military operations involving destruction of aircraft due to accidental detonation of onboard munitions and explosives, military personnel, sequela |
| Y37.141D | Military operations involving destruction of aircraft due to accidental detonation of onboard munitions and explosives, civilian, subsequent encounter |
| Y37.141S | Military operations involving destruction of aircraft due to accidental detonation of onboard munitions and explosives, civilian, sequela |
| Y37.190D | Military operations involving other destruction of aircraft, military personnel, subsequent encounter |
| Y37.190S | Military operations involving other destruction of aircraft, military personnel, sequela |
| Y37.191D | Military operations involving other destruction of aircraft, civilian, subsequent encounter |
| Y37.191S | Military operations involving other destruction of aircraft, civilian, sequela |
| Y37.200D | Military operations involving unspecified explosion and fragments, military personnel, subsequent encounter |
| Y37.200S | Military operations involving unspecified explosion and fragments, military personnel, sequela |
| Y37.201D | Military operations involving unspecified explosion and fragments, civilian, subsequent encounter |
| Y37.201S | Military operations involving unspecified explosion and fragments, civilian, sequela |
| Y37.210D | Military operations involving explosion of aerial bomb, military personnel, subsequent encounter |
| Y37.210S | Military operations involving explosion of aerial bomb, military personnel, sequela |
| Y37.211D | Military operations involving explosion of aerial bomb, civilian, subsequent encounter |
| Y37.211S | Military operations involving explosion of aerial bomb, civilian, sequela |
| Y37.220D | Military operations involving explosion of guided missile, military personnel, subsequent encounter |
| Y37.220S | Military operations involving explosion of guided missile, military personnel, sequela |
| Y37.221D | Military operations involving explosion of guided missile, civilian, subsequent encounter |
| Y37.221S | Military operations involving explosion of guided missile, civilian, sequela |
| Y37.230D | Military operations involving explosion of improvised explosive device [IED], military personnel, subsequent encounter |
| Y37.230S | Military operations involving explosion of improvised explosive device [IED], military personnel, sequela |
| Y37.231D | Military operations involving explosion of improvised explosive device [IED], civilian, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| Y37.231S | Military operations involving explosion of improvised explosive device [IED], civilian, sequela |
| Y37.240D | Military operations involving explosion due to accidental detonation and discharge of own munitions or munitions launch device, military personnel, subsequent encounter |
| Y37.240S | Military operations involving explosion due to accidental detonation and discharge of own munitions or munitions launch device, military personnel, sequela |
| Y37.241D | Military operations involving explosion due to accidental detonation and discharge of own munitions or munitions launch device, civilian, subsequent encounter |
| Y37.241S | Military operations involving explosion due to accidental detonation and discharge of own munitions or munitions launch device, civilian, sequela |
| Y37.250D | Military operations involving fragments from munitions, military personnel, subsequent encounter |
| Y37.250S | Military operations involving fragments from munitions, military personnel, sequela |
| Y37.251D | Military operations involving fragments from munitions, civilian, subsequent encounter |
| Y37.251S | Military operations involving fragments from munitions, civilian, sequela |
| Y37.260D | Military operations involving fragments of improvised explosive device [IED], military personnel, subsequent encounter |
| Y37.260S | Military operations involving fragments of improvised explosive device [IED], military personnel, sequela |
| Y37.261D | Military operations involving fragments of improvised explosive device [IED], civilian, subsequent encounter |
| Y37.261S | Military operations involving fragments of improvised explosive device [IED], civilian, sequela |
| Y37.270D | Military operations involving fragments from weapons, military personnel, subsequent encounter |
| Y37.270S | Military operations involving fragments from weapons, military personnel, sequela |
| Y37.271D | Military operations involving fragments from weapons, civilian, subsequent encounter |
| Y37.271S | Military operations involving fragments from weapons, civilian, sequela |
| Y37.290D | Military operations involving other explosions and fragments, military personnel, subsequent encounter |
| Y37.290S | Military operations involving other explosions and fragments, military personnel, sequela |
| Y37.291D | Military operations involving other explosions and fragments, civilian, subsequent encounter |
| Y37.291S | Military operations involving other explosions and fragments, civilian, sequela |
| Y37.300D | Military operations involving unspecified fire, conflagration and hot substance, military personnel, subsequent encounter |
| Y37.300S | Military operations involving unspecified fire, conflagration and hot substance, military personnel, sequela |
| Y37.301D | Military operations involving unspecified fire, conflagration and hot substance, civilian, subsequent encounter |
| Y37.301S | Military operations involving unspecified fire, conflagration and hot substance, civilian, sequela |
| Y37.310D | Military operations involving gasoline bomb, military personnel, subsequent encounter |
| Y37.310S | Military operations involving gasoline bomb, military personnel, sequela |
| Y37.311D | Military operations involving gasoline bomb, civilian, subsequent encounter |
| Y37.311S | Military operations involving gasoline bomb, civilian, sequela |
| Y37.320D | Military operations involving incendiary bullet, military personnel, subsequent encounter |
| Y37.320S | Military operations involving incendiary bullet, military personnel, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| Y37.321D | Military operations involving incendiary bullet, civilian, subsequent encounter |
| Y37.321S | Military operations involving incendiary bullet, civilian, sequela |
| Y37.330D | Military operations involving flamethrower, military personnel, subsequent encounter |
| Y37.330S | Military operations involving flamethrower, military personnel, sequela |
| Y37.331D | Military operations involving flamethrower, civilian, subsequent encounter |
| Y37.331S | Military operations involving flamethrower, civilian, sequela |
| Y37.390D | Military operations involving other fires, conflagrations and hot substances, military personnel, subsequent encounter |
| Y37.390S | Military operations involving other fires, conflagrations and hot substances, military personnel, sequela |
| Y37.391D | Military operations involving other fires, conflagrations and hot substances, civilian, subsequent encounter |
| Y37.391S | Military operations involving other fires, conflagrations and hot substances, civilian, sequela |
| Y37.410D | Military operations involving rubber bullets, military personnel, subsequent encounter |
| Y37.410S | Military operations involving rubber bullets, military personnel, sequela |
| Y37.411D | Military operations involving rubber bullets, civilian, subsequent encounter |
| Y37.411S | Military operations involving rubber bullets, civilian, sequela |
| Y37.420D | Military operations involving firearms pellets, military personnel, subsequent encounter |
| Y37.420S | Military operations involving firearms pellets, military personnel, sequela |
| Y37.421D | Military operations involving firearms pellets, civilian, subsequent encounter |
| Y37.421S | Military operations involving firearms pellets, civilian, sequela |
| Y37.430D | Military operations involving other firearms discharge, military personnel, subsequent encounter |
| Y37.430S | Military operations involving other firearms discharge, military personnel, sequela |
| Y37.431D | Military operations involving other firearms discharge, civilian, subsequent encounter |
| Y37.431S | Military operations involving other firearms discharge, civilian, sequela |
| Y37.440D | Military operations involving unarmed hand to hand combat, military personnel, subsequent encounter |
| Y37.440S | Military operations involving unarmed hand to hand combat, military personnel, sequela |
| Y37.441D | Military operations involving unarmed hand to hand combat, civilian, subsequent encounter |
| Y37.441S | Military operations involving unarmed hand to hand combat, civilian, sequela |
| Y37.450D | Military operations involving combat using blunt or piercing object, military personnel, subsequent encounter |
| Y37.450S | Military operations involving combat using blunt or piercing object, military personnel, sequela |
| Y37.451D | Military operations involving combat using blunt or piercing object, civilian, subsequent encounter |
| Y37.451S | Military operations involving combat using blunt or piercing object, civilian, sequela |
| Y37.460D | Military operations involving intentional restriction of air and airway, military personnel, subsequent encounter |
| Y37.460S | Military operations involving intentional restriction of air and airway, military personnel, sequela |
| Y37.461D | Military operations involving intentional restriction of air and airway, civilian, subsequent encounter |
| Y37.461S | Military operations involving intentional restriction of air and airway, civilian, sequela |

| ICD-10 code | ICD-10 description |
|---|---|
| Y37.470D | Military operations involving unintentional restriction of air and airway, military personnel, subsequent encounter |
| Y37.470S | Military operations involving unintentional restriction of air and airway, military personnel, sequela |
| Y37.471D | Military operations involving unintentional restriction of air and airway, civilian, subsequent encounter |
| Y37.471S | Military operations involving unintentional restriction of air and airway, civilian, sequela |
| Y37.490D | Military operations involving other forms of conventional warfare, military personnel, subsequent encounter |
| Y37.490S | Military operations involving other forms of conventional warfare, military personnel, sequela |
| Y37.491D | Military operations involving other forms of conventional warfare, civilian, subsequent encounter |
| Y37.491S | Military operations involving other forms of conventional warfare, civilian, sequela |
| Y37.500D | Military operations involving unspecified effect of nuclear weapon, military personnel, subsequent encounter |
| Y37.500S | Military operations involving unspecified effect of nuclear weapon, military personnel, sequela |
| Y37.501D | Military operations involving unspecified effect of nuclear weapon, civilian, subsequent encounter |
| Y37.501S | Military operations involving unspecified effect of nuclear weapon, civilian, sequela |
| Y37.510D | Military operations involving direct blast effect of nuclear weapon, military personnel, subsequent encounter |
| Y37.510S | Military operations involving direct blast effect of nuclear weapon, military personnel, sequela |
| Y37.511D | Military operations involving direct blast effect of nuclear weapon, civilian, subsequent encounter |
| Y37.511S | Military operations involving direct blast effect of nuclear weapon, civilian, sequela |
| Y37.520D | Military operations involving indirect blast effect of nuclear weapon, military personnel, subsequent encounter |
| Y37.520S | Military operations involving indirect blast effect of nuclear weapon, military personnel, sequela |
| Y37.521D | Military operations involving indirect blast effect of nuclear weapon, civilian, subsequent encounter |
| Y37.521S | Military operations involving indirect blast effect of nuclear weapon, civilian, sequela |
| Y37.530D | Military operations involving thermal radiation effect of nuclear weapon, military personnel, subsequent encounter |
| Y37.530S | Military operations involving thermal radiation effect of nuclear weapon, military personnel, sequela |
| Y37.531D | Military operations involving thermal radiation effect of nuclear weapon, civilian, subsequent encounter |
| Y37.531S | Military operations involving thermal radiation effect of nuclear weapon, civilian, sequela |
| Y37.540D | Military operation involving nuclear radiation effects of nuclear weapon, military personnel, subsequent encounter |
| Y37.540S | Military operation involving nuclear radiation effects of nuclear weapon, military personnel, sequela |
| Y37.541D | Military operation involving nuclear radiation effects of nuclear weapon, civilian, subsequent encounter |

| ICD-10 code | ICD-10 description |
|---|---|
| Y37.541S | Military operation involving nuclear radiation effects of nuclear weapon, civilian, sequela |
| Y37.590D | Military operation involving other effects of nuclear weapons, military personnel, subsequent encounter |
| Y37.590S | Military operation involving other effects of nuclear weapons, military personnel, sequela |
| Y37.591D | Military operation involving other effects of nuclear weapons, civilian, subsequent encounter |
| Y37.591S | Military operation involving other effects of nuclear weapons, civilian, sequela |
| Y37.6X0D | Military operations involving biological weapons, military personnel, subsequent encounter |
| Y37.6X0S | Military operations involving biological weapons, military personnel, sequela |
| Y37.6X1D | Military operations involving biological weapons, civilian, subsequent encounter |
| Y37.6X1S | Military operations involving biological weapons, civilian, sequela |
| Y37.7X0D | Military operations involving chemical weapons and other forms of unconventional warfare, military personnel, subsequent encounter |
| Y37.7X0S | Military operations involving chemical weapons and other forms of unconventional warfare, military personnel, sequela |
| Y37.7X1D | Military operations involving chemical weapons and other forms of unconventional warfare, civilian, subsequent encounter |
| Y37.7X1S | Military operations involving chemical weapons and other forms of unconventional warfare, civilian, sequela |
| Y37.90XD | Military operations, unspecified, subsequent encounter |
| Y37.90XS | Military operations, unspecified, sequela |
| Y37.91XD | Military operations involving unspecified weapon of mass destruction [WMD], subsequent encounter |
| Y37.91XS | Military operations involving unspecified weapon of mass destruction [WMD], sequela |
| Y37.92XD | Military operations involving friendly fire, subsequent encounter |
| Y37.92XS | Military operations involving friendly fire, sequela |
| Y92.000 | Kitchen of unspecified non-institutional (private) residence as the place of occurrence of the external cause |
| Y92.001 | Dining room of unspecified non-institutional (private) residence as the place of occurrence of the external cause |
| Y92.002 | Bathroom of unspecified non-institutional private) residence single-family (private) house as the place of occurrence of the external cause |
| Y92.003 | Bedroom of unspecified non-institutional (private) residence as the place of occurrence of the external cause |
| Y92.007 | Garden or yard of unspecified non-institutional (private) residence as the place of occurrence of the external cause |
| Y92.008 | Other place in unspecified non-institutional (private) residence as the place of occurrence of the external cause |
| Y92.009 | Unspecified place in unspecified non-institutional (private) residence as the place of occurrence of the external cause |
| Y92.010 | Kitchen of single-family (private) house as the place of occurrence of the external cause |
| Y92.011 | Dining room of single-family (private) house as the place of occurrence of the external cause |
| Y92.012 | Bathroom of single-family (private) house as the place of occurrence of the external cause |
| Y92.013 | Bedroom of single-family (private) house as the place of occurrence of the external cause |

| ICD-10 code | ICD-10 description |
|---|---|
| Y92.014 | Private driveway to single-family (private) house as the place of occurrence of the external cause |
| Y92.015 | Private garage of single-family (private) house as the place of occurrence of the external cause |
| Y92.016 | Swimming-pool in single-family (private) house or garden as the place of occurrence of the external cause |
| Y92.017 | Garden or yard in single-family (private) house as the place of occurrence of the external cause |
| Y92.018 | Other place in single-family (private) house as the place of occurrence of the external cause |
| Y92.019 | Unspecified place in single-family (private) house as the place of occurrence of the external cause |
| Y92.020 | Kitchen in mobile home as the place of occurrence of the external cause |
| Y92.021 | Dining room in mobile home as the place of occurrence of the external cause |
| Y92.022 | Bathroom in mobile home as the place of occurrence of the external cause |
| Y92.023 | Bedroom in mobile home as the place of occurrence of the external cause |
| Y92.024 | Driveway of mobile home as the place of occurrence of the external cause |
| Y92.025 | Garage of mobile home as the place of occurrence of the external cause |
| Y92.026 | Swimming-pool of mobile home as the place of occurrence of the external cause |
| Y92.027 | Garden or yard of mobile home as the place of occurrence of the external cause |
| Y92.028 | Other place in mobile home as the place of occurrence of the external cause |
| Y92.029 | Unspecified place in mobile home as the place of occurrence of the external cause |
| Y92.030 | Kitchen in apartment as the place of occurrence of the external cause |
| Y92.031 | Bathroom in apartment as the place of occurrence of the external cause |
| Y92.032 | Bedroom in apartment as the place of occurrence of the external cause |
| Y92.038 | Other place in apartment as the place of occurrence of the external cause |
| Y92.039 | Unspecified place in apartment as the place of occurrence of the external cause |
| Y92.040 | Kitchen in boarding-house as the place of occurrence of the external cause |
| Y92.041 | Bathroom in boarding-house as the place of occurrence of the external cause |
| Y92.042 | Bedroom in boarding-house as the place of occurrence of the external cause |
| Y92.043 | Driveway of boarding-house as the place of occurrence of the external cause |
| Y92.044 | Garage of boarding-house as the place of occurrence of the external cause |
| Y92.045 | Swimming-pool of boarding-house as the place of occurrence of the external cause |
| Y92.046 | Garden or yard of boarding-house as the place of occurrence of the external cause |
| Y92.048 | Other place in boarding-house as the place of occurrence of the external cause |
| Y92.049 | Unspecified place in boarding-house as the place of occurrence of the external cause |
| Y92.090 | Kitchen in other non-institutional residence as the place of occurrence of the external cause |
| Y92.091 | Bathroom in other non-institutional residence as the place of occurrence of the external cause |
| Y92.092 | Bedroom in other non-institutional residence as the place of occurrence of the external cause |
| Y92.093 | Driveway of other non-institutional residence as the place of occurrence of the external cause |
| Y92.094 | Garage of other non-institutional residence as the place of occurrence of the external cause |

| ICD-10 code | ICD-10 description |
|---|---|
| Y92.095 | Swimming-pool of other non-institutional residence as the place of occurrence of the external cause |
| Y92.096 | Garden or yard of other non-institutional residence as the place of occurrence of the external cause |
| Y92.098 | Other place in other non-institutional residence as the place of occurrence of the external cause |
| Y92.099 | Unspecified place in other non-institutional residence as the place of occurrence of the external cause |
| Y92.10 | Unspecified residential institution as the place of occurrence of the external cause |
| Y92.110 | Kitchen in children's home and orphanage as the place of occurrence of the external cause |
| Y92.111 | Bathroom in children's home and orphanage as the place of occurrence of the external cause |
| Y92.112 | Bedroom in children's home and orphanage as the place of occurrence of the external cause |
| Y92.113 | Driveway of children's home and orphanage as the place of occurrence of the external cause |
| Y92.114 | Garage of children's home and orphanage as the place of occurrence of the external cause |
| Y92.115 | Swimming-pool of children's home and orphanage as the place of occurrence of the external cause |
| Y92.116 | Garden or yard of children's home and orphanage as the place of occurrence of the external cause |
| Y92.118 | Other place in children's home and orphanage as the place of occurrence of the external cause |
| Y92.119 | Unspecified place in children's home and orphanage as the place of occurrence of the external cause |
| Y92.120 | Kitchen in nursing home as the place of occurrence of the external cause |
| Y92.121 | Bathroom in nursing home as the place of occurrence of the external cause |
| Y92.122 | Bedroom in nursing home as the place of occurrence of the external cause |
| Y92.123 | Driveway of nursing home as the place of occurrence of the external cause |
| Y92.124 | Garage of nursing home as the place of occurrence of the external cause |
| Y92.125 | Swimming-pool of nursing home as the place of occurrence of the external cause |
| Y92.126 | Garden or yard of nursing home as the place of occurrence of the external cause |
| Y92.128 | Other place in nursing home as the place of occurrence of the external cause |
| Y92.129 | Unspecified place in nursing home as the place of occurrence of the external cause |
| Y92.130 | Kitchen on military base as the place of occurrence of the external cause |
| Y92.131 | Mess hall on military base as the place of occurrence of the external cause |
| Y92.133 | Barracks on military base as the place of occurrence of the external cause |
| Y92.135 | Garage on military base as the place of occurrence of the external cause |
| Y92.136 | Swimming-pool on military base as the place of occurrence of the external cause |
| Y92.137 | Garden or yard on military base as the place of occurrence of the external cause |
| Y92.138 | Other place on military base as the place of occurrence of the external cause |
| Y92.139 | Unspecified place military base as the place of occurrence of the external cause |
| Y92.140 | Kitchen in prison as the place of occurrence of the external cause |
| Y92.141 | Dining room in prison as the place of occurrence of the external cause |
| Y92.142 | Bathroom in prison as the place of occurrence of the external cause |

| ICD-10 code | ICD-10 description |
|---|---|
| Y92.143 | Cell of prison as the place of occurrence of the external cause |
| Y92.146 | Swimming-pool of prison as the place of occurrence of the external cause |
| Y92.147 | Courtyard of prison as the place of occurrence of the external cause |
| Y92.148 | Other place in prison as the place of occurrence of the external cause |
| Y92.149 | Unspecified place in prison as the place of occurrence of the external cause |
| Y92.150 | Kitchen in reform school as the place of occurrence of the external cause |
| Y92.151 | Dining room in reform school as the place of occurrence of the external cause |
| Y92.152 | Bathroom in reform school as the place of occurrence of the external cause |
| Y92.153 | Bedroom in reform school as the place of occurrence of the external cause |
| Y92.154 | Driveway of reform school as the place of occurrence of the external cause |
| Y92.155 | Garage of reform school as the place of occurrence of the external cause |
| Y92.156 | Swimming-pool of reform school as the place of occurrence of the external cause |
| Y92.157 | Garden or yard of reform school as the place of occurrence of the external cause |
| Y92.158 | Other place in reform school as the place of occurrence of the external cause |
| Y92.159 | Unspecified place in reform school as the place of occurrence of the external cause |
| Y92.160 | Kitchen in school dormitory as the place of occurrence of the external cause |
| Y92.161 | Dining room in school dormitory as the place of occurrence of the external cause |
| Y92.162 | Bathroom in school dormitory as the place of occurrence of the external cause |
| Y92.163 | Bedroom in school dormitory as the place of occurrence of the external cause |
| Y92.168 | Other place in school dormitory as the place of occurrence of the external cause |
| Y92.169 | Unspecified place in school dormitory as the place of occurrence of the external cause |
| Y92.190 | Kitchen in other specified residential institution as the place of occurrence of the external cause |
| Y92.191 | Dining room in other specified residential institution as the place of occurrence of the external cause |
| Y92.192 | Bathroom in other specified residential institution as the place of occurrence of the external cause |
| Y92.193 | Bedroom in other specified residential institution as the place of occurrence of the external cause |
| Y92.194 | Driveway of other specified residential institution as the place of occurrence of the external cause |
| Y92.195 | Garage of other specified residential institution as the place of occurrence of the external cause |
| Y92.196 | Pool of other specified residential institution as the place of occurrence of the external cause |
| Y92.197 | Garden or yard of other specified residential institution as the place of occurrence of the external cause |
| Y92.198 | Other place in other specified residential institution as the place of occurrence of the external cause |
| Y92.199 | Unspecified place in other specified residential institution as the place of occurrence of the external cause |
| Y92.210 | Daycare center as the place of occurrence of the external cause |
| Y92.211 | Elementary school as the place of occurrence of the external cause |
| Y92.212 | Middle school as the place of occurrence of the external cause |
| Y92.213 | High school as the place of occurrence of the external cause |
| Y92.214 | College as the place of occurrence of the external cause |
| Y92.215 | Trade school as the place of occurrence of the external cause |

| ICD-10 code | ICD-10 description |
|---|---|
| Y92.218 | Other school as the place of occurrence of the external cause |
| Y92.219 | Unspecified school as the place of occurrence of the external cause |
| Y92.22 | Religious institution as the place of occurrence of the external cause |
| Y92.230 | Patient room in hospital as the place of occurrence of the external cause |
| Y92.231 | Patient bathroom in hospital as the place of occurrence of the external cause |
| Y92.232 | Corridor of hospital as the place of occurrence of the external cause |
| Y92.233 | Cafeteria of hospital as the place of occurrence of the external cause |
| Y92.234 | Operating room of hospital as the place of occurrence of the external cause |
| Y92.238 | Other place in hospital as the place of occurrence of the external cause |
| Y92.239 | Unspecified place in hospital as the place of occurrence of the external cause |
| Y92.240 | Courthouse as the place of occurrence of the external cause |
| Y92.241 | Library as the place of occurrence of the external cause |
| Y92.242 | Post office as the place of occurrence of the external cause |
| Y92.243 | City hall as the place of occurrence of the external cause |
| Y92.248 | Other public administrative building as the place of occurrence of the external cause |
| Y92.250 | Art Gallery as the place of occurrence of the external cause |
| Y92.251 | Museum as the place of occurrence of the external cause |
| Y92.252 | Music hall as the place of occurrence of the external cause |
| Y92.253 | Opera house as the place of occurrence of the external cause |
| Y92.254 | Theater (live) as the place of occurrence of the external cause |
| Y92.258 | Other cultural public building as the place of occurrence of the external cause |
| Y92.26 | Movie house or cinema as the place of occurrence of the external cause |
| Y92.29 | Other specified public building as the place of occurrence of the external cause |
| Y92.310 | Basketball court as the place of occurrence of the external cause |
| Y92.311 | Squash court as the place of occurrence of the external cause |
| Y92.312 | Tennis court as the place of occurrence of the external cause |
| Y92.318 | Other athletic court as the place of occurrence of the external cause |
| Y92.320 | Baseball field as the place of occurrence of the external cause |
| Y92.321 | Football field as the place of occurrence of the external cause |
| Y92.322 | Soccer field as the place of occurrence of the external cause |
| Y92.328 | Other athletic field as the place of occurrence of the external cause |
| Y92.330 | Ice skating rink (indoor) (outdoor) as the place of occurrence of the external cause |
| Y92.331 | Roller skating rink as the place of occurrence of the external cause |
| Y92.34 | Swimming pool (public) as the place of occurrence of the external cause |
| Y92.39 | Other specified sports and athletic area as the place of occurrence of the external cause |
| Y92.410 | Unspecified street and highway as the place of occurrence of the external cause |
| Y92.411 | Interstate highway as the place of occurrence of the external cause |
| Y92.412 | Parkway as the place of occurrence of the external cause |
| Y92.413 | State road as the place of occurrence of the external cause |
| Y92.414 | Local residential or business street as the place of occurrence of the external cause |
| Y92.415 | Exit ramp or entrance ramp of street or highway as the place of occurrence of the external cause |
| Y92.480 | Sidewalk as the place of occurrence of the external cause |
| Y92.481 | Parking lot as the place of occurrence of the external cause |
| Y92.482 | Bike path as the place of occurrence of the external cause |
| Y92.488 | Other paved roadways as the place of occurrence of the external cause |

| ICD-10 code | ICD-10 description |
|---|---|
| Y92.510 | Bank as the place of occurrence of the external cause |
| Y92.511 | Restaurant or cafÃ© as the place of occurrence of the external cause |
| Y92.512 | Supermarket, store or market as the place of occurrence of the external cause |
| Y92.513 | Shop (commercial) as the place of occurrence of the external cause |
| Y92.520 | Airport as the place of occurrence of the external cause |
| Y92.521 | Bus station as the place of occurrence of the external cause |
| Y92.522 | Railway station as the place of occurrence of the external cause |
| Y92.523 | Highway rest stop as the place of occurrence of the external cause |
| Y92.524 | Gas station as the place of occurrence of the external cause |
| Y92.530 | Ambulatory surgery center as the place of occurrence of the external cause |
| Y92.531 | Health care provider office as the place of occurrence of the external cause |
| Y92.532 | Urgent care center as the place of occurrence of the external cause |
| Y92.538 | Other ambulatory health services establishments as the place of occurrence of the external cause |
| Y92.59 | Other trade areas as the place of occurrence of the external cause |
| Y92.61 | Building [any] under construction as the place of occurrence of the external cause |
| Y92.62 | Dock or shipyard as the place of occurrence of the external cause |
| Y92.63 | Factory as the place of occurrence of the external cause |
| Y92.64 | Mine or pit as the place of occurrence of the external cause |
| Y92.65 | Oil rig as the place of occurrence of the external cause |
| Y92.69 | Other specified industrial and construction area as the place of occurrence of the external cause |
| Y92.71 | Barn as the place of occurrence of the external cause |
| Y92.72 | Chicken coop as the place of occurrence of the external cause |
| Y92.73 | Farm field as the place of occurrence of the external cause |
| Y92.74 | Orchard as the place of occurrence of the external cause |
| Y92.79 | Other farm location as the place of occurrence of the external cause |
| Y92.810 | Car as the place of occurrence of the external cause |
| Y92.811 | Bus as the place of occurrence of the external cause |
| Y92.812 | Truck as the place of occurrence of the external cause |
| Y92.813 | Airplane as the place of occurrence of the external cause |
| Y92.814 | Boat as the place of occurrence of the external cause |
| Y92.815 | Train as the place of occurrence of the external cause |
| Y92.816 | Subway car as the place of occurrence of the external cause |
| Y92.818 | Other transport vehicle as the place of occurrence of the external cause |
| Y92.820 | Desert as the place of occurrence of the external cause |
| Y92.821 | Forest as the place of occurrence of the external cause |
| Y92.828 | Other wilderness area as the place of occurrence of the external cause |
| Y92.830 | Public park as the place of occurrence of the external cause |
| Y92.831 | Amusement park as the place of occurrence of the external cause |
| Y92.832 | Beach as the place of occurrence of the external cause |
| Y92.833 | Campsite as the place of occurrence of the external cause |
| Y92.834 | Zoological garden (Zoo) as the place of occurrence of the external cause |
| Y92.838 | Other recreation area as the place of occurrence of the external cause |
| Y92.84 | Military training ground as the place of occurrence of the external cause |
| Y92.85 | Railroad track as the place of occurrence of the external cause |

| ICD-10 code | ICD-10 description |
|---|---|
| Y92.86 | Slaughter house as the place of occurrence of the external cause |
| Y92.89 | Other specified places as the place of occurrence of the external cause |
| Y92.9 | Unspecified place or not applicable |
| Y93.01 | Activity, walking, marching and hiking |
| Y93.02 | Activity, running |
| Y93.11 | Activity, swimming |
| Y93.12 | Activity, springboard and platform diving |
| Y93.13 | Activity, water polo |
| Y93.14 | Activity, water aerobics and water exercise |
| Y93.15 | Activity, underwater diving and snorkeling |
| Y93.16 | Activity, rowing, canoeing, kayaking, rafting and tubing |
| Y93.17 | Activity, water skiing and wake boarding |
| Y93.18 | Activity, surfing, windsurfing and boogie boarding |
| Y93.19 | Activity, other involving water and watercraft |
| Y93.21 | Activity, ice skating |
| Y93.22 | Activity, ice hockey |
| Y93.23 | Activity, snow (alpine) (downhill) skiing, snow boarding, sledding, tobogganing and snow tubing |
| Y93.24 | Activity, cross country skiing |
| Y93.29 | Activity, other involving ice and snow |
| Y93.31 | Activity, mountain climbing, rock climbing and wall climbing |
| Y93.32 | Activity, rappelling |
| Y93.33 | Activity, BASE jumping |
| Y93.34 | Activity, bungee jumping |
| Y93.35 | Activity, hang gliding |
| Y93.39 | Activity, other involving climbing, rappelling and jumping off |
| Y93.41 | Activity, dancing |
| Y93.42 | Activity, yoga |
| Y93.43 | Activity, gymnastics |
| Y93.44 | Activity, trampolining |
| Y93.45 | Activity, cheerleading |
| Y93.49 | Activity, other involving dancing and other rhythmic movements |
| Y93.51 | Activity, roller skating (inline) and skateboarding |
| Y93.52 | Activity, horseback riding |
| Y93.53 | Activity, golf |
| Y93.54 | Activity, bowling |
| Y93.55 | Activity, bike riding |
| Y93.56 | Activity, jumping rope |
| Y93.57 | Activity, non-running track and field events |
| Y93.59 | Activity, other involving other sports and athletics played individually |
| Y93.61 | Activity, american tackle football |
| Y93.62 | Activity, american flag or touch football |
| Y93.63 | Activity, rugby |
| Y93.64 | Activity, baseball |
| Y93.65 | Activity, lacrosse and field hockey |
| Y93.66 | Activity, soccer |

| ICD-10 code | ICD-10 description |
|---|---|
| Y93.67 | Activity, basketball |
| Y93.68 | Activity, volleyball (beach) (court) |
| Y93.69 | Activity, other involving other sports and athletics played as a team or group |
| Y93.6A | Activity, physical games generally associated with school recess, summer camp and children |
| Y93.71 | Activity, boxing |
| Y93.72 | Activity, wrestling |
| Y93.73 | Activity, racquet and hand sports |
| Y93.74 | Activity, frisbee |
| Y93.75 | Activity, martial arts |
| Y93.79 | Activity, other specified sports and athletics |
| Y93.81 | Activity, refereeing a sports activity |
| Y93.82 | Activity, spectator at an event |
| Y93.83 | Activity, rough housing and horseplay |
| Y93.84 | Activity, sleeping |
| Y93.89 | Activity, other specified |
| Y93.9 | Activity, unspecified |
| Y93.A1 | Activity, exercise machines primarily for cardiorespiratory conditioning |
| Y93.A2 | Activity, calisthenics |
| Y93.A3 | Activity, aerobic and step exercise |
| Y93.A4 | Activity, circuit training |
| Y93.A5 | Activity, obstacle course |
| Y93.A6 | Activity, grass drills |
| Y93.A9 | Activity, other involving cardiorespiratory exercise |
| Y93.B1 | Activity, exercise machines primarily for muscle strengthening |
| Y93.B2 | Activity, push-ups, pull-ups, sit-ups |
| Y93.B3 | Activity, free weights |
| Y93.B4 | Activity, pilates |
| Y93.B9 | Activity, other involving muscle strengthening exercises |
| Y93.C1 | Activity, computer keyboarding |
| Y93.C2 | Activity, hand held interactive electronic device |
| Y93.C9 | Activity, other involving computer technology and electronic devices |
| Y93.D1 | Activity, knitting and crocheting |
| Y93.D2 | Activity, sewing |
| Y93.D3 | Activity, furniture building and finishing |
| Y93.D9 | Activity, other involving arts and handcrafts |
| Y93.E1 | Activity, personal bathing and showering |
| Y93.E2 | Activity, laundry |
| Y93.E3 | Activity, vacuuming |
| Y93.E4 | Activity, ironing |
| Y93.E5 | Activity, floor mopping and cleaning |
| Y93.E6 | Activity, residential relocation |
| Y93.E8 | Activity, other personal hygiene |
| Y93.E9 | Activity, other interior property and clothing maintenance |
| Y93.F1 | Activity, caregiving, bathing |
| Y93.F2 | Activity, caregiving, lifting |

| ICD-10 code | ICD-10 description |
|---|---|
| Y93.F9 | Activity, other caregiving |
| Y93.G1 | Activity, food preparation and clean up |
| Y93.G2 | Activity, grilling and smoking food |
| Y93.G3 | Activity, cooking and baking |
| Y93.G9 | Activity, other involving cooking and grilling |
| Y93.H1 | Activity, digging, shoveling and raking |
| Y93.H2 | Activity, gardening and landscaping |
| Y93.H3 | Activity, building and construction |
| Y93.H9 | Activity, other involving exterior property and land maintenance, building and construction |
| Y93.I1 | Activity, roller coaster riding |
| Y93.I9 | Activity, other involving external motion |
| Y93.J1 | Activity, piano playing |
| Y93.J2 | Activity, drum and other percussion instrument playing |
| Y93.J3 | Activity, string instrument playing |
| Y93.J4 | Activity, winds and brass instrument playing |
| Y93.K1 | Activity, walking an animal |
| Y93.K2 | Activity, milking an animal |
| Y93.K3 | Activity, grooming and shearing an animal |
| Y93.K9 | Activity, other involving animal care |
| Y99.0 | Civilian activity done for income or pay |
| Y99.1 | Military activity |
| Y99.2 | Volunteer activity |
| Y99.8 | Other external cause status |
| Y99.9 | Unspecified external cause status |
| Z00.00 | Encounter for general adult medical examination without abnormal findings |
| Z00.01 | Encounter for general adult medical examination with abnormal findings |
| Z00.110 | Health examination for newborn under 8 days old |
| Z00.111 | Health examination for newborn 8 to 28 days old |
| Z00.121 | Encounter for routine child health examination with abnormal findings |
| Z00.129 | Encounter for routine child health examination without abnormal findings |
| Z00.2 | Encounter for examination for period of rapid growth in childhood |
| Z00.3 | Encounter for examination for adolescent development state |
| Z00.5 | Encounter for examination of potential donor of organ and tissue |
| Z00.6 | Encounter for examination for normal comparison and control in clinical research program |
| Z00.70 | Encounter for examination for period of delayed growth in childhood without abnormal findings |
| Z00.71 | Encounter for examination for period of delayed growth in childhood with abnormal findings |
| Z00.8 | Encounter for other general examination |
| Z01.00 | Encounter for examination of eyes and vision without abnormal findings |
| Z01.01 | Encounter for examination of eyes and vision with abnormal findings |
| Z01.10 | Encounter for examination of ears and hearing without abnormal findings |
| Z01.110 | Encounter for hearing examination following failed hearing screening |
| Z01.118 | Encounter for examination of ears and hearing with other abnormal findings |
| Z01.12 | Encounter for hearing conservation and treatment |

| ICD-10 code | ICD-10 description |
|---|---|
| Z01.20 | Encounter for dental examination and cleaning without abnormal findings |
| Z01.21 | Encounter for dental examination and cleaning with abnormal findings |
| Z01.30 | Encounter for examination of blood pressure without abnormal findings |
| Z01.31 | Encounter for examination of blood pressure with abnormal findings |
| Z01.411 | Encounter for gynecological examination (general) (routine) with abnormal findings |
| Z01.419 | Encounter for gynecological examination (general) (routine) without abnormal findings |
| Z01.42 | Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear |
| Z01.810 | Encounter for preprocedural cardiovascular examination |
| Z01.811 | Encounter for preprocedural respiratory examination |
| Z01.812 | Encounter for preprocedural laboratory examination |
| Z01.818 | Encounter for other preprocedural examination |
| Z01.82 | Encounter for allergy testing |
| Z01.83 | Encounter for blood typing |
| Z01.84 | Encounter for antibody response examination |
| Z01.89 | Encounter for other specified special examinations |
| Z02.0 | Encounter for examination for admission to educational institution |
| Z02.1 | Encounter for pre-employment examination |
| Z02.2 | Encounter for examination for admission to residential institution |
| Z02.3 | Encounter for examination for recruitment to armed forces |
| Z02.4 | Encounter for examination for driving license |
| Z02.5 | Encounter for examination for participation in sport |
| Z02.6 | Encounter for examination for insurance purposes |
| Z02.71 | Encounter for disability determination |
| Z02.79 | Encounter for issue of other medical certificate |
| Z02.81 | Encounter for paternity testing |
| Z02.82 | Encounter for adoption services |
| Z02.83 | Encounter for blood-alcohol and blood-drug test |
| Z02.89 | Encounter for other administrative examinations |
| Z02.9 | Encounter for administrative examinations, unspecified |
| Z03.6 | Encounter for observation for suspected toxic effect from ingested substance ruled out |
| Z03.71 | Encounter for suspected problem with amniotic cavity and membrane ruled out |
| Z03.72 | Encounter for suspected placental problem ruled out |
| Z03.73 | Encounter for suspected fetal anomaly ruled out |
| Z03.74 | Encounter for suspected problem with fetal growth ruled out |
| Z03.75 | Encounter for suspected cervical shortening ruled out |
| Z03.79 | Encounter for other suspected maternal and fetal conditions ruled out |
| Z03.810 | Encounter for observation for suspected exposure to anthrax ruled out |
| Z03.818 | Encounter for observation for suspected exposure to other biological agents ruled out |
| Z03.89 | Encounter for observation for other suspected diseases and conditions ruled out |
| Z08 | Encounter for follow-up examination after completed treatment for malignant neoplasm |
| Z09 | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z11.0 | Encounter for screening for intestinal infectious diseases |
| Z11.1 | Encounter for screening for respiratory tuberculosis |
| Z11.2 | Encounter for screening for other bacterial diseases |

| ICD-10 code | ICD-10 description |
|---|---|
| Z11.3 | Encounter for screening for infections with a predominantly sexual mode of transmission |
| Z11.4 | Encounter for screening for human immunodeficiency virus [HIV] |
| Z11.51 | Encounter for screening for human papillomavirus (HPV) |
| Z11.59 | Encounter for screening for other viral diseases |
| Z11.6 | Encounter for screening for other protozoal diseases and helminthiases |
| Z11.8 | Encounter for screening for other infectious and parasitic diseases |
| Z11.9 | Encounter for screening for infectious and parasitic diseases, unspecified |
| Z12.0 | Encounter for screening for malignant neoplasm of stomach |
| Z12.10 | Encounter for screening for malignant neoplasm of intestinal tract, unspecified |
| Z12.11 | Encounter for screening for malignant neoplasm of colon |
| Z12.12 | Encounter for screening for malignant neoplasm of rectum |
| Z12.13 | Encounter for screening for malignant neoplasm of small intestine |
| Z12.2 | Encounter for screening for malignant neoplasm of respiratory organs |
| Z12.31 | Encounter for screening mammogram for malignant neoplasm of breast |
| Z12.39 | Encounter for other screening for malignant neoplasm of breast |
| Z12.4 | Encounter for screening for malignant neoplasm of cervix |
| Z12.5 | Encounter for screening for malignant neoplasm of prostate |
| Z12.6 | Encounter for screening for malignant neoplasm of bladder |
| Z12.71 | Encounter for screening for malignant neoplasm of testis |
| Z12.72 | Encounter for screening for malignant neoplasm of vagina |
| Z12.73 | Encounter for screening for malignant neoplasm of ovary |
| Z12.79 | Encounter for screening for malignant neoplasm of other genitourinary organs |
| Z12.81 | Encounter for screening for malignant neoplasm of oral cavity |
| Z12.82 | Encounter for screening for malignant neoplasm of nervous system |
| Z12.83 | Encounter for screening for malignant neoplasm of skin |
| Z12.89 | Encounter for screening for malignant neoplasm of other sites |
| Z12.9 | Encounter for screening for malignant neoplasm, site unspecified |
| Z13.0 | Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z13.1 | Encounter for screening for diabetes mellitus |
| Z13.21 | Encounter for screening for nutritional disorder |
| Z13.220 | Encounter for screening for lipoid disorders |
| Z13.228 | Encounter for screening for other metabolic disorders |
| Z13.29 | Encounter for screening for other suspected endocrine disorder |
| Z13.4 | Encounter for screening for certain developmental disorders in childhood |
| Z13.5 | Encounter for screening for eye and ear disorders |
| Z13.6 | Encounter for screening for cardiovascular disorders |
| Z13.71 | Encounter for nonprocreative screening for genetic disease carrier status |
| Z13.79 | Encounter for other screening for genetic and chromosomal anomalies |
| Z13.810 | Encounter for screening for upper gastrointestinal disorder |
| Z13.811 | Encounter for screening for lower gastrointestinal disorder |
| Z13.818 | Encounter for screening for other digestive system disorders |
| Z13.820 | Encounter for screening for osteoporosis |
| Z13.828 | Encounter for screening for other musculoskeletal disorder |
| Z13.83 | Encounter for screening for respiratory disorder NEC |
| Z13.84 | Encounter for screening for dental disorders |

| ICD-10 code | ICD-10 description |
|---|---|
| Z13.850 | Encounter for screening for traumatic brain injury |
| Z13.858 | Encounter for screening for other nervous system disorders |
| Z13.88 | Encounter for screening for disorder due to exposure to contaminants |
| Z13.89 | Encounter for screening for other disorder |
| Z13.9 | Encounter for screening, unspecified |
| Z14.01 | Asymptomatic hemophilia A carrier |
| Z14.02 | Symptomatic hemophilia A carrier |
| Z14.1 | Cystic fibrosis carrier |
| Z14.8 | Genetic carrier of other disease |
| Z15.01 | Genetic susceptibility to malignant neoplasm of breast |
| Z15.02 | Genetic susceptibility to malignant neoplasm of ovary |
| Z15.03 | Genetic susceptibility to malignant neoplasm of prostate |
| Z15.04 | Genetic susceptibility to malignant neoplasm of endometrium |
| Z15.09 | Genetic susceptibility to other malignant neoplasm |
| Z15.81 | Genetic susceptibility to multiple endocrine neoplasia [MEN] |
| Z15.89 | Genetic susceptibility to other disease |
| Z17.0 | Estrogen receptor positive status [ER+] |
| Z17.1 | Estrogen receptor negative status [ER-] |
| Z18.01 | Retained depleted uranium fragments |
| Z18.09 | Other retained radioactive fragments |
| Z18.10 | Retained metal fragments, unspecified |
| Z18.11 | Retained magnetic metal fragments |
| Z18.12 | Retained nonmagnetic metal fragments |
| Z18.2 | Retained plastic fragments |
| Z18.31 | Retained animal quills or spines |
| Z18.32 | Retained tooth |
| Z18.33 | Retained wood fragments |
| Z18.39 | Other retained organic fragments |
| Z18.81 | Retained glass fragments |
| Z18.83 | Retained stone or crystalline fragments |
| Z18.89 | Other specified retained foreign body fragments |
| Z18.9 | Retained foreign body fragments, unspecified material |
| Z22.0 | Carrier of typhoid |
| Z22.1 | Carrier of other intestinal infectious diseases |
| Z22.2 | Carrier of diphtheria |
| Z22.31 | Carrier of bacterial disease due to meningococci |
| Z22.321 | Carrier or suspected carrier of Methicillin susceptible Staphylococcus aureus |
| Z22.322 | Carrier or suspected carrier of Methicillin resistant Staphylococcus aureus |
| Z22.330 | Carrier of Group B streptococcus |
| Z22.338 | Carrier of other streptococcus |
| Z22.39 | Carrier of other specified bacterial diseases |
| Z22.4 | Carrier of infections with a predominantly sexual mode of transmission |
| Z22.50 | Carrier of unspecified viral hepatitis |
| Z22.51 | Carrier of viral hepatitis B |
| Z22.52 | Carrier of viral hepatitis C |
| Z22.59 | Carrier of other viral hepatitis |

| ICD-10 code | ICD-10 description |
|---|---|
| Z22.6 | Carrier of human T-lymphotropic virus type-1 [HTLV-1] infection |
| Z22.8 | Carrier of other infectious diseases |
| Z22.9 | Carrier of infectious disease, unspecified |
| Z23 | Encounter for immunization |
| Z28.01 | Immunization not carried out because of acute illness of patient |
| Z28.02 | Immunization not carried out because of chronic illness or condition of patient |
| Z28.03 | Immunization not carried out because of immune compromised state of patient |
| Z28.04 | Immunization not carried out because of patient allergy to vaccine or component |
| Z28.09 | Immunization not carried out because of other contraindication |
| Z28.1 | Immunization not carried out because of patient decision for reasons of belief or group pressure |
| Z28.20 | Immunization not carried out because of patient decision for unspecified reason |
| Z28.21 | Immunization not carried out because of patient refusal |
| Z28.29 | Immunization not carried out because of patient decision for other reason |
| Z28.3 | Underimmunization status |
| Z28.81 | Immunization not carried out due to patient having had the disease |
| Z28.82 | Immunization not carried out because of caregiver refusal |
| Z28.89 | Immunization not carried out for other reason |
| Z28.9 | Immunization not carried out for unspecified reason |
| Z30.011 | Encounter for initial prescription of contraceptive pills |
| Z30.012 | Encounter for prescription of emergency contraception |
| Z30.013 | Encounter for initial prescription of injectable contraceptive |
| Z30.014 | Encounter for initial prescription of intrauterine contraceptive device |
| Z30.018 | Encounter for initial prescription of other contraceptives |
| Z30.019 | Encounter for initial prescription of contraceptives, unspecified |
| Z30.02 | Counseling and instruction in natural family planning to avoid pregnancy |
| Z30.09 | Encounter for other general counseling and advice on contraception |
| Z30.2 | Encounter for sterilization |
| Z30.40 | Encounter for surveillance of contraceptives, unspecified |
| Z30.41 | Encounter for surveillance of contraceptive pills |
| Z30.42 | Encounter for surveillance of injectable contraceptive |
| Z30.430 | Encounter for insertion of intrauterine contraceptive device |
| Z30.431 | Encounter for routine checking of intrauterine contraceptive device |
| Z30.432 | Encounter for removal of intrauterine contraceptive device |
| Z30.433 | Encounter for removal and reinsertion of intrauterine contraceptive device |
| Z30.49 | Encounter for surveillance of other contraceptives |
| Z30.8 | Encounter for other contraceptive management |
| Z30.9 | Encounter for contraceptive management, unspecified |
| Z31.0 | Encounter for reversal of previous sterilization |
| Z31.41 | Encounter for fertility testing |
| Z31.42 | Aftercare following sterilization reversal |
| Z31.430 | Encounter of female for testing for genetic disease carrier status for procreative management |
| Z31.438 | Encounter for other genetic testing of female for procreative management |
| Z31.440 | Encounter of male for testing for genetic disease carrier status for procreative management |

| ICD-10 code | ICD-10 description |
|---|---|
| Z31.441 | Encounter for testing of male partner of patient with recurrent pregnancy loss |
| Z31.448 | Encounter for other genetic testing of male for procreative management |
| Z31.49 | Encounter for other procreative investigation and testing |
| Z31.5 | Encounter for genetic counseling |
| Z31.61 | Procreative counseling and advice using natural family planning |
| Z31.62 | Encounter for fertility preservation counseling |
| Z31.69 | Encounter for other general counseling and advice on procreation |
| Z31.81 | Encounter for male factor infertility in female patient |
| Z31.82 | Encounter for Rh incompatibility status |
| Z31.83 | Encounter for assisted reproductive fertility procedure cycle |
| Z31.84 | Encounter for fertility preservation procedure |
| Z31.89 | Encounter for other procreative management |
| Z31.9 | Encounter for procreative management, unspecified |
| Z34.00 | Encounter for supervision of normal first pregnancy, unspecified trimester |
| Z34.01 | Encounter for supervision of normal first pregnancy, first trimester |
| Z34.02 | Encounter for supervision of normal first pregnancy, second trimester |
| Z34.03 | Encounter for supervision of normal first pregnancy, third trimester |
| Z34.80 | Encounter for supervision of other normal pregnancy, unspecified trimester |
| Z34.81 | Encounter for supervision of other normal pregnancy, first trimester |
| Z34.82 | Encounter for supervision of other normal pregnancy, second trimester |
| Z34.83 | Encounter for supervision of other normal pregnancy, third trimester |
| Z34.90 | Encounter for supervision of normal pregnancy, unspecified, unspecified trimester |
| Z34.91 | Encounter for supervision of normal pregnancy, unspecified, first trimester |
| Z34.92 | Encounter for supervision of normal pregnancy, unspecified, second trimester |
| Z34.93 | Encounter for supervision of normal pregnancy, unspecified, third trimester |
| Z36 | Encounter for antenatal screening of mother |
| Z37.0 | Single live birth |
| Z37.1 | Single stillbirth |
| Z37.2 | Twins, both liveborn |
| Z37.3 | Twins, one liveborn and one stillborn |
| Z37.4 | Twins, both stillborn |
| Z37.50 | Multiple births, unspecified, all liveborn |
| Z37.51 | Triplets, all liveborn |
| Z37.52 | Quadruplets, all liveborn |
| Z37.53 | Quintuplets, all liveborn |
| Z37.54 | Sextuplets, all liveborn |
| Z37.59 | Other multiple births, all liveborn |
| Z37.60 | Multiple births, unspecified, some liveborn |
| Z37.61 | Triplets, some liveborn |
| Z37.62 | Quadruplets, some liveborn |
| Z37.63 | Quintuplets, some liveborn |
| Z37.64 | Sextuplets, some liveborn |
| Z37.69 | Other multiple births, some liveborn |
| Z37.7 | Other multiple births, all stillborn |
| Z37.9 | Outcome of delivery, unspecified |
| Z38.00 | Single liveborn infant, delivered vaginally |

| ICD-10 code | ICD-10 description |
|---|---|
| Z38.01 | Single liveborn infant, delivered by cesarean |
| Z38.1 | Single liveborn infant, born outside hospital |
| Z38.2 | Single liveborn infant, unspecified as to place of birth |
| Z38.30 | Twin liveborn infant, delivered vaginally |
| Z38.31 | Twin liveborn infant, delivered by cesarean |
| Z38.4 | Twin liveborn infant, born outside hospital |
| Z38.5 | Twin liveborn infant, unspecified as to place of birth |
| Z38.61 | Triplet liveborn infant, delivered vaginally |
| Z38.62 | Triplet liveborn infant, delivered by cesarean |
| Z38.63 | Quadruplet liveborn infant, delivered vaginally |
| Z38.64 | Quadruplet liveborn infant, delivered by cesarean |
| Z38.65 | Quintuplet liveborn infant, delivered vaginally |
| Z38.66 | Quintuplet liveborn infant, delivered by cesarean |
| Z38.68 | Other multiple liveborn infant, delivered vaginally |
| Z38.69 | Other multiple liveborn infant, delivered by cesarean |
| Z38.7 | Other multiple liveborn infant, born outside hospital |
| Z38.8 | Other multiple liveborn infant, unspecified as to place of birth |
| Z39.0 | Encounter for care and examination of mother immediately after delivery |
| Z39.1 | Encounter for care and examination of lactating mother |
| Z39.2 | Encounter for routine postpartum follow-up |
| Z41.1 | Encounter for cosmetic surgery |
| Z41.2 | Encounter for routine and ritual male circumcision |
| Z41.3 | Encounter for ear piercing |
| Z41.8 | Encounter for other procedures for purposes other than remedying health state |
| Z41.9 | Encounter for procedure for purposes other than remedying health state, unspecified |
| Z42.1 | Encounter for breast reconstruction following mastectomy |
| Z42.8 | Encounter for other plastic and reconstructive surgery following medical procedure or healed injury |
| Z43.0 | Encounter for attention to tracheostomy |
| Z43.1 | Encounter for attention to gastrostomy |
| Z43.2 | Encounter for attention to ileostomy |
| Z43.3 | Encounter for attention to colostomy |
| Z43.4 | Encounter for attention to other artificial openings of digestive tract |
| Z43.5 | Encounter for attention to cystostomy |
| Z43.6 | Encounter for attention to other artificial openings of urinary tract |
| Z43.7 | Encounter for attention to artificial vagina |
| Z43.8 | Encounter for attention to other artificial openings |
| Z43.9 | Encounter for attention to unspecified artificial opening |
| Z44.001 | Encounter for fitting and adjustment of unspecified right artificial arm |
| Z44.002 | Encounter for fitting and adjustment of unspecified left artificial arm |
| Z44.009 | Encounter for fitting and adjustment of unspecified artificial arm, unspecified arm |
| Z44.011 | Encounter for fitting and adjustment of complete right artificial arm |
| Z44.012 | Encounter for fitting and adjustment of complete left artificial arm |
| Z44.019 | Encounter for fitting and adjustment of complete artificial arm, unspecified arm |
| Z44.021 | Encounter for fitting and adjustment of partial artificial right arm |
| Z44.022 | Encounter for fitting and adjustment of partial artificial left arm |

| ICD-10 code | ICD-10 description |
|---|---|
| Z44.029 | Encounter for fitting and adjustment of partial artificial arm, unspecified arm |
| Z44.101 | Encounter for fitting and adjustment of unspecified right artificial leg |
| Z44.102 | Encounter for fitting and adjustment of unspecified left artificial leg |
| Z44.109 | Encounter for fitting and adjustment of unspecified artificial leg, unspecified leg |
| Z44.111 | Encounter for fitting and adjustment of complete right artificial leg |
| Z44.112 | Encounter for fitting and adjustment of complete left artificial leg |
| Z44.119 | Encounter for fitting and adjustment of complete artificial leg, unspecified leg |
| Z44.121 | Encounter for fitting and adjustment of partial artificial right leg |
| Z44.122 | Encounter for fitting and adjustment of partial artificial left leg |
| Z44.129 | Encounter for fitting and adjustment of partial artificial leg, unspecified leg |
| Z44.20 | Encounter for fitting and adjustment of artificial eye, unspecified |
| Z44.21 | Encounter for fitting and adjustment of artificial right eye |
| Z44.22 | Encounter for fitting and adjustment of artificial left eye |
| Z44.30 | Encounter for fitting and adjustment of external breast prosthesis, unspecified breast |
| Z44.31 | Encounter for fitting and adjustment of external right breast prosthesis |
| Z44.32 | Encounter for fitting and adjustment of external left breast prosthesis |
| Z44.8 | Encounter for fitting and adjustment of other external prosthetic devices |
| Z44.9 | Encounter for fitting and adjustment of unspecified external prosthetic device |
| Z45.010 | Encounter for checking and testing of cardiac pacemaker pulse generator [battery] |
| Z45.018 | Encounter for adjustment and management of other part of cardiac pacemaker |
| Z45.02 | Encounter for adjustment and management of automatic implantable cardiac defibrillator |
| Z45.09 | Encounter for adjustment and management of other cardiac device |
| Z45.1 | Encounter for adjustment and management of infusion pump |
| Z45.2 | Encounter for adjustment and management of vascular access device |
| Z45.31 | Encounter for adjustment and management of implanted visual substitution device |
| Z45.320 | Encounter for adjustment and management of bone conduction device |
| Z45.321 | Encounter for adjustment and management of cochlear device |
| Z45.328 | Encounter for adjustment and management of other implanted hearing device |
| Z45.41 | Encounter for adjustment and management of cerebrospinal fluid drainage device |
| Z45.42 | Encounter for adjustment and management of neuropacemaker (brain) (peripheral nerve) (spinal cord) |
| Z45.49 | Encounter for adjustment and management of other implanted nervous system device |
| Z45.811 | Encounter for adjustment or removal of right breast implant |
| Z45.812 | Encounter for adjustment or removal of left breast implant |
| Z45.819 | Encounter for adjustment or removal of unspecified breast implant |
| Z45.82 | Encounter for adjustment or removal of myringotomy device (stent) (tube) |
| Z45.89 | Encounter for adjustment and management of other implanted devices |
| Z45.9 | Encounter for adjustment and management of unspecified implanted device |
| Z46.0 | Encounter for fitting and adjustment of spectacles and contact lenses |
| Z46.1 | Encounter for fitting and adjustment of hearing aid |
| Z46.2 | Encounter for fitting and adjustment of other devices related to nervous system and special senses |
| Z46.3 | Encounter for fitting and adjustment of dental prosthetic device |
| Z46.4 | Encounter for fitting and adjustment of orthodontic device |
| Z46.51 | Encounter for fitting and adjustment of gastric lap band |
| Z46.59 | Encounter for fitting and adjustment of other gastrointestinal appliance and device |

| ICD-10 code | ICD-10 description |
|---|---|
| Z46.6 | Encounter for fitting and adjustment of urinary device |
| Z46.81 | Encounter for fitting and adjustment of insulin pump |
| Z46.82 | Encounter for fitting and adjustment of non-vascular catheter |
| Z46.89 | Encounter for fitting and adjustment of other specified devices |
| Z46.9 | Encounter for fitting and adjustment of unspecified device |
| Z47.81 | Encounter for orthopedic aftercare following surgical amputation |
| Z47.82 | Encounter for orthopedic aftercare following scoliosis surgery |
| Z47.89 | Encounter for other orthopedic aftercare |
| Z49.01 | Encounter for fitting and adjustment of extracorporeal dialysis catheter |
| Z49.02 | Encounter for fitting and adjustment of peritoneal dialysis catheter |
| Z49.31 | Encounter for adequacy testing for hemodialysis |
| Z49.32 | Encounter for adequacy testing for peritoneal dialysis |
| Z51.0 | Encounter for antineoplastic radiation therapy |
| Z51.11 | Encounter for antineoplastic chemotherapy |
| Z51.12 | Encounter for antineoplastic immunotherapy |
| Z51.5 | Encounter for palliative care |
| Z51.81 | Encounter for therapeutic drug level monitoring |
| Z51.89 | Encounter for other specified aftercare |
| Z52.000 | Unspecified donor, whole blood |
| Z52.001 | Unspecified donor, stem cells |
| Z52.008 | Unspecified donor, other blood |
| Z52.010 | Autologous donor, whole blood |
| Z52.011 | Autologous donor, stem cells |
| Z52.018 | Autologous donor, other blood |
| Z52.090 | Other blood donor, whole blood |
| Z52.091 | Other blood donor, stem cells |
| Z52.098 | Other blood donor, other blood |
| Z52.10 | Skin donor, unspecified |
| Z52.11 | Skin donor, autologous |
| Z52.19 | Skin donor, other |
| Z52.20 | Bone donor, unspecified |
| Z52.21 | Bone donor, autologous |
| Z52.29 | Bone donor, other |
| Z52.3 | Bone marrow donor |
| Z52.4 | Kidney donor |
| Z52.5 | Cornea donor |
| Z52.6 | Liver donor |
| Z52.810 | Egg (Oocyte) donor under age 35, anonymous recipient |
| Z52.811 | Egg (Oocyte) donor under age 35, designated recipient |
| Z52.812 | Egg (Oocyte) donor age 35 and over, anonymous recipient |
| Z52.813 | Egg (Oocyte) donor age 35 and over, designated recipient |
| Z52.819 | Egg (Oocyte) donor, unspecified |
| Z52.89 | Donor of other specified organs or tissues |
| Z52.9 | Donor of unspecified organ or tissue |
| Z59.0 | Homelessness |
| Z59.1 | Inadequate housing |

| ICD-10 code | ICD-10 description |
|---|---|
| Z59.2 | Discord with neighbors, lodgers and landlord |
| Z59.3 | Problems related to living in residential institution |
| Z59.4 | Lack of adequate food and safe drinking water |
| Z59.5 | Extreme poverty |
| Z59.6 | Low income |
| Z59.7 | Insufficient social insurance and welfare support |
| Z59.8 | Other problems related to housing and economic circumstances |
| Z59.9 | Problem related to housing and economic circumstances, unspecified |
| Z63.0 | Problems in relationship with spouse or partner |
| Z63.1 | Problems in relationship with in-laws |
| Z63.31 | Absence of family member due to military deployment |
| Z63.32 | Other absence of family member |
| Z63.4 | Disappearance and death of family member |
| Z63.5 | Disruption of family by separation and divorce |
| Z63.6 | Dependent relative needing care at home |
| Z63.71 | Stress on family due to return of family member from military deployment |
| Z63.72 | Alcoholism and drug addiction in family |
| Z63.79 | Other stressful life events affecting family and household |
| Z63.8 | Other specified problems related to primary support group |
| Z63.9 | Problem related to primary support group, unspecified |
| Z65.0 | Conviction in civil and criminal proceedings without imprisonment |
| Z65.1 | Imprisonment and other incarceration |
| Z65.2 | Problems related to release from prison |
| Z65.3 | Problems related to other legal circumstances |
| Z65.4 | Victim of crime and terrorism |
| Z65.5 | Exposure to disaster, war and other hostilities |
| Z65.8 | Other specified problems related to psychosocial circumstances |
| Z65.9 | Problem related to unspecified psychosocial circumstances |
| Z67.10 | Type A blood, Rh positive |
| Z67.11 | Type A blood, Rh negative |
| Z67.20 | Type B blood, Rh positive |
| Z67.21 | Type B blood, Rh negative |
| Z67.30 | Type AB blood, Rh positive |
| Z67.31 | Type AB blood, Rh negative |
| Z67.40 | Type O blood, Rh positive |
| Z67.41 | Type O blood, Rh negative |
| Z67.90 | Unspecified blood type, Rh positive |
| Z67.91 | Unspecified blood type, Rh negative |
| Z68.1 | Body mass index (BMI) 19 or less, adult |
| Z68.20 | Body mass index (BMI) 20.0-20.9, adult |
| Z68.21 | Body mass index (BMI) 21.0-21.9, adult |
| Z68.22 | Body mass index (BMI) 22.0-22.9, adult |
| Z68.23 | Body mass index (BMI) 23.0-23.9, adult |
| Z68.24 | Body mass index (BMI) 24.0-24.9, adult |
| Z68.25 | Body mass index (BMI) 25.0-25.9, adult |
| Z68.26 | Body mass index (BMI) 26.0-26.9, adult |

| ICD-10 code | ICD-10 description |
|---|---|
| Z68.27 | Body mass index (BMI) 27.0-27.9, adult |
| Z68.28 | Body mass index (BMI) 28.0-28.9, adult |
| Z68.29 | Body mass index (BMI) 29.0-29.9, adult |
| Z68.30 | Body mass index (BMI) 30.0-30.9, adult |
| Z68.31 | Body mass index (BMI) 31.0-31.9, adult |
| Z68.32 | Body mass index (BMI) 32.0-32.9, adult |
| Z68.33 | Body mass index (BMI) 33.0-33.9, adult |
| Z68.34 | Body mass index (BMI) 34.0-34.9, adult |
| Z68.35 | Body mass index (BMI) 35.0-35.9, adult |
| Z68.36 | Body mass index (BMI) 36.0-36.9, adult |
| Z68.37 | Body mass index (BMI) 37.0-37.9, adult |
| Z68.38 | Body mass index (BMI) 38.0-38.9, adult |
| Z68.39 | Body mass index (BMI) 39.0-39.9, adult |
| Z68.41 | Body mass index (BMI) 40.0-44.9, adult |
| Z68.42 | Body mass index (BMI) 45.0-49.9, adult |
| Z68.43 | Body mass index (BMI) 50-59.9 , adult |
| Z68.44 | Body mass index (BMI) 60.0-69.9, adult |
| Z68.45 | Body mass index (BMI) 70 or greater, adult |
| Z68.51 | Body mass index (BMI) pediatric, less than 5th percentile for age |
| Z68.52 | Body mass index (BMI) pediatric, 5th percentile to less than 85th percentile for age |
| Z68.53 | Body mass index (BMI) pediatric, 85th percentile to less than 95th percentile for age |
| Z68.54 | Body mass index (BMI) pediatric, greater than or equal to 95th percentile for age |
| Z72.0 | Tobacco use |
| Z72.3 | Lack of physical exercise |
| Z72.4 | Inappropriate diet and eating habits |
| Z72.51 | High risk heterosexual behavior |
| Z72.52 | High risk homosexual behavior |
| Z72.53 | High risk bisexual behavior |
| Z72.6 | Gambling and betting |
| Z72.810 | Child and adolescent antisocial behavior |
| Z72.811 | Adult antisocial behavior |
| Z72.820 | Sleep deprivation |
| Z72.821 | Inadequate sleep hygiene |
| Z72.89 | Other problems related to lifestyle |
| Z72.9 | Problem related to lifestyle, unspecified |
| Z74.01 | Bed confinement status |
| Z76.0 | Encounter for issue of repeat prescription |
| Z76.1 | Encounter for health supervision and care of foundling |
| Z76.2 | Encounter for health supervision and care of other healthy infant and child |
| Z76.3 | Healthy person accompanying sick person |
| Z76.4 | Other boarder to healthcare facility |
| Z76.5 | Malingerer [conscious simulation] |
| Z76.81 | Expectant parent(s) prebirth pediatrician visit |
| Z76.82 | Awaiting organ transplant status |
| Z76.89 | Persons encountering health services in other specified circumstances |
| Z77.110 | Contact with and (suspected) exposure to air pollution |

| ICD-10 code | ICD-10 description |
|---|---|
| Z77.111 | Contact with and (suspected) exposure to water pollution |
| Z77.112 | Contact with and (suspected) exposure to soil pollution |
| Z77.118 | Contact with and (suspected) exposure to other environmental pollution |
| Z77.120 | Contact with and (suspected) exposure to mold (toxic) |
| Z77.121 | Contact with and (suspected) exposure to harmful algae and algae toxins |
| Z77.122 | Contact with and (suspected) exposure to noise |
| Z77.123 | Contact with and (suspected) exposure to radon and other naturally occuring radiation |
| Z77.128 | Contact with and (suspected) exposure to other hazards in the physical environment |
| Z78.0 | Asymptomatic menopausal state |
| Z78.1 | Physical restraint status |
| Z78.9 | Other specified health status |
| Z79.01 | Long term (current) use of anticoagulants |
| Z79.02 | Long term (current) use of antithrombotics/antiplatelets |
| Z79.1 | Long term (current) use of non-steroidal anti-inflammatories (NSAID) |
| Z79.2 | Long term (current) use of antibiotics |
| Z79.3 | Long term (current) use of hormonal contraceptives |
| Z79.4 | Long term (current) use of insulin |
| Z79.51 | Long term (current) use of inhaled steroids |
| Z79.52 | Long term (current) use of systemic steroids |
| Z79.810 | Long term (current) use of selective estrogen receptor modulators (SERMs) |
| Z79.811 | Long term (current) use of aromatase inhibitors |
| Z79.818 | Long term (current) use of other agents affecting estrogen receptors and estrogen levels |
| Z79.82 | Long term (current) use of aspirin |
| Z79.83 | Long term (current) use of bisphosphonates |
| Z79.890 | Hormone replacement therapy (postmenopausal) |
| Z79.891 | Long term (current) use of opiate analgesic |
| Z79.899 | Other long term (current) drug therapy |
| Z80.0 | Family history of malignant neoplasm of digestive organs |
| Z80.1 | Family history of malignant neoplasm of trachea, bronchus and lung |
| Z80.2 | Family history of malignant neoplasm of other respiratory and intrathoracic organs |
| Z80.3 | Family history of malignant neoplasm of breast |
| Z80.41 | Family history of malignant neoplasm of ovary |
| Z80.42 | Family history of malignant neoplasm of prostate |
| Z80.43 | Family history of malignant neoplasm of testis |
| Z80.49 | Family history of malignant neoplasm of other genital organs |
| Z80.51 | Family history of malignant neoplasm of kidney |
| Z80.52 | Family history of malignant neoplasm of bladder |
| Z80.59 | Family history of malignant neoplasm of other urinary tract organ |
| Z80.6 | Family history of leukemia |
| Z80.7 | Family history of other malignant neoplasms of lymphoid, hematopoietic and related tissues |
| Z80.8 | Family history of malignant neoplasm of other organs or systems |
| Z80.9 | Family history of malignant neoplasm, unspecified |
| Z81.0 | Family history of intellectual disabilities |
| Z81.1 | Family history of alcohol abuse and dependence |
| Z81.2 | Family history of tobacco abuse and dependence |

| ICD-10 code | ICD-10 description |
|---|---|
| Z81.3 | Family history of other psychoactive substance abuse and dependence |
| Z81.4 | Family history of other substance abuse and dependence |
| Z81.8 | Family history of other mental and behavioral disorders |
| Z82.0 | Family history of epilepsy and other diseases of the nervous system |
| Z82.1 | Family history of blindness and visual loss |
| Z82.2 | Family history of deafness and hearing loss |
| Z82.3 | Family history of stroke |
| Z82.41 | Family history of sudden cardiac death |
| Z82.49 | Family history of ischemic heart disease and other diseases of the circulatory system |
| Z82.5 | Family history of asthma and other chronic lower respiratory diseases |
| Z82.61 | Family history of arthritis |
| Z82.62 | Family history of osteoporosis |
| Z82.69 | Family history of other diseases of the musculoskeletal system and connective tissue |
| Z82.71 | Family history of polycystic kidney |
| Z82.79 | Family history of other congenital malformations, deformations and chromosomal abnormalities |
| Z82.8 | Family history of other disabilities and chronic diseases leading to disablement, not elsewhere classified |
| Z83.0 | Family history of human immunodeficiency virus [HIV] disease |
| Z83.1 | Family history of other infectious and parasitic diseases |
| Z83.2 | Family history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z83.3 | Family history of diabetes mellitus |
| Z83.41 | Family history of multiple endocrine neoplasia [MEN] syndrome |
| Z83.49 | Family history of other endocrine, nutritional and metabolic diseases |
| Z83.511 | Family history of glaucoma |
| Z83.518 | Family history of other specified eye disorder |
| Z83.52 | Family history of ear disorders |
| Z83.6 | Family history of other diseases of the respiratory system |
| Z83.71 | Family history of colonic polyps |
| Z83.79 | Family history of other diseases of the digestive system |
| Z84.0 | Family history of diseases of the skin and subcutaneous tissue |
| Z84.1 | Family history of disorders of kidney and ureter |
| Z84.2 | Family history of other diseases of the genitourinary system |
| Z84.3 | Family history of consanguinity |
| Z84.81 | Family history of carrier of genetic disease |
| Z84.89 | Family history of other specified conditions |
| Z85.00 | Personal history of malignant neoplasm of unspecified digestive organ |
| Z85.01 | Personal history of malignant neoplasm of esophagus |
| Z85.020 | Personal history of malignant carcinoid tumor of stomach |
| Z85.028 | Personal history of other malignant neoplasm of stomach |
| Z85.030 | Personal history of malignant carcinoid tumor of large intestine |
| Z85.038 | Personal history of other malignant neoplasm of large intestine |
| Z85.040 | Personal history of malignant carcinoid tumor of rectum |
| Z85.048 | Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus |
| Z85.05 | Personal history of malignant neoplasm of liver |

| ICD-10 code | ICD-10 description |
|---|---|
| Z85.060 | Personal history of malignant carcinoid tumor of small intestine |
| Z85.068 | Personal history of other malignant neoplasm of small intestine |
| Z85.07 | Personal history of malignant neoplasm of pancreas |
| Z85.09 | Personal history of malignant neoplasm of other digestive organs |
| Z85.110 | Personal history of malignant carcinoid tumor of bronchus and lung |
| Z85.118 | Personal history of other malignant neoplasm of bronchus and lung |
| Z85.12 | Personal history of malignant neoplasm of trachea |
| Z85.20 | Personal history of malignant neoplasm of unspecified respiratory organ |
| Z85.21 | Personal history of malignant neoplasm of larynx |
| Z85.22 | Personal history of malignant neoplasm of nasal cavities, middle ear, and accessory sinuses |
| Z85.230 | Personal history of malignant carcinoid tumor of thymus |
| Z85.238 | Personal history of other malignant neoplasm of thymus |
| Z85.29 | Personal history of malignant neoplasm of other respiratory and intrathoracic organs |
| Z85.3 | Personal history of malignant neoplasm of breast |
| Z85.40 | Personal history of malignant neoplasm of unspecified female genital organ |
| Z85.41 | Personal history of malignant neoplasm of cervix uteri |
| Z85.42 | Personal history of malignant neoplasm of other parts of uterus |
| Z85.43 | Personal history of malignant neoplasm of ovary |
| Z85.44 | Personal history of malignant neoplasm of other female genital organs |
| Z85.45 | Personal history of malignant neoplasm of unspecified male genital organ |
| Z85.46 | Personal history of malignant neoplasm of prostate |
| Z85.47 | Personal history of malignant neoplasm of testis |
| Z85.48 | Personal history of malignant neoplasm of epididymis |
| Z85.49 | Personal history of malignant neoplasm of other male genital organs |
| Z85.50 | Personal history of malignant neoplasm of unspecified urinary tract organ |
| Z85.51 | Personal history of malignant neoplasm of bladder |
| Z85.520 | Personal history of malignant carcinoid tumor of kidney |
| Z85.528 | Personal history of other malignant neoplasm of kidney |
| Z85.53 | Personal history of malignant neoplasm of renal pelvis |
| Z85.54 | Personal history of malignant neoplasm of ureter |
| Z85.59 | Personal history of malignant neoplasm of other urinary tract organ |
| Z85.6 | Personal history of leukemia |
| Z85.71 | Personal history of Hodgkin lymphoma |
| Z85.72 | Personal history of non-Hodgkin lymphomas |
| Z85.79 | Personal history of other malignant neoplasms of lymphoid, hematopoietic and related tissues |
| Z85.810 | Personal history of malignant neoplasm of tongue |
| Z85.818 | Personal history of malignant neoplasm of other sites of lip, oral cavity, and pharynx |
| Z85.819 | Personal history of malignant neoplasm of unspecified site of lip, oral cavity, and pharynx |
| Z85.820 | Personal history of malignant melanoma of skin |
| Z85.821 | Personal history of Merkel cell carcinoma |
| Z85.828 | Personal history of other malignant neoplasm of skin |
| Z85.830 | Personal history of malignant neoplasm of bone |
| Z85.831 | Personal history of malignant neoplasm of soft tissue |
| Z85.840 | Personal history of malignant neoplasm of eye |

| ICD-10 code | ICD-10 description |
|---|---|
| Z85.841 | Personal history of malignant neoplasm of brain |
| Z85.848 | Personal history of malignant neoplasm of other parts of nervous tissue |
| Z85.850 | Personal history of malignant neoplasm of thyroid |
| Z85.858 | Personal history of malignant neoplasm of other endocrine glands |
| Z85.89 | Personal history of malignant neoplasm of other organs and systems |
| Z85.9 | Personal history of malignant neoplasm, unspecified |
| Z86.000 | Personal history of in-situ neoplasm of breast |
| Z86.001 | Personal history of in-situ neoplasm of cervix uteri |
| Z86.008 | Personal history of in-situ neoplasm of other site |
| Z86.010 | Personal history of colonic polyps |
| Z86.011 | Personal history of benign neoplasm of the brain |
| Z86.012 | Personal history of benign carcinoid tumor |
| Z86.018 | Personal history of other benign neoplasm |
| Z86.03 | Personal history of neoplasm of uncertain behavior |
| Z86.11 | Personal history of tuberculosis |
| Z86.12 | Personal history of poliomyelitis |
| Z86.13 | Personal history of malaria |
| Z86.14 | Personal history of Methicillin resistant Staphylococcus aureus infection |
| Z86.19 | Personal history of other infectious and parasitic diseases |
| Z86.2 | Personal history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z86.31 | Personal history of diabetic foot ulcer |
| Z86.32 | Personal history of gestational diabetes |
| Z86.39 | Personal history of other endocrine, nutritional and metabolic disease |
| Z86.51 | Personal history of combat and operational stress reaction |
| Z86.59 | Personal history of other mental and behavioral disorders |
| Z86.61 | Personal history of infections of the central nervous system |
| Z86.69 | Personal history of other diseases of the nervous system and sense organs |
| Z86.711 | Personal history of pulmonary embolism |
| Z86.718 | Personal history of other venous thrombosis and embolism |
| Z86.72 | Personal history of thrombophlebitis |
| Z86.73 | Personal history of transient ischemic attack (TIA), and cerebral infarction without residual deficits |
| Z86.74 | Personal history of sudden cardiac arrest |
| Z86.79 | Personal history of other diseases of the circulatory system |
| Z87.01 | Personal history of pneumonia (recurrent) |
| Z87.09 | Personal history of other diseases of the respiratory system |
| Z87.11 | Personal history of peptic ulcer disease |
| Z87.19 | Personal history of other diseases of the digestive system |
| Z87.2 | Personal history of diseases of the skin and subcutaneous tissue |
| Z87.310 | Personal history of (healed) osteoporosis fracture |
| Z87.311 | Personal history of (healed) other pathological fracture |
| Z87.312 | Personal history of (healed) stress fracture |
| Z87.39 | Personal history of other diseases of the musculoskeletal system and connective tissue |
| Z87.410 | Personal history of cervical dysplasia |
| Z87.411 | Personal history of vaginal dysplasia |

| ICD-10 code | ICD-10 description |
|---|---|
| Z87.412 | Personal history of vulvar dysplasia |
| Z87.42 | Personal history of other diseases of the female genital tract |
| Z87.430 | Personal history of prostatic dysplasia |
| Z87.438 | Personal history of other diseases of male genital organs |
| Z87.440 | Personal history of urinary (tract) infections |
| Z87.441 | Personal history of nephrotic syndrome |
| Z87.442 | Personal history of urinary calculi |
| Z87.448 | Personal history of other diseases of urinary system |
| Z87.51 | Personal history of pre-term labor |
| Z87.59 | Personal history of other complications of pregnancy, childbirth and the puerperium |
| Z87.710 | Personal history of (corrected) hypospadias |
| Z87.718 | Personal history of other specified (corrected) congenital malformations of genitourinary system |
| Z87.720 | Personal history of (corrected) congenital malformations of eye |
| Z87.721 | Personal history of (corrected) congenital malformations of ear |
| Z87.728 | Personal history of other specified (corrected) congenital malformations of nervous system and sense organs |
| Z87.730 | Personal history of (corrected) cleft lip and palate |
| Z87.738 | Personal history of other specified (corrected) congenital malformations of digestive system |
| Z87.74 | Personal history of (corrected) congenital malformations of heart and circulatory system |
| Z87.75 | Personal history of (corrected) congenital malformations of respiratory system |
| Z87.76 | Personal history of (corrected) congenital malformations of integument, limbs and musculoskeletal system |
| Z87.790 | Personal history of (corrected) congenital malformations of face and neck |
| Z87.798 | Personal history of other (corrected) congenital malformations |
| Z87.81 | Personal history of (healed) traumatic fracture |
| Z87.820 | Personal history of traumatic brain injury |
| Z87.821 | Personal history of retained foreign body fully removed |
| Z87.828 | Personal history of other (healed) physical injury and trauma |
| Z87.890 | Personal history of sex reassignment |
| Z87.891 | Personal history of nicotine dependence |
| Z87.892 | Personal history of anaphylaxis |
| Z87.898 | Personal history of other specified conditions |
| Z88.0 | Allergy status to penicillin |
| Z88.1 | Allergy status to other antibiotic agents status |
| Z88.2 | Allergy status to sulfonamides status |
| Z88.3 | Allergy status to other anti-infective agents status |
| Z88.4 | Allergy status to anesthetic agent status |
| Z88.5 | Allergy status to narcotic agent status |
| Z88.6 | Allergy status to analgesic agent status |
| Z88.7 | Allergy status to serum and vaccine status |
| Z88.8 | Allergy status to other drugs, medicaments and biological substances status |
| Z88.9 | Allergy status to unspecified drugs, medicaments and biological substances status |
| Z89.011 | Acquired absence of right thumb |
| Z89.012 | Acquired absence of left thumb |
| Z89.019 | Acquired absence of unspecified thumb |

| ICD-10 code | ICD-10 description |
|---|---|
| Z89.021 | Acquired absence of right finger(s) |
| Z89.022 | Acquired absence of left finger(s) |
| Z89.029 | Acquired absence of unspecified finger(s) |
| Z89.111 | Acquired absence of right hand |
| Z89.112 | Acquired absence of left hand |
| Z89.119 | Acquired absence of unspecified hand |
| Z89.121 | Acquired absence of right wrist |
| Z89.122 | Acquired absence of left wrist |
| Z89.129 | Acquired absence of unspecified wrist |
| Z89.201 | Acquired absence of right upper limb, unspecified level |
| Z89.202 | Acquired absence of left upper limb, unspecified level |
| Z89.209 | Acquired absence of unspecified upper limb, unspecified level |
| Z89.211 | Acquired absence of right upper limb below elbow |
| Z89.212 | Acquired absence of left upper limb below elbow |
| Z89.219 | Acquired absence of unspecified upper limb below elbow |
| Z89.221 | Acquired absence of right upper limb above elbow |
| Z89.222 | Acquired absence of left upper limb above elbow |
| Z89.229 | Acquired absence of unspecified upper limb above elbow |
| Z89.231 | Acquired absence of right shoulder |
| Z89.232 | Acquired absence of left shoulder |
| Z89.239 | Acquired absence of unspecified shoulder |
| Z89.411 | Acquired absence of right great toe |
| Z89.412 | Acquired absence of left great toe |
| Z89.419 | Acquired absence of unspecified great toe |
| Z89.421 | Acquired absence of other right toe(s) |
| Z89.422 | Acquired absence of other left toe(s) |
| Z89.429 | Acquired absence of other toe(s), unspecified side |
| Z89.431 | Acquired absence of right foot |
| Z89.432 | Acquired absence of left foot |
| Z89.439 | Acquired absence of unspecified foot |
| Z89.441 | Acquired absence of right ankle |
| Z89.442 | Acquired absence of left ankle |
| Z89.449 | Acquired absence of unspecified ankle |
| Z89.511 | Acquired absence of right leg below knee |
| Z89.512 | Acquired absence of left leg below knee |
| Z89.519 | Acquired absence of unspecified leg below knee |
| Z89.521 | Acquired absence of right knee |
| Z89.522 | Acquired absence of left knee |
| Z89.529 | Acquired absence of unspecified knee |
| Z89.611 | Acquired absence of right leg above knee |
| Z89.612 | Acquired absence of left leg above knee |
| Z89.619 | Acquired absence of unspecified leg above knee |
| Z89.621 | Acquired absence of right hip joint |
| Z89.622 | Acquired absence of left hip joint |
| Z89.629 | Acquired absence of unspecified hip joint |
| Z89.9 | Acquired absence of limb, unspecified |

| ICD-10 code | ICD-10 description |
|---|---|
| Z90.710 | Acquired absence of both cervix and uterus |
| Z91.010 | Allergy to peanuts |
| Z91.011 | Allergy to milk products |
| Z91.012 | Allergy to eggs |
| Z91.013 | Allergy to seafood |
| Z91.018 | Allergy to other foods |
| Z91.02 | Food additives allergy status |
| Z91.030 | Bee allergy status |
| Z91.038 | Other insect allergy status |
| Z91.040 | Latex allergy status |
| Z91.041 | Radiographic dye allergy status |
| Z91.048 | Other nonmedicinal substance allergy status |
| Z91.09 | Other allergy status, other than to drugs and biological substances |
| Z91.410 | Personal history of adult physical and sexual abuse |
| Z91.411 | Personal history of adult psychological abuse |
| Z91.412 | Personal history of adult neglect |
| Z91.419 | Personal history of unspecified adult abuse |
| Z91.49 | Other personal history of psychological trauma, not elsewhere classified |
| Z91.5 | Personal history of self-harm |
| Z91.81 | History of falling |
| Z91.82 | Personal history of military deployment |
| Z91.83 | Wandering in diseases classified elsewhere |
| Z91.89 | Other specified personal risk factors, not elsewhere classified |
| Z92.0 | Personal history of contraception |
| Z92.21 | Personal history of antineoplastic chemotherapy |
| Z92.22 | Personal history of monoclonal drug therapy |
| Z92.23 | Personal history of estrogen therapy |
| Z92.240 | Personal history of inhaled steroid therapy |
| Z92.241 | Personal history of systemic steroid therapy |
| Z92.25 | Personal history of immunosupression therapy |
| Z92.29 | Personal history of other drug therapy |
| Z92.3 | Personal history of irradiation |
| Z92.81 | Personal history of extracorporeal membrane oxygenation (ECMO) |
| Z92.82 | Status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility |
| Z92.83 | Personal history of failed moderate sedation |
| Z92.89 | Personal history of other medical treatment |
| Z93.0 | Tracheostomy status |
| Z93.1 | Gastrostomy status |
| Z93.2 | Ileostomy status |
| Z93.3 | Colostomy status |
| Z93.4 | Other artificial openings of gastrointestinal tract status |
| Z93.50 | Unspecified cystostomy status |
| Z93.51 | Cutaneous-vesicostomy status |
| Z93.52 | Appendico-vesicostomy status |
| Z93.59 | Other cystostomy status |

| ICD-10 code | ICD-10 description |
|---|---|
| Z93.6 | Other artificial openings of urinary tract status |
| Z93.8 | Other artificial opening status |
| Z93.9 | Artificial opening status, unspecified |
| Z94.0 | Kidney transplant status |
| Z94.1 | Heart transplant status |
| Z94.2 | Lung transplant status |
| Z94.3 | Heart and lungs transplant status |
| Z94.4 | Liver transplant status |
| Z94.5 | Skin transplant status |
| Z94.6 | Bone transplant status |
| Z94.7 | Corneal transplant status |
| Z94.81 | Bone marrow transplant status |
| Z94.82 | Intestine transplant status |
| Z94.83 | Pancreas transplant status |
| Z94.84 | Stem cells transplant status |
| Z94.89 | Other transplanted organ and tissue status |
| Z94.9 | Transplanted organ and tissue status, unspecified |
| Z95.0 | Presence of cardiac pacemaker |
| Z95.1 | Presence of aortocoronary bypass graft |
| Z95.2 | Presence of prosthetic heart valve |
| Z95.3 | Presence of xenogenic heart valve |
| Z95.4 | Presence of other heart-valve replacement |
| Z95.5 | Presence of coronary angioplasty implant and graft |
| Z95.810 | Presence of automatic (implantable) cardiac defibrillator |
| Z95.811 | Presence of heart assist device |
| Z95.812 | Presence of fully implantable artificial heart |
| Z95.818 | Presence of other cardiac implants and grafts |
| Z95.820 | Peripheral vascular angioplasty status with implants and grafts |
| Z95.828 | Presence of other vascular implants and grafts |
| Z95.9 | Presence of cardiac and vascular implant and graft, unspecified |
| Z97.0 | Presence of artificial eye |
| Z97.10 | Presence of artificial limb (complete) (partial), unspecified |
| Z97.11 | Presence of artificial right arm (complete) (partial) |
| Z97.12 | Presence of artificial left arm (complete) (partial) |
| Z97.13 | Presence of artificial right leg (complete) (partial) |
| Z97.14 | Presence of artificial left leg (complete) (partial) |
| Z97.15 | Presence of artificial arms, bilateral (complete) (partial) |
| Z97.16 | Presence of artificial legs, bilateral (complete) (partial) |
| Z97.2 | Presence of dental prosthetic device (complete) (partial) |
| Z97.3 | Presence of spectacles and contact lenses |
| Z97.4 | Presence of external hearing-aid |
| Z97.5 | Presence of (intrauterine) contraceptive device |
| Z97.8 | Presence of other specified devices |
| Z98.0 | Intestinal bypass and anastomosis status |
| Z98.1 | Arthrodesis status |
| Z98.2 | Presence of cerebrospinal fluid drainage device |

| ICD-10 code | ICD-10 description |
|---|---|
| Z98.3 | Post therapeutic collapse of lung status |
| Z98.41 | Cataract extraction status, right eye |
| Z98.42 | Cataract extraction status, left eye |
| Z98.49 | Cataract extraction status, unspecified eye |
| Z98.51 | Tubal ligation status |
| Z98.52 | Vasectomy status |
| Z98.61 | Coronary angioplasty status |
| Z98.62 | Peripheral vascular angioplasty status |
| Z98.810 | Dental sealant status |
| Z98.811 | Dental restoration status |
| Z98.818 | Other dental procedure status |
| Z98.82 | Breast implant status |
| Z98.83 | Filtering (vitreous) bleb after glaucoma surgery status |
| Z98.84 | Bariatric surgery status |
| Z98.85 | Transplanted organ removal status |
| Z98.86 | Personal history of breast implant removal |
| Z98.870 | Personal history of in utero procedure during pregnancy |
| Z98.871 | Personal history of in utero procedure while a fetus |
| Z98.89 | Other specified postprocedural states |
| Z99.0 | Dependence on aspirator |
| Z99.11 | Dependence on respirator [ventilator] status |
| Z99.12 | Encounter for respirator [ventilator] dependence during power failure |
| Z99.2 | Dependence on renal dialysis |
| Z99.3 | Dependence on wheelchair |
| Z99.81 | Dependence on supplemental oxygen |
| Z99.89 | Dependence on other enabling machines and devices |